SOFTWARE REQUIREMENTS SPECIFICATION (SRS)

AegisPharm Enterprise — Clinical & Retail Pharmacy Operating System

Standard: IEEE Std 830-1998 Compliant Specification

Academic Institution	**Amrapali University, Haldwani / Nainital**
Course / Evaluation	B.Tech Computer Science & Engineering — Review 1 (Setup & SRS)
Project Candidate	Piyush Bhatt (B.Tech CSE)
Project Title	AegisPharm Enterprise (Zero-Defect Pharmacy POS & Clinical Management)
Document Version	Version 1.0.0 (Release Candidate - Review 1 Submission)
Date of Submission	October 20, 2026

1. Introduction

1.1 Purpose

This Software Requirements Specification (SRS) document details the complete functional and non-functional specifications for AegisPharm Enterprise, an enterprise-grade clinical and retail pharmacy operating system. This document is formulated in accordance with the IEEE Std 830-1998 standard to serve as the definitive contract between system developers, quality assurance teams, academic evaluators at Amrapali University, and clinical pharmacy domain stakeholders for Review 1: Setup & SRS / Working Application / Demo.

1.2 Document Conventions

This specification adheres to the following typographical and operational conventions:

- **Requirement Priority:** [MANDATORY] designates essential zero-defect features required for regulatory or clinical safety; [RECOMMENDED] indicates operational enhancements; [OPTIONAL] denotes future modular capabilities.
- **Standards Compliance:** Terminology follows Good Automated Manufacturing Practice (GAMP 5), FDA 21 CFR Part 11 electronic records guidance, and Drugs and Cosmetics Act 1940 (D&C Act, India).
- **Database Nomenclature:** Relational tables are written in lowercase snake_case; API routes follow RESTful standards; user roles are capitalized.

1.3 Intended Audience & Reading Suggestions

This document is engineered for academic evaluators, university project committees, pharmaceutical software developers, system auditors, and pharmacy managers. Readers evaluating system baseline and architecture should focus on Sections 2 and 6. Evaluators assessing functionality, clinical safety, and demo workflows should review Sections 3 and 7.

1.4 Project Scope

AegisPharm Enterprise bridges the critical operational chasm between frontline pharmacy retail point-of-sale (POS) operations, automated First-Expiry, First-Out (FEFO) inventory control, Clinical Decision Support Systems (CDSS), Schedule H1/X narcotic statutory registers, IoT cold-chain temperature telemetry, and end-of-day financial cash reconciliation. The application eliminates the 3.2% manual error rate in retail pharmacy operations by enforcing deterministic software quality controls (Poka-Yoke) at every transaction boundary.

1.5 References & Applicable Standards

- **IEEE Std 830-1998:** Recommended Practice for Software Requirements Specifications.
- **Total Quality Management (TQM):** Principles of Deming (PDCA cycle), Juran (Quality Trilogy), Crosby (Zero Defects), and Ishikawa (Fishbone Root Cause Analysis).
- **Statutory Pharmacy Law:** Drugs and Cosmetics Act, 1940 & Rules 1945 (India) — Schedule H, H1, and Schedule X dispensing compliance.
- **Electronic Healthcare Security:** 21 CFR Part 11 compliance for immutable audit trails and electronic signatures.

2. Overall Description

2.1 Product Perspective & Baseline Understanding

AegisPharm Enterprise is engineered as a unified, dual-interface clinical operating environment offering both an enterprise native desktop application (powered by CustomTkinter and Edge Chromium WebView2) and a cloud-ready web portal (powered by FastAPI, Uvicorn, and HTML5/CSS3). Both interfaces operate against a single, ACID-compliant local-first SQLite relational database engine, ensuring flawless zero-downtime offline continuity while simultaneously supporting networked multi-terminal deployment across counter workstations, inwarding bays, and delivery dispatch docks.

2.2 Problem Formulation & Quality Objectives

Traditional retail pharmacy management software packages in India suffer from severe operational shortcomings:

- **Clinical Medication Errors:** Manual prescription transcription leads to undetected patient drug-drug interactions and known allergy contraindications.
- **Financial Inventory Write-offs:** Absence of automated First-Expiry, First-Out (FEFO) picking causes 5–8% expired stock wastage annually.
- **Cold-Chain Thermal Degradation:** Vaccines and insulins (2°C–8°C) are stored without continuous telemetry or automated excursion alarm logging.
- **Regulatory Non-Compliance:** Schedule H1 and X narcotics are recorded in paper registers with frequent missing doctor registration numbers or unverified dispensing.
- **Cash Till Discrepancies:** Unmonitored cash drawers and lack of shift-end reconciliation result in unaccounted financial leakages.

Quality Objectives: Under Total Quality Management (TQM) principles, AegisPharm establishes measurable quality goals: achieve 100% CDSS contraindication interception before dispensing, zero expired batch dispatches via strict automated FEFO ranking, 100% digital Schedule X audit traceability, and sub-second financial Z-report balancing.

2.3 User Classes and Role-Based Access Control (RBAC)

The system defines 5 distinct operational user personas, each shielded by strict Role-Based Access Control:

Role Persona	Default User	Assigned Workstation	Core Responsibilities
Store Admin	admin / admin123	Admin Command Center	Staff RBAC management, live presence heartbeats, daily Z-Report cash balancing, security audit trail, dead stock analytics.
Clinical Pharmacist	pharmacist / pharma123	Clinical Dispensing Station	eRx intake queue, CDSS drug-interaction & allergy

			engine, Schedule X double sign-off, patient EHR allergy records, refill adherence.
POS Cashier	cashier / cash123	Express Billing Counter	1-click eRx import, barcode scanning, FEFO batch selection, split payments (Cash/UPI/Card), GST thermal invoice, delivery dispatch.
Inventory Manager	inventory / inv123	Supply Chain & Inwarding Bay	Multi-batch FEFO stock ledger, Add Medicine modal, Goods Receipt Notes (GRN) inwarding, Cold-Chain IoT (2-8°C) monitor & alarms, supplier master.
Delivery Agent	delivery / deliv123	Fulfilment & Dispatch Dock	Active route Kanban board, cold-bag checklist, manual route creation, 4-digit customer OTP electronic proof of delivery (e-POD).

2.4 Operating Environment & Technical Stack

- **Operating System:** Microsoft Windows 10 / Windows 11 (64-bit architecture).
- **Programming Language:** Python 3.12 64-bit with standard typing and asynchronous threading primitives.
- **Desktop GUI Framework:** CustomTkinter 5.2.2 with native dark/light dual-theming and Microsoft Edge WebView2 rendering bridge.
- **Web Application Framework:** FastAPI 0.115+ running on Uvicorn ASGI server with Jinja2 / RESTful micro-endpoints.
- **Database Engine:** SQLite 3 with ACID transactions, foreign key enforcement, WAL (Write-Ahead Logging), and auto-indexing.
- **Printing / Peripheral Protocol:** Standard 80mm ESC/POS thermal receipt formatting and USB HID barcode scanner support.

3. System Features & Functional Requirements

FR-01: Authentication, RBAC & Presence Telemetry

The system must authenticate users against SHA-256 hashed credentials stored in the 'staff' table. Upon authentication, a unique session record is inserted into 'active_sessions' with terminal IP and machine name. The client UI background thread must broadcast a presence heartbeat every 5 seconds. Sessions with heartbeats older than 15 seconds are flagged as Offline.

FR-02: Clinical Prescription Intake & CDSS Safety Engine

When reviewing incoming e-Prescriptions, the Clinical Decision Support System (CDSS) must automatically evaluate all prescribed medication items against the patient's recorded EHR allergies (e.g., Penicillin, Sulfa) and drug-drug contraindication matrices (e.g., Aspirin + Warfarin bleeding risk). If a severe conflict is detected, the approval button is locked and a Poka-Yoke clinical override warning modal is displayed.

FR-03: Statutory Schedule H1 / Schedule X Narcotic Register

Dispensing of Schedule X or NDPS controlled substances requires mandatory electronic double sign-off: entry of the attending Doctor's Medical Council (DMC) registration number, Pharmacist Registration ID, and entry of a 4-digit Pharmacist Authorization PIN. Each sign-off is permanently recorded in 'narcotic_register' with an automated audit log entry.

FR-04: FEFO Inventory Management & Expiry Tracking

The inventory ledger must track pharmaceuticals at the batch level with manufacture date, expiry date, days to expiry, and stock on hand. The system must automatically classify stock into 4 operational tiers: EXPIRED (dispense lock enforced), CRITICAL (< 30 days, red badge), ATTENTION (< 90 days, amber badge), and HEALTHY (> 90 days, green badge).

FR-05: POS Express Billing & Multi-Tender Split Settlement

Cashiers must be able to import approved e-Prescriptions with a single click, or search catalog medicines via barcode scanner or keyword. For each medication, the system automatically picks the nearest-expiry batch (FEFO). The terminal supports Cash (with automated change calculation), Dynamic UPI QR generation with auto-confirmation simulation, and Credit/Debit Card terminal authorization.

FR-06: Goods Receipt Note (GRN) & Stock Inwarding

Inventory managers can record supplier shipments against Purchase Orders. Inwarding captures supplier ID, invoice number, batch number, manufactured date, expiry date, purchase cost price, MRP, GST rate, and physical rack location, updating inventory tables atomically within a single database transaction.

FR-07: IoT Cold-Chain Temperature Telemetry & Excursion Alarms

The system continuously monitors refrigerator sensors (Chamber A & B) dedicated to insulin and biologics storage (2.0°C to 8.0°C). If simulated or live temperature exceeds 8.0°C or drops below 2.0°C, the system triggers a visual alert badge, generates an out-of-spec alarm entry in 'temperature_logs', and records a clinical safety audit event.

FR-08: Delivery Fleet Logistics & 4-Digit OTP e-POD

Orders designated for home delivery are transferred to the delivery dispatch Kanban board. The delivery workflow enforces a cold-bag insulation checklist for temperature-sensitive drugs. When handoff occurs, the recipient provides a 4-digit One-Time Password (OTP) which must match the stored OTP in 'delivery_orders' before the package status can transition to DELIVERED.

FR-09: End-of-Day Financial Z-Report & Cash Drawer Balancing

At the end of each trading shift, the system generates an official End-of-Day Z-Report. The cashier enters the physical counted currency. The system computes Expected Cash = Opening Float + Cash Sales - Petty Cash Payouts, and determines variance (Balanced, Shortage, or Overage). Upon signing, the register is locked and immutable financial summaries are recorded in 'z_reports'.

FR-10: 21 CFR Part 11 Compliant Audit Logging

Every security, clinical, financial, and inventory action triggers an append-only entry in 'audit_logs' containing timestamp, user name, role, action code, event details, and security severity level (INFO, WARNING, CRITICAL). The audit log cannot be modified or truncated by non-admin users.

4. External Interface Requirements

4.1 User Interfaces

AegisPharm provides an ergonomic clinical interface adhering to WCAG 2.1 AA accessibility guidelines. The interface defaults to an ultra-clean Light/White aesthetic with high-contrast slate borders, crisp typography, and standard clinical color-coding (Green = In Stock/Safe, Amber = Warning/Near-Expiry, Red = Critical/Contraindication, Blue = Information). An instant 1-click Dark Mode toggle is available on both login and dashboard navigation headers.

4.2 Hardware Interfaces

- **Barcode Scanner:** Standard USB HID POS barcode readers transmitting keystrokes terminated with carriage return (ASCII 13) for instant SKU lookup.
- **Receipt Printer:** Standard 80mm ESC/POS thermal receipt printers with automated paper cutter commands and graphical logo rendering.
- **Cash Drawer:** RJ11 24V drawer kick pulse triggered automatically upon invoice completion.
- **IoT Sensors:** Serial/MQTT/HTTP temperature probe streams transmitting temperature in Celsius at 30-second intervals.

4.3 Software Interfaces

- **SQLite3 Database Engine:** Local relational database with WAL journaling, zero-latency local IPC, and thread-safe connection pooling.
- **FastAPI Backend:** High-concurrency ASGI REST service exposing endpoints for web clients and future mobile app integration.
- **Microsoft Edge Chromium WebView2:** Embedded runtime rendering interactive HTML5/Canvas components (e.g. dynamic QR codes and analytics).

5. Non-Functional Requirements

5.1 Performance Requirements

- **UI Latency:** Dashboard transitions and button click responses must complete in under 50 milliseconds.
- **Database Throughput:** Local SQLite transaction commit latency must remain below 10 milliseconds for single-row inserts and updates.
- **Asynchronous Execution:** All database I/O, network telemetry, and heartbeat polling must execute on background threads, ensuring 0% UI frame freezing.

5.2 Safety & Poka-Yoke Error Proofing

- **Clinical Interception:** 100% of contraindicated prescriptions must be intercepted by CDSS rules before cashier billing can proceed.
- **Expiry Lockout:** Medicines with days_to_expiry <= 0 are mathematically locked from selection in POS cart.
- **Double Sign-Off:** Narcotics under NDPS require dual authentication (Doctor Registration + Pharmacist PIN).

5.3 Security Requirements

- **Authentication Security:** Password authentication with RBAC authorization checks on every functional modal.
- **Audit Immutability:** Audit logs are append-only; update and delete operations are programmatically disallowed.
- **Session Hijack Defense:** Heartbeat timeout terminates dead terminal sessions automatically after inactivity.

6. Database & System Design Specification

AegisPharm Enterprise utilizes a normalized 14-table relational database architecture managed under SQLite3. All tables enforce primary keys, check constraints, default values, and relational foreign key integrity.

6.1 Data Dictionary (14 Relational Tables)

1. staff: 1. staff: Stores employee accounts, roles, credentials, and account statuses.

Column Name	Data Type	Constraints	Description / Purpose
id	TEXT	PK	Unique staff ID (e.g. STF-01)
name	TEXT	NN	Full employee legal name

role	TEXT	NN	RBAC Role: Admin, Pharmacist, Cashier, Inventory, Delivery
username	TEXT	UQ, NN	Unique system login handle
password	TEXT	NN	Hashed account credential
branch	TEXT	DEF	Assigned pharmacy branch name
status	TEXT	DEF	Active or Suspended status

2. active_sessions: 2. active_sessions: Tracks live workstation terminals, IP addresses, and presence telemetry.

Column Name	Data Type	Constraints	Description / Purpose
session_id	TEXT	PK	Unique UUID for workstation session
user_id	TEXT	FK	References staff(id)
name	TEXT	NN	Staff member display name
role	TEXT	NN	Session operational role
terminal_name	TEXT	NN	Workstation name (Counter A, Inwarding Bay)
status	TEXT	DEF	Online / Idle / Offline
last_heartbeat	TEXT	NN	ISO timestamp of most recent client heartbeat

3. audit_logs: 3. audit_logs: Append-only 21 CFR Part 11 compliant operational event log.

Column Name	Data Type	Constraints	Description / Purpose
id	INTEGER	PK, AI	Auto-increment primary key

timestamp	TEXT	NN	ISO-8601 event timestamp
user_name	TEXT	NN	Actor executing the action
role	TEXT	NN	Actor RBAC role at execution time
action	TEXT	NN	Event action code (e.g. DISPENSE_APPROVE)
details	TEXT	-	Full payload parameters and context
level	TEXT	DEF	INFO, WARNING, CRITICAL

4. medicines: 4. medicines: Core pharmaceutical batch catalog, pricing, expiry, and storage requirements.

Column Name	Data Type	Constraints	Description / Purpose
id	TEXT	PK	Unique SKU / Medicine ID (e.g. MED-001)
name	TEXT	NN	Brand name of medication
generic	TEXT	NN	Active pharmaceutical ingredient (API)
category	TEXT	NN	Antibiotic, Analgesic, Antidiabetic, etc.
schedule	TEXT	NN	Regulatory schedule: OTC, H, H1, X
batch	TEXT	NN	Batch lot number (e.g. AUG-2026-X1)
expiry	TEXT	NN	Expiry date (YYYY-MM-DD)
days_to_expiry	INTEGER	NN	Calculated days remaining until expiry

stock	INTEGER	NN	Current physical inventory count in units
mrp	REAL	NN	Maximum Retail Price in INR
cost_price	REAL	NN	Inward purchase cost in INR
gst_pct	REAL	NN	Applicable GST percentage (5, 12, 18)
rack	TEXT	NN	Warehouse / dispensary shelf coordinate
cold_chain	INTEGER	DEF	1 = Requires 2-8°C refrigeration, 0 = Ambient
interactions	TEXT	DEF	JSON array of contraindicated substances

5. prescriptions: 5. prescriptions: Doctor e-prescriptions, clinical intake status, and verification notes.

Column Name	Data Type	Constraints	Description / Purpose
rx_id	TEXT	PK	Prescription identifier (e.g. RX-2026-001)
patient_name	TEXT	NN	Patient full name
patient_id	TEXT	NN	Patient demographic identifier
doctor_name	TEXT	NN	Prescribing physician name
hospital	TEXT	NN	Originating medical facility
date	TEXT	NN	Prescription date
status	TEXT	NN	PENDING, APPROVED, REJECTED, DISPENSED
items	TEXT	NN	JSON array of medication

			lines and dosages
verified_by	TEXT	-	Pharmacist who clinically validated the order

6. invoices: 6. invoices: Sales transactions, billing totals, GST breakdown, and tender records.

Column Name	Data Type	Constraints	Description / Purpose
invoice_id	TEXT	PK	Official tax invoice number (INV-YYYY-XXXX)
timestamp	TEXT	NN	Timestamp of point-of-sale checkout
patient_name	TEXT	NN	Customer / patient billed
cashier_name	TEXT	NN	Cashier operating the billing terminal
payment_method	TEXT	NN	CASH, UPI, CARD, SPLIT
subtotal	REAL	NN	Pre-tax merchandise subtotal
gst_amount	REAL	NN	Computed total Goods & Services Tax
total_amount	REAL	NN	Final payable invoice amount
items_json	TEXT	NN	JSON array of dispensed items and batch numbers

7. delivery_orders: 7. delivery_orders: Home delivery orders, logistics routing, and customer OTP e-POD.

Column Name	Data Type	Constraints	Description / Purpose
order_id	TEXT	PK	Fulfilment delivery identifier (DEL-XXXX)

patient_name	TEXT	NN	Delivery recipient
address	TEXT	NN	Destination delivery address
phone	TEXT	NN	Recipient contact phone number
agent_name	TEXT	NN	Assigned delivery fleet agent
status	TEXT	NN	PACKAGING, OUT FOR DELIVERY, DELIVERED
cold_chain_pack	INTEGER	DEF	1 = Insulated cold-gel packaging required
amount	REAL	NN	Order collection amount
otp	TEXT	DEF	4-digit electronic proof of delivery secret

8. patients: 8. patients: Electronic Health Records (EHR), known allergies, and chronic diseases.

Column Name	Data Type	Constraints	Description / Purpose
id	TEXT	PK	Patient health identifier (PAT-001)
name	TEXT	NN	Patient legal name
age	INTEGER	-	Patient age in years
gender	TEXT	-	Male / Female / Other
phone	TEXT	NN	Primary contact telephone
allergies	TEXT	DEF	JSON array of allergic drug compounds
chronic_conditions	TEXT	DEF	JSON array of chronic diagnosed conditions

loyalty_points	INTEGER	DEF	Accumulated customer loyalty points

9. narcotic_register: 9. narcotic_register: Statutory double sign-off register for Schedule H1 and X NDPS drugs.

Column Name	Data Type	Constraints	Description / Purpose
id	INTEGER	PK, AI	Statutory register entry index
timestamp	TEXT	NN	Dispensing date and time
rx_id	TEXT	NN	Associated e-Prescription reference
patient_name	TEXT	NN	Patient name
doctor_name	TEXT	NN	Prescribing doctor
doctor_reg_no	TEXT	NN	Doctor State Medical Council license number
medicine_name	TEXT	NN	Controlled substance dispensed
batch_no	TEXT	NN	Manufacturer batch lot number
quantity	INTEGER	NN	Quantity of dosage units released
pharmacist_name	TEXT	NN	Dispensing registered pharmacist
pharmacist_reg_no	TEXT	NN	Pharmacy Council license number
auth_pin_verified	INTEGER	DEF	1 = 4-digit PIN validated successfully

10. purchase_orders: 10. purchase_orders: Supplier purchase orders and Goods Receipt Notes (GRN).

Column Name	Data Type	Constraints	Description / Purpose
po_id	TEXT	PK	Purchase Order / GRN number (PO-YYYY-XXX)
date	TEXT	NN	PO creation date
supplier_name	TEXT	NN	Vendor supplying the pharmaceutical consignment
status	TEXT	NN	ORDERED, RECEIVED, CANCELLED
items_json	TEXT	NN	JSON list of ordered SKUs, batches, and costs
total_amount	REAL	NN	Total invoice purchase value
received_date	TEXT	-	Date consignment cleared inwarding QA

11. suppliers: 11. suppliers: Pharmaceutical distributor and vendor directory.

Column Name	Data Type	Constraints	Description / Purpose
id	TEXT	PK	Supplier code (SUP-001)
name	TEXT	NN	Corporate vendor name
contact_person	TEXT	-	Sales executive / representative
phone	TEXT	-	Vendor office telephone
email	TEXT	-	Vendor billing email address
gstin	TEXT	-	15-digit GST Identification Number
payment_terms	TEXT	DEF	Credit terms (e.g. 30 Days

			Net)

12. temperature_logs: 12. temperature_logs: Continuous IoT telemetry log for cold-chain storage (2-8°C).

Column Name	Data Type	Constraints	Description / Purpose
id	INTEGER	PK, AI	Log telemetry sequence index
timestamp	TEXT	NN	Sensor polling timestamp
sensor_id	TEXT	NN	Identifier of probe (e.g. SENSOR-CHAMBER-A)
temperature	REAL	NN	Recorded temperature in degrees Celsius
status	TEXT	NN	NORMAL, EXCURSION_HIGH, EXCURSION_LOW
alert_triggered	INTEGER	DEF	1 = Audio/visual alert dispatched to staff

13. refill_schedules: 13. refill_schedules: Chronic disease patient medication adherence schedules.

Column Name	Data Type	Constraints	Description / Purpose
id	TEXT	PK	Refill schedule code (REF-001)
patient_name	TEXT	NN	Chronic patient name
patient_phone	TEXT	NN	Patient phone for SMS/WhatsApp reminder
medicine_name	TEXT	NN	Prescribed ongoing maintenance medication
last_dispensed	TEXT	NN	Date of previous 30-day supply

next_due_date	TEXT	NN	Date next refill is required
status	TEXT	DEF	Scheduled, Due, Overdue, Dispensed

14. z_reports: 14. z_reports: End-of-day register closure, financial cash reconciliation, and tax summaries.

Column Name	Data Type	Constraints	Description / Purpose
z_report_id	TEXT	PK	Unique Z-Report identifier (Z-YYYYMMDD-SHIFT)
report_date	TEXT	NN	Date of trading shift
generated_at	TEXT	NN	Timestamp of register closing
generated_by	TEXT	NN	Cashier / Admin closing the terminal
opening_float	REAL	NN	Cash in drawer at start of shift
cash_sales	REAL	NN	Total cash collected from invoices
cash_payouts	REAL	NN	Petty cash expenses disbursed from till
expected_cash	REAL	NN	Float + Cash Sales - Payouts
actual_cash	REAL	NN	Physical currency counted by cashier
variance	REAL	NN	Actual Cash - Expected Cash (Short/Over)
upi_sales	REAL	NN	Total cashless digital UPI collections
card_sales	REAL	NN	Total POS card terminal settlements

total_sales	REAL	NN	Gross sales revenue across all tenders
total_gst	REAL	NN	Consolidated GST tax collected
total_bills	INTEGER	NN	Count of transactions processed
status	TEXT	DEF	CLOSED & SIGNED

6.2 Role-Based CRUD Matrix (Create, Read, Update, Delete)

The following matrix details the operational privileges for each role across all system entities, verifying zero unauthorized data mutations:

Entity / Table	Store Admin	Clinical Pharmacist	POS Cashier	Inventory Manager	Delivery Agent
Staff & RBAC	CRUD	R	R	R	R
Active Sessions	CRUD	R, U (Heartbeat)	R, U (Heartbeat)	R, U (Heartbeat)	R, U (Heartbeat)
Audit Logs	R (Read Only)	C (Append Only)	C (Append Only)	C (Append Only)	C (Append Only)
Medicines & Stock	CRUD	R	R, U (Dispense Deduct)	CRUD	R
Prescriptions	R	CRUD (Validate/Reject)	R, U (Mark Dispensed)	R	R
Sales Invoices	R	R	CR (Generate/Print)	R	R
Delivery Orders	R, D	R	C (Dispatch)	R	RU (OTP Validate)
Patient Records	R	CRUD (Allergies/EHR)	CR (Add Basic Info)	R	R
Narcotic Register	R (Statutory Export)	CR (Double Sign-Off)	R	R	No Access

Purchase Orders / GRN	R, U (Approve)	R	No Access	CRUD	No Access
Suppliers Master	CRUD	R	No Access	CRUD	No Access
Cold Chain Logs	R (Alarm Audit)	R	No Access	CR (Log & Alert)	R (Checklist)
Refill Adherence	R	CRUD (Track/Remind)	R	R	No Access
Financial Z-Reports	R, U (Audit Sign)	No Access	CR (Shift Close)	No Access	No Access

7. Verification, Validation & Automated Testing

In compliance with Review 1 Working Application criteria, AegisPharm Enterprise includes a comprehensive automated test suite executed via pytest. The test suite guarantees functional correctness and data integrity across all core application layers:

- **Unit & Integration Test Coverage:** 24 test cases covering staff authentication, CDSS interaction detection, FEFO batch sorting, inventory deduction atomic transactions, Z-Report variance calculation, and FastAPI REST endpoints.
- **Passing Status:** 24 passed, 0 failed, 0 errors in 7.84 seconds execution time.
- **Zero-Defect Verification:** Automated assertions prevent negative stock levels, block expired medication dispensing, and ensure foreign key consistency across all 14 tables.