Assignment – 7

Code :

```
import React, { useState } from "react";
export function Home() {
  return (
    <div className="font-sans">

      {/* Navbar */}
      <nav className="flex justify-between p-4 shadow bg-blue-600 text-white">
        <h1 className="text-2xl font-bold">EduFeedback</h1>
        <div className="space-x-5">
          <button>Home</button>
          <button>Feedback</button>
          <button>Dashboard</button>
        </div>
      </nav>

      {/* Hero Section */}
      <section className="text-center py-12 bg-gray-100">
        <h2 className="text-4xl font-bold">Student Feedback System</h2>
        <p className="mt-3">Give feedback and improve education quality</p>
      </section>

    </div>
  );
}

export function FeedbackForm() {
  const [form, setForm] = useState({
    name: "",
    subject: "",
    rating: "",
    comments: "",
  });

  const handleSubmit = (e) => {
    e.preventDefault();
    console.log(form);
    alert("Feedback Submitted Successfully!");
  };
```

```
  return (
    <form onSubmit={handleSubmit} className="p-6 bg-gray-100 rounded-lg max-w-lg mx-auto">

      <input
        type="text"
        placeholder="Student Name"
        className="block mb-3 p-2 w-full"
        onChange={(e) => setForm({ ...form, name: e.target.value })}
      />

      <input
        type="text"
        placeholder="Subject / Teacher"
        className="block mb-3 p-2 w-full"
        onChange={(e) => setForm({ ...form, subject: e.target.value })}
      />

      <select
        className="block mb-3 p-2 w-full"
        onChange={(e) => setForm({ ...form, rating: e.target.value })}
      >
        <option>Rating</option>
        <option>1</option>
        <option> 2</option>
        <option> 3</option>
        <option> 4</option>
        <option> 5</option>
      </select>

      <textarea
        placeholder="Comments"
        className="block mb-3 p-2 w-full"
        onChange={(e) => setForm({ ...form, comments: e.target.value })}
      />

      <button className="bg-blue-600 text-white px-4 py-2 rounded w-full">
        Submit Feedback
      </button>
    </form>
  );
}


// ---------- DASHBOARD (DISPLAY FEEDBACK) ----------
export function Dashboard() {
```

```
 const feedbackData = [
  { name: "Piyush", subject: "Math", rating: "5", comments: "Excellent teaching" },
  { name: "Rahul", subject: "Science", rating: "4", comments: "Good explanation" },
 ];

 return (
  <div className="p-8">
   <h2 className="text-2xl font-bold mb-5">Feedback Dashboard</h2>

   <table className="w-full border">
    <thead>
     <tr className="bg-gray-200">
      <th>Name</th>
      <th>Subject</th>
      <th>Rating</th>
      <th>Comments</th>
     </tr>
    </thead>

    <tbody>
     {feedbackData.map((item, index) => (
      <tr key={index} className="text-center border-t">
       <td>{item.name}</td>
       <td>{item.subject}</td>
       <td>{item.rating}</td>
       <td>{item.comments}</td>
      </tr>
     ))}
    </tbody>
   </table>
  </div>
 );
}



const express = require("express");
const app = express();

app.use(express.json());

let feedbacks = [];

// Submit Feedback API
app.post("/submit-feedback", (req, res) => {
```

```
  const data = req.body;
  feedbacks.push(data);
  res.send("Feedback submitted successfully");
});

// Get All Feedback API
app.get("/feedbacks", (req, res) => {
  res.json(feedbacks);
});

app.listen(3000, () => {
  console.log("Server running on port 3000");
});



// ====================================
// DATABASE (MongoDB - Mongoose)
// ====================================

const mongoose = require("mongoose");

const feedbackSchema = new mongoose.Schema({
  name: String,
  subject: String,
  rating: String,
  comments: String,
});

module.exports = mongoose.model("Feedback", feedbackSchema);
```