

PROVIDER INFORMATION

FIRST NAME John	MI T	LAST NAME Doe	PHONE 01234567890	EMAIL citstestmail@gmail.com
ADDRESS 1 23 Elfinston street	ADDRESS 2 av	CITY Nevada	STATE Texas	ZIP 123456
LIS ID LISPP123				
PROVIDER _____		DATE SIGNED _____		

PATIENT INFORMATION

FIRST NAME John	LAST NAME Deo	DOB	PHONE 06864489468
ADDRESS xyz	CITY Brisbane	STATE Australia	ZIP 6152
EMAIL maintenancetesting@gmail.com	GENDER <input checked="" type="radio"/> Male <input type="radio"/> Female	ETHNICITY <input checked="" type="radio"/> Hispanic/Latino <input type="radio"/> Not Hispanic/Latino	
RACE <input checked="" type="radio"/> American Indian <input type="radio"/> Alaskan Native <input type="radio"/> Asian <input type="radio"/> White <input type="radio"/> African American <input type="radio"/> Native Hawaiian <input type="radio"/> Pacific Islander <input type="radio"/> Other			

INFORMED CONSENT

CONSENTING TO THIS TEST REQUIRES THAT YOU UNDERSTAND THE FOLLOWING: YOU INDEMNIFY THE ORDERING PHYSICIAN AND THE TESTING LABORATORY, YOU AGREE TO THE REPORTING OF RESULTS TO THE CLIENT LISTED ABOVE AND TO YOUR EMAIL ADDRESS, YOU AGREE TO FOLLOWUP WITH YOUR OWN PHYSICIAN WITH YOUR RESULTS, AND YOU AGREE THAT WE MAY USE YOUR SAMPLE AND THE FOLLOWING INFORMATION FOR RESEARCH PURPOSES. PROVIDING THIS EXTRA INFORMATION WILL PROVIDE SIGNIFICANT INFORMATION FOR THE DEVELOPMENT OF EFFECTIVE DIAGNOSTICS

PLEASE SIGN BELOW IF YOU AGREE AND CONSENT:

Patient Signature:

Date Signed:

FOR LAB USE ONLY

These steps correspond to steps listed in the instruction guide. See guide for more details.

Collection Date		Tech Collecting sample (initials)	
Collection Time		Tech Processing sample (initials)	
Step 1: Time first centrifugation began		am / pm	
Was brake disabled on centrifuge?	<input type="checkbox"/> Yes <input type="checkbox"/> No		
Step 2: Transfer plasma from blood collection tube to 15mL centrifuge tube (check when complete)	<input type="checkbox"/>		
Step 3: Time second centrifugation began		am / pm	
Step 4: Transfer plasma into new cryovial or centrifuge tube (check when complete)	<input type="checkbox"/>		
Step 5: If couriering sample: refrigerate samples until couriered on ice packs. If shipping sample: Recommend refrigerating sample for at least 2 hours before shipping on ice packs. (see instructions)			

New Day Diagnostics

6701 Baum Drive Suite 110 Knoxville, TN 37919

Toll Free (844) EDP-3938 | www.NewDayDiagnostics.com | info@NewDayDiagnostics.com

Medical Laboratory Director: Dr. Melissa Chiles, MD (TN LIC# 0000039233)

New Day Diagnostics is a CLIA Approved (CLIA# 44D2184836) Testing Laboratory and ISO 13845:2016 R&D and Medical Device Facility