

1. <article> Tag

What it does:

The <article> tag defines independent and self-contained content.

Why it exists:

It is used to structure content that can exist separately from the rest of the webpage.

Real-world use cases:

- News articles
- Blog posts
- Online magazine content

In this webpage, “Cybertrone News” is an example of an article.

2. <section> Tag

What it does:

The <section> tag groups related content together.

Why it exists:

It helps divide the webpage into organized sections.

Real-world use cases:

- Website sections like About, Services
- Article chapters
- Product information

Here, it shows information about Prime AI Robot.

3. <figure> Tag

What it does:

The <figure> tag is used to display media content.

Why it exists:

It connects media with its related content.

Real-world use cases:

- Images in blogs
- Charts
- Diagrams

Here, it displays the AI Robot image.

4. <figcaption> Tag

What it does:

The <figcaption> tag provides a caption for the figure.

Why it exists:

It helps describe the image.

Real-world use cases:

- Image captions
- Graph descriptions

Here, it describes the AI illustration.

5. <time> Tag

What it does:

The <time> tag shows date and time.

Why it exists:

It helps browsers and search engines understand date information.

Real-world use cases:

- Publish date
- Event date
- Schedule

Conclusion

This webpage demonstrates five unique HTML5 semantic tags: article, section, figure, figcaption, and time. These tags improve webpage structure, readability, and accessibility. They are commonly used in professional websites such as news websites, blogs, and educational websites.

