Claude Code



SoftUni Team

Technical Trainers

Software University

SoftUni

Software University

https://softuni.org



Table of Contents

1. About Claude Code
2. Terminal
3. GitHub Actions
4. Subagents






About Claude Code

What is Claude Code?

- Can be used as:
  - **Terminal**
  - Web
  - Desktop
  - VS Code / JetBrains IDEs
  - CI/CD – **GitHub Actions**, GitLab CI/CD
  - Slack

Pricing & Models

- **Only paid** ☹ - paid plan or API requests
- Only **Anthropic models**
- Paid plans are combined with **other Anthropic** services



Free
Try Claude

$0
Free for everyone

Try Claude

- Chat on web, iOS, Android, and on your desktop
- Generate code and visualize data
- Write, edit, and create content
- Analyze text and images
- Ability to search the web

Pro
For everyday productivity

$17
Per month with annual subscription discount ($200 billed up front). $20 if billed monthly.

Try Claude

Everything in Free, plus:

- More usage*
- Includes Claude Code
- Includes Claude Cowork
- Access to unlimited projects to organize chats and documents


Max
Get the most out of Claude

From $100
Per month

Try Claude

Everything in Pro, plus:

- Choose 5x or 20x more usage than Pro*
- Higher output limits for all tasks
- Early access to advanced Claude features
- Priority access at high traffic times



Claude Code in the Terminal

Setup

- Choose a **theme**
- Authorize paid **account**
- Provide **access** to files
- /init to create **CLAUDE.md**

```
> /init

  /init                    Initialize a new CLAUDE.md file with codebase documentation
  /install-github-app      Set up Claude GitHub Actions for a repository
  /compact                 Clear conversation history but keep a summary in context. Option
                           for summarization]
  /doctor                  Diagnose and verify your Claude Code installation and settings
  /ide                     Manage IDE integrations and show status
```

CLAUDE.md

- Persistent **project context**
- Project **structure**, **rules**, **workflows**
- **Repo-level** / **folder-level** / **global** scope
- Auto-generation with /init
- **Consistency** and **productivity** gains

```
# CLAUDE.md

This file provides guidance to Claude Code
(claude.ai/code) when working with code in this
 repository.

## Project Overview
```

Helpers

- “? ” for shortcuts

```
>

 ! for bash mode       double tap esc to clear input      ctrl + _ to undo
 / for commands        shift + tab to auto-accept edits   alt + v to paste images
 @ for file paths      ctrl + o for verbose output        alt + p to switch model
 # to memorize         ctrl + t to show todos
 & for background      tab to toggle thinking
                       backslash (\) + return (⏎) for
                       newline
```

- “/” for commands

```
/add-dir                          Add a new working directory
/agents                           Manage agent configurations
/clear (reset, new)               Clear conversation history and free up context
/compact                          Clear conversation history but keep a summary in context. Optional: /compact
                                  [instructions for summarization]
/config (theme)                   Open config panel
/context                          Visualize current context usage as a colored grid
/doctor                           Diagnose and verify your Claude Code installation and settings
```

Ask Questions

- You can **ask questions** to understand the codebase
  - Folder structure
  - Used technologies
  - Claude capabilities
  - Anything you can think of

```
> What technologies are used in this project?

● Based on my analysis of the codebase, this project uses:

  Core Framework
  - Spring Boot 3.4.4
  - Java 17

  Web & Templating
  - Spring MVC
  - Thymeleaf
```

Code Changes

- Add **new functionalities**, Refactor
- Fix **bugs**, Write **tests**
- Update **documentation** files
- Approval and choose options

```
To write meaningful repository tests, the repositories need:
1. To extend JpaRepository<Entity, ID>
2. Entity classes (Fish, Fisherman) to be defined
3. Optionally, custom query methods

Would you like me to:
1. Implement the repositories first - Create the entity classes and have the repositories extend JpaRepository
with basic CRUD operations, then write tests
2. Wait - Until you implement the repositories yourself, then I can add tests
```

Git Changes

- Claude **translates** free text to **Git commands**
- Can help with **commit messages**
- Can help with resolving **merge conflicts**

```
> Show me my last 5 commits
```

Useful Commands


Software University

Command	What it does	Example
`claude`	Start interactive mode	`claude`
`claude "task"`	Run a one-time task	`claude "fix the build error"`
`claude -p "query"`	Run one-off query, then exit	`claude -p "explain this function"`
`claude -c`	Continue most recent conversation	`claude -c`
`claude -r`	Resume a previous conversation	`claude -r`
`claude commit`	Create a Git commit	`claude commit`
`/clear`	Clear conversation history	`> /clear`
`/help`	Show available commands	`> /help`
`exit` or Ctrl+C	Exit Claude Code	`> exit`

Custom Commands

Software University

- List of all commands - LINK
- Can define **custom commands** for repeated actions
- **Location:** ~/.claude/commands/
- Find useful custom commands: https://claudecodecommands.directory/



Learn with Claude

Software University

- What is Plan Mode?

```
● In Claude Code, Shift + Tab switches to Plan Mode.

  Plan Mode allows Claude to research and design an implementation approach before writing code. In this mode,
  Claude can explore the codebase and create a plan for your approval, but cannot make edits until you approve and
  exit plan mode.
```

- Can I see history of conversations for this project?


```
Yes, you can see the history of conversations for this project using:


/resume

This command shows a list of your recent conversations/sessions for the current project and lets you select one to
 continue from where you left off.
```

Skills

- Stored in **.md files** in .claude/skills
- Skills are **model-invoked** – Claude decides
- Claude **asks** to use a Skill
- Used for **specialized knowledge**





Claude Code GitHub Actions

Setup

- /install-github-app
- Requires **admin permissions** for repo
- Install options
  - @Claude Code
  - Claude Code Review

```
✓  @Claude Code
   Tag @claude in issues and PR comments

✓  Claude Code Review
   Automated code review on new PRs
```

```
> /in

  /install-github-app      Set up Claude GitHub Actions for a repository
```

Costs

- Claude Code runs on **GitHub-hosted runners**
- **GitHub Actions** costs
- **Claude API** costs


Free use of GitHub Actions

The following amounts of time for standard runners, artifact storage, and cache storage are included in your GitHub plan. At the start of each month, the minutes used by the account are reset to zero.

Plan	Artifact storage	Minutes (per month)	Cache storage
GitHub Free	500 MB	2,000	10 GB
GitHub Pro	1 GB	3,000	10 GB

How it Works

- You provided your **repository access** to Claude app
- Now you can use Claude in your action
  - uses: anthropics/claude-code-action@v1
- You can **tag** Claude in issue or PR comment
- It only works **if you have already defined** action that uses it



Configuration Properties

- **Unified prompt interface** - Use prompt for all instructions
- **Slash commands** - Pre-built prompts like /review or /fix
- **CLI passthrough** - Any Claude Code CLI argument via claude_args
- **Flexible triggers** - Works with any GitHub event


```yaml
- uses: anthropics/claude-code-action@v1
  with:
    anthropic_api_key: ${{ secrets.ANTHROPIC_API_KEY }}
    prompt: "Your instructions here" # Optional
    claude_args: "--max-turns 5" # Optional CLI arguments
```



Claude Code Subagents

Subagents

- Specific **purpose** and **expertise**
- Own **context**
- **Reusability**
- Flexible **permissions**



Manage Subagents

- **Create** new agent
- Choose project/personal **level**
- Generate with **Claude** or **Manual**
- Stored in .md files
- Can modify file directly or **manage** via **“/agents”**

```
Agents
No agents found

> Create new agent
```

```
code-reviewer

> 1. View agent
  2. Edit agent
  3. Delete agent
  4. Back
```

Configuration fields

Software University

Field	Required	Description
`name`	Yes	Unique identifier using lowercase letters and hyphens
`description`	Yes	Natural language description of the subagent's purpose
`tools`	No	Comma-separated list of specific tools. If omitted, inherits all tools from the main thread
`model`	No	Model to use for this subagent. Can be a model alias (`sonnet` , `opus` , `haiku`) or `'inherit'` to use the main conversation's model. If omitted, defaults to the configured subagent model
`permissionMode`	No	Permission mode for the subagent. Valid values: `default` , `acceptEdits` , `bypassPermissions` , `plan` , `ignore` . Controls how the subagent handles permission requests
`skills`	No	Comma-separated list of skill names to auto-load when the subagent starts. Skills are loaded into the subagent's context automatically

Best Practices

- Start with **Claude-generated**
- **Personalize** afterwards
- **Focus** on one goal
- Write detailed prompts
- **Limit** tool access
- **Track** subagents files **in Git**

Usage

- **Automatic** delegation
  - Description of task and subagent
  - Current context and available tools
- **Explicit** invocation

```
> Use the code-reviewer agent to review the changes
```

Summary

- Built to **live in the terminal** and stay out of the way.
- Fits naturally into **GitHub Actions** and **CI/CD workflows.**
- Uses **subagents** to work in **parallel** on **focused** tasks.
- Easy to **script** and **automate** from the command line.



Trainings @ Software University (SoftUni)

- Software University – High-Quality Education, Profession and Job for Software Developers
  - softuni.bg
- Software University Foundation
  - softuni.foundation
- Software University @ Facebook
  - facebook.com/SoftwareUniversity



License

- This course (slides, examples, demos, exercises, homework, documents, videos and other assets) is **copyrighted content**
- Unauthorized copy, reproduction or use is illegal
- © SoftUni – https://about.softuni.bg
- © Software University – https://softuni.bg

