PART G LOCALITY MANAGEMENT

Revision: Amendment 8 (November 2025)



Introduction

The provisions in this part recognise the importance of guiding the character of new development in village centres, due either to the high development potential and/or sensitive village character of these sites. At times, a significant change or transition is anticipated within certain precincts, and the controls seek to achieve the appropriate type and level of change.

Each precinct in this part contains a character statement that encourages development to preserve and enhance existing significant structures and elements, and to contribute positively to the character of the neighbourhood through high quality contemporary design. The objectives for each precinct within this part are found in Part 7 of Blue Mountains Local Environmental Plan 2015 (LEP 2015).

This part applies to land identified by a blue outline and a precinct reference on the LEP 2015 Built Character Map. These controls apply to zones E1, E2, E4, R1, R3, SP2 and SP3, where character considerations apply to a village setting.

Land to which this part applies is also required to consider Clause 6.19 (Design excellence)of LEP 2015. This clause requires Council to have regard to a number of matters when assessing development proposals. These include the design quality and detailing, form and appearance of new development, as well as amenity impacts such as provision of views and solar access, and environmental and public domain impacts.

A guide to character considerations within precincts, including guidelines on appropriate urban design, infill development, infill shopfront buildings and medium density residential development is found in Part B3.1 of this DCP and supplements this Part.

Many sites within village precincts are heritage items or within heritage conservation areas. Where any inconsistency arises between these precinct provisions and the heritage provisions, the heritage provisions are to prevail. Reference may need to be made in these instances to the Heritage Conservation provisions of LEP 2015 in clause 5.10 (Heritage conservation) and Part D Heritage of this DCP.

Reference should be made to other parts of this DCP, including the context and design content in Part B3, the landscaping provisions of Part C2, the heritage conservation provisions of Part D, the site development provisions of Part E, and the specific development type controls of Part F. In particular, the character provisions of D12 Specific Character considerations provide guidance on traditional building types.

Contents

G1	Blackheath	627
G2	Blaxland	641
G3	Faulconbridge	657
G4	Glenbrook	663
G5	Hazelbrook	667
G6	Katoomba	677
G7	Lawson	739
G8	Leura	755
G9	Medlow Bath	777
G10	Mount Riverview	781
G11	Mount Victoria	785
G12	Springwood	793
G13	Valley Heights	809
G14	Warrimoo	813
G15	Wentworth Falls	817
G16	Winmalee	825
G17	Woodford	831

BLACKHEATH

G1.1	**Blackheath Precinct** *E1-BH01—Town Centre Precinct*	*628*
G1.2	**Blackheath Precinct** *E1-BH02—Business Cottages Precinct*	*631*
G1.3	**Blackheath Precinct** *E1-BH03—Highway Business Precinct*	*633*
G1.4	**Blackheath Precinct** *R3-BH04—Wentworth Street Precinct*	*635*
G1.5	**Blackheath Precinct** *R3-BH05—Cnr Hat Hill Road and Wentworth Street Precinct*	*637*
G1.6	**Blackheath Precinct** *R1-BH06— Govetts Leap Road Precinct*	*639*




G1.1 Blackheath Precinct *E1-BH01—Town Centre Precinct*

This precinct remains a compact town centre, accommodating a diverse range of small retailers, local businesses, tourist-related activities and permanent residents.

Modestly-scaled buildings are arranged in a traditional main street pattern, creating continuous facades of one and two-storey buildings that reflect the traditional shopfront architecture of the Victorian, Federation and Inter-War periods. As a whole, the group display an interesting variety of form and design. The form and architectural detail of landmark corner buildings, hotels and the former Victory Theatre are preserved.

Future development is to be sympathetic and subservient to the distinctive character of these landmarks and this urban pattern, and promote new retail frontages facing existing carparks and laneways. Active street frontages are encouraged, with pedestrian activity concentrated along the streets, laneways and around the carparks, encouraging informal community gatherings in areas that are protected from undesirable impacts of through traffic.

Reference should be made to the precinct objectives in clause 7.2(1) of LEP 2015.



Blackheath Precinct *E1-BH01—Town Centre Precinct*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (development in villages) and be consistent with the precinct objectives of clause 7.2(1) of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. Front and side setbacks are to be zero, except in the case of side setbacks if it can be satisfactorily demonstrated that a side boundary adjoins the public domain and that an active street frontage will be provided.

C5. The maximum site cover for buildings is 80% of the total allotment area.

C6. The existing continuity of retail and other businesses facing the Highway, Govetts Leap Road and Wentworth Street is to be retained.

C7. On properties with secondary frontages to the public domain, the secondary frontage is to provide new retail or other commercial activity to at least 50% of ground level frontages to the public domain, and for all storeys above ground, balconies or extensive windows, or both, facing the public domain is to be provided.

C8. On properties facing Hydora Lane, the laneway can be activated by commercial use. Development is to be subservient to the traditional rear wing forms and layouts of the shopfront buildings, and is to maintain the use of traditional rear elevation materials such as commons bricks, timber joinery and corrugated metal sheeting. Views of the upper level rear elevations of properties fronting Govetts Leap Road and the Highway are to be maintained.

C9. The pattern of traditional main street Victorian, Federation and Inter-War shop-terraces facing principal street frontages is to be retained and enhanced.

C10. Existing or original shopfront buildings are to be retained and conserved, including the street façade, principal rooms and all associated original elements and details.

Note: Refer to D9.7 Traditional shopfront buildings in Part D Heritage where heritage considerations apply.

Alterations and additions to shop buildings and infill development are to be in accordance with traditional shopfront building design, and to ensure that where appropriate, continuous awnings and/or balconies are provided.

Note: Guidelines on traditional shopfront design are found in B3.1.3 Infill shopfront buildings in B3 Character and design, and in D1.9.7 Traditional shopfront buildings in Part D Heritage where heritage considerations apply.

C11. Development on large allotments is to distribute floorspace into carefully-articulated structures that are composed of separate wings, pavilions or interconnected buildings, with traditionally-pitched roofs and appropriately landscaped garden courtyards with canopy trees.

C12. On-site parking areas are to be accessed only from the rear or side of buildings via existing public carparks, laneways or secondary streets, and are to be concealed behind retail or business floorspace wherever possible.

C13. The existing pedestrian network is to be expanded by promoting new retail frontages surrounding the public domain.

C14. Solar access to the public domain is to be protected and enhanced.

C15. Continuous weather protection along all public frontages in the form of awnings or overhanging balconies is to be provided.


C16. Ground floor walls and structures are to protect and enhance sight lines in the public domain.

G1.2 Blackheath Precinct *E1-BH02—Business Cottages Precinct*

A variety of businesses, retailers, tourist-related activities and dwellings are accommodated in predominantly traditional Federation weatherboard cottages surrounded by established garden settings.

Existing cottages are conserved and sympathetically enhanced to maintain the historical value of this prominent location and to provide a visually distinctive backdrop to the neighbouring main street.

Reference should be made to the precinct objectives in clause 7.2(2) of LEP 2015.



Blackheath Precinct *E1-BH02—Business Cottages Precinct*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (Development in villages) and be consistent with the precinct objectives of clause 7.2(2) of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. The height above ground for the lowest habitable floor level is not to exceed 1m.

C5. Cut or fill within 5m of any property boundary is not to exceed 0.5m.

C6. Development is to provide front setbacks consistent with that of adjacent buildings.

C7. Development is to provide a minimum side boundary setback of 2m.

C8. Development is to provide a minimum rear boundary setback of 6m.

C9. All setback areas are to be landscaped.

C10. The maximum site cover for buildings is 50% of the total allotment area.

C11. The minimum area to be retained as soft, pervious or landscaped area (excluding hard surfaces) is 40% of the total allotment area.

C12. New development is to be sympathetic to the traditional building forms, materials and details of the precinct, including the use of traditionally-pitched roofs, articulated layouts and forms, verandahs, timber joinery, vertically–proportioned openings and some painted external finishes, with a curtilage of landscaped areas and an address to the street provided. New development is to be similar in form and materials to quality older buildings but subservient in detail to distinguish it as new work.

C13. Any non-residential activities are to be accommodated in buildings with a residential scale and character.

C14. Buildings are not to exceed 18m width or depth in any direction.

C15. Gardens are to provide and maintain a backdrop of canopy trees along rear boundaries, plus trees and shrubs scattered through front and side yards.


C16. Driveways, parking areas and garages are to be integrated with the design of surrounding landscaped areas, with garages and parking to be behind the front building setback.

G1.3 Blackheath Precinct *E1-BH03—Highway Business Precinct*

A variety of medium-scale retail and other businesses and tourist-related activities are accommodated in a location that is both visually prominent and highly accessible, serving both the resident community and visitors.

New development is to promote a scenically-distinctive highway frontage to the Blackheath village, with landscaped settings that incorporate backdrops of tall canopy trees and distinctively-landscaped front gardens, plus building forms that reflect features of traditional main street shops or landmark guesthouses.

Reference should be made to the precinct objectives in clause 7.2(3) of LEP 2015.



Blackheath Precinct *E1-BH03—Highway Business Precinct*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (Development in villages) and be consistent with the precinct objectives of clause 7.2(3) of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. The height above ground for the lowest habitable floor level is not to exceed 1m.

C5. Cut or fill within 5m of any property boundary is not to exceed 0.5m.

C6. Development is to provide a minimum setback to the Great Western Highway of 6m.

C7. Development is to provide a minimum side boundary setback of 2m.

C8. For development that shares a rear boundary with existing residential development, the development is to provide a minimum rear boundary setback of 6m.

C9. All setback areas are to be landscaped.

C10. The maximum site cover for buildings is 55% of the total allotment area.

C11. The minimum area to be retained as soft, pervious or landscaped area (excluding hard surfaces) is 35% of the total allotment area.

C12. Development facing the Highway is to promote new retail or other commercial activity along at least 50% of ground level frontages, and for all storeys above ground, incorporate balconies and/or extensive windows.

C13. New development is to be sympathetic to the traditional building forms, materials and details of the precinct, and incorporate traditionally-pitched roofs and/or parapets, traditional shopfront design, articulated building forms and layouts, vertically-proportioned openings, and sympathetic materials and detailing as appropriate to the context. New development is to be similar in form and materials to quality older buildings but subservient in detail to distinguish it as new work.

Note: Guidelines on traditional shopfront design are found in B3.1.3 Infill shopfront buildings in B3 Character and design, and in D9.7 Traditional shopfront buildings in Part D Heritage where heritage considerations apply.

C14. Gardens are to provide a backdrop of canopy trees along rear boundaries, plus scattered trees and shrubs through front and side yards to frame buildings, driveways and parking areas.

C15. On-site parking areas are to be located behind buildings and concealed from the Highway where possible, and are to be integrated with landscape design of garden areas.


C16. New retail frontages are to be provided along the Highway to expand the existing town centre pedestrian network.

G1.4 Blackheath Precinct *R3-BH04—Wentworth Street Precinct*

A mix of single and multiple-unit dwellings are located close to the town centre, expanding the range of residential accommodation that is available in the Blackheath village.

In order to provide a visually distinctive backdrop to the neighbouring town centre, redevelopments are encouraged to restore existing cottages and retain visually significant elements of established garden settings. New buildings will reflect the pattern, scale, forms and detailing of traditional cottage forms.

Reference should be made to the precinct objectives in clause 7.2(4) of LEP 2015.



Blackheath Precinct *R3-BH04—Wentworth Street Precinct*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (Development in villages) and be consistent with the precinct objectives of clause 7.2(4) of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. The height above ground for the lowest habitable floor level is not to exceed 1m.

C5. Cut or fill within 5m of any property boundary is not to exceed 0.5m.

C6. The setback to Wentworth Street is to be a minimum of 8m.

C7. On corner allotments, the setback to the secondary frontage is to be a minimum of 4m.

C8. Side boundary setbacks are to be a minimum of 2m.

C9. Development located on the western side of Wentworth Street is to provide a minimum rear setback of 2m.

C10. Development located on the eastern side of Wentworth Street is to provide a minimum rear setback of 6m.

C11. All setback areas are to be landscaped.

C12. The maximum site cover for buildings is 50% of the total allotment area.

C13. The minimum area to be retained as soft, pervious or landscaped area (excluding hard surfaces) is 40% of the total allotment area.

C14. New development is to be sympathetic to the traditional building forms, materials and details of the precinct, including the use of traditionally-pitched roofs, articulated layouts and forms, verandahs, timber joinery, vertically–proportioned openings and some painted external finishes, with a curtilage of landscaped areas and an address to the street provided. New development is to be similar in form and materials to quality older buildings but subservient in detail to distinguish it as new work.

C15. Buildings are not to exceed 15m width or depth in any direction.

C16. Any non-residential activities are to be accommodated in buildings with a residential scale and character.


C17. Gardens are to incorporate a backdrop of canopy trees along rear boundaries, plus trees and shrubs scattered through front and side yards.

C18. Driveways, parking areas and garages are to be integrated with the design of surrounding landscaped areas, with garages and parking to be behind the front building setback.

G1.5 Blackheath Precinct *R3-BH05—Cnr Hat Hill Road and Wentworth Street Precinct*

Alternative forms of housing are provided within a landscaped setting that is in sympathy with the park opposite. The housing contributes to meeting housing demand in accordance with changing demographics within the Blue Mountains.

Reference should be made to the precinct objectives in clause 7.2(5) of LEP 2015.



Blackheath Precinct *R3-BH05—Cnr Hat Hill Road and Wentworth Street Precinct*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (Development in villages) and be consistent with the precinct objectives of clause 7.2(5) of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. The minimum setback from the street frontage is 4.5m.

C5. The maximum site coverage for each allotment is 50%.

C6. The minimum pervious area required for each allotment is 40%.

C7. Development is to provide articulation and building modulation in order to minimise the bulk of buildings.

C8. Development is to provide an activated street frontage to the primary street.

C9. Development is to provide landscaping along the street frontages that is reflective of plantings along Wentworth Street.


C10. Garages, access and car parking are to be screened from the public domain with garages and parking areas located internally so as not to adversely impact upon streetscape, pedestrian circulation, and building character.

G1.6 Blackheath Precinct *R1-BH06— Govetts Leap Road Precinct*

This site has a long history of providing tourist and visitor accommodation set within a well-established heritage listed garden. In addition to the complex of 'high-end' cottages, the facilities on the site are able to cater for special occasions such as weddings and conferences. The site is located within a reasonable walking distance of the Blackheath town centre and 1.2 km from Blue Mountains National Park and is adjoined by residential development on the fringes of the town centre.

Any future development must take into consideration the importance of the location in relation to heritage value and environmental sensitive character of the adjoining Nature Reserves to the north. Consideration of bulk and scale, settings, views, architectural treatments and commercial signage are paramount.

Reference should be made to the precinct objectives in clause 7.2(6) of LEP 2015.



Blackheath Precinct *R1-BH06—Govetts Leap Road Precinct*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (Development in villages) and be consistent with the precinct objectives of clause 7.2(6) of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. The minimum setback from side boundaries is 15m. Setbacks are to be landscaped with trees, shrubs and groundcovers to ensure that development on the site is appropriately screened from outside the site.

C5. The minimum setback from Govetts Leap Road is 20m. Setbacks are to be landscaped with trees, shrubs and groundcovers to ensure that development on the site is appropriately screened from Govetts Leap Road

C6. The minimum setback from northern boundary is 40m. Within this 40m setback a 15m wide vegetated buffer, using locally indigenous vegetation, adjacent to Popes Glen Reserve, is to be installed and maintained.

C7. All buildings on the site are to be designed to ensure character, scale, architectural details and finished materials are complementary in theme to the existing buildings on the site.

C8. All buildings on the site are to be distributed throughout the site so as to minimise the impact when viewed from any given point, either internally or externally.

C9. Conserve and actively manage all existing tree stands and shrubs. Development shall only be permitted in existing cleared areas.

C10. Successional planting and landscape management is to retain and enhance the existing landscape character of the site.

C11. Vehicular access to the site is limited to one vehicle access point to Govetts Leap Road and one vehicle access point to Cleopatra Street.

C12. Garages, access and car parking are to be integrated with landscaped areas such that they are well screened from the public domain, with garages and parking areas located so as to not adversely impact upon streetscape, pedestrian circulation, building character and adjoining residential amenity.

Note: Additional landscape controls specific to the R1 zone apply, refer to Part C3.8

BLAXLAND

G2.1	**Blaxland Precinct** *E2-BX01—Town Centre Precinct*	*642*
G2.2	**Blaxland Precinct** *R3-BX02—Layton Avenue Precinct*	*645*
G2.3	**Blaxland Precinct** *R3-BX03—Hope Street Precinct (106 Great Western Highway, Blaxland)*	*646*
G2.4	**Blaxland Precinct** *R3-BX04—Village Housing Precinct*	*648*
G2.5	**Blaxland Precinct E1-BX05—Brooklands Village**	**650**
G2.6	**Blaxland Precinct E1-BX06—East Blaxland Shops**	**652**
G2.7	**Blaxland Precinct** *E4-BX07—22-26 Attunga Road*	*654*



G2.1 Blaxland Precinct *E2-BX01—Town Centre Precinct*


This precinct remains a compact town centre, accommodating a diverse range of small-to-medium scale retail and other businesses and permanent residents.

Modern buildings are arranged in a traditional main street pattern, with a continuous row of one and two-storey shop-fronts surrounding a substantial open car park to the rear. Pedestrian movement is concentrated outdoors, encouraging informal community meeting places.

The central car park is surrounded by eucalypts, including a distinctive large copse at the corner of View and Hope Streets, providing both a green backdrop to the town centre and a barrier to surrounding residential areas.

Future development promotes an improved scenic presentation for this town centre, with buildings displaying some diversity of form and design, and maintaining glimpses of the National Park from the highway pedestrian bridge. The design of buildings and signage is coordinated, and there is visible indoor activity facing all public places including streets, laneways and car parks.

Reference should be made to the precinct objectives in clause 7.3(1) of LEP 2015.



Blaxland Precinct *E2-BX01—Town Centre Precinct*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (Development in villages) and be consistent with the precinct objectives of clause 7.3(1) of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. Development is to have a zero front setback, except in Hope Street where the setback is to be a minimum of 6m and is to be landscaped.

C5. Development is to have a zero side setback, except where the side boundary adjoins the public domain. In this case setbacks greater than zero may be considered where an active frontage will be provided.

C6. Notwithstanding C4 and C5, front and side setbacks at the intersection of Hope and View Streets are to be increased to protect the visually significant eucalypt canopy.

C7. The maximum site cover for buildings is 100% of the total allotment area, except for buildings on an allotment fronting Hope Street, where the maximum site cover is 80% of the total allotment area.

C8. Notwithstanding C7 at the corner of Hope and View Streets the footprint shall be reduced as necessary to conserve the visually significant eucalypt canopy.

C9. The existing continuity of retail and other business premises on properties that face the Highway is to be maintained.

C10. On properties with a secondary frontage to a public place, new retail or other business premises are to be promoted along at least 50% of ground level frontages to public carparks, side streets and laneways, and for all storeys above ground, balconies and/or extensive windows facing those public places are to be included.

C11. On properties fronting Hope Street, extensive balconies and/or windows are to be promoted in all facades facing that street.

C12. New development is to have regard to the scale, forms and detailing of traditional shopfront buildings and to ensure that where appropriate, continuous awnings and/or balconies are provided.

Note: Guidelines on traditional shopfront design are found in B3.1.3 Infill shopfront buildings in B3 Character and design.

C13. Buildings are to present a high standard of architectural form and detailing, and formally address significant public domain areas within the immediate setting; service function areas are to be compact and discreetly located.

C14. Development on large allotments is to distribute floorspace into well-articulated structures that are composed of separate wings or interconnected buildings, with traditionally pitched roofs and appropriately-landscaped garden courtyards.

C15. Existing canopy trees are to be retained to frame building presentation. New landscaping is to be appropriately-sized and characteristic of the locality.

C16. On-site parking areas are to be accessed only from the rear or side of buildings via existing public car parks, laneways or secondary streets, and are to be concealed from principal frontages behind retail or other business premises.

C17. The existing pedestrian network is to be expanded by promoting new retail frontages surrounding the public places.

C18. Solar access to the public domain is to be protected and enhanced.


C19. Continuous weather protection is to be provided along all public frontages in the form of awnings or overhanging balconies.

C20. Ground floor walls and structures are to protect and enhance sight lines in public places.

G2.2 Blaxland Precinct *R3-BX02—Layton Avenue Precinct*

This precinct provides sensitive redevelopment for the purpose of alternate housing forms, designed so as to present a positive residential amenity in close proximity to services and public transport. New development contributes to the streetscape by providing active street frontages to Layton Avenue.

Reference should be made to the precinct objectives in clause 7.3(2) of LEP 2015.



Blaxland Precinct *R3-BX02—Layton Avenue Precinct*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (Development in villages) and be consistent with the precinct objectives of clause 7.3(2) of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. The minimum setback from Layton Avenue is 5m.

C5. Building form is to provide an active street frontage to Layton Avenue and facades fronting Layton Avenue are to be articulated through, for example, the provision of verandahs, windows and front doors.

C6. Development is to provide private open space in the form of landscaping with screening at the rear of the site.

G2.3 Blaxland Precinct *R3-BX03—Hope Street Precinct (106 Great Western Highway, Blaxland)*

This precinct promotes sensitive development for the purpose of promoting alternate housing forms, designed so as to present a positive residential amenity in close proximity to services and public transport. Development of this site maintains the bushland character of the locality and limits access onto the Great Western Highway.

Reference should be made to the precinct objectives in clause 7.3(3) of LEP 2015.



Blaxland Precinct *R3-BX03—Hope Street Precinct (106 Great Western Highway, Blaxland)*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (Development in villages) and be consistent with the precinct objectives of clause 7.3(3) of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. The minimum setback from the Great Western Highway is 14m.

C5. The maximum number of integrated dwellings permitted is 43.

C6. Building form is to provide for active street frontages to the internal streets in the development and facades fronting these streets shall be articulated through, for example, the provision of verandahs, windows or front doors.

C7. The development is to provide screening in the form of landscaping along the Great Western Highway frontage of the site in order to provide private open space and provide visual and acoustic amenity for residents.

C8. The development is to incorporate appropriate mitigation measures such as stormwater treatment and bushland regeneration to ensure the protection of habitat for threatened species such as the Red-crowned Toadlet.

C9. Communal open space is to be provided so as to provide recreational opportunities for the residents of the development, allow for stormwater management on site, and promote bushland regeneration to ensure the protection of habitat for threatened species, such as the Red-crowned Toadlet.

C10. Vehicular access to land within the precinct is to be provided from the public road linking the northern boundary of the precinct to the Great Western Highway.

G2.4 Blaxland Precinct *R3-BX04—Village Housing Precinct*


This precinct provides a mix of single and multiple-unit dwellings, plus a variety of low-key businesses facing Hope Street.

Future development is planned and constructed to protect neighbouring bushland from adverse visual or environmental impacts, as well as to provide an attractive backdrop to the town centre, and to expand the range of residential accommodation and community services available in the Blaxland Village.

New development will reflect the scale, forms, materials and details of existing traditional cottages, and provide garden settings that support a dense bushland backdrop.

Buildings and site works are set close to Hope Street, protecting steeper wooded slopes from disturbance and maintaining substantial landscape buffers of canopy trees and understorey along the rear boundary. Street frontages are landscaped to provide a visually distinctive backdrop to the town centre.

Reference should be made to the precinct objectives in clause 7.3(4) of LEP 2015.



Blaxland Precinct *R3-BX04—Village Housing Precinct*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (Development in villages) and be consistent with the precinct objectives of clause 7.3(4) of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. The height above ground for the lowest habitable floor level is not to exceed 1.5m.

C5. Cut or fill within 5m of any property boundary is not to exceed 0.5m.

C6. The minimum setback from the street frontage is 8m.

C7. Side boundary setbacks are to be a minimum of 2m.

C8. All setback areas are to be landscaped.

C9. The maximum site cover for buildings is 40% of the total allotment area.

C10. The minimum area to be retained as soft, pervious or landscaped area (excluding hard surfaces) is 50% of the total allotment area.

C11. Development is to be sited, designed and constructed to minimise impacts upon surrounding bushland.

C12. Landscaping is to minimise impacts on neighbouring bushland communities whilst minimising bushfire hazard. New landscape plantings are to be either endemic to the locality or be of low to nil invasive potential.

C13. New development is to be sympathetic to traditional building forms, materials and details, including the use of traditionally-pitched roofs, articulated layouts and forms, verandahs, timber joinery, vertically–proportioned openings and some painted external finishes, with a curtilage of landscaped areas and an address to the street provided. New development is to be similar in form and materials to quality older buildings but subservient in detail to distinguish it as new work.

C14. Buildings are not to exceed 15m width or depth in any direction.

C15. Any non-residential activities along Hope Street are to be accommodated in buildings with a residential scale and character.

C16. Driveways, parking areas and garages are not to dominate any street frontage, and are to be integrated with the design of surrounding landscaped areas.

G2.5 Blaxland Precinct E1-BX05—Brooklands Village

This precinct is a compact local centre, accommodating a diverse range of small scale retail and other commercial businesses that serve the local community as well as visitors.

Future development promotes the creation of a distinct village identity and provides the coordinated design of business signage and shop fronts in accordance with a village theme. Non-residential uses are compatible with residential uses and do not unreasonably affect amenity.

Reference should be made to the precinct objectives in clause 7.3(5) of LEP 2015.



Blaxland Precinct *E1-BX05—Brooklands Village*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (development in villages) and be consistent with the precinct objectives of clause 7.3(5) of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. Development adjoining the public domain is generally to provide a zero setback, except where it can be demonstrated that an active frontage will be provided. Side and rear setbacks will be subject to a merit based assessment having regard to the character of the area and amenity of the neighbouring properties.

C5. The height above ground for the lowest habitable floor level is not to exceed 1m.

C6. Cut or fill within 5m of any property boundary is not to exceed 0.5m.

C7. All setback areas are to be landscaped.

C8. The maximum site cover for buildings is 70% of the total allotment area, except for buildings on land adjoining an existing residential allotment where the site is limited to 50% of the total allotment area.

C9. The minimum area to be retained as soft, pervious or landscaped area (excluding hard surfaces) is 25% of the total allotment area.

C10. Ground floor walls and structures are to protect and enhance sight lines in the public domain.

C11. Walls are not to be left blank or unarticulated.

C12. Local design themes are to predominate over corporate signage and reflect the village character.

C13. Signage is to be coordinated with shop front design.

C14. On-site car parking is to be concealed behind commercial premises, or screened by landscaping or an architectural treatment that is consistent with the building adjoining the point of access.

C15. On any allotment adjoining an existing residential property, facades are to locate balconies or windows, or both, in a way that is designed to protect residential amenity.

C16. Any parking and heavy vehicle loading and manoeuvring areas are to be designed to minimise visual impact when viewed from the public domain, and to be safely and efficiently designed.

C17. Each secondary frontage to a public road, lane way or public place is to provide a visible and active street frontage distributed along a minimum of 65% of that frontage.


C18. Street corners are to be reinforced through design elements such as splay walls and orientation of entry and window elements.

G2.6 Blaxland Precinct E1-BX06—East Blaxland Shops

This precinct is a compact local centre, accommodating a diverse range of small scale retail and other commercial businesses that serve the local community as well as visitors.

Future development promotes the creation of a distinct village identity and provides the coordinated design of business signage and shop fronts in accordance with a village theme. Non-residential uses are compatible with residential uses and do not unreasonably affect amenity.

Reference should be made to the precinct objectives in clause 7.3(5) of LEP 2015.



Blaxland Precinct *E1-BX06—East Blaxland Shops*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (development in villages) and be consistent with the precinct objectives of clause 7.3(5) of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. Development is to provide front setbacks consistent with that of adjacent buildings. For corner allotments the secondary setback is to be consistent with adjacent buildings. Side and rear setbacks will be subject to a merit based assessment having regard to the character of the area and amenity of the neighbouring properties.

C5. The height above ground for the lowest habitable floor level is not to exceed 1m.

C6. Cut or fill within 5m of any property boundary is not to exceed 0.5m.

C7. All setback areas are to be landscaped.

C8. The maximum site cover for buildings is 50% of the total allotment area.

C9. The minimum area to be retained as soft, pervious or landscaped area (excluding hard surfaces) is 20% of the total allotment area.

C10. Buildings and structures are to protect and enhance sight lines in the public domain.

C11. Walls are not to be left blank or unarticulated.

C12. Local design themes are to predominate over corporate signage and reflect the village character.

C13. Signage is to be coordinated with shop front design.

C14. On-site car parking is to be concealed behind commercial premises, or screened by landscaping or an architectural treatment that is consistent with the village character.

C15. On any allotment adjoining an existing residential property, facades are to locate balconies or windows, or both, in a way that is designed to protect residential amenity.

C16. Any parking and heavy vehicle loading and manoeuvring areas are to be designed to minimise visual impact when viewed from the public domain, and to be safely and efficiently designed.


C17. Each secondary frontage to a public road, lane way or public place is to provide a visible and active street frontage distributed along a minimum of 65% of that frontage.

C18. Street corners are to be reinforced through design elements such as splay walls and orientation of entry and window elements.

G2.7 Blaxland Precinct *E4-BX07—22-26 Attunga Road*

This precinct provides facilities and services that meet the day to day needs of workers in and around the area, as well as supports the local economy. The precinct is surrounded by established low density residential areas and bushland communities. Therefore, it is necessary to facilitate compatible employment uses, with new development incorporating measures to mitigate operational impacts upon adjoining or adjacent residential land uses. Future development is designed and landscaped in accordance with its bushland setting, to create a transition between employment precincts and low density residential areas, while low density residential development in established residential areas does not compromise existing employment uses.

Reference should be made to the precinct objectives in clause 7.3(6) of LEP 2015.



Blaxland Precinct *E4-BX07—Attunga Road*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (development in villages) and be consistent with the precinct objectives of clause 7.3(6) of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. Setbacks are to be a minimum 4m and a maximum of 8m from the front boundary and side and rear setbacks are subject to a merit-based assessment.

C5. The minimum area to be retained as pervious area, is 30% of the total allotment area.

C6. Cut or fill within 5m of any property boundary is not to exceed 0.5m.

C7. Development is to be sited, designed and constructed to minimise impacts upon surrounding bushland.

C8. Landscaping is to minimise impacts on neighbouring bushland communities whilst minimising bushfire hazard. New landscape plantings are to be either endemic to the locality or be of low to nil invasive potential.

C9. All parking demands generated by developments are to be met fully on-site and accord with

C10. Existing priority weeds must be removed or controlled where identified on a proposed development site.

C11. Any fencing along the front boundary of the site and along any side boundary that is located within the front building setback applying to the land must be decorative. The sole use of pre-painted metal or standard paling fencing is not permitted.

C12. An area for storing garbage and recycling shall be provided, suitably located and screened. Where a development adjoins residential development, the garbage storage area must be located at least 3 metres from the common boundary of the residential property and the development site.

C13. Any parking and heavy vehicle loading and manoeuvring areas are to be designed to minimise visual impact when viewed from the public domain, and to be safely and efficiently designed.

FAULCONBRIDGE


G3.1	**Faulconbridge Precinct** *E1-FB01—Coomassie Shops Faulconbridge*	*658*
G3.2	**Faulconbridge Precinct** *E1-FB02—St Georges Crescent Shops Faulconbridge*	*661*

G3.1 Faulconbridge Precinct *E1-FB01—Coomassie Shops Faulconbridge*

This precinct is a compact local centre, accommodating a diverse range of small scale retail and other commercial businesses that serve the local community as well as visitors.

Future development promotes the creation of a distinct village identity and provides the coordinated design of business signage and shop fronts in accordance with a village theme. Non-residential uses are compatible with residential uses and do not unreasonably affect amenity.

Reference should be made to the precinct objectives in clause 7.3A of LEP 2015.



Faulconbridge Precinct *E1-FB01—Coomassie Shops Faulconbridge*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (development in villages) and be consistent with the precinct objectives of clause 7.3A of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. Development on the south-western side of the highway is generally to provide a zero setback, except where it can be demonstrated that an active street frontage will be provided. Development on the north-eastern side of the highway is to provide front setbacks consistent with that of adjacent buildings. Side and rear setbacks will be subject to a merit based assessment having regard to the character of the area and amenity of the neighbouring properties.

C5. The height above ground for the lowest habitable floor level is not to exceed 1m.

C6. Cut or fill within 5m of any property boundary is not to exceed 0.5m.

C7. All setback areas are to be landscaped.

C8. The maximum site cover for buildings on the southern side of the highway 100% and for buildings on the northern side of the highway is 70% of the total allotment area.

C9. The minimum area to be retained as soft, pervious or landscaped area (excluding hard surfaces) for allotments on the northern side of the highway is 25% of the total allotment area.

C10. Ground floor walls and structures are to protect and enhance sight lines in the public domain.

C11. Walls are not to be left blank or unarticulated.

C12. Local design themes are to predominate over corporate signage and reflect the village character.

C13. Signage is to be coordinated with shop front design.

C14. On-site car parking is to be concealed behind commercial premises, or screened by landscaping or an architectural treatment that is consistent with the building adjoining the point of access.

C15. On any allotment adjoining an existing residential property, facades are to locate balconies or windows, or both, in a way that is designed to protect residential amenity.

C16. Any parking and heavy vehicle loading and manoeuvring areas are to be designed to minimise visual impact when viewed from the public domain, and to be safely and efficiently designed.

C17. For allotments on the northern side of the highway, each secondary frontage to a public road, lane way or public place is to provide a visible and active street frontage distributed along a minimum of 65% of that frontage.

C18. Street corners are to be reinforced through design elements such as splay walls and orientation of entry and window elements.

C19. Development is to respond to the topography of the site and step down the slope.

C20. Servicing areas are to be located off Coomassie Avenue or the parking access laneway off the highway to maintain a continuous retail streetscape and minimise disruption to the flow of traffic along the highway.


C21. All existing vegetation forming visually significant streetscape elements is to be retained and appropriate landscaping shall be provided within any setbacks.

G3.2 Faulconbridge Precinct *E1-FB02—St Georges Crescent Shops Faulconbridge*

This precinct is a compact local centre, accommodating a diverse range of small scale retail and other commercial businesses that serve the local community as well as visitors.

Future development promotes the creation of a distinct village identity and provides the coordinated design of business signage and shop fronts in accordance with a village theme. Non-residential uses are compatible with residential uses and do not unreasonably affect amenity.

Reference should be made to the precinct objectives in clause 7.3A of LEP 2015..



Faulconbridge Precinct *E1-FB02—St Georges Crescent Shops Faulconbridge*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (development in villages) and be consistent with the precinct objectives of clause 7.3A of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. Development adjoining the public domain is generally to provide a zero setback, except where it can be demonstrated that an active frontage will be provided. All side and rear setbacks will be subject to a merit based assessment having regard to the character of the area and amenity of the neighbouring properties.

C5. The height above ground for the lowest habitable floor level is not to exceed 1m.

C6. Cut or fill within 5m of any property boundary is not to exceed 0.5m.

C7. All setback areas are to be landscaped.

C8. The maximum site cover for buildings is 70% of the total allotment area, except for buildings on land adjoining an existing residential allotment where the site is limited to 50% of the total allotment area.

C9. The minimum area to be retained as soft, pervious or landscaped area (excluding hard surfaces) is 25% of the total allotment area.

C10. Ground floor walls and structures are to protect and enhance sight lines in the public domain.

C11. Walls are not to be left blank or unarticulated.

C12. Local design themes are to predominate over corporate signage and reflect the village character.

C13. Signage is to be coordinated with shop front design.

C14. On-site car parking is to be concealed behind commercial premises, or screened by landscaping or an architectural treatment that is consistent with the building adjoining the point of access.

C15. On any allotment adjoining an existing residential property, facades are to locate balconies or windows, or both, in a way that is designed to protect residential amenity.

C16. Any parking and heavy vehicle loading and manoeuvring areas are to be designed to minimise visual impact when viewed from the public domain, and to be safely and efficiently designed.

C17. For allotments on the northern side of the highway, each secondary frontage to a public road, lane way or public place is to provide a visible and active street frontage distributed along a minimum of 65% of that frontage.

C18. Street corners are to be reinforced through design elements such as splay walls and orientation of entry and window elements.

C19. Development is to respond to the topography of the site and step down the slope.

C20. All existing vegetation forming visually significant streetscape elements is to be retained and appropriate landscaping shall be provided within any setbacks.

GLENBROOK


G4.1 **Glenbrook Precinct** *E1-GB01—Glenbrook Shops Precinct* *664*



G4.1 Glenbrook Precinct *E1-GB01—Glenbrook Shops Precinct*

Situated beside Glenbrook Park and surrounded by residential neighbourhoods, the shopping precinct supports a variety of small retail and other commercial businesses that serve the local community as well as visitors. The setting is pedestrian-friendly and principal streets are lined by single-storey shop front buildings and converted cottages. Public car parking is concentrated along secondary streets behind the business premises.

Reference should be made to the precinct objectives in clause 7.4 of LEP 2015.



Glenbrook Precinct *E1-GB01—Glenbrook Shops Precinct*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (Development in villages) and be consistent with the precinct objectives of clause 7.4 of LEP 2015.

C2. For new development on properties with existing shop front buildings facing Park Street, Ross Street and Euroka Road, there is to be a zero front and side setback.

C3. For new development on properties that contain existing cottages, the existing front setback is to be maintained and side setbacks of 1m minimum are to be provided. The built frontage is not to exceed 75% of the lot width.

C4. Rear boundary setbacks adjoining a residential neighbourhood are to be a minimum of 6m and to retain any existing vegetation that forms a visually significant streetscape element.

C5. All existing vegetation forming visually significant streetscape elements is to be retained.

C6. Development fronting Park Street, Ross Street and Euroka Road is to incorporate visible retail or commercial activity along the entire length of that street frontage, and continuous overhead awnings over the entire length of that frontage.

C7. Development with a frontage to a lane is to incorporate visible retail or commercial activity along a minimum of 50% of any allotment frontage, and continuous overhead awnings over the entire length of that frontage.

C8. New development is to be sympathetic to the periods and architectural character of existing buildings in its forms and finishes.

C9. Walls are not to be left blank or unarticulated.

C10. For allotments with shop front buildings, development is to be of masonry walls, with simple skillion roofs behind parapets, and detailing sympathetic and subservient to the existing character of the precinct.

Note: Guidelines on traditional shopfront design are found in B3.1.3 Infill shopfront buildings in B3 Character and design, and in D9.7 Traditional shopfront buildings in Part D Heritage where heritage considerations apply.

C11. For allotments with existing cottages, development is to continue traditional residential building forms that reflect the existing cottage, use light-weight cladding materials and articulate any facades visible from the public domain.

C12. Local design themes are to predominate over corporate signage and reflect the village character.

C13. Signage is to be coordinated with shop front design.

C14. On-site vehicular access is to be, where possible, from a lane and not via Park, Euroka or Ross Streets for a property with frontage to these streets.

C15. On-site car parking is to be concealed behind commercial premises, or screened by landscaping or an architectural treatment that is consistent with the building adjoining the point of access.

HAZELBROOK

G5.1	**Hazelbrook Precinct** *E1-HB01—Town Centre Precinct*	*668*
G5.2	**Hazelbrook Precinct** *R3-HB02—Glendarrah Street Precinct*	*671*
G5.3	**Hazelbrook Precinct** *R3-HB03—Addington Road Precinct*	*673*
G5.4	**Hazelbrook Precinct** *E1-HB04 – Old Hazelbrook Shops Precinct*	*675*




G5.1 Hazelbrook Precinct *E1-HB01—Town Centre Precinct*

This precinct remains a compact town centre, accommodating a diverse range of small-to-medium scale retailers, other local businesses and permanent residents, surrounding a central car park landscaped with tall eucalypts that provide scenic backdrops to the centre as well as buffers to surrounding residential streets.

Modern buildings display a co-ordinated design theme that reflects the traditional main street pattern of continuous one and two-storey shop front buildings. Development promotes improved standards of scenic presentation for this town centre, with buildings maintaining vistas towards the existing tree canopy and maintaining landscaped setbacks to neighbouring residential properties and residential streets.

Indoor activities are visible along all public frontages, with pedestrian movement concentrated outdoors and promoting focal points for informal community gatherings that are protected from undesirable impacts of through traffic.

Reference should be made to the precinct objectives in clause 7.5(1) of LEP 2015.



Hazelbrook Precinct *E1-HB01—Town Centre Precinct*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (Development in villages) and be consistent with the precinct objectives of clause 7.5(1) of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. Development adjoining the public domain is generally to provide a zero setback, except where it can be demonstrated that an active frontage will be provided. The exception is at the Great Western Highway and Glendarrah Street where development is to provide a minimum setback of 6m.

C5. All setback areas are to be landscaped.

C6. The maximum site cover for buildings is 100% of the total allotment area, except for buildings on land adjoining an existing residential allotment where the site is limited to 70% of the total allotment area.

C7. The existing continuity of retail and other business premises on properties that face the public car park is to be maintained.

C8. For allotments adjoining the public car park and facing the Great Western Highway, new buildings are to provide new retail or other business premises with shop fronts along at least 50% of ground level frontages, and balconies or extensive windows, or both, for aboveground storeys.

C9. On any allotment adjoining an existing residential property, facades are to locate balconies or windows, or both, in a way that is designed to protect residential amenity.

C10. New retail development facing principal streets is to be in accordance with the design of traditional shopfront buildings, and to generally provide the following:

(a) narrow shopfronts, and

(b) continuous awnings and/or balconies, and

(c) references to traditional shopfront detailing in sympathetic contemporary materials and details.

Note: Guidelines on traditional shopfront design are found in B3.1.3 Infill shopfront buildings in B3 Character and design.

C11. Landscaped setbacks adjacent to residential properties or facing residential streets are to incorporate eucalypt species that are consistent with the established canopy.

C12. On-site parking areas are to be accessed only from the rear or side of buildings via existing public carparks, laneways or secondary streets, and are to be concealed from principal frontages behind retail or other business premises.

C13. The existing pedestrian network is to be expanded by promoting new retail frontages surrounding public places and fronting the Highway.

C14. Solar access to the public domain is to be protected and enhanced.

C15. Continuous weather protection along all public frontages in the form of awnings or overhanging balconies is to be provided.

C16. Ground floor walls and structures are to protect and enhance sight lines in public places.

G5.2 Hazelbrook Precinct *R3-HB02—Glendarrah Street Precinct*

This precinct provides alternative housing types within a landscape setting of substantial radiata pines.

Reference should be made to the precinct objectives in clause 7.5(2) of LEP 2015.



Hazelbrook Precinct *R3-HB02—Glendarrah Street Precinct*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (Development in villages) and be consistent with the precinct objectives of clause 7.5(2) of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. Building height and roof pitch are to be varied in order to minimise the bulk of buildings.

C5. The minimum setback of buildings from Glendarrah Street is 15m.

C6. Building form is to provide an activated and safe, pedestrian-friendly street frontage through the provision of windows, verandahs and doorways to Glendarrah Street.

C7. Car parking areas and hard surfaces are to be screened through the provision of dense planting.


C8. The existing mature pine trees are to be retained and enhanced with further planting in the building setback in order to substantially screen any development from Glendarrah Street.

G5.3 Hazelbrook Precinct *R3-HB03—Addington Road Precinct*

This precinct provides a mix of single and multiple-unit dwellings located close to the town centre and expands the range of residential accommodation available in the Hazelbrook village.

Redevelopment is to restore existing traditional cottages, and retain visually significant elements of established garden settings. New buildings will reflect the pattern, scale and architectural style of traditional Federation and Inter-War cottages surrounded by gardens.

Reference should be made to the precinct objectives in clause 7.5(3) of LEP 2015.



Hazelbrook Precinct *R3-HB03—Addington Road Precinct*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (Development in villages) and be consistent with the precinct objectives of clause 7.5(3) of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. The height above ground for the lowest habitable floor level is not to exceed 1m.

C5. Cut or fill within 5m of any property boundary is not to exceed 0.5m.

C6. The minimum setback from the primary street frontage is 8m.

C7. On corner allotments, the setback to the secondary frontage is to be a minimum of 4m.

C8. Side boundary setbacks are to be a minimum of 2m.

C9. All setback areas are to be landscaped.

C10. The maximum site cover for buildings is 50% of the total allotment area.

C11. The minimum area to be retained as soft, pervious or landscaped area (excluding hard surfaces) is 40% of the total allotment area.

C12. New development is to be sympathetic to traditional building forms, materials and details, including the use of traditionally-pitched roofs, articulated layouts and forms, verandahs, timber joinery, vertically–proportioned openings and some painted external finishes, with a curtilage of landscaped areas and an address to the street provided. New development is to be similar in form and materials to quality older buildings but subservient in detail to distinguish it as new work.

C13. Buildings are not to exceed 18m width or depth in any direction.

C14. Gardens are to incorporate a backdrop of indigenous canopy trees along rear boundaries, and a mix of native and exotic trees and shrubs through front and side yards.

C15. Any non-residential activities are to be accommodated in buildings with a residential scale and character.


C16. Driveways, parking areas and garages are not to dominate any street frontage, and are to be integrated with the design of surrounding landscaped areas.

G5.4 Hazelbrook Precinct *E1-HB04 – Old Hazelbrook Shops Precinct*

This precinct comprises a small strip of traditional shop buildings and a number of older residences used for commercial purposes set in a main street arrangement adjacent the railway station. The buildings present a diversity of periods, styles and forms, many of which have historic significance. The group retains a small-scale and local presence as a commercial precinct within a residential neighbourhood, with an emphasis on pedestrian activity and relationship to the railway station.

New development should consolidate and enhance the shopping precinct as an historic local retail area with a mixture of tourist-related and local businesses. Active street frontages to shopfront buildings are to be provided to create a pedestrian-friendly and safe environment.

Reference should be made to the precinct objectives in clause 7.5(4) of LEP 2015.



Hazelbrook Precinct *E1-HB04 – Old Hazelbrook Shops Precinct*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (development in villages) and be consistent with the precinct objectives of clause 7.5(4) of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. Development is to preserve and enhance the heritage items and their settings.

C5. Development is to provide front boundary setbacks consistent with adjacent traditional shopfronts or traditional freestanding cottages as relevant, including location of forms such as verandahs, shop frontages and landscaped setbacks. The settings of existing cottages are to be respected and enhanced by new development.

C6. The maximum site coverage for buildings is 40% of the total allotment area.

C7. The minimum area to be retained as soft, pervious or landscaped area (excluding hard surfaces) is 50% of the total allotment area.

C8. Rear gardens are to be landscaped to screen parking areas and other service-related spaces.

C9. Additional floorspace should be incorporated into new rear wings or separate pavilions located to the rear of existing buildings and surrounded by landscaped open space.

C10. New development is to have regard to the scale, forms and detailing of traditional shopfront buildings, and to ensure that where appropriate, continuous awnings and/or balconies are provided.

Note: Guidelines on traditional shopfront design are found in B3.1.3 Infill shopfront buildings in B3 Character and design, and in D9.7 Traditional shopfront buildings in Part D Heritage where heritage considerations apply.

C11. On-site parking areas are to be accessed only from the rear of buildings, and are to be concealed from principal frontages behind retail or other business premises.

KATOOMBA

G6.1	**Katoomba Precinct** *E2-KA01—Katoomba Street and Bathurst Road Shopping Strip Precinct*	*678*
G6.2	**Katoomba Precinct** *E2-KA02—District Retail Precinct*	*680*
G6.3	**Katoomba Precinct** *E2-KA03 - Waratah Commercial Precinct*	*683*
G6.4	**Katoomba Precinct** *E2-KA04—Town Approach Precinct*	*685*
G6.5	**Katoomba Precinct** *E2-KA05—Town Entry Precinct*	*687*
G6.6	**Katoomba Precinct** *E2-KA06—Cultural Centre Precinct*	*689*
G6.7	**Katoomba Precinct** *R1-KA07—Lurline Street South Precinct*	*695*
G6.8	**Katoomba Precinct** *R1-KA08—Lurline Street North Precinct*	*700*
G6.9	**Katoomba Precinct** *R1-KA09—Gang Gang Street East Precinct*	*702*
G6.10	**Katoomba Precinct** *R3-KA10—Great Western Highway Precinct*	*704*
G6.11	**Katoomba Precinct** *R3-KA11—Dora Street Precinct*	*705*
G6.12	**Katoomba Precinct R1***/R3-KA12—GWH Between Bowling Green Avenue and Station Street Precinct*	*706*
G6.13	**Katoomba Precinct** *R3-KA13—Lurline and Vale Streets Precinct*	*708*
G6.14	**Katoomba Precinct** *R3-KA14—Lurline Street Housing Precinct*	*710*
G6.15	**Katoomba Precinct** *R3-KA15—Cascade and Parke Street Edge Precinct*	*712*
G6.16	**Katoomba Precinct** *R3-KA16—Cnr Great Western Highway and Camp Street Precinct*	*714*
G6.17	**Katoomba Precinct** *R3-KA17—Katoomba Golf Course Housing Precinct*	*716*
G6.18	**Katoomba Precinct** *R1-KA18 - Lilianfels*	*719*
G6.19	**Katoomba Precinct** *R1-KA19—Echo Point Road Precinct*	*722*
G6.20	**Katoomba Precinct** *RE2/SP3-KA20—Violet Street Precinct*	*724*
G6.21	**Katoomba Precinct** *E1-KA021—Minni-Ha-Ha Shops Katoomba*	*727*
G6.22	**Katoomba Precinct** *E4-KA022—Camp, Cooper, Whitton & Freelander Streets Katoomba*	*729*
G6.23	**Katoomba Precinct** *E4-KA023—Lovel Street Katoomba*	*732*
G6.24	**Katoomba Precinct** *E4-KA024—Woodlands Road Katoomb*	*735*




G6.1 Katoomba Precinct *E2-KA01—Katoomba Street and Bathurst Road Shopping Strip Precinct*

The precinct is a traditional main street shopping strip in a distinct environmental setting which accommodates a diverse mix of traditional town centre uses and residential uses, serving both the local community and tourists alike.

Exhibiting high levels of pedestrian amenity, convenience and safety, the precinct functions as the most active and vibrant part of the Katoomba village, with shops and other premises trading for extended hours, over evenings and on weekends.

Future development will maintain a streetscape that is generally two and three storeys in scale, conserves and celebrates built heritage and historic character and is represented by a near continuous row of separate and narrow shop-fronts. New development will also generate active street frontages to all public areas including both Pioneer and Pryor Places.

Reference should be made to the precinct objectives in clause 7.6(1) of LEP 2015.



Katoomba Precinct *E2-KA01—Katoomba Street and Bathurst Road Shopping Strip Precinct*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (Development in villages) and be consistent with the precinct objectives of clause 7.6(1) of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

Note: Refer to LEP 2015 clause 4.3A (Exceptions to the maximum floor space ratio and height of buildings) for additional provisions regarding height and floor space for development in this precinct.

C4. Buildings are generally to have zero front and side setbacks; however, when there is a front building line established by adjacent buildings, new development may provide a setback consistent with the adjacent setback; and where the side boundary adjoins the public domain, setbacks greater than zero may be considered, but only where it can be demonstrated that an active street frontage will be provided.

C5. Visible retail or commercial activity is to be provided along the entire length of primary street frontages to Katoomba Street, Bathurst Road and Waratah Street.

C6. New development with secondary frontages to a public road, laneway or public place is to provide a visible and active street frontage distributed along a minimum of 65% of that frontage.

C7. Development fronting Katoomba Street, Waratah Street and Bathurst Road is to generally provide the following:

(a) narrow terraced building forms of masonry construction, and

(b) parapets that step with the topography, with pitched or skillion roofs behind, and

(c) symmetry and vertical proportion of window and door openings, and

(d) articulation of shopfront elements, and

(e) cantilevered metal awnings.

Note: Guidelines on traditional shopfront design are found in B3.1.3 Infill shopfront buildings in B3 Character and design, and in D9.7 Traditional shopfront buildings in Part D Heritage where heritage considerations apply.

C8. Signage is to be sympathetic to the style and detailing of the shop front, and be of appropriate size, scale and location.

C9. Buildings fronting Lurline Street are to present a frontage compatible with the diversity of the predominantly residential streetscape.

C10. Continuous overhead awnings, where appropriate, are to be provided along the length of a frontage to a street, laneway or public place.

C11. Appropriate levels of lighting are to be incorporated into all on-site pedestrian areas. All light fittings are to be of a form and character consistent with that of the building.

C12. On-site car parking is not to be accessed from Katoomba Street or Waratah Street.


G6.2 Katoomba Precinct *E2-KA02—District Retail Precinct*

Serving as the core area for district-scale retailing facilities, this precinct will see increases in commercial floor space in response to increasing retailing demands for upper mountains residents.

Future development is to be represented in well-designed, multi-level buildings of a more contemporary form. Building designs will incorporate stronger interfaces with Parke and Waratah Streets, represented by active street frontages and prominent building entries.

The precinct provides an enhanced public domain that offers high levels of accessibility to both pedestrians and vehicles, but minimises conflicts between the two. The precinct will be well served by vehicle parking and heavy vehicle access, however neither will be visually prominent elements. The precinct will also provide clear and tangible links between existing retailing on Katoomba Street, and Katoomba Precinct E2-KA06 to the north.

Reference should be made to the precinct objectives in clause 7.6(2) of LEP 2015.



Katoomba Precinct *E2-KA02—District Retail Precinct*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (Development in villages) and be consistent with the precinct objectives of clause 7.6(2) of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. All viewing opportunities from the podium level of the Blue Mountains Cultural Centre to the town, Jamison Valley and Frank Walford Park are to be maintained. A view analysis may be required.

Note: Podium level is defined as: at or below an Australian Height Datum of 1024.5m, at or below the finished level of College Lane at the northern boundary of the precinct, and at or below 12m above the finished level of College Lane at the south eastern boundary of the precinct.

C5. Buildings with a frontage to Parke and Waratah Streets are generally to have a zero setback to that frontage, except where it can be demonstrated that the increased setback forms part of a building entry and incorporates an active street frontage.

C6. Visible retail or other commercial activity is to be provided along a minimum of 50% of a frontage to a public road or pathway, except in the case of Pioneer Place, where a minimum of 65% is to be provided.

C7. Where development involves long elevations, they are to present varied heights and forms.

C8. Walls in new development visible from the public domain are not to be left blank, unadorned or unarticulated.

C9. Roof forms to new development are to conceal mechanical plant and equipment from adjacent buildings, private open space and public areas.

C10. Awnings or colonnades are to be provided over the entire length of public footpaths and pedestrian areas.

C11. Paths and plaza areas are to minimise conflicts between vehicles and pedestrians.

C12. Clear sight lines are to be provided along the entire length of a pedestrian area.

C13. New development is to incorporate appropriate levels of lighting to all pedestrian areas. All light fittings are to have a form and character that is consistent with that of the building.

C14. The design and provision of any pedestrian accessways to Waratah Street, Parke Street, or adjoining precincts is to ensure equitable access for all pedestrians.

C15. No additional vehicular access points are permitted off Parke or Waratah Streets.

C16. Primary access to parking is to be off Parke Street.

C17. Any parking and heavy vehicle loading and manoeuvring areas are to be designed to minimise visual impact when viewed from the public domain, and to be safely and efficiently designed.

G6.3 Katoomba Precinct *E2-KA03 - Waratah Commercial Precinct*

Defining the southern edge of the town centre, this precinct serves as a transition between the retail core and adjacent residential areas. It accommodates a mix of land uses including lower order retail activities, but is characterised by a predominance of commercial and community activities.

The form and scale of new development is to respond to the topography of the site, to reflect the mix of residential and commercial uses and to be limited to one and two-storey buildings.

Access and parking is to be managed efficiently to minimise conflicts with vehicle movements in Waratah Street and the precinct to the north.

Reference should be made to the precinct objectives in clause 7.6(3) of LEP 2015.



Katoomba Precinct *E2-KA03 - Waratah Commercial Precinct*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (Development in villages) and be consistent with the precinct objectives of clause 7.6(3) of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

Note: Refer to LEP 2015 clause 4.3A (Exceptions to the maximum floor space ratio and height of buildings) for additional provisions regarding height and floor space for development in this precinct.

C4. New development with a frontage to Waratah or Katoomba Street is generally to have a zero setback; however greater setbacks may be considered where it can be demonstrated that the setback incorporates active street frontages.

C5. Development is to respond to the topography of the site and step down the slope.

C6. Walls visible from the public domain shall not be left blank, unadorned or unarticulated.

C7. Development shall present visible retail or other commercial activity along a minimum of 65% of a frontage to Waratah and Katoomba Streets.

C8. Development fronting the public domain shall provide continuous overhead awnings along the length of that frontage.


C9. Any parking and heavy vehicle loading and manoeuvring areas are to be designed to minimise visual impact when viewed from the public domain, and to be safely and efficiently designed.

G6.4 Katoomba Precinct *E2-KA04—Town Approach Precinct*

Located adjacent to the primary road and rail corridors, this precinct will experience substantial redevelopment of sites and will operate as both a "gateway" and transport interchange for the Katoomba Village. New development will support this gateway role by presenting urban design of the highest quality that contributes to a positive first experience of Katoomba. This, together with a mix of land uses that support the role of the town centre, will entice passing traffic to enter the town.

Trading over extended hours, development will provide passive surveillance and improved public safety and amenity. The precinct's interchange role will be supported by ample provision of commuter car parking, coach parking and convenient pedestrian access to the town centre. Whilst offering high levels of accessibility to both pedestrian and vehicles, potential conflicts between the two will be minimised.

Reference should be made to the precinct objectives in clause 7.6(4) of LEP 2015.



.**Katoomba Precinct** *E2-KA04—Town Approach Precinct*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (Development in villages) and be consistent with the precinct objectives of clause 7.6(4) of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

Note: Refer to LEP 2015 clause 4.3A (Exceptions to the maximum floor space ratio and height of buildings) for additional provisions regarding height and floor space for development in this precinct.

C4. Buildings fronting Goldsmith Place are to have zero setback to that frontage; however, greater setbacks may be considered, but only where it can be demonstrated that the setback incorporates active street frontages.

C5. New development is to have visible and interactive uses distributed regularly along 65% of its frontage to Goldsmith Place.

C6. Where development involves long elevations, they are to present varied heights and forms.

C7. Walls in new development visible from the public domain are not to be left blank, unadorned or unarticulated.

C8. Roof forms to new development are to conceal mechanical plant and equipment from adjacent development, private open space and the public domain.

C9. New development is to provide gateway or entry elements at the corner and frontage of the Great Western Highway and Yeaman Bridge.

C10. All parking areas and delivery docks are to be concealed from public view.

C11. New development is to provide awnings or colonnades over the entire length of public footpaths and pedestrian areas.

C12. New development is to provide pathways that minimise conflicts between vehicles and pedestrians.

C13. Clear sight lines are to be provided along the entire length of a pedestrian area.

C14. New development is to incorporate appropriate levels of lighting to all pedestrian areas. All light fittings are to have a form and character that is consistent with that of the building.

C15. New development is to provide public pedestrian access between Yeaman Bridge and Goldsmith Place, where development provides a frontage to both places.

G6.5 Katoomba Precinct *E2-KA05—Town Entry Precinct*

This precinct derives its prominence from its town entry position and associated visibility from Yeaman Bridge, Bathurst Road and Parke Street.

New development provides high quality entry statements and contributes to the definition of Katoomba as a town with a unique character defined by its historic built form and environmental setting. This precinct will support the viability of the town's core retail areas by providing a mix of land uses including commercial, residential and retailing opportunities.

Future development will provide a streetscape that is generally two storeys in scale, conserves and celebrates built heritage and period items, and is represented by a near continuous row of separate shop buildings on narrow-fronted allotments. Traffic management measures are provided to facilitate ready vehicular access to the town centre.

Reference should be made to the precinct objectives in clause 7.6(5) of LEP 2015.



Katoomba Precinct *E2-KA05—Town Entry Precinct*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (Development in villages) and be consistent with the precinct objectives of clause 7.6(5) of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

Note: Refer to LEP 2015 clause 4.3A (Exceptions to the maximum floor space ratio and height of buildings) for additional provisions regarding height and floor space for development in this precinct.

C4. Buildings are to have zero setback to the primary street frontage.

C5. Buildings are to extend across the full width of the primary street frontage.

C6. New development is to provide visible retail or other commercial activity along the entire length of primary street frontages.

C7. New development is to provide a visible and active street frontage distributed along a minimum of 65% of secondary frontages to a public road, laneway or public place.

C8. Development fronting Parke Street and Bathurst Road is to generally provide the following:

(a) narrow terraced building forms of masonry construction, and

(b) parapets that step with the topography, with pitched or skillion roofs behind, and

(c) symmetry and vertical proportion of window and door openings, and

(d) articulation of shopfront elements, and

(e) cantilevered metal awnings.

Note: Guidelines on traditional shopfront design are found in B3.1.3 Infill shopfront buildings in B3 Character and design, and in D9.7 Traditional shopfront buildings in Part D Heritage where heritage considerations apply.

C9. Signage is to be sympathetic to the style and detailing of the shop front, and be of appropriate size, scale and location.

C10. New development is to provide continuous overhead awnings along the length of a frontage to a street, laneway or public place.

C11. New development is to incorporate appropriate levels of lighting to all pedestrian areas. All light fittings are to have a form and character that is consistent with that of the building.


C12. On-site car parking is not to be accessed directly from Bathurst Road.

G6.6 Katoomba Precinct *E2-KA06—Cultural Centre Precinct*

The precinct is defined by the success of the urban renewal strategy that has seen it transformed from a predominantly vacant site into a place that provides a focus for cultural and social activities and learning. The precinct includes shopping experiences, contributing to Katoomba's revitalisation. The development enhances the urban environment in this part of Katoomba and defines the western edge of the town centre as a principal vehicular entry into the town, which is also a gateway to the Echo Point precinct.

The highly successful new landmark buildings contribute a contemporary layer to Katoomba's townscape qualities and to the surrounding urban pattern. The podium provides views of the town's historic streetscapes and the magnificent natural setting. The development is immediately recognisable to visitors of Katoomba as an identifiable cultural and tourism destination. The community and visitors value this place as it celebrates the unique character of Katoomba, while telling its own ongoing story.

Reference should be made to the precinct objectives in clause 7.6(6) of LEP 2015.



Katoomba Precinct *E2-KA06—Cultural Centre Precinct*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (Development in villages) and be consistent with the precinct objectives of clause 7.6(6) of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. The maximum site cover for buildings with enclosed walls that are to be erected on the podium level is not to exceed 75% of the total podium area.

Design considerations

C5. Development of the cultural centre is to be the product of an integrated design approach.

C6. Development is to create significant, interlinked public spaces that can be used independently or in conjunction with the cultural centre.

C7. Retail development is to include a district supermarket or a major store and may include associated specialty outlets.

C8. A direct, dedicated and vertically integrated pedestrian route is to link all levels of the cultural facility, retail area and car park.

C9. Facades are to generally be highly articulated and differentiated to incorporate appropriate rhythm, with proportions and depth in the facade to reduce bulk and mass.

C10. Long, continuous elevations are to be avoided, with principal facades broken into discrete bays or modules; verticality is encouraged.

C11. Windows, openings and cultural displays are to be a predominant element on the eastern facade to College Lane.

C12. Windows are to be provided in the southern facade of the library building.

C13. The design of parking and heavy vehicle loading and manoeuvring areas on the Parke Street facade is to minimise visual impact when viewed from public streets and places.

C14. Parke Street elevations are to provide a variety of architectural and urban design elements such as landscaping, viewing places, and windows or openings, with art works or display cases provided along the windowless facades.

C15. The north-western entry of the site is to achieve a sense of visual connectivity between Parke Street and the public court by measures such as the provision of an open visual entry statement and vistas of the public court for passing vehicles and pedestrians.

C16. Doors, which are to be provided to any loading bay, are to be fully integrated with architectural elements of the street facade.

C17. Building design elements such as the use of finishes, materials and colours are to be sympathetic to the historic town centre and adjacent heritage items and avoid large expanses of reflective materials.

C18. The building design is to indicate locations for public art and commercial signs which will be presented in a manner that does not compromise the building's contribution to the streetscape.

C19. The development and adjacent public places are to adopt an integrated approach to urban design, landscaping, the display of public art and built form, which serves to identify, and act as a visual attractor for, the cultural facility.

Energy conservation

C20. The design and siting of buildings is to maximise energy conservation techniques in construction, and is to use materials with low embodied energy.

C21. Water conservation and water management systems are to be implemented.

Public spaces

C22. A major court is to be proved in the northern part of the Precinct at the podium level, providing:

(a) a link to the Carrington Hotel to the north, and

(b) access between College Lane and Parke Street, which is suitable for use by all members of the community including those with limited mobility.

C23. The court is to include some shelter and soft landscaping elements to assist with the creation of pleasant liveable space.

C24. Development is to provide public spaces that are integrated by a suite of directional signage, street furniture and light fittings, which complement and reinforce links to prominent adjoining public places.

C25. A development application is to show how crime minimisation is to be achieved, particularly for public spaces that could lead to anti-social behaviour.

C26. The public spaces are to be capable of housing public art initiatives and other events.

C27. Development is to include public spaces and buildings which provide places from which to view the town and the Jamison Valley and Frank Walford Park.

Traffic management

C28. A Traffic Impact Assessment shall be prepared which identifies the traffic impacts of proposed development and provides mitigation measures, if required, for the local road network.

C29. College Lane is to be designed for shared pedestrian and vehicular access.

Heritage

C30. Architectural design of any building must respect the heritage significance of the site and its heritage setting.

C31. Roof forms are to be designed to be viewed from above, with mechanical plant and equipment being concealed or treated to minimise any visual impact.

C32. Any heritage impact statement required for new development is to demonstrate that the proposed development does not significantly impede views from the upper terrace level of the Carrington Hotel to the Jamison Valley.

C33. The heritage significance of the Precinct as the location of the first permanent private residence in Katoomba (Froma House, c1867) and as a school site since 1912 shall be interpreted as part of any development proposed for the site.

Advertising signage

C34. The design and size of advertising signage is to:

(a) be compatible with the cultural facility;

(b) respect the cultural significance of the building;

(c) reduce visual clutter by rationalising and simplifying signage; and

(d) be the product of an integrated signage package for the entire building or the precinct as a whole.

C35. Advertising signage is to be fully integrated with the architectural elements of that part of the building on which it is located.

C36. Advertising signage that identifies, or relates to the use of, the entire building or the precinct as a whole shall:

(a) be designed to complement the display of any public art work on the building on which it is located, and

(b) be located below the podium level.

Note: Podium level is defined as: at or below an Australian Height Datum of 1024.5m, at or below the finished level of College Lane at the northern boundary of the precinct, and at or below 12m above the finished level of College Lane at the south eastern boundary of the precinct.

C37. Advertising signage related exclusively to development for the purpose of the district supermarket or other commercial premises located below the podium level, and any associated facilities, is to:

(a) be compatible with the scale and proportion of the building on which the signage is to be located, and

(b) be limited to business identification purposes for the major tenant for any signage within the precinct visible from Parke Street, and shall be contained within an envelope or envelopes with a total maximum area of 15m^2, and

(c) be limited to business identification purposes for the major tenant and associated retail tenants for any signage within the precinct that is visible from College Lane, and shall be contained within an envelope or envelopes with a total maximum area of 20m^2, and

(d) not be used for product promotion or other temporary advertising purposes.

Note: Podium level is defined as: at or below an Australian Height Datum of 1024.5m, at or below the finished level of College Lane at the northern boundary of the precinct, and at or below 12m above the finished level of College Lane at the south eastern boundary of the precinct.

C38. Advertising signage must be attached to a building and shall:

(a) be flush to the wall and not protrude beyond 300mm from the wall to which the structure is attached, or

(b) be suspended under an awning, entrance or the like, but only where a clearance of 2500mm is provided between the structure and the floor or road pavement below.

C39. Advertising signage may be considered that does not comply with Control 38 above only if:

(a) it is demonstrated that the signage assists in reducing the area of advertising signage and is of a high design quality and finish, or

(b) the signage relates to development for the purpose of a cultural facility.

C40. Any illumination of advertising signage must not:

(a) result in unacceptable glare, or

(b) affect the safety of pedestrians or vehicles, or

(c) detract from the amenity of any residence within the locality.

C41. To ensure that advertising signage does not compromise safety, signage shall be designed so that:

(a) users of the public road are not hindered or distracted by signage, and

(b) the sightlines for pedestrians and/or cyclists from public places are not obstructed.

G6.7 Katoomba Precinct *R1-KA07—Lurline Street South Precinct*

This location presents a range of tourist-related uses that contribute to the visitor experience by providing an interesting and interactive streetscape. Development retains a generally single-storey scale and reflects traditional architectural features of the historic built form within this precinct.

Some typical 19th/early 20th century details present in the locality and are:-

- fence and balustrade railings of vertical or diagonal forms (not horizontal), and
- timber verandahs roofed independently from the main roof, and
- timber windows, usually double hung or casement, and
- doors of panelled construction, and
- weatherboarding and timberwork dressed and painted, and
- circular downpipes, and
- chimneys and chimney pots, and
- fret-worked timber barge boards, and
- timber supported window canopies.

It is essential for new development in this area to be compatible with the predominant heritage and domestic character of the precinct, particularly that typified by the numerous, high-quality Federation period houses present.

Reference should be made to the precinct objectives in clause 7.6(7) of LEP 2015.



Katoomba Precinct *R1-KA07—Lurline Street South Precinct*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (Development in villages) and be consistent with the precinct objectives of clause 7.6(7) of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. Development is to have a minimum 10m setback to front road boundaries. This area is to be fully landscaped utilising non-invasive exotic plantings prevalent in the locality. Detailed landscaping plans may be required for larger applications.

C5. The minimum setback for a front wall of a building or carport, for a non-residential land use, is 3m.

C6. The maximum area of any site which is to be developed with buildings is 30%.

C7. No more than 10% of the site is to be hard paved.

C8. New structures are not to dominate or compete with those existing.

C9. Streetscape qualities are to be preserved.

C10. New development is to provide activated street frontages.

Forms and finishes

C11. The building mass of new developments is to be broken into elements of no more than 10m in any dimension to ensure an appropriate scale results.

C12. Roof form is to relate to neighbouring examples, and have a traditional pitch (approximately 35 degrees) in hipped and/or gabled forms. Flat or simple skillion roofs for a main roof form are inappropriate unless concealed by a parapet.

C13. Roof cladding is to be generally corrugated metal sheeting or unglazed terracotta (Marseille) tiles.

C14. Buildings are to incorporate forms and materials that are consistent with, or complementary to, the periods and architectural character of adjoining buildings. This is to include gables, verandahs, hipped roofs, timber cladding or other architectural elements. The treatment of facade elements such as windows, walling and verandahs are to be in keeping with the predominant proportions of existing buildings.

C15. New work is to be sympathetic to older details without direct imitation. New development is to be remain subordinate to the established character through simplified detailing.

C16. New development is not to conflict in character or scale, but maintain consistency of streetscape.

C17. Walls in new development visible from the public domain are not to be left blank, unadorned or unarticulated.

C18. Timber column-supported verandahs should be incorporated in the front elevation where possible and appropriate, to produce a shadow-effect and be a defining element of a building facade. Verandah widths can be varied to suit the measure of climatic control required. Verandahs need not return around all sides of a building to provide a desirable appearance.

C19. The verticality of windows is to be preserved where visible. Both doors and windows can be grouped together in bays to provide large glass areas if required and where appropriate.

C20. Timber windows are generally to be used in preference to aluminium particularly where visible. Timber windows are generally to be painted externally.

C21. Front fences are to match the primary material of the house, and be either of low brick construction with piers and panels, timber pickets or hedges.

C22. Appropriate wall surfaces are to be used. These include simple face brickwork, plain dry-pressed 'commons' bricks, rendered and painted brick walls, timber weatherboards, and fibre cement sheeting.

C23. Traditional heritage colour schemes are generally to be followed; a light stone colour should be chosen for walling, with a dark colour for architectural trim. Corrugated metal roofs are preferably dark green, dark red or plain galvanised steel. Many standard 'Colorbond' colours are not appropriate for historic precincts.

C24. Buildings are to be constructed on solid brick or stone bases surrounding sub-floor areas.

C25. Commercial signage is to be co-ordinated to reflect a village character, with local design themes predominating over corporate signage.

Landscaping

C26. Existing plantings, mature trees and dominant garden elements are to be generally maintained. This is of particular importance in front setback areas. Landscaping of new developments is to repeat appropriate elements of existing plantings in the locality. A strong preference is to be given to non-invasive exotic species.

On-site parking

C27. Garages, access and car parking are to be screened from the public domain and located behind the front building line so as not to adversely impact upon streetscape, pedestrian circulation, and building character.

C28. All parking demands generated by developments are to be met fully on-site.

Existing Buildings (Dwellings)

C29. Where non-residential uses on developed sites are proposed, priority is to be given to the conservation, adaptive re-use and restoration of existing dwellings. The demolition of existing buildings will generally not be supported unless, in the opinion of the Council, the subject building is not contributory to the character and value of the streetscape.

Existing Motels

C30. The existing motels in this precinct are discordant elements and their sympathetic redevelopment is encouraged, to provide a more domestic scale. This generally means:

(a) articulated forms of no greater than 10m by 15m, and

(b) one or two-storey height, and

(c) traditional building and roof forms, and

(d) parking underground or out of sight of the road, and

(e) driveway entrances with a domestic scale of approximately 3m wide, and

(f) substantial tree planting, and

(g) limited signage, and


(h) vehicular access limited to Katoomba Street and Lurline Street.

G6.8 Katoomba Precinct *R1-KA08—Lurline Street North Precinct*

The precinct is characterised by a diversity of residential and commercial uses catering to both local residents and tourists. It contains a mixture of single dwellings, larger character properties such as guesthouses and hotels, as well as modern buildings which interrupt the historic character of the town centre fringes. Built form is of a comparatively denser scale and takes advantage of the unique views available to the east over the Jamison Valley. Architectural detailing reflects forms and finishes present in the historic guesthouses and other residential buildings typical in and around Lurline Street.

Future development is to consolidate the higher density built form and tourist land uses within this area. The consolidation of land uses assists in providing a connection between the Katoomba town centre and Echo Point.

Reference should be made to the precinct objectives in clause 7.6(8) of LEP 2015.



Katoomba Precinct *R1-KA08—Lurline Street North Precinct*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (Development in villages) and be consistent with the precinct objectives of clause 7.6(8) of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. Front setbacks are to be consistent with setbacks of adjoining properties.

C5. The maximum site coverage of any building is not to exceed 50% of the total site area.

C6. New development must enable view sharing with surrounding development, particularly from main habitable rooms of that development.

C7. New development must be able to provide for basement car parking if required.

C8. New development is to incorporate through-site pedestrian links to improve the permeability of the area if appropriate and desirable.

C9. New development is to provide activated street frontages.

C10. New development is to be sympathetic to the traditional building forms, materials and details of the precinct, including the use of traditionally-pitched roofs, articulated layouts and forms, verandahs, timber joinery, vertically–proportioned openings and some painted external finishes, with a curtilage of landscaped areas and an address to the street provided. New development is to be similar in form and materials to quality older buildings but subservient in detail to distinguish it as new work.

C11. Walls in new development visible from the public domain are not to be left blank, unadorned or unarticulated.


C12. Commercial signage is to be co-ordinated to reflect a village character, where local design themes predominate over corporate signage.

C13. Garages, access and car parking are to be screened from the public domain and located behind the front building line so as not to adversely impact upon streetscape, pedestrian circulation, and building character.

G6.9 Katoomba Precinct *R1-KA09—Gang Gang Street East Precinct*

Situated on one of the highest points in Katoomba and with expansive views to the Jamison Valley, development on this site reinforces the historically significant tradition of guesthouse accommodation within the precinct. Development is responsive to the historic significance of buildings within the precinct and provides for a transition of building scale, with reduced scale toward the land within the zone E4 Environmental Living to the north. The commanding presence of the built form within a landscape setting is maintained and there are strong pedestrian linkages between the precinct and the town centre. Period features are retained. Any additions to the existing buildings are consistent with the historic architectural themes.

Reference should be made to the precinct objectives in clause 7.6(9) of LEP 2015.



Katoomba Precinct *R1-KA09—Gang Gang Street East Precinct*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (Development in villages) and be consistent with the precinct objectives of clause 7.6(9) of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. The minimum setback from the Gang Gang Street boundary of the precinct is to be consistent with that established by existing development.

C5. The minimum setback from the southern frontage of Penault Avenue is 2m.

C6. The minimum setback from the northern frontage of Penault Avenue is 8m.

C7. The minimum setback from the precinct boundary adjoining Glenview Street is 3m.

C8. The maximum site coverage for buildings shall not exceed 50% of the total site area.

C9. Development is to retain and enhance the landscape setting of buildings fronting Gang Gang Street, with terraced gardens and paths extending down to street level.

C10. New development is to incorporate forms and finishes that are consistent with, or complement the periods and architectural character of adjoining buildings.

C11. Walls that are visible from any public road or the transport corridor are not to be left blank, unadorned or unarticulated.

C12. Commercial signage is to be non-obtrusive and complement the historical character of the precinct.

C13. Parking is to be located off Penault Avenue.

C14. Existing landscaping within the building setback to the north of Penault Avenue is to be retained or enhanced as part of any development proposal.

G6.10 Katoomba Precinct *R3-KA10—Great Western Highway Precinct*

This location provides opportunities for the provision of urban housing in a form that positively contributes to the eastern approach to Katoomba and incorporates distinctive tree planting.

Reference should be made to the precinct objectives in clause 7.6(10) of LEP 2015.



Katoomba Precinct *R3-KA10—Great Western Highway Precinct*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (Development in villages) and be consistent with the precinct objectives of clause 7.6(10) of LEP 2015 .

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. The minimum setback from the Great Western Highway is 10m.

C5. The existing dwelling houses (excluding sheds and buildings ancillary to the dwelling house) are to be retained and restored as part of the redevelopment of any site.


C6. Tree plantings in accordance with the Street Tree Masterplan are to be provided within the front building setback of allotments that front the Great Western Highway to enhance the eastern entry to Katoomba.

C7. Development is to provide an activated and pedestrian-friendly street front to Edwin Lane and Bowling Green Avenue.

G6.11 Katoomba Precinct *R3-KA11—Dora Street Precinct*

Alternative forms of housing are provided in close proximity to community uses and Katoomba town centre whilst retaining the values within the heritage conservation area.

Reference should be made to the precinct objectives in clause 7.6(11) of LEP 2015.



Katoomba Precinct *R3-KA11—Dora Street Precinct*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (Development in villages) and be consistent with the precinct objectives of clause 7.6(11) of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. The minimum setback from the boundary to Dora Street and Edwin Lane is 4m.


C5. The existing dwelling houses (excluding sheds and buildings ancillary to the dwelling house) are to be retained and restored as part of the redevelopment of the site.

C6. Development is to provide an activated and pedestrian-friendly street front to Edwin Lane and Dora Street. The activated street front may be achieved through incorporation of the existing dwellings as part of the development, which is encouraged.

G6.12 Katoomba Precinct R1/*R3-KA12—GWH Between Bowling Green Avenue and Station Street Precinct*

The site contains the Renaissance Centre, a heritage item which forms a visually significant landmark at the eastern entrance to Katoomba. Development is to respond to the visual dominance of the Renaissance Centre whilst allowing for opportunities for the concentration of alternate residential development in close proximity to Katoomba town centre.

Reference should be made to the precinct objectives in clause 7.6(12) of LEP 2015.



Katoomba Precinct *R1/R3-KA12—GWH Between Bowling Green Avenue and Station Street Precinct*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (Development in villages) and be consistent with the precinct objectives of clause 7.6(12) of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. New work to the Renaissance Centre is to be executed in accordance with and must have regard to the recommendations of a detailed heritage assessment and conservation management plan prepared by a qualified heritage consultant aimed at minimising adverse heritage impacts related to development of the site. New development will require approval from the NSW Heritage Council.

C5. Any new buildings for the site are to be located to preserve the curtilage of the Renaissance Centre that is established, to the satisfaction of the consent authority, by the heritage impact assessment and conservation management plan for the site.

C6. The existing buildings on site are to be retained.

C7. Access to the site is to be provided via Station Street.

C8. The existing mature eucalypts are to be retained where possible and substantial plantings undertaken in order to screen hard surfaces and car parking areas from the Great Western Highway.

G6.13 Katoomba Precinct *R3-KA13—Lurline and Vale Streets Precinct*

Alternative forms of housing incorporate views to the southeast and provide passive surveillance of Kingsford Smith Park. The topography of the site promotes development that steps down the slope, thus permitting the retention of views to the south-east from Lurline Street. Design of buildings is to be responsive to the heritage significance of Kingsford Smith Park and the character of the historic buildings within the vicinity and also respond to the prominence of the location and the topography of the site.

Reference should be made to the precinct objectives in clause 7.6(13) of LEP 2015.



Katoomba Precinct *R3-KA13—Lurline and Vale Streets Precinct*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (Development in villages) and be consistent with the precinct objectives of clause 7.6(13) of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. The minimum setback from Lurline Street is 8m.

C5. The minimum setback from Vale Street is to be within 20% of the average setback of dwellings on adjoining allotments.

C6. Buildings are to step down the slope.

C7. Development is to take into consideration the retention of existing views from buildings on Lurline Street and is to retain view corridors from Lurline Street to the south east to the satisfaction of the consent authority.

C8. Filtered views are to be provided from the living areas of dwellings into Kingsford Smith Park where possible.

C9. Development adjacent to Vale Street is to address the street and provide an active frontage such as windows, doors and verandahs.

C10. Landscaping is not to significantly obstruct views from buildings into Kingsford Smith Park.


G6.14 Katoomba Precinct *R3-KA14—Lurline Street Housing Precinct*

Forming the eastern edge of the town centre, this precinct provides multi-dwelling accommodation for both tourists and residents in a setting that is representative of a diversity of early twentieth century period apartment buildings and guesthouses.

New development is to contribute to the availability of diverse housing opportunities; however, traditional housing forms and their gardens are to be conserved and new development is to be of a built form consistent with and sympathetic to the relevant style of traditional housing.

The precinct will maintain strong connections to Katoomba Street through safe and convenient stairways and laneways.

Reference should be made to the precinct objectives in clause 7.6(14) of LEP 2015.



Katoomba Precinct *R3-KA14—Lurline Street Housing Precinct*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (Development in villages) and be consistent with the precinct objectives of clause 7.6(14) of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. Development is to provide a front building line consistent with that established by existing and adjacent development.

C5. Buildings are to conform to established building height patterns and be set behind landscaped front gardens.

C6. Building design is to be sympathetic to existing Federation and Inter-War apartment and guesthouse forms, and utilise open and/or glazed verandahs, traditionally-pitched roofs with appropriate roof detailing, articulated and painted brickwork walls, projecting bay windows, vertically-proportioned openings, and timber-framed balconies as relevant.


C7. Garages may front Lurline Street where the site grade and traffic safety permits.

G6.15 Katoomba Precinct *R3-KA15—Cascade and Parke Street Edge Precinct*

Defining the western and southern edges of the town centre, this precinct serves as a transition between the retail core and adjacent residential areas. It accommodates a mix of land uses including lower order commercial and smaller home based employment activities.

New development reflects the mix of residential and commercial uses, however new development will be consistent with a predominantly residential streetscape, which is characterised by one and two-storey scale development with curtilages made up of gardens and landscaping.

Reference should be made to the precinct objectives in clause 7.6(15) of LEP 2015.



Katoomba Precinct *R3-KA15—Cascade and Parke Street Edge Precinct*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (Development in villages) and be consistent with the precinct objectives of clause 7.6(15) of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. Buildings fronting Parke Street are to have a minimum setback of 3m.

C5. Buildings fronting Cascade Street is to have a minimum setback of 5m.

C6. Development on Cascade Street are to incorporate landscaped front gardens.

C7. New development is to be sympathetic to the traditional building forms, materials and details of the precinct, including the use of traditionally-pitched roofs, articulated layouts and forms, verandahs, timber joinery, vertically–proportioned openings and some painted external finishes, with a curtilage of landscaped areas and an address to the street provided. New development is to be similar in form and materials to quality older buildings but subservient in detail to distinguish it as new work.

C8. Parking areas are to be designed in a manner that minimises their visual impact when viewed from the public domain.

C9. Pedestrian access is to be provided to public walkways adjacent the precinct.

C10. Separate entrances are to be provided for residential and commercial uses in mixed use developments.

G6.16 Katoomba Precinct *R3-KA16—Cnr Great Western Highway and Camp Street Precinct*

Development recognises and retains the important role and prominence of the site as part of the eastern approach to Katoomba. Infill development on the site presents a high quality urban design that complements the low density scale of development on the adjoining lands and retains existing period buildings within the precinct. Existing mature plantings are retained and further planting incorporated into the future development of the site.

Reference should be made to the precinct objectives in clause 7.6(16) of LEP 2015.



Katoomba Precinct *R3-KA16—Cnr Great Western Highway and Camp Street Precinct*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (Development in villages) and be consistent with the precinct objectives of clause 7.6(16) of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. The setback from the Great Western Highway, Orient Street and Showground Lane boundaries of the precinct is to be consistent with that established by existing development.

C5. The setback from the Camp Street frontage is to allow for established vegetation gardens to be retained and is to be within 20% of the average setback of adjacent dwellings along Camp Street.

C6. The maximum site coverage for buildings is 50% of the total site area.

C7. Buildings facing Camp Street and Orient Street are to incorporate windows, doors, gables, awnings, verandahs and similar along these frontages.

C8. Tree plantings in accordance with the Street Tree Masterplan, are to be provided within the front building setback to Camp Street.

C9. The existing motel building and Federation cottage fronting Orient Street are both to be retained in new development.

C10. Garages and car parking are to be screened from the public domain and located internally so as not to dominate streetscape views.


G6.17 Katoomba Precinct *R3-KA17—Katoomba Golf Course Housing Precinct*

The precinct will accommodate a mix of attached townhouse style dwellings and detached dwellings that contribute to meeting housing demand in accordance with changing demographics in the Blue Mountains.

The development of the precinct will include high quality urban design outcomes in response to environmental constraints and the opportunities provided by its location adjacent to a ridgeline overlooking the Katoomba Golf Course, Katoomba urban area and the Blue Mountains National Park.

New building works will reflect the general pattern, scale and forms of existing adjacent residential development.

Reference should be made to the precinct objectives in clause 7.6(17) of LEP 2015.



Katoomba Precinct *R3-KA17—Katoomba Golf Course Housing Precinct*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (Development in villages) and be consistent with the precinct objectives of clause 7.6(17) of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. The height above the existing ground level for the lowest habitable floor level is not to exceed 3m.

C5. The maximum cut is 2m for townhouses and 1m for detached dwellings.

C6. The maximum fill is 2m for townhouses and 2.5m for detached dwellings.

C7. The minimum setback from The Escarpments street frontage and the internal road street frontage (that intersects with Narrow Neck Road) is 5m for townhouses and 6m for dwelling houses.

C8. The minimum side boundary setback is 1m for townhouses and 1.5m for dwelling houses.

C9. The minimum building setback from the Narrow Neck Road boundary and the Glencoe Road boundary is 12m. A minor departure from this provision may be supported if the Council is satisfied that the objectives and provisions for the precinct will be achieved.

C10. Apart from the provision of an access road, pedestrian pathways, fences, mailboxes and the like, existing vegetation within 12m of the boundaries of the reserves of Narrow Neck Road or Glencoe Road is not to be disturbed.

C11. All setback areas are to be landscaped.

C12. The maximum site cover for buildings is 40% of the total allotment area.

C13. The minimum area to be retained as soft, pervious or landscaped area (excluding hard surfaces) is 40% of the total allotment area.

C14. Development is to be sited, designed and constructed to minimise impacts on surrounding areas.

C15. Landscaping is to be compatible with the native bushland communities and exotic plantings on adjacent properties while minimising bush fire hazard.

C16. A landscaped area not less than 5m wide is to be provided between any building and the golf course. That area is to be planted with species that will, at maturity, provide a soft filtered view of the building from the golf course. The species used to achieve this screening are to be either endemic to the area or non-invasive exotic species compatible with the existing plantings used on the golf course.

C17. Provision is to be made around and between any building for the planting of trees that grow to sufficient heights to provide a canopy that will reduce the prominence of such buildings in the landscape when viewed from distant viewpoints. Plant species that minimise bush fire hazard are preferred.

C18. Building design is to integrate with the surrounding residential scale and to enhance amenity through the creation of view corridors, view sharing, passive solar design, quality architectural treatment and recessive colour schemes (neutral or earthy tones with low reflectivity).

C19. Driveways, parking areas and garages are not to dominate any street frontage, and are to be integrated with the design of surrounding landscaped areas.

C20. A maximum of two vehicular access points are to be provided to access the combined development. Each access point is to incorporate a roundabout in the existing public road to be located and designed to the Council's satisfaction.

C21. A combined cycleway and footpath is to be provided from the junction of Glencoe and Narrow Neck Roads to the existing golf clubhouse.

G6.18 Katoomba Precinct *R1-KA18 - Lilianfels*

This precinct operates as a substantial tourist accommodation complex that has been incorporated into a highly significant heritage site. Lilianfels Park to the south and the surrounding streets are of high streetscape and cultural value adjacent the Echo Point area. The precinct is adjacent multiple significant and spectacular views and viewing points.

Future development must take into consideration the sensitivity of the location in relation to exceptionally important areas of natural and cultural value. Consideration of bulk and scale, settings, views, architectural treatments and commercial signage are paramount.

Reference should be made to the precinct objectives in clause 7.6(18) of LEP 2015.



Katoomba Precinct *R1-KA18—Lilianfels*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (Development in villages) and be consistent with the precinct objectives of clause 7.6(18) of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. A minimum curtilage of 30m is to be retained around Lilianfels within which no new above-ground development is to occur.

C5. Stands of mature trees, including street plantings, are to be preserved.

C6. Lilianfels garden, and its principal elements (paths, hedges, gazebos) is to be retained, restored and enhanced according to management principles of a relevant conservation management plan.

C7. The minimum setback to any road frontage for all new buildings is 10m.

C8. Vehicular access to any new development is to be restricted to Echo Point Road and/or Panorama Drive.

C9. Vehicular access-ways are not to be created on or within 15m of a corner.

C10. Landscaping of the site is to be in accordance with professionally prepared and approved plans, utilising predominantly non-invasive exotic plantings and elements characteristic to the locality.

C11. No more than 30% of the surface area of the land is to be developed with buildings.

C12. No more than 10% of the surface area is to be hard paved.

C13. No uses or activities deemed to be noisy or disruptive to the residential amenity of the area will be supported.

C14. The use of the land is limited to low-key, guesthouse-style tourist accommodation and associated facilities such as a restaurant or tea room.

C15. No new building development north of Lilianfels is to occur.

C16. No new building is to exceed the maximum height above ground level of Lilianfels, or visually dominate it or surrounding roadways.

C17. Existing views from adjacent residences to the south are to be maintained.

C18. New development which is to be located to the east of Lilianfels is not to exceed two storeys in height, where the second storey is contained within a pitched roof space.

C19. The architectural treatment and design of new development is to be sympathetic and subservient to Lilianfels in form, materials and detailing.

C20. All parking demands generated by any new development are to be met and fully provided on-site.


C21. New work to Lilianfels is to be executed in accordance with a detailed conservation management plan prepared by a qualified heritage consultant and will require approval from the NSW Heritage Council.

G6.19 Katoomba Precinct *R1-KA19—Echo Point Road Precinct*

This precinct currently operates as budget to mid-range tourist accommodation and enjoys views towards the iconic Echo Point. In addition, significant sightlines into the site are exposed as visitors leave the major tourist attraction of Echo Point traveling north along Echo Point Road. The site adjoins the Lilianfels precinct to the west and nestles within a residential area characterised by single dwelling houses with prominent traditional garden settings.

Future development must take into consideration the sensitivity of the location in relation to the important areas of cultural and heritage value. Consideration of bulk and scale, settings, views, architectural treatments and commercial signage are paramount.

Reference should be made to the precinct objectives in clause 7.6(19) of LEP 2015.



Katoomba Precinct *R1-KA19—Echo Point Road Precinct*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (Development in villages) and be consistent with the precinct objectives of clause 7.6(19) of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. The minimum setback to Forster Road frontage for all new buildings is 15m.

C5. The minimum setback to Echo Point Road frontage for all new buildings is 10m.

C6. The minimum setback to the side (eastern) boundary is to be 6m. Setback is to be landscaped to ensure adjoining residential amenity is protected.

C7. The minimum setback to the rear (northern) boundary is to be 3m to allow for sufficient landscaping to screen the development from residential properties to the north.

C8. Landscaping of the site is to be in accordance with professionally prepared and approved plans, utilising predominantly non-invasive exotic planting and elements characteristic to the locality.

C9. Landscaping of the site should provide screening of the development from both Forster Road and Echo Point Road.

C10. Existing healthy and structurally sound mature trees are to be retained and protected.

C11. A minimum of 60% of the site area is to be soft pervious or landscaped area.

C12. No uses or activities deemed to be noisy or disruptive to the residential amenity of the area will be supported.

C13. Vehicular access-ways are not to be created on or within 15m of the intersection of Echo Point Road and Forester Road.

C14. All parking demands generated by any new development are to be met and fully provided on-site.

C15. Car parking is to be screened from the public domain and integrated with surrounding landscaped areas.


Note: Additional landscape controls specific to the R1 zone apply, refer to Part C3.8

G6.20 Katoomba Precinct *RE2/SP3-KA20—Violet Street Precinct*

Recreational and tourism related activities have long been established within this precinct, which is located on the edge of the escarpment and world heritage listed national park, well outside the Katoomba town centre. The precinct provides employment and business opportunities which complement the town centres and provide increased variety for recreation and tourism related land uses. The precinct is also adjoined by residential development and the Katoomba golf course.

Future development must take into consideration the sensitivity of the location in relation to the exceptionally important areas of environmental and cultural value. Consideration of bulk and scale, settings, views, architectural treatments, commercial signage and residential amenity are paramount.

Reference should be made to the precinct objectives in clause 7.6(20) of LEP 2015.



Katoomba Precinct *RE2/SP3-KA20— Violet Street Precinct*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (Development in villages) and be consistent with the precinct objectives of clause 7.6(20) of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. Buildings and other structures located on land identified as having Scenic Landscape Value on the Scenic Landscape Value Map are to be landscaped so as to minimise the visual impact from any public place, Reserve or National Park, including but not limited to Echo Point.

C5. All buildings on 119 Cliff Drive, Katoomba are to be distributed throughout the site so as to minimise the impact when viewed from any given point, either internally or externally.

C6. The existing bushland character of the precinct is to be retained and enhanced.

C7. The minimum setback for any new development, from any road reserve is 8m.

C8. The maximum building site coverage for land at 41 Violet Street, Katoomba and land at 119 Cliff Drive is 15%.

C9. The minimum area to be retained as soft pervious or landscaped (excluding hard surfaces) on land at 41 Violet Street and 119 Cliff Drive, Katoomba is 70% of the total allotment area.

In calculating the landscaped area of 41 Violet Street, the landscaped area can include an area for car parking up to a maximum of 15,000m2, provided that the car parking area incorporates effective water sensitive urban design measures, in accordance with Blue Mountains DCP 2015.

C10. The minimum area to be retained as soft pervious or landscaped area (excluding hard surfaces) on land at 2 Violet Street, Katoomba (Scenic World) is 10% of that part of the site not zoned C2 Environmental Conservation.

C11. The minimum area to be retained as soft pervious or landscaped (excluding hard surfaces) on land at 4-12 Violet Street, Katoomba is 60% of the total allotment area.

C12. Development is to provide articulation and building modulation in order to minimise the bulk of buildings.

C13. Development must consider amenity impact on the adjoining residential dwellings and include reasonable measures to mitigate impacts.

C14. Development is to provide landscaping along the street frontages that is reflective of landscape character and existing endemic vegetation communities along Cliff Drive and Violet Street.

C15. Car parking is to be integrated with landscaped areas such that it is well screened from the public domain. Parking areas should be located so as to not to adversely impact upon streetscape, pedestrian circulation, building character and residential amenity.

Note 1: Additional landscape controls specific to the SP3 zone apply, refer to Part C3.8

Note 2: Additional landscape controls specific to car parking areas apply, refer to Part F

G6.21 Katoomba Precinct *E1-KA021—Minni-Ha-Ha Shops Katoomba*

This precinct is a compact local centre, accommodating a diverse range of small scale retail and other commercial businesses that serve the local community as well as visitors.

Future development promotes the creation of a distinct village identity and provides the coordinated design of business signage and shop fronts in accordance with a village theme. Non-residential uses are compatible with residential uses and do not unreasonably affect amenity.

Reference should be made to the precinct objectives in clause 7.6(21) of LEP 2015.



Katoomba Precinct *E1-KA021—Minni-Ha-Ha Shops Katoomba*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (development in villages) and be consistent with the precinct objectives of clause 7.6(21) of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. Development is to provide front setbacks consistent with that of adjacent buildings. For corner allotments the secondary setback is to be a minimum of 3 metres. Side and rear setbacks will be subject to a merit based assessment having regard to the character of the area and amenity of the neighbouring properties

C5. The height above ground for the lowest habitable floor level is not to exceed 1m.

C6. Cut or fill within 5m of any property boundary is not to exceed 0.5m.

C7. All setback areas are to be landscaped.

C8. The maximum site cover for buildings is 50% of the total allotment area.

C9. The minimum area to be retained as soft, pervious or landscaped area (excluding hard surfaces) is 25% of the total allotment area.

C10. Walls and structures are to protect and enhance sight lines in the public domain.

C11. Walls are not to be left blank or unarticulated.

C12. Local design themes are to predominate over corporate signage and reflect the village character.

C13. Signage is to be coordinated with shop front design.

C14. On-site car parking is to be concealed behind commercial premises, or screened by landscaping or an architectural treatment that is consistent with the building adjoining the point of access.

C15. On any allotment adjoining an existing residential property, facades are to locate balconies or windows, or both, in a way that is designed to protect residential amenity.

C16. Any parking and heavy vehicle loading and manoeuvring areas are to be designed to minimise visual impact when viewed from the public domain, and to be safely and efficiently designed.


C17. Each secondary frontage to a public road, lane way or public place is to provide a visible and active street frontage distributed along a minimum of 65% of that frontage.

C18. Street corners are to be reinforced through design elements such as splay walls and orientation of entry and window elements.

G6.22 Katoomba Precinct *E4-KA022—Camp, Cooper, Whitton & Freelander Streets Katoomba*

This precinct provides facilities and services that meet the day to day needs of workers in and around the area, as well as supports the local economy. The precinct is surrounded by established low density residential areas. Therefore, it is necessary to facilitate compatible employment uses, with new development incorporating measures to mitigate operational impacts upon adjoining or adjacent residential land uses. Future development is designed and landscaped, to create a transition between employment precincts and low density residential areas, while low density residential development in established residential areas does not compromise existing employment uses.

Reference should be made to the precinct objectives in clause 7.6(22) of LEP 2015.



Katoomba Precinct *E4-KA022—Camp, Cooper, Whitton & Freelander Streets*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (development in villages) and be consistent with the precinct objectives of clause 7.6(22) of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. Setbacks will be subject to a merit-based assessment.

C5. The maximum site cover for buildings is 50% of the total allotment area.

C6. The minimum area to be retained as soft, pervious or landscaped area (excluding hard surfaces) is 40% of the total allotment area.

C7. Cut or fill within 5m of any property boundary is not to exceed 0.5m.

C8. All setbacks are to be landscaped.

C9. The design and location of the buildings respond effectively to individual site constraints and minimise site disturbance and clearing of vegetation.

C10. Rear yards of non-residential developments are to be landscaped to screen parking areas and other service-related spaces.

C11. Any fencing along the front boundary of the site and along any side boundary that is located within the front building setback applying to the land must be decorative. The sole use of pre-painted metal or standard paling fencing is not permitted.

C12. Driveways, parking areas and garages are not to dominate any street frontage, and are to be integrated with the design of surrounding landscaped areas.

C13. All parking demands generated by developments are to be met fully on-site.

C14. Carparking spaces are not permitted within the front setback area unless adequately screened by dense screen plantings and only where it can be demonstrated to be in character with the existing streetscape.

C15. Loading and unloading facilities are required for the erection or use of any building.

C16. Any parking and loading and manoeuvring areas are to be designed to minimise visual impact when viewed from the public domain, and to be safely and efficiently designed.

C17. An area for storing garbage and recycling shall be provided, suitably located and screened. Where a development adjoins residential development, the garbage storage area must be located at least 3 metres from the common boundary of the residential property and the development site.

C18. All non-residential development must be designed and constructed to provide access to and within all areas or facilities of the development where there is a reasonable expectation for access by any individual, accompanying persons or groups. The access is to be in accordance with AS 1428 – Design for Access and Mobility.

C19. Acoustic treatments are to be incorporated where necessary and practicable to minimise disturbance to any residents of adjoining dwellings or accommodation suites.

C20. Buildings are to reflect the principles of water sensitive urban design.

C21. Development is to provide articulation and building modulation in order to minimise the bulk of buildings. Refer to Part B2.3 of this DCP.

C22. On any allotment adjoining an existing residential land use, facades are to locate doors or windows, or both, in a way that is designed to protect residential amenity.

C23. New development is to be sympathetic to the traditional building forms, materials and details of the precinct, including the use of traditionally pitched roofs, articulated layouts and forms, verandahs, timber joinery, vertically–proportioned openings and some painted external finishes, with a curtilage of landscaped areas and an address to the street provided. New development is to be similar in form and materials to quality older buildings but subservient in detail to distinguish it as new work.

C24. New development is to respond sympathetically to the adjacent setback patterns and respect established building settings and views.

C25. Overshadowing of adjoining buildings and impact on solar access to the living areas and private open space of those buildings is minimised

C26. Setbacks for residential development on land consisting of or including an area of less than 4,000m2:

(a) front building setback is to be within 20% of the average setback of buildings on immediately adjoining allotments in established areas or, where there are no buildings on these allotments, and

(b) in the case of corner lots, building setback from the secondary frontage is to be a minimum of 3m, and

(c) setback from side and rear boundaries is to be a minimum of 1m.


C27. The maximum site cover for residential buildings and buildings ancillary to the main building is 40 per cent of the total allotment area or 160 square metres, whichever is the greater.

C28. Pervious area for residential development will comprise at least 40% of the lot.

G6.23 Katoomba Precinct *E4-KA023—Lovel Street Katoomba*

This precinct provides facilities and services that meet the day to day needs of workers in and around the area, as well as supports the local economy. The precinct is surrounded by established low density residential areas. Therefore, it is necessary to facilitate compatible employment uses, with new development incorporating measures to mitigate operational impacts upon adjoining or adjacent residential land uses. Future development is designed and landscaped, to create a transition between employment precincts and low density residential areas, while low density residential development in established residential areas does not compromise existing employment uses.

Reference should be made to the precinct objectives in clause 7.6(22) of LEP 2015.



Katoomba Precinct *E4-KA023—Lovel Street Katoomba*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (development in villages) and be consistent with the precinct objectives of clause 7.6(22) of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. Setbacks will be subject to a merit-based assessment.

C5. The maximum site cover for buildings is 50% of the total allotment area.

C6. The minimum area to be retained as soft, pervious or landscaped area (excluding hard surfaces) is 40% of the total allotment area.

C7. Cut or fill within 5m of any property boundary is not to exceed 0.5m.

C8. All setbacks are to be landscaped.

C9. Rear yards of non-residential developments are to be landscaped to screen parking areas and other service-related spaces.

C10. Any fencing along the front boundary of the site and along any side boundary that is located within the front building setback applying to the land must be decorative. The sole use of pre-painted metal or standard paling fencing is not permitted.

C11. Driveways, parking areas and garages are not to dominate any street frontage, and are to be integrated with the design of surrounding landscaped areas.

C12. All parking demands generated by developments are to be met fully on-site.

C13. Carparking spaces are not permitted within the front setback area unless adequately screened by dense screen plantings and only where it can be demonstrated to be in character with the existing streetscape.

C14. Loading and unloading facilities are required for the erection or use of any building for non-residential purposes.

C15. Any parking and loading and manoeuvring areas are to be designed to minimise visual impact when viewed from the public domain, and to be safely and efficiently designed.

C16. An area for storing garbage and recycling shall be provided, suitably located and screened. Where a development adjoins residential development, the garbage storage area must be located at least 3 metres from the common boundary of the residential property and the development site.

C17. All non-residential development must be designed and constructed to provide access to and within all areas or facilities of the development where there is a reasonable expectation for access by any individual, accompanying persons or groups. The access is to be in accordance with AS 1428 – Design for Access and Mobility.

C18. Acoustic treatments are to be incorporated where necessary and practicable to minimise disturbance to any residents of adjoining dwellings or accommodation suites.

C19. Buildings are to reflect the principles of water sensitive urban design.

C20. Development is to provide articulation and building modulation in order to minimise the bulk of buildings. Refer to Part B2.3 of this DCP.

C21. On any allotment adjoining an existing residential land use, facades are to locate doors or windows, or both, in a way that is designed to protect residential amenity.

C22. New development is to be sympathetic to the traditional building forms, materials and details of the precinct, including the use of traditionally pitched roofs, articulated layouts and forms, verandahs, timber joinery, vertically–proportioned openings and some painted external finishes, with a curtilage of landscaped areas and an address to the street provided. New development is to be similar in form and materials to quality older buildings but subservient in detail to distinguish it as new work.

C23. New development is to respond sympathetically to the adjacent setback patterns and respect established building settings and views.

C24. Setbacks for residential development

(a) front building setback is to be within 20% of the average setback of buildings on immediately adjoining allotments in established areas or, where there are no buildings on these allotments, and

(b) in the case of corner lots, building setback from the secondary frontage is to be a minimum of 3m, and

(c) setback from side and rear boundaries is to be a minimum of 1m.

C25. The site coverage for residential development including buildings ancillary to the main building, is 40% of the total allotment area or 160m2 , whichever is greater.

C26. Pervious area for residential development will comprise at least 40% of the lot.

G6.24 Katoomba Precinct *E4-KA024—Woodlands Road Katoomb*

This precinct provides facilities and services that meet the day to day needs of workers in and around the area, as well as supports the local economy. The precinct is surrounded by established low density residential areas and bushland communities. Therefore, it is necessary to facilitate compatible employment uses, with new development incorporating measures to mitigate operational impacts upon adjoining or adjacent residential land uses. Future development is designed and landscaped in accordance with its bushland setting, to create a transition between employment precincts and low density residential areas, while low density residential development in established residential areas does not compromise existing employment uses.

Reference should be made to the precinct objectives in clause 7.6(22) of LEP 2015.



Katoomba Precinct *E4-KA024—Woodlands Road Katoomba*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (development in villages) and be consistent with the precinct objectives of clause 7.6(22) of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. Setbacks are to be a minimum 8m and side and rear setbacks are to be a minimum of 3m.

C5. The maximum site cover for buildings is 50% of the total allotment area.

C6. The minimum area to be retained as soft, pervious or landscaped area (excluding hard surfaces) is 40% of the total allotment area.

C7. Cut or fill within 5m of any property boundary is not to exceed 0.5m.

C8. Landscaping is to minimise impacts on neighbouring bushland communities whilst minimising bushfire hazard. New landscape plantings are to be either endemic to the locality or be of low to nil invasive potential.

C9. Rear yards of non-residential developments are to be landscaped to screen parking areas and other service-related spaces.

C10. Any fencing along the front boundary of the site and along any side boundary that is located within the front building setback applying to the land must be decorative. The sole use of pre-painted metal or standard paling fencing is not permitted.

C11. All parking demands generated by developments are to be met fully on-site.

C12. Carparking spaces are not permitted within the front setback area unless adequately screened by dense screen plantings and only where it can be demonstrated to be in character with the existing streetscape.

C13. Loading and unloading facilities are required for the erection or use of any non-residential development.

C14. Any parking and heavy vehicle loading and manoeuvring areas are to be designed to minimise visual impact when viewed from the public domain, and to be safely and efficiently designed.

C15. An area for storing garbage and recycling shall be provided, suitably located and screened. Where a development adjoins residential development, the garbage storage area must be located at least 3 metres from the common boundary of the residential property and the development site.

C16. All non-residential development must be designed and constructed to provide access to and within all areas or facilities of the development where there is a reasonable expectation for access by any individual, accompanying persons or groups. The access is to be in accordance with AS 1428 – Design for Access and Mobility.

C17. Acoustic treatments are to be incorporated where necessary and practicable to minimise disturbance to any residents of adjoining dwellings or accommodation suites.

C18. Buildings are to reflect the principles of water sensitive urban design.

C19. Development is to provide articulation and building modulation in order to minimise the bulk of buildings. Refer to Part B2.3 of this DCP.

C20. On any allotment adjoining an existing residential land use, facades are to locate doors or windows, or both, in a way that is designed to protect residential amenity.

C21. Building design is to have regard to the heritage significance of adjacent precincts.

C22. Setbacks for residential development

(a) front building setback is to be within 20% of the average setback of buildings on immediately adjoining allotments in established areas or, where there are no buildings on these allotments, a minimum of 8m from the primary road frontage, and

(b) in the case of corner lots, building setback from the secondary frontage is to be a minimum of 3m, and

(c) in the case of hatchet shaped lots, building setback from the rear boundary of the lot in front is to be a minimum of 9m, and

(d) setback from side and rear boundaries is to be a minimum of 1m.

C23. The site coverage for residential development including buildings ancillary to the main building, is 40% of the total allotment area or 160m2 , whichever is greater.

C24. Pervious area for residential development will comprise at least 40% of the lot.

LAWSON

G7.1	**Lawson Precinct** *E1-LA01—Town Centre Precinct*	*740*
G7.2	**Lawson Precinct** *R3-LA02—San Jose Avenue Precinct*	*744*
G7.3	**Lawson Precinct** *R3-LA03—Loftus Street Precinct*	*746*
G7.4	**Lawson Precinct** *R3-LA04—Housing Precinct*	*748*
G7.5	**Lawson Precinct** *E4-LA05—Adeline & Cataract Streets Lawson*	*750*




G7.1 Lawson Precinct *E1-LA01—Town Centre Precinct*

The Lawson Town Centre precinct has experienced significant changes associated with the widening of the Great Western Highway. The Lawson Village Centre Masterplan was prepared to guide future development of the Town Centre Precinct, which is undergoing revitalisation. A site-specific DCP was also prepared to promote and guide the progression of the Masterplan.

The predominant objectives of the Masterplan have been achieved with the creation of the public domain within the new town centre. The restored Heatherbrae has become the focus for a new village centre and park.

The Lawson DCP has been consolidated into the existing Town Centre Precinct controls following the completion of the public domain elements, to ensure that future development within the precinct remains consistent with the aims of the Masterplan and the DCP.



Lawson Precinct *E1-LA01—Town Centre Precinct*

Desired future character

The Town Centre precinct presents opportunities to enhance community well-being through the expansion and improvement of commercial and community facilities, whilst retaining the village scale and the cultural elements important to the local community and history of Lawson. The retail /commercial activities within the town centre cater for the needs of the community and passing highway trade including tourism opportunities. Sustainability and accessibility are further components of the continuing redevelopment of the town centre.

The relationship with the Highway and railway is enhanced and protected, as is the clear urban structure of the roads, streets and public spaces. Vehicular parking areas fronting shops along the Highway provide good access for Highway

traffic; however, a new focus for local retail and community activity is protected and enhanced to the rear of shops that face the Highway. Good parking availability and safe pedestrian routes interact to provide a compact urban structure with high levels of amenity and accessibility.

A sense of place and positive links to the past are enhanced through landscape elements and built form, with adequate open space and safe pedestrian-friendly places. New built form seeks to complement the traditional character of surrounding buildings and the character of other villages. Welcoming open spaces are defined by built form. Four public spaces predominate:

(a) Douglass Square: Heritage character around Douglass Square is retained and interpreted, enhancing this place as the main civic and historical place in Lawson, and a heritage gateway to the town centre;

(b) Heatherbrae: The setting and landscape of Heatherbrae is a 'Village Park' fronting New Street as a second public domain space. Important views of and from Heatherbrae and distant views of the natural environment to the south are retained and enhanced;

(c) A Village Square is a focal point behind the shops that front the Highway, with outdoor seating and retail frontages;

(d) The Community Centre is capable of extension, with a community garden area at the rear.

These public spaces are interconnected though walkways and pathways. The primary entrance to the town centre is marked at the intersection of New Street and the Great Western Highway. Two public spaces act as pedestrian gateways to the precinct; at Douglass Square and at the Mid Mountains Community Centre. New Street is consolidated as the main street in the Lawson town centre.

Diverse commercial activity caters for both locals and visitors, with an emphasis on a strong local economy. Additional shop buildings give an expanded active street frontage layout that adds vitality and viability to the precinct. Commercial uses are maintained along the Highway to attract passing trade. Additional residential accommodation or additional commercial uses are housed in two-storey buildings facing the Highway, where shop-top housing can enable passive surveillance and after-hours activity. Community spaces in the vicinity of the Mid Mountains Community Centre and Heatherbrae support a sense of place.

Reference should be made to the precinct objectives in Clause 7.7(1) of LEP 2015.

Note: The *Community Infrastructure Contributions Plan for Lawson Town Centre* (Lawson Contributions Plan) applies to this precinct. Parking credits are identified within the Lawson Contributions Plan for certain lots fronting the Great Western Highway. The plan can be accessed via Council's website.

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (Development in villages) and be consistent with the precinct objectives of clause 7.7(1) of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. Development is to have a zero side setback, except where the side boundary adjoins a public place, where side setbacks greater than zero may be considered, but only when it can be demonstrated that an active frontage is provided.

C5. Development may provide a maximum site cover of 100% of the total allotment area.

C6. Visible retail or other commercial activity is to be promoted along the entire length of primary street frontages.

C7. Each secondary frontage to a public road, lane way or public place is to provide a visible and active street frontage distributed along a minimum of 65% of that frontage.

C8. Street corners are to be reinforced through design elements such as splay walls and orientation of entry and window elements.

C9. New development, including alteration and additions to existing shopfronts, is to have regard to the scale, forms and detailing of traditional shopfront buildings, and to ensure that where appropriate, continuous awnings and/or balconies for weather protection are provided.

Note: Guidelines on traditional shopfront design are found in B3.1.3 Infill shopfront buildings in B3 Character and design, and in D9.7 Traditional shopfront buildings in Part D Heritage where heritage considerations apply.

C10. Servicing areas are to be located to the rear of buildings fronting the Highway to maintain a continuous retail streetscape.

C11. Appropriate site servicing facilities for retail, commercial and residential uses are to be located and designed to minimise their impact on the amenity of adjoining properties and the streetscape.

C12. Existing landscape features throughout the town centre are to be retained and enhanced. Reinstate and / or interpret early tree planting layouts wherever possible.

C13. Additional tree plantings that enhance streets and public domain areas are encouraged.


C14. Significant views to and from Heatherbrae are not to be built out or obscured.

C15. Development in the public domain is to consider and where relevant satisfy the requirements of the Lawson Village Centre Masterplan and the Lawson Public Domain Manual.

G7.2 Lawson Precinct *R3-LA02—San Jose Avenue Precinct*

Development of alternative housing forms provides innovative designs that incorporate elements reflective and sympathetic to the Stratford Girls School tower. The tower continues to be a significant visual and cultural element within Lawson and as such, any development protects and responds to the heritage significance of the site.

Reference should be made to the precinct objectives in clause 7.7(2) of LEP 2015.



Lawson Precinct *R3-LA02—San Jose Avenue Precinct*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (Development in villages) and be consistent with the precinct objectives of clause 7.7(2) of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. The scale of development is to not exceed the scale of the previous sanatorium and Stratford Girls School building, being a 2-storey brick structure with hipped iron roofs and a maximum height of 8m.

C5. The minimum setback from the San Jose Avenue boundary of the site is 12m.

C6. The minimum setback from the side boundary adjoining Avon House (10 San Jose Avenue) is 8m.

C7. Land zoned C2 Environmental Conservation is not to be taken into consideration when calculating the floor space ratio.

C8. The three-storey tower located in the south-east corner of the site, and its immediate curtilage, are to be retained. The height, massing and location of any development is to ensure that the tower is maintained as the visually dominant feature of the site, particularly when viewed from the surrounding public roads.

C9. Development is to have regard to the recommendations of a detailed heritage impact statement and conservation management plan, and to minimise the impact of development on the site.

C10. The two course, rock-faced masonry wall along the boundary of the site to San Jose Avenue is to be retained as a feature of the site.

C11. The mature boundary trees, including pines and cypresses, located along the San Jose Avenue boundary of the site are to be retained as part of any redevelopment.

C12. Land zoned C2 Environmental Conservation is to be revegetated with locally indigenous vegetation.


C13. Design elements of the sanatorium and Stratford Girls School building such as brick construction, hipped corrugated metal roofing, arched windows and verandahs are to be incorporated in any building design.

G7.3 Lawson Precinct *R3-LA03—Loftus Street Precinct*

The two heritage items within the precinct are maintained and conserved. The relationship between the two buildings is retained and these buildings remain in use for public purposes.

Landscaping elements are introduced within the Loftus Street setback reflective of the garden character typical of the locality. Residential development is provided to the rear of the site in a manner that responds to the topography of the site.

Reference should be made to the precinct objectives in Clause 7.7(3) of LEP 2015.



Lawson Precinct *R3-LA03—Loftus Street Precinct*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (Development in villages) and be consistent with the precinct objectives of clause 7.7(3) of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. Land zoned C2 Environmental Conservation is not to be taken into consideration when calculating the floor space ratio.

Note: Refer to the *LEP 2015 Floor Space Ratio Map*.

C5. Landscape screening is to be provided for the development when viewed from Loftus Street.

C6. A curtilage is to be provided to the heritage items in the following manner: 15m to the west of the former Shire offices, 6m to the north-west of the Shire offices and the former Electricity Substation, and 4m to the south-west of the former Electricity Substation.

C7. Development is to have regard to the recommendations of a detailed heritage impact statement and conservation management plan, and to minimise the impact of development on the site.

C8. The heritage items on the site are to be retained and incorporated into the design of the development.

C9. Public access to the heritage items is to be maintained.

C10. Land between the two heritage items is to be maintained and landscaped.

C11. The land between the heritage buildings may be considered suitable for the purpose of driveways used to access a future housing development on the site if the treatment of the entry and driveways, including landscaping, complements the heritage buildings.

C12. Land zoned C2 Environmental Conservation is to be revegetated with locally indigenous vegetation.


G7.4 Lawson Precinct *R3-LA04—Housing Precinct*

A mix of single and multiple-unit dwellings are located close to the town centre and expand the range of residential accommodation available in the Lawson Village.

All heritage items in the precinct are conserved. Redevelopment is encouraged to restore existing traditional cottages, and retain visually significant elements of established garden settings.

New buildings reflect the pattern, scale and architectural style of traditional modest cottages surrounded by established gardens.

Reference should be made to the precinct objectives in clause 7.7(4) of LEP 2015.



Lawson Precinct *R3-LA04—Housing Precinct*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (Development in villages) and be consistent with the precinct objectives of clause 7.7(4) of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. The height above ground for the lowest habitable floor level is not to exceed 1.5m.

C5. Cut or fill within 5m of any property boundary is not to exceed 0.5m.

C6. Development is to provide setbacks to the primary street frontage consistent with that of adjacent buildings.

C7. Side boundary setbacks are to be a minimum of 2m.

C8. All setback areas are to be landscaped.

C9. The maximum site cover for buildings is 50% of the total allotment area.

C10. The minimum area to be retained as soft, pervious or landscaped area (excluding hard surfaces) is 40% of the total allotment area.

C11. Development is to be sited, designed and constructed to minimise impacts upon surrounding bushland.

C12. Landscaping is to minimise impacts on neighbouring bushland communities whilst minimising bush fire hazard. New landscape plantings are to be either endemic to the locality or be of low to mid invasive potential.

C13. New development is to be sympathetic to traditional building forms, materials and details, including the use of traditionally-pitched roofs, articulated layouts and forms, verandahs, timber joinery, vertically–proportioned openings and some painted external finishes, with a curtilage of landscaped areas and an address to the street provided. New development is to be similar in form and materials to quality older buildings but subservient in detail to distinguish it as new work.

C14. Buildings are not to exceed 15m width or depth in any direction.

C15. Driveways, parking areas and garages are not to dominate any street frontage, and are to be integrated with the design of surrounding landscaped areas.

G7.5 Lawson Precinct *E4-LA05—Adeline & Cataract Streets Lawson*

This precinct provides facilities and services that meet the day to day needs of workers in and around the area, as well as supports the local economy. The precinct is surrounded by established low density residential areas and bushland communities. Therefore, it is necessary to facilitate compatible employment uses, with new development incorporating measures to mitigate operational impacts upon adjoining or adjacent residential land uses. Future development is designed and landscaped in accordance with its bushland setting, to create a transition between employment precincts and low density residential areas, while low density residential development in established residential areas does not compromise existing employment uses.

Reference should be made to the precinct objectives in clause 7.7(5) of LEP 2015.



Lawson Precinct *E4-LA05—Adeline & Cataract Streets Lawson*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (development in villages) and be consistent with the precinct objectives of clause 7.7(5) of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. Setbacks are to be a minimum 4m and a maximum of 8m from the front boundary and side and rear setbacks will be subject to a merit-based assessment.

C5. The minimum area to be retained as pervious area for land is 30% of the total allotment area.

C6. Cut or fill within 5m of any property boundary is not to exceed 0.5m.

C7. Landscaping is to minimise impacts on neighbouring bushland communities whilst minimising bushfire hazard. New landscape plantings are to be either endemic to the locality or be of low to nil invasive potential.

C8. Existing priority weeds must be removed or controlled where identified on a proposed development site.

C9. Any fencing along the front boundary of the site and along any side boundary that is located within the front building setback applying to the land must be decorative. The sole use of pre-painted metal or standard paling fencing is not permitted.

C10. All parking demands generated by developments are to be met fully on-site.

C11. Any parking and heavy vehicle loading and manoeuvring areas are to be designed to minimise visual impact when viewed from the public domain, and to be safely and efficiently designed.

C12. An area for storing garbage and recycling shall be provided, suitably located and screened. Where a development adjoins residential development, the garbage storage area must be located at least 3 metres from the common boundary of the residential property and the development site.

C13. Any lighting system utilised in common areas, car parking areas and along pathways must be baffled to ensure that a light source is not directly visible from a habitable room window of any residential development, whilst maintaining adequate lighting of the subject site.

C14. New development is to incorporate appropriate levels of lighting to all pedestrian areas.

C15. All development for non-residential purposes must be designed and constructed to provide access to and within all areas or facilities of the development where there is a reasonable expectation for access by any individual, accompanying persons or groups. The access is to be in accordance with AS 1428 – Design for Access and Mobility.

C16. Acoustic treatments are to be incorporated where necessary and practicable to minimise disturbance to any residents of adjoining dwellings or accommodation suites.

C17. The development must be designed and located so that solar access to the living areas (excludes bedrooms, bathrooms and utility areas) and private open space areas of any adjoining residential properties or any employees outdoor recreation areas is not reduced to less than 3 hours between 9am and 3pm on 21st June.

C18. All buildings are to be insulated to maximise the energy efficiency of the building by providing insulation of the roof or ceiling with a minimum R3 rating. A minimum R1.5 insulation is required within the walls of any building.

C19. Warehouse and industrial buildings shall be equipped with permanent ridge venting.

C20. On any allotment adjoining an existing residential land use, facades are to locate doors or windows, or both, in a way that is designed to protect residential amenity.

C21. Buildings are to reflect the principles of water sensitive urban design.

C22. Setbacks for residential

(a) front building setback is to be within 20% of the average setback of buildings on immediately adjoining allotments in established areas or, where there are no buildings on these allotments, a minimum of 8m from the primary road frontage, and

(b) in the case of corner lots, building setback from the secondary frontage is to be a minimum of 3m, and

(c) in the case of hatchet shaped lots, building setback from the rear boundary of the lot in front is to be a minimum of 9m, and

(d) setback from side and rear boundaries is to be a minimum of 1m.

C23. The site coverage for residential development shall not exceed—

(a) if the area of the relevant part is less than 1,000 square metres—160 square metres or 30% of the relevant part (whichever is greater), or

(b) if the area of the relevant part is at least 1,000 square metres, but less than 2,000 square metres—300 square metres plus an additional number of square metres equal to 10% of the amount by which the area of the relevant part exceeds 1,000 square metres, or


(c) if the area of the relevant part is at least 2,000 square metres—400 square metres plus an additional number of square metres equal to 5% of the amount by which the area of the relevant part exceeds 2,000 square metres, but not exceeding 2,500 square metres.

(d) despite subclause (a), (b) and (c), development consent may be granted for development that exceeds the maximum site coverage permitted by those paragraphs if a report prepared by a suitably qualified person demonstrates that the development would have a beneficial effect on stormwater management by incorporating measures such as infiltration and detention systems.

C24. Pervious area for residential development will comprise at least 60% of the lot.

LEURA

G8.1	**Leura Precinct** *E1-LE01—Leura Mall Precinct*	*756*
G8.2	**Leura Precinct** *R1-LE02—Leura Gateway Precinct*	*759*
G8.3	**Leura Precinct** *R1-LE03—Southern Tourist Precinct*	*761*
G8.4	**Leura Precinct** *R3-LE04—Grose Street North Precinct*	*763*
G8.5	**Leura Precinct** *R3-LE05—Wascoe Street Pre***cinct**	**765**
G8.6	**Leura Precinct** *R3-LE06—Eastern Edge Precinct*	*766*
G8.7	**Leura Precinct** *RP-LE07 – Former Leura Golf Clubhouse Precinct*	*768*
G8.8	**Leura Precinct** *R1-LE08—Chambers Road Precinct*	*772*
G8.9	**Leura Precinct** *SP3-LE07— Sublime Point Road Precinct*	*774*



G8.1 Leura Precinct *E1-LE01—Leura Mall Precinct*


This precinct continues to operate as a traditional shopping strip for Leura residents as well as the central focus for tourists to Leura. Presenting a village scale and character, the streetscape is dominated by the near continuous row of one- and two-storey shop fronts of early twentieth-century Federation, Edwardian and Inter-War buildings. The large central median island lined with cherry trees represents a safe haven for pedestrians with the adjacent footpaths providing important areas of character and interest.

New development is to be of the highest design quality and to respect the existing character and scale of this fine-grained commercial precinct. The mall will increasingly become a community focus area and gathering place for local residents and tourists.

The precinct will experience a gradual increase in the range of local services and facilities available, and require the reuse and development of upper floor areas for commercial and residential uses.

The precinct is to remain a pedestrian-friendly environment and provide a range of retail uses and services.

Reference should be made to the precinct objectives in clause 7.8(1) of LEP 2015.



Leura Precinct *E1-LE01—Leura Mall Precinct*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (Development in villages) and be consistent with the precinct objectives of clause 7.8(1) of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. Development is to generally have zero front and side setbacks, unless a side boundary adjoins the public domain and an active street frontage is proposed that positively contributes to the public domain.

C5. Development may provide a maximum site cover of 100% of the total allotment area, except where adjoining an allotment within zone E4 Environmental Living or within the block bounded by Quinns Avenue, Wascoe Street, and Megalong Street, where the maximum site cover is to be 70% of the total allotment area.

C6. The existing continuity of retail and other businesses facing Leura Mall, Megalong Street or Railway Parade is to be maintained.

C7. On properties with secondary frontages to the public domain, new commercial businesses are to be promoted along at least 50% of those ground level frontages to public carparks, side streets and laneways, and for all storeys above ground, balconies and/or extensive windows overlooking the street are to be provided.

C8. New development is to have regard to the scale, forms and detailing of traditional shopfront buildings, and to ensure that where appropriate, continuous awnings and/or balconies are provided.

Note: Guidelines on traditional shopfront design are found in B3.1.3 Infill shopfront buildings in B3 Character and design, and in D9.7 Traditional shopfront buildings in Part D Heritage where heritage considerations apply.

C9. For properties with existing two-storey traditional shop terraces, future development is to retain and restore the principal shop front structure plus the adjoining rooms.

Note: Guidelines on traditional shopfront design are found in B3.1.3 Infill shopfront buildings in B3 Character and design, and in D9.7 Traditional shopfront buildings in Part D Heritage where heritage considerations apply.

C10. Development on large allotments is to distribute floorspace into well-articulated structures that are composed of separate wings or interconnected buildings, with traditionally pitched roofs and appropriately landscaped garden courtyards with canopy trees.

C11. On-site parking areas are to be accessed only from the rear or side of buildings via existing public carparks, laneways or secondary streets, and are to be concealed behind retail or business floorspace wherever possible.

C12. The existing pedestrian network should be expanded by promoting new retail frontages surrounding the public carparks or facing side streets and laneways.

C13. Solar access to the public domain is to be protected and enhanced.

C14. Continuous weather protection along all public frontages in the form of awnings or overhanging balconies is to be provided.

C15. Ground floor walls and structures are to protect and enhance sight lines in public places.

G8.2 Leura Precinct *R1-LE02—Leura Gateway Precinct*


Located adjacent to the primary road and rail corridors, this precinct experiences substantial redevelopment of sites and operates as the "gateway" to the Leura Village. New development supports this gateway role by presenting urban design of the highest quality that contributes to a positive first experience of the Leura Village. This, together with a mix of land uses that support the tourist role of the village serves as an enticement to passing traffic.

Development of this precinct, including the changes to the Highway interchange, assist in enhancing both pedestrian and vehicle access to the Village and enhance connectivity between north and south Leura. Whilst offering high levels of accessibility to both pedestrians and vehicles, potential conflicts between the two are minimised.

The form and scale of new development responds to that of existing buildings in the village and new buildings shall address both the highway and the Leura Mall. Signage associated with development is provided at a modest scale and does not seek to be legible from the distant approaches.

New buildings on the old Chateau Napier site respect the heritage of the previous use, but recapture the landmark status of that site.

Reference should be made to the precinct objectives in clause 7.8(2) of LEP 2015.



Leura Precinct *R1-LE02—Leura Gateway Precinct*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (Development in villages) and be consistent with the precinct objectives of clause 7.8(2) of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. The height above ground for the lowest habitable floor level is not to exceed 1.5m.

C5. Cut or fill within 5m of any property boundary is not to exceed 0.5m.

C6. Development is to provide setbacks to the Great Western Highway and Leura Mall consistent with that of existing and adjacent buildings in the precinct.

C7. The maximum site cover for buildings is 50% of the total allotment area.

C8. The minimum area to be retained as soft, pervious or landscaped area (excluding hard surfaces) is 40% of the total allotment area.

C9. New development is to be sympathetic to nearby traditional building forms, materials and details, including the use of traditionally-pitched roofs, articulated layouts and forms, verandahs, timber joinery, vertically–proportioned openings and some painted external finishes, with a curtilage of landscaped areas and an address to the street provided. New development is to be similar in form and materials to quality older buildings but subservient in detail to distinguish it as new work.

C10. Buildings are not to exceed 18m width or depth in any direction.

C11. New development may incorporate prominent or landmark features at the corner of Leura Mall and the Great Western Highway.

C12. Driveways, parking areas and garages are not to dominate any street frontage, and are to be integrated with the design of surrounding landscaped areas.

C13. Gardens and landscaped areas are to protect and enhance exotic and indigenous canopy trees, which provide a visual backdrop that contributes to the character of the precinct.


G8.3 Leura Precinct *R1-LE03—Southern Tourist Precinct*

Located to the south of the core village area, this precinct serves as a transition between the retail core and adjacent residential areas.

Accommodating the continued growth in tourism activity in Leura, the precinct provides a mix of new land uses including arts and craft galleries, refreshment rooms and tourist accommodation.

Existing buildings are generally used to accommodate these new land uses. Where new development is provided, it maintains the residential scale and character of the precinct, including the established gardens and mature vegetation that make a significant contribution to the character of the precinct.

Reference should be made to the precinct objectives in clause 7.8(3) of LEP 2015.



Leura Precinct *R1-LE03—Southern Tourist Precinct*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (Development in villages) and be consistent with the precinct objectives of clause 7.8(3) of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. The height above ground for the lowest habitable floor level is not to exceed 1m.

C5. Cut or fill within 5m of any property boundary is not to exceed 0.5m.

C6. Development is to provide front setbacks consistent with that of adjacent buildings.

C7. Development is to provide a minimum side boundary setback of 2m.

C8. Development is to provide a minimum rear boundary setback of 4m.

C9. All setback areas are to be landscaped.

C10. The maximum site cover for buildings is 40% of the total allotment area.

C11. The minimum area to be retained as soft, pervious or landscaped area (excluding hard surfaces) is 50% of the total allotment area.

C12. New development is to be sympathetic to nearby traditional building forms, materials and details, including the use of traditionally-pitched roofs, articulated layouts and forms, verandahs, timber joinery, vertically–proportioned openings and some painted external finishes, with a curtilage of landscaped areas and an address to the street provided. New development is to be similar in form and materials to quality older buildings but subservient in detail to distinguish it as new work.

C13. Buildings are not to exceed 18m width or depth in any direction.

C14. Any non-residential activities should be accommodated in buildings with a residential scale and character.


C15. Gardens should incorporate a backdrop of canopy trees along rear boundaries plus trees and shrubs scattered through front and side yards.

C16. Driveways, parking areas and garages should not dominate any street frontage, and are to be integrated with the design of surrounding landscaped areas.

G8.4 Leura Precinct *R3-LE04—Grose Street North Precinct*

An area that has a significant streetscape character. Older cottages are retained whilst sensitively designed residential infill development is located at the rear of lots. Development on vacant lots is to maintain the existing residential character through the presentation of single storey dwellings with landscaped front setbacks.

Reference should be made to the precinct objectives in clause 7.8(4) of LEP 2015.



Leura Precinct *R3-LE04—Grose Street North Precinct*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (Development in villages) and be consistent with the precinct objectives of clause 7.8(4) of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. The minimum setback from Grose Street is 12m.

C5. Existing older dwellings (pre-1946) are to be retained and incorporated as part of the redevelopment of the site.


C6. Design of buildings is to allow for direct views from the living areas of dwellings into the adjoining parkland.

C7. Landscaping is to be in character with adjoining gardens and is to be provided within the front setback.

G8.5 Leura Precinct *R3-LE05—Wascoe Street Precinct*

Alternative forms of housing are consolidated in close proximity to Leura village. Mitigation measures are undertaken that minimise the impact of development and contribute to the regeneration of the adjacent watercourse buffer areas.

Reference should be made to the precinct objectives in clause 7.8(5) of LEP 2015.



Leura Precinct *R3-LE05—Wascoe Street Precinct*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (Development in villages) and be consistent with the precinct objectives of clause 7.8(5) of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. The minimum setback from Wascoe Street is 8m.

C5. Existing older dwellings (pre-1946) are to be retained and incorporated as part of the redevelopment of any site.

C6. Development is to promote a landscape setting and provide screening of future development through planting of appropriate trees and shrubs that minimise the visibility of development from Megalong Street.

C7. Development is to provide active street frontages to Wascoe Street and Quinns Avenue.

G8.6 Leura Precinct *R3-LE06—Eastern Edge Precinct*

Defining the eastern edge of the Leura Village centre, this precinct serves as a transition between the retail core and adjacent residential areas. It accommodates a mix of land uses including lower order commercial and smaller home-based employment activities.

New development reflects the mix of residential and commercial uses, however new development is consistent with a predominantly residential streetscape, which is characterised by one and two-storey scale development with curtilages of landscaped gardens.

Reference should be made to the precinct objectives in clause 7.8(6) of LEP 2015.



Leura Precinct *R3-LE06—Eastern Edge Precinct*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (Development in villages) and be consistent with the precinct objectives of clause 7.8(6) of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. Development is to provide front setbacks consistent with that of adjacent buildings.

C5. Development is to provide a minimum side boundary setback of 2m.

C6. Development is to provide a minimum rear boundary setback of 4m.

C7. All setback areas are to be landscaped.

C8. The maximum site cover for buildings is 50% of the total allotment area.

C9. The minimum area to be retained as soft, pervious or landscaped area (excluding hard surfaces) is 40% of the total allotment area.

C10. New development is to be sympathetic to nearby traditional building forms, materials and details, including the use of traditionally-pitched roofs, articulated layouts and forms, verandahs, timber joinery, vertically–proportioned openings and some painted external finishes, with a curtilage of landscaped areas and an address to the street provided. New development is to be similar in form and materials to quality older buildings but subservient in detail to distinguish it as new work.

C11. Buildings are not to exceed 18m width or depth in any direction.

C12. Any non-residential activities are to be accommodated in buildings with a residential scale and character.

C13. Gardens are to incorporate a backdrop of canopy trees along rear boundaries plus trees and shrubs scattered through front and side yards.

C14. Driveways, parking areas and garages are not to dominate any street frontage, and are to be integrated with the design of surrounding landscaped areas.

G8.7 Leura Precinct *RP-LE07 – Former Leura Golf Clubhouse Precinct*

Formerly the site of the Leura Golf Clubhouse and Bowling Club, which has its origins in the early twentieth century, the Former Leura Golf Clubhouse Precinct is in an area of Leura recognised for its streetscape character, landscaped garden setting and areas of older housing. The site has a prominent position on the tourist route between the Leura town centre and Sublime Point.

Development in the precinct accommodates accessible housing and a range of services and facilities to meet the needs of residents. Future housing development should contribute to providing a quality living environment for older people, with access to necessary services and facilities. As the focal element of the precinct, the former Leura Golf Clubhouse should be retained as a facility for residents and in recognition of its contribution to the streetscape.

The precinct contributes to the character of the locality by establishing a landscape setting and gardens within building setbacks and common open space. Buildings respect the scale and architectural form of surrounding development through articulated roof forms and floor plans and by presenting a generally single-storey appearance.



Leura Precinct *RP-LE07 – Former Leura Golf Clubhouse Precinct*

Objectives

O1. To enable the provision of accessible housing with a building form and scale consistent with residential character in the locality and utilising the facilities provided by the former Leura Golf Clubhouse.

O2. To ensure the retention and enhancement of the former Leura Golf Clubhouse for use as a community facility and in recognition of its contribution to the streetscape character of the locality.

O3. To minimise the impact of development on the environment and on residential amenity through appropriate siting and design of buildings.

O4. To maintain and improve streetscape character by establishing a landscaped garden setting, consistent with the settings of residential and other land uses in the locality.

Controls

C1. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

Note: The height of a building fronting Fitzroy Street may be measured from the finished ground level of the bowling green (rather than from street level):

(a) if measuring from that level is necessary to preserve the landscape setting of the building or to enhance the relationship of the building to Fitzroy Street by limiting the visual prominence of its roof structure, and

(b) provided that the building will have a single-storey appearance from Fitzroy Street.

C2. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C3. The retention of the Clubhouse as a common facility for residents and an integral component of the streetscape is encouraged.

C4. Buildings fronting Fitzroy Street are to have a setback of not less than 12m and not more than 15m.

C5. Buildings fronting Gladstone Road are to have a setback of not less than 8m.

C6. No buildings are to be located between the former Leura Golf Clubhouse and Fitzroy Street, in an area extending 10m from the outermost walls of the Clubhouse.

C7. A building on land that adjoins residential zoned land or the golf course is to have:

(a) if the building has a building height of 6m or less—an average setback of not less than 4.5m, or

(b) if the building has a building height greater than 6m—an average setback of not less than 6m.

C8. A building located within 50m of the southernmost boundary of the Former Leura Golf Clubhouse Precinct is only likely to be supported if the building:

(a) has a setback of at least 10m from that boundary, and

(b) maintains adequate view lines from each adjoining property on residential zoned land to the golf course, and

(c) contains no more than two dwellings, and

(d) provides a transition in terms of bulk, scale and form between development within the precinct and the housing forms on adjoining residential zoned land.

C9. The maximum site coverage for buildings (including ancillary buildings, swimming pools and tennis courts) is 30% of the total precinct area, except for buildings within 50m of Fitzroy Street, where the maximum site coverage is 1,000m^2 (excluding the site coverage of any existing buildings).

C10. The minimum area to be retained as soft, pervious or landscaped areas (excluding hard surfaces) is 55% of the total precinct area.

C11. New development fronting Fitzroy Street is to be sympathetic to nearby traditional building forms, materials and details, including the use of traditionally-pitched roofs, articulated layouts and forms, verandahs, timber joinery, vertically–proportioned openings and some painted external finishes, with a curtilage of landscaped areas and an address to the street provided. New development is to be similar in form and materials to quality older buildings but subservient in detail to distinguish it as new work.

C12. Development on land in the Former Leura Golf Clubhouse Precinct is not to have a detrimental effect on the contribution of the former Leura Golf Clubhouse to the streetscape and character of the locality.

C13. Consent for development on land in the Former Leura Golf Clubhouse Precinct may be granted subject to a condition that requires the creation of a restrictive or positive covenant that provides for the retention and continued maintenance of the former Leura Golf Clubhouse, but this subclause does not:

(a) limit the kinds of conditions that may be imposed on a development consent, or

(b) allow conditions to be imposed on a development consent otherwise than in accordance with the *Environmental Planning and Assessment Act 1979*.

C14. Consent will not be granted for development involving the demolition of the exterior, or part of the exterior, of the former Leura Golf Clubhouse unless Council is satisfied that the building, or part of the building, proposed for demolition, is either structurally unsound (on the basis of documentary evidence), and not economically repairable (on the basis of documentary evidence prepared by a suitably qualified person that demonstrates that the cost of the repair would exceed the value of the repaired building).

C15. Built forms are to provide a transition from larger buildings in the centre of the Former Leura Golf Clubhouse Precinct to domestic scale cottages, as viewed from the golf course and any public place.

C16. Generally buildings are to have pitched tiled roofs, with materials and form that complement the former Leura Golf Clubhouse. However, low-pitched and/or decked roofs are permissible to internal roof areas of buildings if they are not visible from a public place or from adjacent properties.

C17. Soil within the Fitzroy Street front building setback is to be remediated to provide a deep planting zone, which is to be planted to provide a garden setting that will make a significant contribution to the streetscape within 10 to 15 years.

C18. Buildings are to reflect the principles of water sensitive urban design.

C19. A landscaped screen sufficient to separate the site from existing residential properties on residential zoned land and the golf course is to be provided along the perimeter of the shared boundaries.

C20. Buildings are to retain existing solar access for a minimum of 3 hours between the hours of 9am to 3pm on 21 June for the living rooms and private open space of existing dwellings.

C21. A variety of heights and forms are to be incorporated, and varied setbacks are encouraged.

C22. Vehicular access to the precinct is to be limited to a single point of access to Fitzroy Street.


C23. Vehicular access, parking and garages for dwellings fronting Fitzroy Street are to be located to the rear of the former bowling green to minimise visibility from the street.

G8.8 Leura Precinct *R1-LE08—Chambers Road Precinct*

This precinct incorporates the Waldorf Leura Gardens Resort and Blue Mountains International Hotel Management School as complementary tourist and visitor land uses. Both sites feature landscaped gardens in keeping with prominent traditional garden settings of the adjoining residential area.

New development is to retain the visually significant elements of established garden settings and will be sensitive to the pattern, scale, form and detailing of surrounding residential dwellings.

Reference should be made to the precinct objectives in clause 7.8(8) of LEP 2015.



Leura Precinct *R1-LE08—Chambers Road Precinct*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (Development in villages) and be consistent with the precinct objectives of clause 7.8(8) of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. The minimum setback from the street frontages is 8m.

C5. The minimum setback to any side and rear boundary where the precinct boundary does not adjoin a street is 1.0m.

C6. The maximum site coverage for each part of the precinct, that is, east of Chambers Road and west of Chambers Road, shall not exceed 40% of the site area.

C7. The minimum area to be retained as soft, pervious or landscaped area (excluding hard surfaces) for each part of the precinct, that is, east of Chambers Road and west of Chambers Road, is 50%.

C8. Development is to provide articulation and building modulation in order to minimise the bulk of buildings.

C9. Development is to be sympathetic in terms of bulk, scale and form and provide for an appropriate transition to adjoining residential dwellings.

C10. Development is to provide landscaping to adjoining street frontages that is reflective of the traditional garden setting typical of the surrounding neighbourhood.

C11. Any future landscaping works is to ensure that the existing landscape character is retained and enhanced.

C12. Development is to be undertaken in a manner which conserves significant landscape elements. Where their conservation cannot be achieved sufficient compensatory plantings of similar structure, form and character to the existing landscape is to be provided and maintained.

C13. Development is to retain and enhance the landscaped areas at the corner of Northcote and Gladstone Road (of approximately 1,500m^2) and at the corner of St Andrew Road and Fitzroy Street (of approximately 2,500m^2), in keeping with the traditional garden setting typical of the surrounding neighbourhood.

C14. Garages, access and car parking are to be integrated into landscaped areas such that they are well screened from the public domain with garages and parking areas located so as not to adversely impact upon streetscape, pedestrian circulation, building character and adjoining residential amenity.


G8.9 Leura Precinct *SP3-LE07— Sublime Point Road Precinct*

The Fairmont Resort is located on the edge of Leura Village and the World Heritage Blue Mountains National Park overlooking the Jamison Valley to the south and Leura Golf course to the north. The resort provides luxury accommodation and includes facilities suitable for both weddings and conferences. Existing native vegetation on the site is to be retained as a protective interface to the adjoining National Park.

Future development must take into consideration the sensitivity of the location in relation to the exceptionally important areas of environmental and cultural value. Consideration of bulk and scale, settings, views, architectural treatments and commercial signage are paramount.

Note: Precinct controls do not apply to land zoned C2 Environmental Conservation

Reference should be made to the precinct objectives in clause 7.8(7) of LEP 2015.



Leura Precinct *SP3-LE07— Sublime Point Road Precinct*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (Development in villages) and be consistent with the precinct objectives of clause 7.8(7) of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. The minimum setback from the street frontage is 8.0m.

C5. The maximum site cover for buildings is 20% of the total allotment area.

C6. Development is to be located within the central core of the site to minimise and mitigate any impact of development on the adjoining National Park and land zoned C2 Environmental Conservation.

C7. Development is to provide articulation and building modulation in order to minimise the bulk of buildings.

C8. Development is to utilise non-reflective material and muted colours that ensure the development blends into the broader landscape when viewed from any public place.


C9. The minimum area to be retained as soft, pervious or landscaped area (excluding hard surfaces) is 65% of the total allotment area.

C10. Plant species used within landscaping adjoining land zoned C1 or C2, must be endemic to that locality.

C11. Garages, access and car parking are to be integrated into landscaped areas such that they are well screened from the public domain. Garages and parking areas shall not adversely impact upon streetscape, pedestrian circulation, and building character.

MEDLOW BATH

G9.1 **Medlow Bath Precinct** *SP3-MB01—Great Western Highway Precinct* *778*



G9.1 Medlow Bath Precinct *SP3-MB01—Great Western Highway Precinct*

The area is characterised by the historical association of the site with the Hydro Majestic and the development of associated tourist and highway uses. The area has views over Megalong Valley and is constrained by the presence of the escarpment on the south-western boundary.

Future development is to respond to the environmental constraints imposed by the precinct's location and maintain the dominance of the Hydro Majestic. Tourist uses are to be consolidated and the area promoted as a predominant tourist attraction within the Blue Mountains.

Reference should be made to the precinct objectives in clause 7.9 of LEP 2015.



Medlow Bath Precinct *SP3-MB01—Great Western Highway Precinct*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (Development in villages) and be consistent with the precinct objectives of clause 7.9 of LEP 2015.

C2. Consent must not be granted unless the consent authority has considered a heritage impact statement and conservation management plan that proposes measures to minimise the impact of development on the Hydro Majestic and its grounds.

Note: Refer to the heritage provisions of D Heritage Conservation.

C3. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C4. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C5. The minimum front setback is 10m.

C6. The maximum site coverage for any development is not to exceed 35%.

C7. Appropriate landscaping shall be provided within the front setback.

C8. The existing mature vegetation on the site (particularly Pinus radiata) is to be retained.

C9. Front facades are to address the street and be well-articulated through the provision of architectural features including doors, windows and verandahs.

C10. Building height and roof pitch are to be varied in order to minimise the bulk of buildings.

C11. Tree planting should be consistent with existing exotic landscaped gardens within the area.

C12. New development is to be constructed of non-reflective, muted colours that do not undermine the visual dominance of the Hydro Majestic Hotel when viewed from Megalong Valley.

C13. The minimum building setback to the C2 zone is 10m.

C14. New development is to be sympathetic in materials and architectural details to the original Hydro Majestic building and any approved Conservation Management Plan for the site. New development is not to adversely impact on the setting and character of the Hydro Majestic particularly when viewed from the Great Western Highway.

C15. Successional planting is to retain and enhance the existing landscape character of the site.

C16. Landscaping adjoining the land zoned C2 Environmental Conservation is to be largely comprised of endemic vegetation.

Note: Additional landscape controls specific to the SP3 zone apply, refer to Part C3.8

MOUNT RIVERVIEW

G10.1 Mount Riverview Precinct *E1-MR01—Rusden Road Mall Mount Riverview Precinct* 782

G10.1 Mount Riverview Precinct *E1-MR01—Rusden Road Mall Mount Riverview Precinct*

This precinct is a compact local centre, accommodating a diverse range of small scale retail and other commercial businesses that serve the local community as well as visitors.

Future development promotes the creation of a distinct village identity and provides the coordinated design of business signage and shop fronts in accordance with a village theme. Non-residential uses are compatible with residential uses and do not unreasonably affect amenity.

Reference should be made to the precinct objectives in clause 7.9A of LEP 2015.



Mount Riverview Precinct *E1-MR01—Rusden Road Mall Mount Riverview Precinct*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (development in villages) and be consistent with the precinct objectives of clause 7.9A of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. Setbacks are subject to a merit-based assessment having regard to the character of the area and amenity of the neighbouring properties.

C5. The height above ground for the lowest habitable floor level is not to exceed 1m.

C6. Cut or fill within 5m of any property boundary is not to exceed 0.5m.

C7. All setback areas are to be landscaped.

C8. The maximum site cover for buildings is 70% of the total allotment area.

C9. The minimum area to be retained as soft, pervious or landscaped area (excluding hard surfaces) is 20% of the total allotment area.

C10. Walls and structures are to protect and enhance sight lines in the public domain.

C11. Walls are not to be left blank or unarticulated.

C12. Local design themes are to predominate over corporate signage and reflect the village character.

C13. Signage is to be coordinated with shop front design.

C14. On-site car parking is to be concealed behind commercial premises, or screened by landscaping or an architectural treatment that is consistent with the building adjoining the point of access.

C15. On any allotment adjoining an existing residential property, facades are to locate balconies or windows, or both, in a way that is designed to protect residential amenity.

C16. Any parking and heavy vehicle loading and manoeuvring areas are to be designed to minimise visual impact when viewed from the public domain, and to be safely and efficiently designed.


C17. Each secondary frontage to a public road, lane way or public place is to provide a visible and active street frontage distributed along a minimum of 65% of that frontage.

C18. Street corners are to be reinforced through design elements such as splay walls and orientation of entry and window elements.

C19. Servicing areas are to be located to the rear, western side of buildings to maintain a continuous retail streetscape.

MOUNT VICTORIA

G11.1	**Mount Victoria Precinct** *E1-MV01—Town Centre Precinct*	*786*
G11.2	**Mount Victoria Precinct** *R1-MV02—Station Street Precinct*	*788*
G11.3	**Mount Victoria Precinct** *R1-MV03—Harley Avenue Precinct*	*790*




G11.1 Mount Victoria Precinct *E1-MV01—Town Centre Precinct*

This is a compact town centre, accommodating a diverse range of small-scale retail and other businesses that serve the resident community as well as visitors, plus a scattering of existing residences.

A variety of modestly-scaled cottages, shops and former civic buildings are arranged in a traditional country town pattern that comprises a continuous row of single storey buildings with shop-fronts and garden forecourts. This pattern of buildings provides a scenic and distinctive Highway backdrop, and structures range from the late-Victorian period to the Inter-War period.

Buildings provide an active street frontage along the Highway, encouraging pedestrian movement along a safe footpath that is protected from through traffic.

Reference should be made to the precinct objectives in clause 7.10(1) of LEP 2015.



Mount Victoria Precinct *E1-MV01—Town Centre Precinct*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (Development in villages) and be consistent with the precinct objectives of clause 7.10(1) of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. New development is to respond sympathetically to the adjacent setback patterns and respect established building settings and views.

C5. The maximum site cover for buildings is 50% of the total allotment area.

C6. The minimum area to be retained as soft, pervious or landscaped area (excluding hard surfaces) is 40% of the total allotment area.

C7. Additional floorspace is to be accommodated in single-storey wings added to an existing building, or accommodated in a separate pavilion located to the rear of an existing building and surrounded by landscaped open space.

C8. Gardens are to provide a backdrop of canopy trees along rear boundaries, plus scattered trees and shrubs along any front or side setbacks.


C9. Driveways, parking areas and garages can be visible from the Highway where appropriate but are not to dominate the street frontage. Safe access must be provided to and from the Highway, and parking areas, driveways and garages are to be integrated with the design of surrounding landscaped areas.

G11.2 Mount Victoria Precinct *R1-MV02—Station Street Precinct*

This precinct accommodates a diverse range of small-scale retail and other businesses serving the local community, plus some permanent residences. The variety of buildings and garden settings remain historically and scenically distinctive, and includes landmark guesthouses and hotels, modest shop-terraces and cottages, plus visually prominent backdrops of canopy trees located in back yards or the neighbouring park.

Future development is to conserve and enhance the local architectural heritage that includes a range of styles from the mid-Victorian to the Edwardian period, and maintain the established diversity of architectural form and design. Active street frontages are maintained, encouraging pedestrian movement along footpaths that are protected from the undesirable impacts of through traffic.

Reference should be made to the precinct objectives in clause 7.10(2) of LEP 2015.



Mount Victoria Precinct *R1-MV02—Station Street Precinct*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (Development in villages) and be consistent with the precinct objectives of clause 7.10(2) of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. The height above ground for the lowest habitable floor level is not to exceed 1m.

C5. Cut or fill within 5m of any property boundary is not to exceed 0.5m.

C6. New development is to respond sympathetically to the adjacent setback patterns and respect established building settings and views.

C7. For allotments on the eastern side of Station Street, development is to provide minimum rear boundary setbacks of 10m.

C8. The maximum site cover for buildings is 40% of the total allotment area.

C9. The minimum area to be retained as soft, pervious or landscaped area (excluding hard surfaces) is 50% of the total allotment area.

C10. Building design is to have regard to the heritage significance of existing buildings and gardens.

C11. Additional floorspace is to be accommodated in wings added to an existing building, or accommodated in a separate pavilion located to the rear of an existing building and surrounded by landscaped open space.

C12. Gardens are to provide a backdrop of canopy trees compatible with species established in Mount Victoria Park, plus scattered trees and shrubs where front or side setbacks are provided.

C13. Driveways, parking areas and garages are not to dominate any street frontage, are to be located to the rear of buildings and accessed from secondary streets or rights of way, and are to be integrated with the design of surrounding landscaped areas.


G11.3 Mount Victoria Precinct *R1-MV03—Harley Avenue Precinct*

This precinct provides a variety of accommodation for tourists and permanent residents. New residential-style buildings in garden settings minimise disturbance to existing hillside topography and maintain the continuity of existing canopy trees that are visually significant features along the Highway.

New buildings will be consistent with and sympathetic to the forms and materials of Victorian, Federation and Edwardian period architecture, and be compatible with the distinctive architectural heritage of the village.

Visible indoor activity is maintained along active street frontages to Harley Avenue, encouraging pedestrian movement along footpaths that are protected from the undesirable impacts of through traffic.

Reference should be made to the precinct objectives in clause 7.10(3) of LEP 2015.



Mount Victoria Precinct *R1-MV03—Harley Avenue Precinct*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (Development in villages) and be consistent with the precinct objectives of clause 7.10(3) of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. The height above ground for the lowest habitable floor level is not to exceed 1.5m.

C5. Cut or fill within 5m of any property boundary is not to exceed 0.5m.

C6. The minimum setback to Harley Avenue is to be 10m.

C7. On corner allotments, the setback to the secondary frontage is to be a minimum of 6m.

C8. Side boundary setbacks are to be a minimum of 3m.

C9. Rear boundary setbacks are to be a minimum of 10m.

C10. The maximum site cover for buildings is 40% of the total allotment area.

C11. The minimum area to be retained as soft, pervious or landscaped area (excluding hard surfaces) is 50% of the total allotment area.

C12. New development is to be sympathetic to the traditional building forms, materials and details of the precinct, including the use of traditionally-pitched roofs, articulated layouts and forms, verandahs, timber joinery, vertically–proportioned openings and some painted external finishes, with a curtilage of landscaped areas and an address to the street provided. New development is to be similar in form and materials to quality older buildings but subservient in detail to distinguish it as new work.

C13. Development is to respond to the topography through appropriate siting and stepped building forms.

C14. Landscaping is to conserve existing visually prominent trees and be based on appropriate design, layout and species selection.

C15. Garden areas are to maintain the existing backdrop of canopy trees along the Highway boundary, as well as provide space for new trees and shrubs in front and side yards to frame buildings, driveways and parking areas.

C16. Driveways, parking areas and garages are not to dominate any street frontage, and are to be integrated with the design of surrounding landscaped areas.

SPRINGWOOD

G12.1	**Springwood Precinct E2-SP01—Town Centre Precinct**	**794**
G12.2	**Springwood Precinct** *R3-SP02—Ferguson Road Precinct*	*797*
G12.3	**Springwood Precinct** *R3-SP03—Western Precinct*	*799*
G12.4	**Springwood Precinct** *R3-SP04—Southern Precinct*	*801*
G12.5	**Springwood Precinct** *R3-SP05—Eastern Precinct*	*803*
G12.6	**Springwood Precinct** *E4-SP06—Ferguson Road Precinct*	*805*



G12.1 Springwood Precinct E2-SP01—Town Centre Precinct


This precinct remains a compact town centre, accommodating a diverse range of small-to-medium scale retailers, other businesses and permanent residents.

Buildings are arranged in a traditional main street pattern with continuous rows of one- and two-storey shop fronts interspersed by landmark hotels, with a scattering of visually prominent canopy trees on hillsides facing Springwood Avenue and the railway.

Development provides visible indoor activity facing all public places, including streets, laneways and car parks, in order to concentrate pedestrian movement outdoors and to encourage informal community meeting places.

Buildings are designed to reflect the local architectural tradition of Edwardian and Inter-War retail terraces, displaying some overall diversity of form and design, and maintaining National Park vistas that are available from public places.

Reference should be made to the precinct objectives in clause 7.11(1) of LEP 2015.



Springwood Precinct E2-SP01—Town Centre Precinct

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (Development in villages) and be consistent with the precinct objectives of clause 7.11(1) of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. Development is to have a zero front setback, except to Springwood Avenue, where the setbacks are to be 6m with landscaping provided.

C5. Development is to have a zero side setback, except where the side boundary adjoins the public domain, in which case setbacks greater than zero may be considered if an active frontage is provided.

C6. The maximum site cover for buildings is 100% of the total allotment area, except on properties with frontages to Springwood Avenue where the maximum site cover is 70%.

C7. The existing continuity of retail and other business premises on properties that face Macquarie or Raymond Roads is to be retained.

C8. On properties with secondary frontages to the public domain, new retail or other business premises to those secondary frontages are to be promoted along at least 50% of ground level frontages to public carparks, side streets and laneways, and for all storeys above ground, balconies and/or extensive windows facing the public domain are to be provided.

C9. On properties facing Springwood Avenue, extensive balconies and/or windows are to be provided in all facades facing that street.

C10. New development is to have regard to the scale, forms and detailing of traditional shopfront buildings, and to ensure that where appropriate, continuous awnings and/or balconies are provided.

Note: Guidelines on traditional shopfront design are found in B3.1.3 Infill shopfront buildings in B3 Character and design, and in D9.7 Traditional shopfront buildings in Part D Heritage where heritage considerations apply.

C11. On properties that contain two-storey traditional shop buildings, new development is to retain the principal shopfront structure and elements, and also the adjoining rooms.

Note: Guidelines on traditional shopfront design are found in B3.1.3 Infill shopfront buildings in B3 Character and design, and in D9.7 Traditional shopfront buildings in Part D Heritage where heritage considerations apply.

Development on large allotments is to distribute floorspace into

well-articulated structures that are composed of separate wings or interconnected buildings, with traditionally pitched roofs and appropriately landscaped garden courtyards.

C12. Existing canopy trees are to be retained to frame building presentation. New landscaping is to be appropriately-sized and characteristic of the locality.

C13. On-site parking areas are to be accessed only from the rear or side of buildings via existing public car parks, laneways or secondary streets, and are to be concealed behind retail or business floorspace wherever possible.

C14. The existing pedestrian network is to be expanded by promoting new retail frontages surrounding the public domain.

C15. Solar access to the public domain is to be protected and enhanced.

C16. Continuous weather protection along all public frontages in the form of awnings or overhanging balconies is to be provided.

C17. Ground floor walls and structures are to protect and enhance sight lines in public places.


G12.2 Springwood Precinct *R3-SP02—Ferguson Road Precinct*

This precinct provides a mix of single and multiple-unit dwellings located close to the town centre and expanding the range of residential accommodation that is available in the Springwood village.

New development will reflect the scale, forms, materials and details of existing traditional cottages.

In order to provide a distinctive backdrop to both the town centre and the highway, redevelopment is to retain visually significant elements of established garden settings, such as canopy trees in front and rear yards, and restoration of existing cottages is encouraged.

Reference should be made to the precinct objectives in clause 7.11(2) of LEP 2015.



Springwood Precinct *R3-SP02—Ferguson Road Precinct*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (Development in villages) and be consistent with the precinct objectives of clause 7.11(2) of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. The height above ground for the lowest habitable floor level is not to exceed 1.5m.

C5. Cut or fill within 5m of any property boundary is not to exceed 0.5m.

C6. The minimum setback from the street frontage is 8m.

C7. Side boundary setbacks, including any secondary frontage to Yerrawar Place is to be a minimum of 2m.

C8. All setback areas are to be landscaped.

C9. The maximum site cover for buildings is 50% of the total allotment area.

C10. The minimum area to be retained as soft, pervious or landscaped area (excluding hard surfaces) is 40% of the total allotment area.

C11. New development is to be sympathetic to traditional building forms, materials and details, including the use of traditionally-pitched roofs, articulated layouts and forms, verandahs, timber joinery, vertically–proportioned openings and some painted external finishes, with a curtilage of landscaped areas and an address to the street provided. New development is to be similar in form and materials to quality older buildings but subservient in detail to distinguish it as new work.

C12. Buildings are not to exceed 18m width or depth in any direction.

C13. Any non-residential activities are to be accommodated in buildings with a residential scale and character.

C14. Driveways, parking areas and garages are not to dominate any street frontage, and are to be integrated with the design of surrounding landscaped areas.


G12.3 Springwood Precinct *R3-SP03—Western Precinct*

This precinct provides a mix of single and multiple-unit dwellings, located close to the town centre and expanding the range of residential accommodation that is available in the Springwood village.

New development will reflect the scale, forms, materials and details of existing traditional cottages, and conserve and enhance established garden settings.

In order to provide a visually distinctive backdrop to the town centre, redevelopment is to retain visually significant elements of established garden settings, particularly tall eucalypts and other canopy trees on hillside sites.

Reference should be made to the precinct objectives in clause 7.11(3) of LEP 2015.



Springwood Precinct *R3-SP03—Western Precinct*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (Development in villages) and be consistent with the precinct objectives of clause 7.11(3) of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. The height above ground for the lowest habitable floor level is not to exceed 1.5m.

C5. Cut or fill within 5m of any property boundary is not to exceed 0.5m.

C6. The minimum setback from the primary street frontage is 8m.

C7. On corner allotments, the setback to the secondary frontage is to be a minimum of 4m.

C8. Side boundary setbacks are to be a minimum of 2m.

C9. All setback areas are to be landscaped.

C10. The maximum site cover for buildings is 50% of the total allotment area.

C11. The minimum area to be retained as soft, pervious or landscaped area (excluding hard surfaces) is 40% of the total allotment area.

C12. New development is to be sympathetic to traditional building forms, materials and details, including the use of traditionally-pitched roofs, articulated layouts and forms, verandahs, timber joinery, vertically–proportioned openings and some painted external finishes, with a curtilage of landscaped areas and an address to the street provided. New development is to be similar in form and materials to quality older buildings but subservient in detail to distinguish it as new work.

C13. Buildings are not to exceed 15m width or depth in any direction.

C14. Any non-residential activities are to be accommodated in buildings with a residential scale and character.


C15. Driveways, parking areas and garages are not to dominate any street frontage, and are to be integrated with the design of surrounding landscaped areas.

G12.4 Springwood Precinct *R3-SP04—Southern Precinct*

Multiple-unit dwellings in this precinct are planned and constructed to protect the neighbouring bushland reserve of Fairy Dell from adverse visual or environmental impacts, as well as to provide an attractive backdrop to the Springwood Village centre and to expand the range of residential accommodation that is available in the Springwood Village.

Buildings and site works are confined to street frontages along Springwood Avenue, avoiding disturbance to steeper wooded slopes surrounding Fairy Dell. Substantial landscape buffers of canopy trees and understorey are maintained along all street and park boundaries, screening buildings and maintaining a quiet bushland atmosphere in the neighbouring reserve.

Reference should be made to the precinct objectives in clause 7.11(4) of LEP 2015.



Springwood Precinct *R3-SP04—Southern Precinct*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (Development in villages) and be consistent with the precinct objectives of clause 7.11(4) of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. The height above ground for the lowest habitable floor level is not to exceed 1.5m.

C5. Cut or fill within 5m of any property boundary is not to exceed 0.5m.

C6. The minimum setback from Springwood Avenue is 10m.

C7. Side boundary setbacks are to be a minimum of 4m.

C8. All setback areas are to be landscaped.

C9. The maximum site cover for buildings is 30% of the total allotment area.

C10. The minimum area to be retained as soft, pervious or landscaped area (excluding hard surfaces) is 60% of the total allotment area.

C11. Buildings and landscaping are to minimise impacts on the surrounding bushland and environmentally sensitive land whilst minimising bushfire hazard. New landscape plantings are to be either endemic to the locality or be native species of low to mid invasive potential.

C12. Buildings are to incorporate design elements that integrate new development sensitively with the bushland setting. This includes well-articulated and site-responsive forms, pitched roofs that align with the topography, and earthy materials and colours.

C13. Buildings are not to exceed 25m width or depth in any direction.

C14. Any non-residential activities are to be accommodated in buildings with a residential character.


C15. Driveways, parking areas and garages are not to dominate any street frontage, and are to be integrated with the design of surrounding landscaped areas.

G12.5 Springwood Precinct *R3-SP05—Eastern Precinct*

Multiple-unit dwellings in this precinct are designed to establish an attractive and distinctive eastern gateway to the neighbouring town centre, as well as expanding the range of residential accommodation that is available in the Springwood Village.

In order to provide a visually distinctive backdrop to the neighbouring town centre, buildings are surrounded by landscaped settings that include copses of tall eucalypts. Building forms are well-articulated and incorporate traditional building elements such as traditionally-pitched hipped and/or gabled roofs, dry-pressed brickwork walls and timber joinery for traditionally-designed verandahs and balconies.

Reference should be made to the precinct objectives in clause 7.11(5) of LEP 2015.



Springwood Precinct *R3-SP05—Eastern Precinct*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (Development in villages) and be consistent with the precinct objectives of clause 7.11(5) of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. The height above ground for the lowest habitable floor level is not to exceed 1m.

C5. Cut or fill within 5m of any property boundary is not to exceed 0.5m.

C6. The minimum setback to Macquarie Road or Hawkesbury Road frontage is 6m.

C7. On corner allotments, the setback to the secondary frontage is to be a minimum of 4m.

C8. Side boundary setbacks is to be a minimum of 2m, except to any boundary adjoining the railway, where setbacks are to be a minimum of 8m.

C9. The maximum site cover for buildings is 55% of the total allotment area.

C10. The minimum area to be retained as soft, pervious or landscaped area (excluding hard surfaces) is 35% of the total allotment area.

C11. Buildings are to present a high standard of architectural form and detailing and formally address significant public domain areas within the immediate setting; service function areas are to be compact and discreetly located.

C12. New development is to be sympathetic to traditional building forms, materials and details, including the use of traditionally-pitched roofs, articulated layouts and forms, verandahs, timber joinery, vertically–proportioned openings and some painted external finishes, with a curtilage of landscaped areas and an address to the street provided. New development is to be similar in form and materials to quality older buildings but subservient in detail to distinguish it as new work.

C13. Buildings are not to exceed 15m width or depth in any direction.


C14. Any non-residential activities are to be accommodated in buildings with a residential scale and character.

C15. Driveways, parking areas and garages are not to dominate any street frontage, and are to be integrated with the design of surrounding landscaped areas.

G12.6 Springwood Precinct *E4-SP06—Ferguson Road Precinct*

This precinct provides facilities and services that meet the day to day needs of workers in and around the area, as well as supports the local economy. The precinct is surrounded by established low density residential areas and bushland communities. Therefore, it is necessary to facilitate compatible employment uses, with new development incorporating measures to mitigate operational impacts upon adjoining or adjacent residential land uses. Future development is designed and landscaped in accordance with its bushland setting, to create a transition between employment precincts and low density residential areas, while low density residential development in established residential areas does not compromise existing employment uses.

Reference should be made to the precinct objectives in clause 7.11(6) of LEP 2015.



Springwood Precinct *E4-SP06—Ferguson Road Precinct*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (development in villages) and be consistent with the precinct objectives of clause 7.11(6) of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. No direct vehicular access is to be provided from the Great Western Highway. Vehicular access to the development is to be provided via Ferguson Road and is to demonstrate appropriate sight distances for driveways.

C5. Front setbacks are to be a minimum of 8m from the front boundary and side rear setbacks are to be a minimum of 3m or less subject to a merit-based assessment.

C6. The maximum site cover for buildings is 50% of the total allotment area.

C7. The minimum area to be retained as soft, pervious or landscaped area (excluding hard surfaces) is 40% of the total allotment area.

C8. Cut or fill within 5m of any property boundary is not to exceed 0.5m.

C9. Any fencing along the front boundary of the site and along any side boundary that is located within the front building setback applying to the land must be decorative. The sole use of pre-painted metal or standard paling fencing is not permitted.

C10. All parking demands generated by developments are to be met fully on-site.

C11. Driveways, parking areas and garages are not to dominate any street frontage, and are to be integrated with the design of surrounding landscaped areas. Garages and car parking areas should preferably be located behind the rear alignment of the building.

C12. Any parking and heavy vehicle loading and manoeuvring areas are to be designed to minimise visual impact when viewed from the public domain, and to be safely and efficiently designed.

C13. An area for storing garbage and recycling shall be provided, suitably located and screened. Where a development adjoins residential development, the garbage storage area must be located at least 3 metres from the common boundary of the residential property and the development site.

C14. Any lighting system utilised in common areas, car parking areas and along pathways must be baffled to ensure that a light source is not directly visible from the Great Western Highway, whilst maintaining adequate lighting of the subject site. New development is to incorporate appropriate levels of lighting to all pedestrian areas.

C15. Buildings are not to exceed 18m width or depth in any direction. Development is to provide articulation and building modulation in order to minimise the bulk of buildings. Refer to Part B2.3 of this DCP.

C16. All non-residential development must be designed and constructed to provide access to and within all areas or facilities of the development where there is a reasonable expectation for access by any individual, accompanying persons or groups. The access is to be in accordance with AS 1428 – Design for Access and Mobility.

C17. Any non-residential activities are to be accommodated in buildings with a residential scale and character.

C18. For allotments with existing cottages, development is to continue traditional residential building forms that reflect the existing cottage, use light-weight cladding materials and articulate any facades visible from the public domain.

C19. New development is not to conflict in character or scale, but maintain consistency of streetscape.


VALLEY HEIGHTS

G13.1 **Valley Heights Precinct** *E4-VH01—Valley Heights Industrial Precinct* *810*

G13.1 Valley Heights Precinct *E4-VH01—Valley Heights Industrial Precinct*

This precinct provides facilities and services that meet the day to day needs of workers in and around the area, as well as supports the local economy. The precinct is surrounded by established low density residential areas and bushland communities. Therefore, it is necessary to facilitate compatible employment uses, with new development incorporating measures to mitigate operational impacts upon adjoining or adjacent residential land uses. Future development is designed and landscaped in accordance with its bushland setting, to create a transition between employment precincts and low density residential areas, while low density residential development in established residential areas does not compromise existing employment uses.

Reference should be made to the precinct objectives in clause 7.11A of LEP 2015.



Valley Heights Precinct *E4-VH01—Valley Heights Industrial Precinct*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (development in villages) and be consistent with the precinct objectives of clause 7.11A of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. No direct vehicular access is to be provided from the Great Western Highway. Vehicular access to the development is to be provided via Peninsula Road and is to demonstrate appropriate sight distances for driveways.

C5. Setbacks are subject to a merit-based assessment.

C6. The minimum area to be retained as pervious area, is 30% of the total allotment area.

C7. Cut or fill within 5m of any property boundary is not to exceed 0.5m.

C8. Development is to be sited, designed and constructed to minimise impacts upon surrounding bushland.

C9. Landscaping is to minimise impacts on neighbouring bushland communities whilst minimising bushfire hazard. New landscape plantings are to be either endemic to the locality or be of low to nil invasive potential.

C10. Existing priority weeds must be removed or controlled where identified on a proposed development site.

C11. Any fencing along the front boundary of the site and along any side boundary that is located within the front building setback applying to the land must be decorative. The sole use of pre-painted metal or standard paling fencing is not permitted.

C12. All parking demands generated by developments are to be met fully on-site.

C13. Driveways, parking areas and garages are not to dominate any street frontage, including the Great Western Highway and are to be integrated with the design of surrounding landscaped areas.

C14. Any parking and heavy vehicle loading and manoeuvring areas are to be designed to minimise visual impact when viewed from the public domain, and to be safely and efficiently designed.

C15. An area for storing garbage and recycling shall be provided, suitably located and screened. Where a development adjoins residential development, the garbage storage area must be located at least 3 metres from the common boundary of the residential property and the development site.

C16. Any lighting system utilised in common areas, car parking areas and along pathways must be baffled to ensure that a light source is not directly visible from the Great Western Highway, whilst maintaining adequate lighting of the subject site.

C17. Buildings are to reflect the principles of water sensitive urban design.

C18. Development is to provide articulation and building modulation in order to minimise the bulk of buildings. Refer to Part B2.3 of this DCP.

WARRIMOO


G14.1 **Warrimoo Precinct** *E1-WM01—Warrimoo Retail Precinct* *814*

G14.1 Warrimoo Precinct *E1-WM01—Warrimoo Retail Precinct*

This precinct is a compact local centre, accommodating a diverse range of small scale retail and other commercial businesses that serve the local community as well as visitors.

Future development promotes the creation of a distinct village identity and provides the coordinated design of business signage and shop fronts in accordance with a village theme. Non-residential uses are compatible with residential uses and do not unreasonably affect amenity.

Reference should be made to the precinct objectives in clause 7.11B of LEP 2015.



Warrimoo Precinct *E1-WM01—Warrimoo Retail Precinct*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (development in villages) and be consistent with the precinct objectives of clause 7.11B of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. Development adjoining the public domain is generally to provide a zero setback, except where it can be demonstrated that an active frontage will be provided. All side and rear setbacks will be subject to a merit based assessment having regard to the character of the area and amenity of the neighbouring properties

C5. The height above ground for the lowest habitable floor level is not to exceed 1m.

C6. Cut or fill within 5m of any property boundary is not to exceed 0.5m.

C7. All setback areas are to be landscaped.

C8. The maximum site cover for buildings is 70% of the total allotment area, except for buildings on land adjoining an existing residential allotment where the site is limited to 50% of the total allotment area.

C9. The minimum area to be retained as soft, pervious or landscaped area (excluding hard surfaces) is 25% of the total allotment area.

C10. Ground floor walls and structures are to protect and enhance sight lines in the public domain.

C11. Walls are not to be left blank or unarticulated.

C12. Local design themes are to predominate over corporate signage and reflect the village character.

C13. Signage is to be coordinated with shop front design.

C14. On-site car parking is to be concealed behind commercial premises, or screened by landscaping or an architectural treatment that is consistent with the building adjoining the point of access.

C15. On any allotment adjoining an existing residential property, facades are to locate balconies or windows, or both, in a way that is designed to protect residential amenity.

C16. Any parking and heavy vehicle loading and manoeuvring areas are to be designed to minimise visual impact when viewed from the public domain, and to be safely and efficiently designed.

WENTWORTH FALLS

G15.1	**Wentworth Falls Precinct** *E1-WF01—Town Centre Precinct*	*818*
G15.2	**Wentworth Falls Precinct** *R3-WF02—Adele Street Precinct*	*821*
G15.3	**Wentworth Falls Precinct** *R3-WF03—Great Western Highway Precinct*	*823*




G15.1 Wentworth Falls Precinct *E1-WF01—Town Centre Precinct*

This remains a compact town centre, accommodating a diverse range of small retail and other local businesses, tourist-related activities and permanent residents.

Modestly-scaled buildings are arranged in a traditional main street pattern, with a continuous row of one and two-storey buildings that reflect local architectural traditions yet display some variety of form and design. The form and architectural detail of landmark retail terrace buildings are preserved. Future development emphasises the distinctive character of these landmarks, and promotes new retail frontages along Plantation Street, as well as existing laneways and the Highway.

Buildings provide visible indoor activity along all public frontages, and pedestrian activity is concentrated along the streets and laneways, encouraging informal community gatherings in areas that are protected from undesirable impacts of through traffic.

Reference should be made to the precinct objectives in clause 7.12(1) of LEP 2015.



Wentworth Falls Precinct *E1-WF01—Town Centre Precinct*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (Development in villages) and be consistent with the precinct objectives of clause 7.12(1) of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. Development is to have a zero front setback, except in Plantation Street, where the setbacks are to be a minimum of 2.5m.

C5. Development is to have a zero side setback, except where the side boundary adjoins the public domain, where setbacks greater than zero may be allowed, but only when it can be demonstrated that an active frontage will be provided.

C6. Development may provide a maximum site cover of 100% of the total allotment area.

C7. The existing continuity of retail and other business premises and shop fronts facing Station Street and the Highway is to be maintained.

C8. On properties facing Plantation Street or a public laneway, new retail or other business with shop fronts or accessible courtyards are to be promoted along at least 50% of ground level frontages to any public street or laneway, and for all storeys above ground, balconies and/or extensive windows overlooking the street are to be provided.

C9. New development, including alteration and additions to existing shopfronts, is to have regard to the scale, forms and detailing of traditional shopfront buildings, and to ensure that where appropriate, continuous awnings and/or balconies are provided.

Note: Guidelines on traditional shopfront design are found in B3.1.3 Infill shopfront buildings in B3 Character and design, and in D9.7 Traditional shopfront buildings in Part D Heritage where heritage considerations apply.

C10. On properties with existing two-storey traditional shop terraces, future development is to retain and restore the principal shop front structure plus the adjoining rooms.

Note: Guidelines on traditional shopfront design are found in B3.1.3 Infill shopfront buildings in B3 Character and design, and in D9.7 Traditional shopfront buildings in Part D Heritage where heritage considerations apply.

C11. Development on large allotments is to distribute floorspace into well-articulated structures that are composed of separate wings or interconnected buildings, with traditionally pitched roofs and appropriately landscaped garden courtyards.

C12. Existing canopy trees are to be retained to frame building presentation. New landscaping is to be appropriately-sized and characteristic of the locality.

C13. On-site parking areas are to be accessed only from the rear or side of buildings via existing public carparks, laneways or secondary streets, and are to be concealed from Station and Plantation Streets behind retail or business floorspace.

C14. Buildings fronting Plantation Street with a zero setback may be allowed as part of a development proposal that provides for variable setbacks and articulated building frontages to enhance building presentation and facilitate associated activities such as outdoor dining.

C15. The existing pedestrian network is to be expanded by promoting new retail frontages facing Plantation Street and other public places.

C16. Solar access to the public domain is to be protected and enhanced.

C17. Continuous weather protection along all public frontages in the form of awnings or overhanging balconies is to be provided.

C18. Ground floor walls and structures are to protect and enhance sight lines in public places.

G15.2 Wentworth Falls Precinct *R3-WF02—Adele Street Precinct*

Containing a screen of dense vegetation, this site provides alternative housing forms in close proximity to Wentworth Falls shops. The design of buildings is sympathetic to the heritage items located adjacent to the precinct and shall include forms and finishes that minimise the visual impact of buildings from the Great Western Highway.

Reference should be made to the precinct objectives in clause 7.12(2) of LEP 2015.



Wentworth Falls Precinct *R3-WF02—Adele Street Precinct*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (Development in villages) and be consistent with the precinct objectives of clause 7.12(2) of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. The minimum setback from the Great Western Highway is 25m.

C5. No direct vehicular access is to be provided from the Great Western Highway. Vehicular access to development on the site is to be provided via Adele Street or Matcham Street and is to demonstrate appropriate sight distances for driveways.

C6. Building form and location is to provide for active frontages of dwellings to Adele and Matcham Streets.

C7. Planting of screening vegetation is to be provided between any building and the boundary with Blue Mountains Grammar School. This screen planting is to incorporate a fence that restricts access between the building and the school.

C8. The existing bushland within the Great Western Highway setback is to be retained and, where necessary, revegetated to screen buildings from the Great Western Highway.

C9. Development for the purpose of multi-dwelling housing in this precinct will respect and complement the existing historical and heritage values of adjoining sites.

G15.3 Wentworth Falls Precinct *R3-WF03—Great Western Highway Precinct*

This site consolidates a range of housing alternatives and a mix of uses in close proximity to Wentworth Falls shops. Pedestrian accessibility is maximised and the design of buildings is sympathetic to the heritage items within and adjacent to the precinct. Existing buildings of heritage significance with frontage to the Great Western Highway are maintained, and provided with appropriate curtilages. The bulk of development is screened from the Great Western Highway and is accessed via Page Avenue.

Reference should be made to the precinct objectives in clause 7.12(3) of LEP 2015.



Wentworth Falls Precinct *R3-WF03—Great Western Highway Precinct*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (Development in villages) and be consistent with the precinct objectives of clause 7.12(3) of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. The minimum setback from Page Avenue is 4m.

C5. No direct vehicular access is to be provided from the Great Western Highway. Vehicular access to the development is to be provided via Page Avenue and is to demonstrate appropriate sight distances for driveways.

C6. Building form and location is to provide activated safe and pedestrian-friendly street frontages to dwellings at Page Avenue.

C7. Development is to respect and complement the existing heritage values of adjoining sites.

WINMALEE

G16.1 **Winmalee Precinct** *E1-WL01 –Town Centre Precinct* *826*

G16.2 **Winmalee Precinct** *R3-WL02 – Village Housing Precinct* *828*




G16.1 Winmalee Precinct *E1-WL01 –Town Centre Precinct*

The precinct remains a compact town centre, accommodating a diverse range of retail and other businesses that complement the district level retail facilities that form the main focus of commercial activity for the precinct.

Development in the northern section of the precinct is in keeping with the residential scale form and character of the surrounding residential areas. Heritage items are preserved and form a significant visual element to be taken into account in the design of new development.

The development of the precinct is to incorporate the low densities and bushland character elements that have characterised the traditional development of Winmalee village. The visual impact of built components is minimised through design elements and native vegetation screening from surrounding roadways. Significant trees, including the heritage listed Bunya Pines, are retained and enhanced with new plantings, particularly within and surrounding car parking areas.

Reference should be made to the precinct objectives in clause 7.13(1) of LEP 2015.



Winmalee Precinct *E1-WL01 –Town Centre Precinct*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (Development in villages) and be consistent with the precinct objectives of clause 7.13(1) of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. The minimum setback is to be within 20% of the average setback of adjoining allotments.

C5. The maximum site cover for buildings is 40% of the total allotment area.

C6. External walls, where visible from the public domain are to be articulated with appropriate design elements and heavily screened with appropriate native vegetation plantings.

C7. New development is to provide circulation that minimises conflicts between vehicles and pedestrians.

C8. Commercial signage is to be co-ordinated with building and shop front design to reflect a village character.

C9. The heritage items within the precinct are to be retained and incorporated into any future development proposals.

G16.2 Winmalee Precinct *R3-WL02 – Village Housing Precinct*

The precinct reinforces a compact town centre, accommodating a diverse range of residential, medical and other professional services that complement the adjacent district level retail and community facilities.


Buildings in the precinct are designed to establish an attractive and distinctive gateway to the neighbouring town centre, as well as expanding the range of residential, medical and other professional services that are available in the Winmalee village.

New building works are well-articulated and reflect the pattern and scale of the surrounding residential areas, together with surrounding gardens. In order to provide a visually distinctive backdrop to the neighbouring town centre, development is to incorporate visually significant elements of established garden settings, particularly tall eucalypts and other canopy trees.

Buildings and associated infrastructure in the precinct are planned and constructed to protect neighbouring land zone C2 Environmental Conservation land from environmental effects.

The development of the precinct is to incorporate the low densities and bushland character elements that have characterized the traditional development of Winmalee village. The visual impact of built components is minimised through design elements and native vegetation screening from surrounding roadways. Significant trees are retained and enhanced with new plantings, particularly within and surrounding car parking areas.

Reference should be made to the precinct objectives in clause 7.13(2) of LEP 2015.



Winmalee Precinct *R3-WL02 – Village Housing Precinct*

Controls

C1. Development is to satisfy LEP 2015 clause 7.1 (Development in villages) and be consistent with the precinct objectives of clause 7.13(2) of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio of a development is not to exceed the maximum floor space ratio set by clause 4.4 of LEP 2015 and the accompanying Floor Space Ratio Map.

C4. The height above ground level for the lowest habitable floor level is not to exceed 1.5m.

C5. Cut or fill within 5m of any property boundary is not to exceed 0.5m.

C6. The minimum setback to Hawkesbury Road is to be 8m.

C7. The minimum setback to White Cross Road is to be 6m.

C8. All setback areas are to be landscaped.

C9. The maximum site cover for buildings is to be 55% of the total site area.

C10. The minimum area to be retained as soft, pervious or landscaped area (excluding hard surfaces) is to be 35% of the total site area.

C11. Buildings and landscaping are to minimise impacts on the surrounding bushland and environmentally sensitive land, whilst minimising bushfire hazard. New landscape plantings are to be either endemic to the locality or to be of low to nil invasive potential.

C12. Buildings are to incorporate design elements that integrate new development sensitively with the bushland setting. This includes well-articulated and site-responsive forms, pitched roofs that align with the topography, and earthy materials and colours.

C13. Residential buildings are not to exceed 15m in width or depth in any direction.

C14. Any non-residential activities are to be accommodated in buildings with a residential character.

C15. Driveways, parking areas and garages are not to dominate any street frontage, and are to be integrated with the design of surrounding landscaped areas.

C16. All vehicular access and egress to the site is to be via White Cross Road and located in a position that does not unreasonably interfere with the flow of vehicular and pedestrian movements on White Cross Road, and also into and out of the Winmalee Shopping Centre, adjoining properties and the Winmalee Public School.

WOODFORD


G17.1 **Woodford Precinct** *E1-WD01 – Great Western Highway Precinct* *832*



G17.1 Woodford Precinct *E1-WD01 – Great Western Highway Precinct*

Situated in a visually prominent position on the northern side of the Great Western Highway and adjoining residential neighbourhoods, this precinct provides a variety of small-scale retail and commercial businesses that serve the local community and visitors. New development is to promote the scenically-distinctive highway frontage to the Woodford village with building forms that reflect traditional village shops or detached dwellings with landscaped gardens and vistas towards the National Park.

Reference should be made to the precinct objectives in clause 7.14 of LEP 2015.



Woodford Precinct *E1-WD01 – Great Western Highway Precinct*

Controls

C1. Development is to satisfy LEP 2015 Clause 7.1 (Development in villages) and be consistent with the precinct objectives of clause 7.14 of LEP 2015.

C2. The height of a building is not to exceed the maximum height of building as set by clause 4.3 of LEP 2015 and the accompanying Height of Buildings Map.

C3. The floor space ratio is not to exceed the maximum floor space ratio set out by clause 4.4 of LEP 2015 and the accompanying Floor Space ratio Map.

C4. New dwelling houses, including extensions to existing dwellings, bed and breakfast accommodation and short term rental accommodation are to be a minimum 8m from the boundary with the Great Western Highway.

Such developments are to be within 20% of the average setback of buildings immediately adjoining allotments for setbacks from Vautin Lane, Glen Street or Station Street and no less than 6m.

C5. Setbacks for all development types not referred to in C4 above are generally to have zero setback to the highway. Setbacks greater than zero may be considered where it can be demonstrated that precinct objectives are met.

C6. The minimum area to be retained as soft, pervious or landscaped area (excluding hard surfaces) is 35% of the total allotment area.

C7. For all new developments, all vehicular access is to be via the local road network (Vautin Lane, Glen Street and Station Street)

C8. For all new commercial developments, all loading and unloading activities of vehicles, including waste collection, are to occur from the local road network (Vautin Lane, Glen Street and Station Street).

C9. Any parking and vehicle loading and manoeuvring areas are to be designed to minimise visual impact when viewed from the public domain, and to be safely and efficiently designed.

C10. Car parking areas are to be screened from the public domain so as not to dominate streetscape views.

C11. Pedestrian access to any new development shall be available from the Great Western Highway frontage.

C12. For all new subdivisions, all vehicular access is to be via the local road network only (Vautin Lane, Glen Street and Station Street) and any existing vehicular crossings on the highway frontage to be closed. There will be no new vehicular accesses to the highway.

C13. All existing vegetation forming visually significant streetscape elements is to be retained and appropriate landscaping shall be provided within any setbacks.

C14. New development shall present to the Great Western Highway and local streets through the design of building facades, landscaping and fences.

C15. New development is to adopt traditional building forms and incorporate traditionally pitched roofs and/or parapets, traditional shopfront design, articulated building forms and layouts, vertically-proportioned openings, and sympathetic materials and detailing. New development is to be sympathetic to the its immediate surroundings.

Note: Guidelines on traditional shopfront design are found in B3.1.3 Infill shopfront buildings in B3 Character and design.

C16. Walls in new development visible from the public domain are not to be left blank, unadorned or unarticulated.

C17. Commercial signage is to be co-ordinated to reflect a village character.