
CF Implementation



CF(Checkoutform) technically consists of 2(two) basic steps as like PWI;

- CF-Initalize
- CF-Retrieve

CF-Initialize is where we start the payment process.
While **CF-Retrieve** step is retrieving payment result, simply.


Implementation Steps

1. Usage
2. CF - Initialize
3. Redirection
4. CF - Retrieve
5. Webhook

Top View

- [ ] Usage; decision making of payment form which is available in pop-up, responsive, iframe or redirection forms.
- [ ] CF-Initialize; first `POST` request of managing two-step CF transactions.
- [ ] Redirection; Following up consumers' payment, iyzico triggers correlated IPN(Instant Payment Notification) to given callbackUrl.
- [ ] CF-Retrieve; engage step to officialize transaction between Acquirer and Issuer.
- [ ] Webhook; real-time notification of relevant payment.

UML Diagram



Usage

CF(Checkoutform) offers multiple way of forms on the browsers;

Responsive

```
<div id="iyzipay-checkout-form" class="responsive"></div>
```

Pop-up

```
<div id="iyzipay-checkout-form" class="popup"></div>
```

iFrame

- It requires to add `&iframe=true` postfix to `paymentPageUrl` parameter that returns after CF-Initialize request.

Redirection

- Most common method where direct routing of `paymentPageUrl` on the application.

Previous
Checkout Form (CF)

Next
CF-Initialize

Last updated 8 months ago