CF-Retrieve

When the card details are entered in the payment form and the "Pay X TL" button is pressed, iyzico will redirect to the `callbackUrl` address that you specified during the creation of the payment form. At this address, a `token` value will be posted by iyzico. To view additional details about the payment results, a second query must be made using this `token`.

Following service represents the usage of token;

CF Retrieve Request

`POST` `https://api.iyzipay.com/payment/iyzipos/checkoutform/auth/ecom/detail`

Request Body

Name	Type	Description
conversationId	String	Conversation ID to match request and response
locale	String	Language (default: tr)
token*	String	Unique value created for each checkout form request. This token is used to access the payment result

200: OK

CF Retrieve Response

Parameters to be returned from the service are as follows:

Output Name	Type	Description
status	String	Service response result (success / failure)
paymentStatus	String	Payment response result (SUCCESS, FAILURE, INIT_THREEDS, CALLBACK_THREEDS)
errorCode	String	Error code if service response status is failure
errorMessage	String	Error message if service response status is failure
errorGroup	String	Error group if service response status is failure
locale	String	Language (default: tr)
systemTime	Long	Response system timestamp value
conversationId	String	If set, conversation ID to match request and response
paymentId	String	ID of the payment. Merchants should keep payment ID in their system (this ID will be used for cancel requests)
price	Decimal	Total amount of basket. The sum of basket items' amount must be equal to the price of basket
paidPrice	Decimal	Final amount (including installment fee) that will be charged to customer's card. Merchants should store this value in their system
currency	String	Currency of request

installment	Integer	Installment number of payment, for single payments it returns 1. Valid values are 1, 2, 3, 6, 9, 12
basketId	String	Merchant's basket ID
binNumber	String	First 6 digit of card
cardAssociation	String	Valid values are VISA, MASTER_CARD, AMERICAN_EXPRESS, TROY
cardFamily	String	Valid values are Bonus, Axess, World, Maximum, Paraf, CardFinans, Advantage
cardType	String	Valid values are CREDIT_CARD, DEBIT_CARD, PREPAID_CARD
fraudStatus	Integer	Fraud risk status for payment request (0 for review / 1 for accept)
iyziCommissionFee	Decimal	iyzico commission fee for payment transaction
iyziCommissionRateAmount	Decimal	iyzico commission rate amount for payment transaction
merchantCommissionRate	Decimal	Merchant commission rate (e.g. price=100 & paidPrice=110, then merchant commission rate = 10)
merchantCommissionRateAmount	Decimal	Merchant commission rate amount (e.g. price=100 & paidPrice=110, then merchant commission

		rate amount = 10)
paymentTransactionId (ItemTransactions)	String	ID of basket item. Merchants should keep payment ID in their system (this ID will be used for cancel requests)
itemId(ItemTransactions)	String	Item ID of each item in basket
price(ItemTransactions)	Decimal	Item price of each item in basket
paidPrice(ItemTransactions)	Decimal	Captured amount from card based on each item. Merchants should keep paidPrice in their system
transactionStatus (ItemTransactions)	Integer	Status of a payment transaction. (0 for waiting / -1 for rejected by fraud / 1 for waiting for approval / 2 for approved
blockageRate(ItemTransactions)	Decimal	Blockage rate based on each item.
blockageRateAmountMerchant(ItemTransactions)	Decimal	Blockage rate amount for merchant based on each item
blockageResolvedDate(ItemTransactions)	String	Blockage resolve date based on each item. Date format should be “2015-10-19 14:36:52”
iyziCommissionFee(ItemTransactions)	Decimal	iyzico commission fee based on each item
iyziCommissionRateAmount(ItemTransactions)	Decimal	iyzico commission rate amount based on each item
merchantCommissionRate(ItemTransactions)	Decimal	Merchant commission rate (e.g. price=100 & paidPrice=110, then merchant commission

		rate = 10)
merchantCommissionRateAmount(ItemTransactions)	Decimal	Merchant commission rate amount (e.g. price=100 & paidPrice=110, then merchant commission rate amount = 10)
merchantPayoutAmount(ItemTransactions)	Decimal	Payout amount for each item transaction. This is the amount that remains after after substracting iyzicoCommissionRateAmount, iyzicoCommissionFee and blockageRateAmountMerchant from paidPrice(ItemTransactions)
paidPrice(ItemTransactions)(convertedPayout)	Decimal	Converted charged amount to card based on each item. Merchants should keep paidPrice in their system.
iyziCommissionFee(ItemTransactions)(convertedPayout)	Decimal	Converted iyzico commission fee based on each item
iyziCommissionRateAmount(ItemTransactions)(convertedPayout)	Decimal	Converted iyzico commission rate amount based on each item
blockageRateAmountMerchant(ItemTransactions)(convertedPayout)	Decimal	Converted blockage rate amount for merchant based on each item
merchantPayoutAmount(ItemTransactions)	Decimal	Converted payout amount for each item transaction. This the amount that remains after substracting iyzicoCommissionRateAmount,

(convertedPayout)		iyzicoCommissionFee and blockageRateAmountMerchant from paidPrice(ItemTransactions)
iyziConversationRate(ItemTransactions)(convertedPayout)	Decimal	iyzico conversation rate
iyziConversationRateAmount(ItemTransactions)(convertedPayout)	Decimal	iyzico conversation rate amount
currency(ItemTransactions)(convertedPayout)	String	Currency for payout conversion

Previous
CF-Initialize

Next
CF Sample Imp.

Last updated 6 months ago