

ABOUT OXOT

Meet the team that thinks OT-first.

Practical OT security, built by people who understand industrial systems, operational constraints and business risk.

WHO IS OXOT

OXOT is a Dutch cybersecurity company specialized in securing industrial environments where Operational Technology is critical to business continuity.

Founded by former Fox-IT / NCC OT security leads, OXOT combines deep OT security expertise, hands-on experience in critical infrastructure and advanced data-driven capabilities. The team brings experience from complex environments such as energy, water, logistics and manufacturing.

We understand that OT security is not about creating more reports. It is about helping organizations make better decisions, reduce operational risk and improve resilience without disrupting production.

WHAT WE DO

OXOT is an operational-technology (OT) cybersecurity consultancy. We help industrial operators, manufacturers and integrators secure their systems — from assessments and architecture to the Cyber Digital Twin and long-term security programmes.

FOUNDERS

Vincent de Mildt

CO-FOUNDER

For over two decades, Vincent has worked alongside operators, executives and security teams across critical infrastructure. He understands the realities of industrial environments: complex operations, limited downtime, legacy systems and the need to keep production running safely — and translates that complexity into clear priorities and measurable progress.

Focus: business development, strategic partnerships, customer success.

Gerben van der Lei

CO-FOUNDER

Gerben has spent his career close to the engineering reality of critical infrastructure and industrial systems, knowing the process, the network and the constraints operations teams work under. He turns complex industrial environments into structured models, realistic threat scenarios and practical security improvements that work in production.

Focus: systems engineering, industrial networks, threat modelling.

Jim McKenney

CO-FOUNDER

Jim brings a reliability and safety engineering background from global projects in rail, energy and manufacturing, integrating safety, reliability and operations from a mechanical and industrial engineering perspective. LEAN and Six Sigma focused, he leads digital transformation work that safeguards operations and the bottom line.

Focus: reliability & safety engineering, operational excellence, digital transformation.

SECTORS

Energy · Water · Logistics · Manufacturing · Critical infrastructure

CONTACT

info@oxot.nl · oxot.nl

A REFERRAL PARTNERSHIP FOR BENCH CAPACITY

Demand that arrives qualified, scheduled and bench-ready.

OXOT runs a retained CRA readiness practice for manufacturers, OEMs and integrators. We classify the product, close the Annex I gaps and assemble the technical documentation. When the conformity route requires a notified body, we hand the file over in a standard format and book the bench. You test. You do not chase the customer, and you do not open an incomplete file.

THE 2026 POSITION

Designation runs 12–18 months. Class I self-assessment stays closed until the harmonised standards are cited, expected around Q2 2027. Type examination runs 16–24 weeks per product. Every route therefore converges on a narrow window before **11 December 2027** — and the queue forms before the doors open.

WHAT THE BENCH ABSORBS TODAY

Unqualified enquiries

Applicants who have not established their Annex III class, their module, or whether they are the manufacturer at all.

Files that stall mid-assessment

Missing SBOM, no CVD policy, no vulnerability handling process. The bench holds the slot while the applicant goes looking.

Demand you cannot forecast

Volume arrives unannounced and unevenly. Assessor time, scheduling and hiring are planned against guesswork.

THE THREE-PART PROCESS

1 OXOT ALWAYS

Readiness & preparation

Retained engagement, run by OT engineers against IEC 62443.

- Scope determination and Annex III classification, with the reasoning recorded
- Module selection and the route to the CE marking
- Annex I gap closure across all thirty essential requirements
- xBOM production and vulnerability resolution
- Annex IV technical file assembly and sealing

Output: a complete, standard-format file — and a customer who knows their route.

2 YOUR BENCH

Testing & evidence collection

The conformity assessment itself — independent of our preparation work, and entirely yours.

- Technical documentation review against Annex IV
- Bench testing and evidence collection
- EU-type examination under Module B, or the quality system audit under Module H
- Findings, non-conformities and any retest cycle
- The certificate decision

You receive: a booked slot against a file that opens complete.

3 OXOT ALWAYS

Post-market management

Ongoing obligations, held in the OXOT Conformity application.

- PSIRT operations under ISO/IEC 29147 and 30111
- Article 14 clocks — 24-hour, 72-hour and 14-day filings
- Support-period obligations under Article 13(8)
- Substantial-modification watch, flagging a return to your bench
- Ten-year retention under Article 10(7)

Output: the certificate stays defensible for its whole life.

Every file reaches your bench in the same shape

Phase 1 concludes with a fixed handover packet, generated from the OXOT Conformity application rather than written by hand. The manifest, section order and evidence references are identical on every submission, whichever manufacturer it came from.

HANDOVER PACKET · STANDARD MANIFEST

- 01 Classification determination**
Annex III reading with the reasoning recorded, and the selected conformity module.
- 02 Annex I conformance matrix**
Each Part I and Part II requirement, its status, its owner and the evidence reference that satisfies it.
- 03 Annex IV technical documentation**
Complete and section-ordered, with a generation timestamp and a SHA-256 seal.
- 04 xBOM set and vulnerability position**
SBOM, HBOM and CBOM in CycloneDX, resolved against CISA KEV with VEX statements attached.
- 05 Vulnerability handling process**
CVD policy, PSIRT operating procedure and reporting readiness under ISO/IEC 29147 and 30111.
- 06 Test evidence and residual gap register**
Everything already tested, plus an explicit statement of what remains for your assessment.

READINESS GATE

No file is offered to a partner bench until the application scores it complete against the manifest. A submission that would stall is held at our end, not yours.

BOOKING HORIZON

Slots are reserved against a forecast date at the start of Phase 1, and confirmed once the gate passes — typically 6 to 10 weeks of visibility before the bench date.

INDEPENDENCE

OXOT prepares; the notified body assesses. We hold no assessment role and make no conformity decision on a file we have prepared.

OXOT CONFORMITY · CB HANDOVER VIEW

OXOT | CONFORMITY

PortfolioProductsPSIRTReportsTeam

⌵ ? ⓘ

Notified body handover — NovaGuard Smart Home Hub

CRA

Important — Class I

Module B + C

Gate passed

Release packet to bench →

30

REQUIREMENTS

30

MET

0

BLOCKERS

100%

EVIDENCE

412

BOM COMPONENTS

A

READINESS GRADE

Packet manifest

6 / 6 COMPLETE

SEAL: 9f2a41c7be03d514...

✓

Classification determination · Annex III Class I

PDF · 4 pp

✓

Annex I conformance matrix · 30 requirements

XLSX · PDF

✓

Annex IV technical documentation

PDF · 118 pp

✓

xBOM set · SBOM, HBOM, CBOM + VEX

CycloneDX

✓

Vulnerability handling · CVD policy & PSIRT procedure

PDF · 22 pp

✓

Test evidence & residual gap register

PDF · 21p

What the arrangement gives your bench

FORECASTABLE DEMAND

Every engagement enters our funnel with a projected bench date at kick-off. You see the pipeline forming months out, not the week the applicant calls.

NO COMMERCIAL SOLICITATION

OXOT finds, qualifies and contracts the manufacturer. Your commercial relationship begins at the assessment, on your own terms and fee schedule.

ASSESSOR TIME PROTECTED

Files open complete and in a familiar order. Assessment hours go to assessment rather than to chasing an SBOM or a missing CVD policy.

SCHEDULE RISK REDUCED

The readiness gate sits before the booking, so a slot is not consumed by a file that cannot proceed. Rework and re-submission rates fall accordingly.

CAPACITY PLANNING INPUT

Pipeline by product class, module and expected date, shared on an agreed cadence — usable for resourcing, recruitment and scope-extension decisions.

OT DEPTH BEHIND THE FILE

Preparation is done by operational-technology engineers working to IEC 62443, so the security case is coherent before it reaches your assessors.

WHERE THE LINE SITS

OXOT DOES

Sourcing and qualification of the manufacturer · retained readiness engagement · classification and module selection · Annex I gap closure · evidence and technical file assembly · slot scheduling · post-market PSIRT and Article 14 operations.

THE NOTIFIED BODY DOES

The conformity assessment. Review, testing and evidence collection · EU-type examination or quality system audit · findings and non-conformities · the certificate decision. Independently, and without input from us.

BECOMING A PARTNER BENCH

1

Scope conversation

Your designation status, product categories, modules and available capacity.

2

Manifest alignment

We adapt the packet format to your intake requirements and review checklist.

3

Pilot file

One prepared submission, assessed normally, reviewed together afterwards.

4

Referral agreement

Capacity commitment, booking horizon and pipeline reporting cadence.

NEXT STEP

Let us show you a prepared file.

A 30-minute session walks a completed handover packet end to end, so you can judge it against your own intake checklist before any commitment.

[Arrange a partner session](#)vincent@oxot.nl