

Additional data on survival and fecundity used for the null-growth and endangered scenarios

Table S1. Survival and fecundity values of each age class for Copper Redhorse used for the endangered scenario. The age-30 class has no survival value as none of the individuals would reach a future age class and, as such, none of them would reproduce, given that reproduction happens right before reaching a new age class, so they do not have a fecundity value either.

[illegible]

Table S1 (continuation)

[illegible]

Table S2. Survival and fecundity values of each age class used for the null-growth scenario. The age-30 class has no survival value as none of the individuals would reach a future age class and, as such, none of them would reproduce, given that reproduction happens right before reaching a new age class, so they do not have a fecundity value either.

[illegible]

Table S2 (continuation)

Age 15	Age 16	Age 17	Age 18	Age 19	Age 20	Age 21	Age 22	Age 23	Age 24	Age 25	Age 26	Age 27	Age 28	Age 29	Age 30
33301	35604	37292	38649	40080	41526	42689	43718	44811	45962	47017	47996	48923	49813	50648	0
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
0.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
0.944	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
0	0.947	0	0	0	0	0	0	0	0	0	0	0	0	0	0
0	0	0.949	0	0	0	0	0	0	0	0	0	0	0	0	0
0	0	0	0.949	0	0	0	0	0	0	0	0	0	0	0	0
0	0	0	0	0.949	0	0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0.950	0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0.951	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0.950	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0.950	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0.951	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0	0.951	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0	0	0.951	0	0	0	0
0	0	0	0	0	0	0	0	0	0	0	0	0.951	0	0	0
0	0	0	0	0	0	0	0	0	0	0	0	0	0.952	0	0
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.952	0
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.952




Figure S1. Yearly survival curves (a) and daily survival curves for the first year (b). The sections in figure S1 (b) represent the egg, larvae and fry stages of the first year.




Figure S2. Median Copper Redhorse abundance based on 5000 stochastic iterations actual for the measured scenarios including stocking 500 Age-1 individuals. Colored envelopes represent 95% confidence intervals of the abundances, and the full lines present the median abundance of mature individuals. In scenarios where larvae and fry are stocked, the minimum values of these envelopes are around 70 and 80 respectively, while in the case of the scenario where age 1 individuals are stocked, the minimum value of the envelope is closer to 400.

[illegible]

Figure S3. Elasticity analysis of the Leslie Matrix used in the measured scenario.