

RO



CLASS

RoboCore box, outside, tile 1 of 6 (row 1, column 1), 1:1. Overlap 10 mm with the neighbouring tiles.



RobCor

Zambia

ROBOCOR

CLASSROOM ROBOT

Build. Code. Create.

- ESP32-S3 with Wi-Fi and Bluetooth
- Two encoder motors, four servo ports, IMU
- Line and ultrasonic sensing
- Parallel lift with a gear-linked gripper

DESIGNED IN ZAMBIA

ROBOCORE ZAMBIA · PLASTAL-BOT BUILDERS · LUSAKA

ROBOCORE

CLASSROOM ROBOT · DESIGNED IN ZAMBIA

RoboCore box outside, tile 2 of 6 (row 1, column 2). 1:1. Overlap 10 mm with the neighbouring tiles.



CLASS







PLASTAL-BOT
BUILDERS

ROBOCORE

CLASSROOM ROBOT

DESIGNED IN ZAMBIA

RoboCore · 2026 · plastalbotbuilders.com

MEET ROBOCORE

A classroom robot designed and built in Zambia. Its RoboCore V2 controller puts an ESP32-S3 with Wi-Fi and Bluetooth, two encoder motor drives, four servo ports, a motion sensor and sockets for line and ultrasonic sensing on one board, running from 1S lithium cells with USB-C charging. The robot arrives assembled, with its lift and gripper fitted.

- ESP32-S3 with Wi-Fi and Bluetooth
- Two encoder motors, four servo ports, IMU
- Line and ultrasonic sensing
- Parallel lift with a gear-linked gripper



WHAT'S IN THE BOX



ROBOT, ASSEMBLED



V2 CONTROLLER



2 ENCODER MOTORS



ULTRASONIC



LINE

RoboCore robot, assembled: printed frame, lift and gripper with 2 micro servos, RoboCore V2 controller, 2 encoder motors, HC-SR04 ultrasonic, 3-channel line sensor, 4 V-wheels an card. 18650 cells are not included.

SPECIFICATIONS

Controller RoboCore V2, ESP32-S3, 68 x 60 mm
Power 1S Li-ion, 3 x 18650 in parallel, USB-C charging
Drive 2 x DG01D-E encoder motors, 56 mm wheels, 4 V-wheels

Sensing 3-channel line sensor, HC-SR04 ultrasonic, IMU
Robot 154 x 286 x 111 mm (lift level), about 620 g
Box 303 x 213 x 91 mm, E-flute card

DOCS & CODE

780126 RC2026

Not a toy. Contains small parts and screws: not for children under 8. Use only 1S lithium cells; charge through USB-C under supervision. Keep metal away from the antenna.

REATE



LASSROOM ROBOT · DESIGNED IN ZAMBIA

RoboCore
Zambia





LINE SENSOR



LIFT + GRIPPER

heels and the battery cradle · USB-C cable · Screw pack · Quick-start

PLASTAL-BOT BUILDERS

DESIGNED IN ZAMBIA

RoboCore Zambia · Lusaka · 2026

A robot a class can build, program and repair

BUILD | CODE | CRE

ROBOCORE

CLASSROOM ROBOT

RoboCore
Zambia









RoboCore box, outside, tile 4 of 6 (row 2, column 2), 1:1. Overlap 10 mm with the neighbouring tiles.



RoboCore box, outside, tile 5 of 6 (row 3, column 1), 1:1. Overlap 10 mm with the neighbouring tiles.

RoboCore box, outside, tile 6 of 6 (row 3, column 2), 1:1. Overlap 10 mm with the neighbouring tiles.