

LETTER OF AGREEMENT

between

The Russian Federation

Republic of Turkey

and

Rostov ACC

Ankara ACC

Effective: 15.12.2007-00.01 UTC

1 General.

1.1 Purpose.

The purpose of this Letter of Agreement is to define the co-ordination procedures to be applied between Rostov ACC and Ankara ACC when providing ATS to General Air Traffic (IFR/VFR) and Operational Air Traffic.

These procedures are supplementary to those specified in National documents and ICAO documents.

1.2 Operational Status.

Both ATS-units shall keep each other advised of any changes in the operational status of their facilities and navigational aids, which may affect the procedures specified in this Letter of Agreement.

1.3 Definitions for General Air Traffic and Operational Air Traffic.

1.3.1 General Air Traffic (GAT):

"Flights conducted in accordance with the rules and provisions of ICAO and in accordance with the National rules and provisions "

1.3.2 Operational Air Traffic (OAT):

"Flights which do not comply with the provisions stated for GAT and for which rules and procedures have been specified by appropriate authorities."

2 Areas of Responsibility and Delegation of the Responsibility for the Provision of ATS.

2.1 Areas of Responsibility.

The lateral and vertical limits of the respective areas of responsibility are as follows:

Note: See para 2.2 for the description of the areas where delegation of responsibility for the provision of ATS is applicable

2.1.1 Rostov ACC

Lateral limits: As published in AIP of Russian Federation.

Vertical limits: GND - UNL.

ICAO airspace classification for the area of responsibility of Rostov ACC along the common boundary of the areas of responsibility of Rostov ACC and Ankara ACC, is described in Annex B to this Letter of Agreement.

2.1.2 Ankara ACC

Lateral limits: As published in AIP Republic of Turkey.

Vertical limits: GND - UNL.

ICAO airspace classification for the area of responsibility of Ankara ACC along the common boundary of the areas of responsibility of Rostov ACC and Ankara ACC, is described in Annex B to this Letter of Agreement.

H

UR

2.2 Delegation of the Responsibility for the Provision of ATS.

2.2.1 Delegation of ATS from Rostov ACC to Ankara ACC
Not Applicable.

2.2.2 Delegation of ATS from Ankara ACC to Rostov ACC
Not Applicable.

2.2.3 Other Areas
Not Applicable.

2.2.4 Alerting Service
The ATS-units responsible for the provision of ATS, shall provide alerting service and co-ordination.

2.2.5 Territorial Matters
Not Applicable.

2.3 Special Provisions.**3 Procedures.**

3.1 This procedures to be applied by Rostov ACC and Ankara ACC are detailed in the Annexes to this Letter of Agreement:

Annex A:	Definitions and Abbreviations
Annex B:	Area of Common Interest
Annex C:	Exchange of Flight Data
Annex D:	Procedures for Co-ordination
Annex E:	Transfer of Control and Transfer of Communications
Annex F:	Radar Based Co-ordination Procedures
Annex G:	Supplementary Procedures

3.2 These procedures shall be promulgated to the operational staff of the ATS-units concerned

4 Revisions and Deviations.**4.1 Revision of the Letter of Agreement.**

The revision of the present Letter of Agreement, excluding Annexes, requires the mutual consent of the signatory authorities.

4.2 Revision of the Annexes to the Letter of Agreement.

The revision of Annexes to the present Letter of Agreement requires the mutual consent of the authorities designated by the respective signatory approving authorities, normally the Heads of Operations at the respective units.

4.3 Temporary Deviations.

When necessary, the Supervisors of the ATS-units concerned may introduce, by mutual agreement and for a specified time period, temporary modifications to the procedures laid down in the Annexes to the present Letter of Agreement.

4.4 Incidental Deviations.

Instances may arise where incidental deviations from the procedures specified in the Annexes to this Letter of Agreement may become necessary. Under these circumstances air traffic controllers are expected to exercise their best judgement to ensure the safety and efficiency of air traffic.

ROSTOV ACC

ANKARA ACC

5 Cancellation.

5.1 Cancellation of the present Letter of Agreement by mutual agreement of the respective Approving Authorities may take place at any time.

5.2 Cancellation of this Letter of Agreement by either Approving Authority is possible at any time, provided that the cancelling party declares its intention to cancel the Letter of Agreement with a minimum pre-notification time of 90 (ninety) days before the date the cancellations is to take effect

6 Interpretation and Settlement of Disputes.

6.1 Should any doubt or diverging views arise regarding the interpretation of any provision of the present Letter of Agreement, or in case of dispute regarding its application, the parties shall endeavour to reach a solution acceptable to both of them.

6.2 Should no agreement be reached, each of the parties shall refer to a higher level of its national aviation administration, to which the dispute shall be submitted for settlement.

7 Validity.

This Letter of Agreement becomes effective on 15 th of December 2007 at 00.01 UTC and supersedes the Letter of Agreement between Rostov ACC and Ankara ACC dated 17.03.2005

Ankara, 16.11. 2007

Ankara, 16.11. 2007

ATM Deputy director
of branch «Aeronavigatsia Yuga»
of FSUE «ATS State ATM
corporation of Russian federation»

Pavel Zubkov




For DHMI - TURKEY
Air Traffic Manager




Serik ÇULCUOĞLU

Chief of Rostov ACC
of branch «Aeronavigatsia Yuga»
of FSUE «ATS State ATM
Corporation of Russian federation»

Vitaly Abramtsov



Chief of Ankara ACC



Celalettin BOZKURT

Annex A
Definitions and Abbreviations

Effective: 15.12.2007-00.01 UTC

A.1 Definitions.

A.1.1 Area of Responsibility.

An airspace of defined dimensions where a sole ATS unit has responsibility for providing air traffic services.

A.1.2 Area of Common Interest.

A volume of airspace as agreed between two ATS Units, extending into the adjacent/subjacent Areas of Responsibility, within which airspace structure and related activities may have an impact on air traffic co-ordination procedures.

A.1.3 Approval Request.

Request from an ATS-unit to the ATS-unit concerned for an approval of:

- an aircraft not yet airborne, whenever the flying time to the transfer of control point is less than the agreed minimum pre-notification time, as stated in Annex C.
- an aircraft in flight intending to operate under conditions other than those described in mutually agreed procedures.

A.1.4 Expedite clearance.

An urgent clearance request from an ATS-unit to the ATS-unit concerned for an aircraft in flight whenever the flying time to the transfer of control point is less than the agreed minimum pre-notification time.

A.1.5 Division Flight Level (DFL).

The flight level dividing two super-imposed areas of responsibility for the provision of ATS.

A.1.6 Release.

A.1.6.1 Release for Climb.

An authorisation for the accepting ATS-unit to climb (a) specific aircraft before the transfer of control.

Note: The transferring ATS-unit remains responsible for separation within its Area of Responsibility unless otherwise agreed.

A.1.6.2 Release for Descent

An authorisation for the accepting ATS-unit to descend (a) specific aircraft before the transfer of control

Note: The transferring ATS-unit remains responsible for separation within its Area of Responsibility unless otherwise agreed.

A.1.6.3 Release for Turn.

An authorisation for the accepting ATS-unit to turn (a) specific aircraft away from the current flight path by not more than 45° before the transfer of control.

Note: The transferring ATS-unit remains responsible for separation within its Area of Responsibility unless otherwise agreed.

A.1.7 Reduced Vertical Separation Minimum (RVSM)

A vertical separation minimum of 1000 ft (300 m) which is applied between FL290 and FL410 inclusive, on the basis of a regional air navigation agreement.

AI-

UL

A.1.7.1 RVSM Entry Point

The first reporting point over which an aircraft passes or is expected to pass immediately before, upon, or immediately after initial entry into RVSM airspace, normally the first reference point for applying the reduced vertical separation minimum between RVSM approved aircraft.

A.1.7.2 RVSM Exit Point

The last reporting point over which an aircraft passes or is expected to pass immediately before, upon, or immediately after leaving RVSM airspace. Normally it is the last reference point for applying the vertical separation minimum between RVSM approved aircraft.

A.1.8 RVSM Approved Aircraft

Aircraft that have received State approval for RVSM operations within the RVSM airspace.

A.1.9 State Aircraft

For the purposes of EUR RVSM, only aircraft used in military, customs and police services shall qualify as State aircraft.

A.2 Abbreviations.

ACI*	Area of Common Interest
AIP	Aeronautical Information Publication
AMC*	Airspace Management Cell
AoR*	Area of Responsibility
ATC	Air Traffic Control
ATS	Air Traffic Services
COP*	Co-ordination Point
ETO	Estimated Time Over Significant Point
FD	Flight Data
FIR	Flight Information Region
FMP*	Flow Management Position
GAT*	General Air Traffic
IAS	Indicated Air Speed
ICAO	International Civil Aviation Organisation
IFR	Instrument Flight Rules
LoA*	Letter of Agreement
NM	Nautical Mile
OAT*	Operational Air Traffic
ORCAM	Originating Region Code Assignment Method
RTF	Radio Telephony
RVSM	Reduced Vertical Separation Minimum
SSR	Secondary Surveillance Radar
UIR	Upper Flight Information Region
VFR	Visual Flight Rules
Note:	Abbreviations marked with an* are non-ICAO abbreviations.

Annex B
Area of Common Interest

Effective: 15.12.2007-00.01 UTC

- B.1 Airspace Structure and Classification within the Area of Common Interest.**
- B.1.1 URRV FIR**
As published in AIP of the Russian Federation.
 - B.1.2 LTAA FIR**
As published in AIP Republic of Turkey
- B.2 Sectorisation.**
The sectorisation within the ACI.
- B.2.1 Rostov ACC Sectors.**
As published in AIP of the Russian Federation.
 - B.2.2 Ankara ACC Sectors.**
As published in AIP Republic of Turkey
- B.3 Special Areas within the Area of Common Interest.**
Not Applicable.
- B.3.1 Delegations of the Provision of ATS to/from other ATS Units within the ACI.**
Not Applicable.
 - B.3.2 Other Areas.**
 - B.3.2.1 Rostov ACC**
Prohibited areas, danger areas, and areas, restricted for flights as published in AIP of the Russian Federation.
 - B.3.2.2 Ankara ACC**
Prohibited areas, danger areas, and areas, restricted for flights as published in AIP of the Republic of Turkey.
- B.4 Non-published Co-ordination Points.**
Not Applicable

Annex C
Exchange of Flight Data
(with automatic data exchange)

Effective: 15.12.2007-00.01 UTC
Revised: 15.03.2023-00.01 UTC

C.1 General.

C.1.1 Basic Flight Plans.

Basic flight plan data should normally be available at the ATS-units.

C.1.2 Current Flight Plan Data.

Messages, including current flight plan data, shall be forwarded by the transferring ATS-unit to the accepting ATS-unit by telephone to the appropriate sector/position.

C.1.2.1 Automatic Data Exchange

ABI/ACT/PAC/REV/MAC/LAM messages are exchanged between the two ATS Units in accordance with Appendix 1 to Annex C1.

C.1.2.1 Verbal Estimates.

A verbal estimate shall be passed to the appropriate sector/position at the accepting ATS-unit at least 15 (fifteen) minutes prior, but not earlier than 30 (thirty) minutes before the aircraft is estimated to pass the transfer of control point, and shall contain (the following information):

a) Call sign (flight number);

Note: To indicate that the flight plan is available, the accepting ATS Unit should state aircraft type and destination after having received the call sign.

b) Co-ordination Point (Transfer of control point);

c) ETO for the appropriate COP as laid down in Annex D to this LoA;

d) Cleared flight level, specifying climb or descent conditions if applicable, at the transfer of control point;

e) SSR code;

f) Within the context of the RVSM, the following should be included;

1. For a NON-RVSM approved aircraft, the transferring Centre shall supplement the verbal estimate to the accepting Centre, using the phrase "NEGATIVE RVSM" or "NEGATIVE RVSM STATE AIRCRAFT", as applicable.

2. When an RVSM approved aircraft is unable to continue to meet the vertical navigation accuracy required to operate within EUR RVSM airspace, the transferring Centre shall inform the accepting Centre by verbal supplementing the associated co-ordinated message(s), using the phrase "UNABLE RVSM DUE EQUIPMENT" or "UNABLE RVSM DUE TURBULENCE", as applicable.

3. When an aircraft is experiencing an in-flight contingency, which will impacts on RVSM operations, the transferring Centre shall verbally supplement associated co-ordination message(s) to the accepting Centre with a description of the cause of the contingency.

g) Other information, if applicable

Normally verbal estimates will not be passed in parallel with ACT messages. Expedite clearance and Approval request shall be verbally co-ordinated.

In all cases verbally passed data shall take precedence over data exchange automatically.

C.1.2.3 Failure of Automatic Data Exchange.

In the event of a failure which prevents the automatic transfer of data, the Supervisors shall immediately decide to revert to the verbal exchange of estimates.

After recovery from a system failure, the Supervisors shall agree as to when they will revert to automatic data exchange.

C.1.3 Non-availability of Basic Flight Plan Data.

If the accepting ATS Unit does not have basic flight plan data available, additional information may be requested from the transferring ATS Unit to supplement the ACT message or a verbal estimate.

Such additional information should include:

Within the context of RVSM, such additional information should include:

- a) the RVSM approval status of the aircraft;
- b) whether or not a non-RVSM approved aircraft is a State aircraft.

C.1.4 Revisions.

C.1.4.1 Any significant revisions to the flight data are to be transmitted to the accepting ATS-unit.

C.1.4.2 Time differences of 3 (three) minutes or more are to be exchanged.

C.1.4.3 Changes of co-ordinated flight levels within 5(five)minutes of the ETO for the COP are subject to an Approval Request

C.1.4.4 When an RVSM approved aircraft is unable to continue to meet the vertical navigation accuracy required to operate within the EUR RVSM airspace, the transferring ATS Unit shall inform the accepting Centre of that information by verbally supplementing the associated coordination message(s), using the term "UNABLE RVSM DUE EQUIPMENT" or "UNABLE RVSM DUE TURBULENCE", as applicable.

C.1.4.5 When an aircraft is experiencing an in-flight contingency which impacts on RVSM operations, the transferring ATS Unit shall verbally supplement associated coordination message(s) to the accepting Centre with a description of the cause of the contingency (e.g. communications failure)

C.1.5 Expedite Clearance and Approval Request.

Whenever the minimum time for verbal estimate of 15 (fifteen) minutes can not be met, an Expedite Clearance Request or an Approval Request, as appropriate, shall be initiated.

C.2 Means of Communications and their Use.

C.2.1 Equipment.

The following lines are available between Rostov ACC and Ankara ACC.

1. Direct data transmission (DT) channel for OLDI
2. direct telephone (MFC) line
3. VSAT telephone line;
4. the channels of international telephone communication.

C.2.2 Telephone Co-ordination.

All telephone communications should be started and terminated with the initials of both parties concerned by their mutual agreement.

Exchange of flight plan data, estimates and control messages by telephone shall be carried out in accordance with the tables below:

C.2.2.1 From Rostov ACC to Ankara ACC.

Receiving Sector/COPs	Message	Position	Extension
Sector 13 Upper Sector 13 Lower ODIRA BALUM	Flight Plan Data and Estimates Control Messages, Revisions and other co-ordination Expedite Clearance/Approval Request Radar Co-ordination	13L EXE	373906
		13L PLN	373907
		13U EXE	373866
		13U PLN	373865
		12L EXE	373867
		12L PLN	373868
Sector 18 Upper Sector 18 Lower TUDEK	Other Requests	18L EXE	373869
		18L PLN	373870
		18U EXE	373860
		18U PLN	373859

C.2.2.2 From Ankara ACC to Rostov ACC.

Receiving Sector/COPs	Message	Position	Extension
Sector S-1 ODIRA TUDEK BALUM	Flight Plan Data and Estimates Control Messages, Revisions and other co-ordination Expedite Clearance/Approval Request	S1 EXE	701207
		S1 PLN	701206
	Radar Co-ordination		
	Other Requests	TEC. SUP.	701218

C.3 Failure of Ground/Ground Voice Communications.

C.3.1 Fall-Back Procedures for Co-ordination.

In case of failure of the direct speech line between the co-ordinating partners, co-ordination may be effected via:

a) direct telephone line with the adjacent ACCs ;

b) AFTN

Ankara ACC:

ACC Supervisor LTAAZRZX
LTAAZQZX

Rostov ACC:

ACC Supervisor URRVZRZX

c) Other means (public telephone, etc.)

Ankara ACC:

Sector 13 Supervisor	Tel: + 90-312-5905501
Sector 18 Supervisor	Tel: + 90-312-5905503
ACC Supervisor	Tel: + 90-312-5905500
Unit Supervisor	Tel: + 90-312-5905510
	Fax: + 90-312-8271061

Rostov ACC:

ACC Supervisor	Tel: + 7- 863-2723250
	Mobile: + 7- 918-5552573

Sector S-1

	+ 7- 863-2723284
Fax:	+ 7- 863-2723986 (except weekends)

C.3.2 Alternate Fall-Back Procedures for Co-ordination.

In case of communications failure where the alternatives described in para C.3.1 are not available or practicable, pilots shall be instructed, at least 10 (ten) minutes prior to the transfer of control point, to pass flight data on the appropriate frequency of the accepting ATS-unit for the purpose of obtaining an ATC entry clearance from the accepting ATS-unit.

If the accepting ATS-unit cannot issue an entry clearance to the pilot upon his initial contact, the pilot shall be instructed to inform the transferring ATS-unit accordingly via RTF.

The transferring ATS-unit shall hold the aircraft within its AoR and after a minimum of 10 (ten) minutes instruct the pilot to re-establish RTF contact with the accepting ATS-unit.

This procedure shall be repeated until an onward clearance has been obtained from the accepting ATS-unit.

ROSTOV ACC

ANKARA ACC

**Appendix 1 to Annex C
Automatic Data Exchange**

ABI/ACT/PAC/MAC/REV/LAM messages are exchanged between the two ATS Units in accordance with the table below:

Messages	COPs	Time and/or Distance Parameters	
		Messages from ANKARA ACC to ROSTOV ACC	Messages from ROSTOV ACC to ANKARA ACC
ABI	ODIRA,TUDEK	20 min	20 min
	BALUM	20 min	-
ACT	ODIRA,TUDEK	12 min	12 min
	BALUM	12 min	-
PAC	ODIRA,TUDEK	Not earlier than 12 min Not later than 5 min	Not earlier than 12 min Not later than 5 min
	BALUM	Not earlier than 12 min Not later than 5 min	-
MAC	ODIRA,TUDEK	Not limited	Not limited
	BALUM	Not limited	
REV	ODIRA,TUDEK	Not later than 5 min	Not later than ETO COP
	BALUM	Not later than 5 min	
LAM		ABI,ACT,PAC,MAC,REV- 60sec	ABI,ACT,PAC,MAC,REV- 60sec




ROSTOV ACC

ANKARA ACC

Annex D
Procedures for Co-ordination

Effective 15.12.2007-00.01 UTC

Revised: 08.05.2008 – 00.01 UTC

D.1 General Conditions for Acceptance of Flights.

D.1.1 Co-ordination of flights shall take place by reference to the COP for the relevant routes and in accordance with the appropriate flight levels specified for the relevant route (see paras D.2 and D.3).

Within the AoR of the Rostov ACC and the Ankara ACC, the ICAO Table of Cruising Levels of ICAO Annex 2, Appendix 3(a) is applicable

D.1.2 Flights shall be maintaining the co-ordinated flight level at the transfer of control point unless climb or descent conditions have been clearly stated by use of crossing conditions in the verbal co-ordination - except if otherwise described in Para D.2 or D.3.

D.1.3 If the accepting ATS-unit cannot accept a flight offered in accordance with the conditions specified above, it shall clearly indicate its inability and specify the conditions under which the flight will be accepted. When state permission to use the airspace is not available at the accepting ATS-unit, the accepting ATS-unit shall inform the transferring ATS-unit about it. The transferring ATS-unit shall inform the pilot of the prohibition to enter the adjacent ATS area and take measures not to allow the pilot to enter the area of responsibility of the accepting ATS-unit (to reroute the aircraft, to direct it to the departure aerodrome or to the alternate aerodrome)

D.1.4 For any proposed deviation from the conditions specified in this Annex (e.g. COP, route or flight level) the transferring unit shall initiate an Approval Request

D.1.5 The accepting ATS-unit shall not notify the transferring ATS-unit that it has established ground-air communications with the transferred aircraft unless specifically requested to do so

D.1.6 8.33 kHz Channel Spacing Procedure

Not applicable

D.1.7 RVSM Procedures

D.1.7.1 Both ACC shall consequently verify as soon as possible with the pilot in command (PIC) of flight intending to operate in the adjacent airspace between FL290 and FL410 inclusive, the aircrafts' RVSM status in any doubtful case and in cases where the IFPS FPL indicates either

- that the aircraft is NONRVSM approved, or
- the flight is a NONRVSM approved State aircraft (STS/NONRVSM in Item 18 of ICAO flight plan)

D.1.7.2 Both ACC shall transfer all NONRVSM approved aircraft at or below FL 280.

Exemption of D 1 7 2. Non – RVSM Approved Civil aircraft, operating from a departure airdrome to a destination airdrome, both of which are situated outside of the lateral limits of the EUR- RVSM Airspace, could be cleared to a flight level above the EUR-RVSM airspace, (i.e. FL 430)

D 1 7 3 Exemptions

In accordance with ICAO Doc 7030/4 (EUR/NAT-S 99/33-EUR RAC/3), permission is hereby granted for all NONRVSM approved State aircraft to operate in the EUR RVSM airspace between FL290 and FL410 inclusive

D.2 ATS-Routes, Co-ordination Points and Flight Level Allocation.

Available ATS-routes, COPs to be used and flight level allocation to be applied, unless otherwise described in para D.3, are described in the tables below

LoA between Rostov ACC and Ankara ACC 15.12.2007

Page 10

ROSTOV ACC

ANKARA ACC

D.2.1 Flights from Rostov ACC to Ankara ACC

ATS ROUTE	COP	Flight Level Allocation	Special Conditions
As published in AIP of the Russian Federation	ODIRA	EVEN levels	As defined at D1.7.2
	TUDEK	ODD levels	As defined at D1.7.2

D.2.2 Flights from Ankara ACC to Rostov ACC

ATS-Route	COP	Flight Level Allocation	Special Conditions
As published in AIP of Republic of Turkey	ODIRA	ODD levels	As defined at D1.7.2
	TUDEK	EVEN levels	As defined at D1.7.2
	BALUM	ODD levels	As defined at D1.7.2

D.3 Special Procedures.

D.3.1 RVSM communications failure

Over COPs described in paras D.2.1 and D.2.2 at the time of transfer of control Rostov ACC and Ankara ACC shall provide a minimum vertical separation of 2000 ft (600 m) between an aircraft experiencing a communications failure in flight and any other aircraft

D.3.1.2 RVSM Contingency FLAS

D.3.1.4.1 The implementation of the FLAS shall be co-ordinated between the Supervisors of Rostov ACC and Ankara ACC not later than 30 (thirty) minutes before it becomes effective.

In case a non-standard situation takes place (communications failure, radar tracking not available, turbulence, etc) procedure of Flight Level Allocation Scheme (FLAS) can be implemented, being agreed by Supervisors of Rostov ACC and Ankara ACC at any time and for any period of time

D.4 Co-ordination of Status of Special Areas in the Area of Common Interest.
Not applicable.

ROSTOV ACC

ANKARA ACC

D.5 VFR flights.**D.5.1 Procedures for Inter-Area VFR traffic**

D.5.1.1 The following limited information shall be exchanged between the ATS-units with regard to VFR flights:

- a) VFR,
- b) identification, type of aircraft, SSR code (if available);
- c) routing and flight level (altitude);
- d) estimated border crossing time;
- e) ETO for the next point or estimated time of arrival (if the aircraft is going to land at airports in Rostov FIR or Ankara FIR)
- f) other information, if necessary

D.5.1.2 If no flight plan is available for receiving unit, the information above, shall be supplemented with the following

- a) departure and destination airdromes,
- b) further route of flight;
- c) any additional information, if necessary

D.5.1.3 For group of VFR flights, the precise number of aircraft shall be emphasised as well as the call sign of the leader to communicate with

D.5.1.4 The accepting ATS-unit shall notify the transferring ATS-unit in case the radio contact with VFR flight has been established

D.5.1.5 Exchange of available data for VFR flights shall be transferred at least **15 (fifteen) minutes** prior to the time when the aircraft is estimated to pass the common FIR boundary

D.5.1.6 A revision, if available, shall be forwarded whenever flight data have changed and/or the estimate varies by **5 (five) minutes** or more

Annex E
Transfer of Control and Transfer of Communications

Effective: 15.12.2007-00.01 UTC
Revised 30.03.2019-00.01 UTC

E.1 Transfer of Control.

- E.1.1** The transfer of control takes place at the AoR-boundary, at the transfer of control points (COPs) unless otherwise specified in para D.2.1 and D.2.2.
- E.1.2** Holding procedure closer than 10NM (18.5 km) before FIR boundaries of Rostov and Ankara ACC is not permitted.
- E.1.3** If an aircraft intends to proceed outside FIR boundaries of Ankara FIR and Rostov FIR due to orientation loss, or encountering dangerous meteorological conditions, the controller shall instruct the pilot to establish radio contact with the adjacent control sector immediately, if necessary. The appropriate information in such cases shall be relayed to the adjacent sector immediately, by means of the specified communications channels.

E.2 Transfer of Communications.

The transfer of communications shall take place not later than the transfer of control and as specified in para E.3, unless otherwise co-ordinated.

Frequencies:

Rostov ACC:

Sector	S-1
Frequencies	127.5 MhZ (VHF Freq.) 135.6 MhZ (VHF Freq.)

Ankara ACC:

Sector 13 U/L

Frequencies	128.650 MhZ. (VHF Freq.) 133.550 MhZ. (VHF Freq.) 124.125 MhZ (VHF Freq.) 126.250 MhZ (VHF Freq.) 337.300 MhZ. (UHF Freq.)
-------------	--

Sector 18 U/L

Frequencies	129.300 MhZ (VHF Freq.) 122.275 MhZ. (VHF Freq.) 135.575 MhZ (VHF Freq.)
-------------	--

- E.3 Specific Points for Transfer of Control and Transfer of Communications.**
Not Applicable.



Annex F
Radar Based Co-ordination Procedures

Effective 15.12.2007-00.01 UTC
Revised 30.03.2019-00.01 UTC

F.1 SSR Code Assignment.

F.1.1 Both ATS-units shall transfer aircraft on verified discrete SSR codes assigned in accordance with ORCAM.

F.1.2 Any change of SSR code by the accepting ATS-unit may only take place after the transfer of control point.

F.1.3 The accepting ATS-unit shall be notified of any observed irregularity in the operation of SSR transponders.

F.2 Radar Co-ordination Procedures.

F.2.1 General.

F.2.1.1 Description of radar vectoring procedures along common AoR boundary
Aircraft shall not be vectored closer than 5 (five) NM from the common AoR boundary.

F.2.2 Radar Separation.

F.2.2.1 The following radar separation shall be applied between successive aircraft on the same track, the same direction and the same flight level.

10 (ten) Nautical Miles (18.5 km)

F.2.2 Silent Transfer of Radar Control.
Not Applicable.

F.3 Reduced Longitudinal Separation
Not Applicable.



**Annex G
Supplementary Procedures**

Effective: 15.12.2007-00.01 UTC

G.1. Longitudinal Separation of Flights in case of radar failure.

Transfer of control will be performed between aircraft flying at the same cruising level on the same ATS route in the same direction, when the succeeding aircraft is not faster than the preceding aircraft with the minimum longitudinal separation of

- a) 10 (ten) minutes.

G.2 Longitudinal separation in case of flight with a VIP on board.

Transfer of control will be performed between aircraft with a VIP(Head of State, Prime Minister) on board and other aircraft flying in the same direction and at the same flight level with minimum time longitudinal separation of not less than 10 minutes.

Annex H
RECORD OF AMENDMENTS

Effective: **15.12.2007-00.01 UTC**
Revised: **15.03.2023-00.01 UTC**

Number	Date	Annex	Page №		
			modified	added	cancelled
1	15.07.2017	C	C2, C3, C4		
		D	D2		
		E	E1		
2	30.03.2019	C	C2, C3		
		E	E1, E2		
		F	F2		
3	15.03.2023	C	C3		

