

Annex B

Area of Common Interest

Effective: **02 March 2019** - 00:01 UTC

Revised: **06 August 2026** - 00:01 UTC

B.1 Airspace Structure and Classification within the Area of Common Interest.

Sofia ACC Area of Responsibility airspace is H24 Free Route Airspace between FL175- FL660.

FRA is not applied within the airspace of TMAs. Fixed route network is retained and available H24, but is not mandatory to be used within FRA limits. Airspace bellow FL175 is non-FRA airspace.

Ankara Area Control Center (ACC) Area of Responsibility airspace is designated Free Route Airspace (FRA) between FL305 and FL660 from 20:00 UTC to 02:00 UTC. Airspace bellow FL305 is non-FRA airspace. Fixed route network is retained and available H24, but is not mandatory to be used within FRA limits.

B.1.1 LBSR FIR

Area	Vertical limits	Airspace Classification
FIR SOFIA (LBSR)	10500 ft AMSL - FL660	C
As published in AIP ENR 2.1	GND – 10500 ft AMSL	G
LBSRSD AYTEK, ADORU	9500 ft – FL660	C
LBSRSD RILEX	10500 ft – FL660	C
LBSRSE VADEN	10500 ft – FL660	C
LBSRSF TUDBU	10500 ft – FL660	C
LBSRSG REZOV	10500 ft – FL660	C
LBSRVB ODERO, UDROS	10500 ft – FL660	C

LBSRVC IBLAL	10500 ft – FL660	C
LBSRVD MAKOL	5500 ft – FL660	C
LBSRVD RIXEN, ARTAT, NEGEM	10500 ft – FL660	C
FREE ROUTE AIRSPACE IN SOFIA CTA		
Encompasses the horizontal boundaries of SOFIA CTA in their full extent, as published in AIP BULGARIA, ENR 2.1	FL175 - FL660.	C

B.1.2 LTAA FIR/UIR.

Area	Vertical limits	Airspace Classification
UDROS M/UM859	FL195 – UNL	Not Applicable
ODERO L/UL746, L/UL621	FL195 – UNL	Not Applicable
NEGEM L/UL852	FL195 – 660	Not Applicable
ARTAT P/UP975, L/UL601	FL195 – 660	Not Applicable
VADEN W/UW 102 (SERCE-VADEN)	FL135 – FL660	Not Applicable
VADEN N/UN618 (SERCE-VADEN) L/UL610 (FENER-VADEN) L/UL615 (BKZ-VADEN)	FL195 – FL660	Not Applicable
VADEN A/UA16 (FENER-VADEN)	FL095 – FL660	Not Applicable
Area	Vertical limits	Airspace Classification
IBLAL P/UP777 (FENER-DIGBO-IBLAL)	4500 FT MSL – FL660	Not Applicable
REZOV T/UT226 (DIGBO-REZOV)	4500 FT MSL – FL660	Not Applicable


REZOV P/UP727 (FENER-REZOV)	4500 FT MSL – FL660	Not Applicable
MAKOL N/UN604 (BKZ-MAKOL) N/UN617 (BKZ-MAKOL)	FL195 – FL660	Not Applicable
MAKOL G/UG123 (BKZ-MAKOL)	FL105 – FL660	Not Applicable
MAKOL L/UL 619 (YASEN-MAKOL) L/UL 602 (TEVNI-MAKOL)	FL245 – FL660	Not Applicable
ADORU A/UA 4 (ADORU-TIRER) L/UL614 (ADORU-ENESU)	FL175 – FL660	Not Applicable
ADORU G/UG80 (ADORU-ATVEP)	FL075 – FL660	Not Applicable
ADORU L/UL606 (ADORU-ATVEP)	FL205 – FL660	Not Applicable
RIXEN N/UN616 (RIXEN-TETSA) L/UL620 (RIXEN-TETSA)	FL195 – FL660	Not Applicable
RIXEN G/UG1 (RIXEN-TETSA)	FL075 – FL660	Not Applicable
RIXEN A/UA17 (RIXEN-NAMAN) L/UL605 (RIXEN-NAMAN)	FL265 – FL660	Not Applicable
TUDBU Q26 (RIMBO-TUDBU) T264 (FENER-TUDBU) T268 (TOPLU-TUDBU)	4500FT-FL660	Not Applicable
RILEX L867 (RILEX-ENESU)	FL175 – FL660	Not Applicable
AYTEK P/UP127 T/UT391	10500 ft AMSL - FL660	Not Applicable
FREE ROUTE AIRSPACE		
Encompasses the horizontal boundaries of Ankara FIR and Istanbul FIR in their full extent, as published in AIP TÜRKİYE, ENR1.3, ENR 4.1 and ENR4.4	FL305 - FL660.	C

Note: Airspace classification has not been established in ANKARA FIR

Note2: Ankara and Istanbul FIRs between FL305 and FL660 are classified as "Class C Airspace" as specified in ICAO ANNEX 11, Chapter 2, Article 2.6

B.2 Sectorisation.**B.2.1 Sofia ACC sectorisation,****B.2.1.1 VARNA FAMILY Group Sectors**

VARNA FAMILY Group Sectors	Vertical Limits
VBT→ VARNA BRAVO TOP UDROS, ODERO	Flexible DL – FL660
VBU→ VARNA BRAVO UPPER UDROS, ODERO	Flexible DL – Flexible DL
VBM→ VARNA BRAVO MIDDLE UDROS, ODERO	Flexible DL – Flexible DL
VBL→ VARNA ACC BRAVO LOWER UDROS, ODERO	10500 ft AMSL – Flexible DL
VCT→ VARNA CHARLIE TOP IBLAL	Flexible DL – FL660
VCU→ VARNA CHARLIE UPPER IBLAL	Flexible DL – Flexible DL
VCM→ VARNA CHARLIE MIDDLE IBLAL	Flexible DL – Flexible DL
VCL→ VARNA CHARLIE LOWER IBLAL	10500 ft AMSL – Flexible DL
VDT→ VARNA DELTA TOP MAKOL, NEGEM, ARTAT, RIXEN	Flexible DL – FL660
VDU→ VARNA DELTA UPPER MAKOL, NEGEM, ARTAT, RIXEN	Flexible DL – Flexible DL

VDM→ VARNA DELTA MIDDLE MAKOL, NEGEM, ARTAT, RIXEN	Flexible DL – Flexible DL
VDL→ VARNA ACC DELTA LOWER MAKOL, NEGEM, ARTAT, RIXEN	10500 ft AMSL – Flexible DL

Note 1: DL's between UPPER - TOP sectors are flexible (315-395).

Note 2: DL's between MIDDLE - UPPER sectors are flexible (315-395).

Note 3: DL between LOWER-MIDDLE sectors is flexible (315 - 395)

Note 4: Flight information service in Class G airspace (GND-10500 ft AMSL) is provided from sunrise to sunset by SOFIA FIC. During the rest of the time service is provided by SOFIA ACC.

B.2.1.2 SOFIA FAMILY Group Sectors

SOFIA FAMILY Group Sectors	Vertical Limits
SDT→ SOFIA DELTA TOP RILEX, ADORU, AYTEK	Flexible DL – FL660
SDU→ SOFIA DELTA UPPER RILEX, ADORU, AYTEK	Flexible DL – Flexible DL
SDM→ SOFIA DELTA MIDDLE RILEX, ADORU, AYTEK	Flexible DL – Flexible DL
SDL→ SOFIA ACC DELTA LOWER RILEX, ADORU, AYTEK	10500 ft AMSL – Flexible DL
SET→ SOFIA ECHO TOP VADEN	Flexible DL – FL660
SEU→ SOFIA ECHO UPPER VADEN	Flexible DL – Flexible DL
SEM→ SOFIA ECHO MIDDLE VADEN	Flexible DL – Flexible DL

SEL→ SOFIA ECHO LOWER VADEN	10500 ft AMSL – Flexible DL
SFT→ SOFIA FOXTROT TOP TUDBU	Flexible DL – FL660
SFU→ SOFIA FOXTROT UPPER TUDBU	Flexible DL – Flexible DL
SFM→ SOFIA FOXTROT MIDDLE TUDBU	Flexible DL – Flexible DL
SFL→ SOFIA FOXTROT LOWER TUDBU	10500 ft AMSL – Flexible DL
SGT→ SOFIA GOLF TOP REZOV	Flexible DL – FL660
SGU→ SOFIA GOLF UPPER REZOV	Flexible DL – Flexible DL
SGM→ SOFIA GOLF MIDDLE REZOV	Flexible DL – Flexible DL
SGL→ SOFIA GOLF LOWER REZOV	10500 ft AMSL – Flexible DL

Note 1: DL's between UPPER - TOP sectors are flexible (315-395).

Note 2: DL's between MIDDLE - UPPER sectors are flexible (315-395).

Note 3: DL between LOWER-MIDDLE sectors is flexible (315 - 395)

Note 4: Flight information service in Class G airspace (GND-10500 ft AMSL) is provided from sunrise to sunset by SOFIA FIC. During the rest of the time service is provided by SOFIA ACC.

B.3 Special Areas within the Area of Common Interest.

B.3.1 Temporary Segregated Areas in Sofia FIR

B.3.1.1 LBD 305

GND – 10000m (32900ft) AMSL

42 25 30N 027 44 25E - 42 25 30N 027 46 55E - 42 17 00N 028 06 00E –
42 10 00N 028 13 20E - 42 10 00N 027 57 40E - 42 25 30N 027 44 25E

B.3.1.2 LBTRA 34A

GND - FL245

43 03 00N 025 53 00E --430301N 0261139E–
42 39 00N 026 59 00E - 42 10 00N 027 00 00E - 42 10 00N 026 16 00E –
42 21 00N 026 05 00E - 42 36 00N 025 51 00E - 42 40 00N 025 44 00E –
42 56 00N 025 53 00E - to point of origin

Planned hours specified in daily national AUP

B.3.1.3 LBTRA 2

FL245 - UNL

43 38 00N 025 02 00E -43 35 00N 025 49 00E -42 34 00N 027 38 00E –
42 16 00N 027 45 00E -42 14 00N 027 01 00E -42 34 00N 026 04 00E – to
point of origin

Planned hours specified in daily national AUP*


B.3.2 Temporary Segregated Areas in Istanbul FIR Not Applicable

B.3.3 Areas for Cross-Border Provision of ATS defined with other ATS Units within the ACI Not Applicable.

B.3.4 Other Areas. Not Applicable.

B.4 Non-published Co-ordination Points. Not Applicable

Appendix 1 of Annex B
Sectorisation
SOFIA ACC – sectors adjacent to ANKARA ACC



ELEMENTARY SECTOR MAP FOR ANKARA ACC ADJACENT TO SOFIA



Appendix 2 of Annex B Designated special areas

Not Applicable

Annex C
Exchange of Flight Data
(with automatic data exchange)

Effective: **02 March 2019 - 00:01 UTC**

Revised: **06 August 2026 - 00:01UTC**

C.1 General.

C.1.1 Basic Flight Plans.

Basic flight plan data should normally be available at both ATS-units.

C.1.2 Current Flight Plan Data.

Messages, including current flight plan data, shall be forwarded by the transferring ATS-unit to the accepting ATS-unit by telephone to the appropriate sector/position.

C.1.2.1 Automatic Data Exchange

ABI/ACT/PAC/MAC/REV/LAM/COF/ROF/HOP/TIM/SDM/MAS messages are exchanged between the two ATS Units in accordance with Appendix 1 to Annex C.

C.1.2.2 Verbal Estimates.

For condition that are not supported by the automatic data exchange, verbal estimates will be exchanged.

A verbal estimate shall be passed to the appropriate sector at the accepting ATS Unit at least **10 (ten) minutes** prior, but not earlier than **30 minutes** before the aircraft is estimated to pass the transfer of control point.

For **non-RVSM approved State aircraft** which will enter or is operating within the EUR RVSM airspace, a verbal estimate shall be passed to the appropriate sector/position at the accepting ATS unit at least **20 (twenty) minutes** before the aircraft is estimated to pass the transfer of control point.

Verbal estimate shall contain:

- a) The word "Estimate";
- b) Callsign;

Note: To indicate that the flight plan is available, the accepting ATS Unit should state aircraft type and destination after having received the callsign.

- c) SSR code:

Note: Normally, the notification of a SSR code indicates that the selection of that code by the aircraft was verified.

- d) ETO for the appropriate COP as laid in Annex D to this LoA;
- e) Cleared flight level, specifying climb or descent conditions if applicable, at the transfer of control point;
Requested flight level if different from cleared flight level;
- f) Other information, if applicable.

Note: The aircraft only UHF equipped shall be passed to the appropriate sector/position at the accepting ATS - unit at least 30 (thirty) minutes before the aircraft is estimated to pass the COP.

Within the context of RVSM other information should include the following:

- For a non RVSM approved aircraft, the transferring Centre shall supplement the verbal estimate to the accepting ATS Unit, using the phrase "NEGATIVE RVSM" or „NEGATIVE RVSM STATE AIRCRAFT", as applicable.
- When an RVSM approved aircraft is unable to continue to meet the vertical navigation accuracy required to operate within the EUR RVSM airspace, the transferring Centre shall inform the accepting ATS Unit of that information by verbally supplementing the associated coordination message(s), using the term "UNABLE RVSM DUE EQUIPMENT" or "UNABLE RVSM DUE TURBULENCE", as applicable.
- When an aircraft is experiencing an in-flight contingency which impacts on RVSM operations, the transferring ATS Unit shall verbally supplement associated coordination message(s) to the accepting Centre with a description of the cause of the contingency (e.g. communications failure).

Normally verbal estimates will not be passed in parallel with ACT messages. Expedite Clearance and Approval Requests shall be verbally co-ordinated.

In all cases verbally passed data shall take precedence over data exchange automatically.

C.1.2.3 Failure of Automatic Data Exchange.

In the event of a failure which prevents the automatic transfer of data, the Supervisors shall immediately decide to revert to the verbal exchange of estimates.

After recovery from a system failure, the Supervisors shall agree as to when they will revert to automatic data exchange.

C.1.3 Non-availability of Basic Flight Plan Data.

If the accepting ATS Unit does not have basic flight plan data available, additional information may be requested from the transferring ATS Unit to supplement the ACT message or a verbal estimate.

Such additional information should include:

Within the context of RVSM, such additional information should include:

- a) the RVSM approval status of the aircraft;
- b) whether or not a non-RVSM approved aircraft is a State aircraft.

C.1.4 Revisions.

Any significant revisions to the flight data are to be transmitted to the accepting ATS-unit.

- a) When an RVSM approved aircraft is unable to continue to meet the vertical navigation accuracy required to operate within the EUR RVSM airspace, the transferring ATS Unit shall inform the accepting Centre of that information by verbally supplementing the associated coordination message(s), using the term "UNABLE RVSM DUE EQUIPMENT" or "UNABLE RVSM DUE TURBULENCE", as applicable.
- b) When an aircraft is experiencing an in-flight contingency which impacts on RVSM operations, the transferring ATS Unit shall verbally supplement associated coordination message(s) to the accepting Centre with a description of the cause of the contingency (e.g. communications failure)

Time differences of **3 (three) minutes** or more are to be exchanged.

Changes of co-ordinated flight levels when ETO for the transfer of control point is less than the specified times for REV message in Appendix 1 to Annex C, are subject to an Approval Request.

C.1.4.1 Automatic Revisions.

See Appendix 1 to Annex C

C.1.4.2 Verbal Revisions.

A verbal revision shall contain:

- a) The word "Revision" followed by referring COP and Flight Level;
- b) Callsign;
- c) Revision made;
- d) Other information, if applicable

C.1.5 Expedite Clearance and Approval Request.

Whenever the minimum time for verbal estimate of **10 (ten) minutes**, or those prescribed in Appendix 1 to Annex C for ACT messages, cannot be met, either an Expedite Clearance Request or an Approval Request, as appropriate, shall be initiated.

C.2 Means of Communications and their Use.

C.2.1 Equipment.

The following lines are available between Sofia ACC and Ankara ACC.

<i>Line Type</i>	<i>Amount</i>	<i>Additional Information</i>
Data Line	1	OLDI
Telephone Lines	1	MFC
VSAT lines	1	-



C.2.2 Verbal Co-ordination.

All telephone communications should be terminated with the initials of both parties concerned.

When merging/splitting ACC control sectors/positions appropriate ATS Unit is responsible for radio and telephone communication on closed sectors/positions.

Remark: all sectors/frequencies/positions data is exchanged with Sofia FDA.

Exchange of flight plan data, estimates and control messages by telephone shall be carried out in accordance with the tables below:



C.2.2.1 From Sofia ACC to Ankara ACC.

Receiving Sector/COP's	Message	Position	Extension
SECTOR 01 LOWER RILEX	Radar Co-ordination	EC	373896
	Control Messages, Expedite Clearances, Approval Requests, Revisions	PC	373899
SECTOR 01 UPPER RILEX	Radar Co-ordination	EC	373839
	Control Messages, Expedite Clearances, Approval Requests, Revisions	PC	373840
SECTOR 21 LOWER AYTEK/ADORU	Radar Co-ordination	EC	373824
	Control Messages, Expedite Clearances, Approval Requests, Revisions	PC	373825
SECTOR 21 UPPER AYTEK/ADORU	Radar Co-ordination	EC	373813
	Control Messages, Expedite Clearances, Approval Requests, Revisions	PC	373814
SECTOR 03 LOWER RIXEN	Radar Co-ordination	EC	373911
	Control Messages, Expedite Clearances, Approval Requests, Revisions	PC	373910
SECTOR 03 UPPER RIXEN	Radar Co-ordination	EC	373842
	Control Messages, Expedite Clearances, Approval Requests, Revisions	PC	373841
SECTOR 12 LOWER UDROS-ARTAT	Radar Co-ordination	EC	373867
	Control Messages, Expedite Clearances, Approval Requests, Revisions	PC	373868
SECTOR 12 MIDDLE UDROS- ARTAT *SECTOR 12 UPPER UDROS- ARTAT	Radar Co-ordination Control Messages, Expedite Clearances, Approval Requests, Revisions	EC	373894

SOFIA ACC

ANKARA ACC

	Radar Co-ordination Control Messages, Expedite Clearances, Approval Requests, Revisions	EC	373895
*SECTOR 13 LOWER UDROS- ARTAT	Radar Co-ordination	EC	373907
	Control Messages, Expedite Clearances, Approval Requests, Revisions	PC	373906
*SECTOR 13 MIDDLE UDROS- ARTAT	Radar Co-ordination Control Messages, Expedite Clearances, Approval Requests, Revisions	EC	373865
*SECTOR 13 UPPER UDROS- ARTAT	Radar Co-ordination Control Messages, Expedite Clearances, Approval Requests, Revisions	EC	373866
FDA ACC SUPERVISOR	Flight Plan Data and Estimates	FDA	373912
	Other Co-ordination	SUPV	373812
ACC FMP	Other Co-ordination	FMP	373901
ANKARA FIC	VFR Flight Plan data and other coordination	FIC	373816

**Sector 13 MFCs can be used when unable to reach Sector 12 MFCs.*

Note: Division Flight Level is flexible

All traffic from Sofia ACC with exit flight level (XFL) below FL245 should be transferred to Yeşilköy APP (except COP ODERO). For other traffic above FL245 LoA between Sofia and Ankara ACC applies.

Flights over all COPs at FL250 or above shall be coordinated and transferred between Sofia ACC and Ankara ACC.

C.2.2.2 From Ankara ACC to Sofia ACC.

Receiving Sector/COP's	Message	Position	Extension
LBSRVBL (Varna Bravo Lower) UDROS/ODERO	Radar Co-ordination	EC	375527
	Control Messages Revisions and other coordination Requests	PC	375528
LBSRVBM (Varna Bravo Middle) UDROS/ODERO	Radar Co-ordination	EC	375506
	Control Messages Revisions and other coordination Requests	PC	375513
LBSRVBU (Varna Bravo Upper) UDROS/ODERO	Radar Co-ordination	EC	375525
	Control Messages Revisions and other coordination Requests	PC	375526
LBSRVBT (Varna Bravo Top) UDROS/ODERO	Radar Co-ordination	EC	375625
	Control Messages Revisions and other coordination Requests	PC	375624
LBSRVDL (Varna Delta Lower) MAKOL/ /NEGEM/ARTAT /RIXEN	Radar Co-ordination	EC	375536
	Control Messages Revisions and other coordination Requests	PC	375535
LBSRVDM (Varna Delta Middle) MAKOL/ /NEGEM/ARTAT /RIXEN	Radar Co-ordination	EC	375540
	Control Messages Revisions and other coordination Requests	PC	375539
LBSRVDU (Varna Delta Upper) MAKOL/ /NEGEM/ARTAT /RIXEN	Radar Co-ordination	EC	375508
	Radar Coordination Control Messages, Expedite Clearances, Approval Requests	PC	375507
LBSRVDT (Varna Delta Top) MAKOL/ /NEGEM/ARTAT /RIXEN	Radar Co-ordination	EC	375629
	Radar Coordination Control Messages, Expedite Clearances, Approval Requests	PC	375628
LBSRVCL (Varna Charlie Lower) IBLAL	Radar Co-ordination	EC	375559
	Control Messages Revisions and other coordination Requests	PC	375560
LBSRVCM (Varna Charlie Middle) IBLAL	Radar Co-ordination	EC	375557
	Control Messages Revisions and other coordination Requests	PC	375558

SOFIA ACC

ANKARA ACC

LBSRVCU (Varna Charlie Upper) IBLAL	Radar Co-ordination	EC	375509
	Radar Coordination Control Messages, Expedite Clearances, Approval Requests	PC	375510
LBSRVCT (Varna Charlie Top) IBLAL	Radar Co-ordination	EC	375627
	Radar Coordination Control Messages, Expedite Clearances, Approval Requests	PC	375626
LBSRSDL (Sofia Delta Lower) RILEX, ADORU, AYTEK	Radar Coordination	EC	375547
	Control Messages, Expedite Clearances, Approval Requests	PC	375548
LBSRSDM (Sofia Delta Middle) RILEX, ADORU, AYTEK	Radar Coordination	EC	375587
	Control Messages, Expedite Clearances, Approval Requests	PC	375584
LBSRSDU (Sofia Delta Upper) RILEX, ADORU, AYTEK	Radar Coordination	EC	375549
	Control Messages, Expedite Clearances, Approval Requests	PC	375550
LBSRSDT (Sofia Delta Top) RILEX, ADORU, AYTEK	Radar Coordination	EC	375669
	Control Messages, Expedite Clearances, Approval Requests	PC	375668
LBSRSEL (Sofia Echo Lower) VADEN	Radar Coordination	EC	375567
	Control Messages, Expedite Clearances, Approval Requests	PC	375564
LBSRSEM (Sofia Echo Middle) VADEN	Radar Coordination	EC	375598
	Control Messages, Expedite Clearances, Approval Requests	PC	375597
LBSRSEU (Sofia Echo Upper) VADEN	Radar Coordination	EC	375580
	Control Messages, Expedite Clearances, Approval Requests	PC	375579
LBSRSET (Sofia Echo Top) VADEN	Radar Coordination	EC	375673
	Control Messages, Expedite Clearances, Approval Requests	PC	375672

SOFIA ACC

ANKARA ACC

LBSRSFL (Sofia Foxtrot Lower) TUDBU	Radar Coordination	EC	375585
	Control Messages, Expedite Clearances, Approval Requests	PC	375583
LBSRSFM (Sofia Foxtrot Middle) TUDBU	Radar Coordination	EC	375591
	Control Messages, Expedite Clearances, Approval Requests	PC	375589
LBSRSFU (Sofia Foxtrot Upper) TUDBU	Radar Coordination	EC	375677
	Control Messages, Expedite Clearances, Approval Requests	PC	375676
LBSRSGL (Sofia Golf Lower) REZOV	Radar Coordination	EC	375601
	Control Messages, Expedite Clearances, Approval Requests	PC	375600
LBSRSGM (Sofia Golf Middle) REZOV	Radar Coordination	EC	375603
	Control Messages, Expedite Clearances, Approval Requests	PC	375602
LBSRSGU (Sofia Golf Upper) REZOV	Radar Coordination	EC	375605
	Control Messages, Expedite Clearances, Approval Requests	PC	375604
LBSRSGT (Sofia Golf Top Upper) REZOV	Radar Coordination	EC	375607
	Control Messages, Expedite Clearances, Approval Requests	PC	375606
Sofia FDA	Flight Plan Data, Estimates, Sectors and frequency changes	AC	375565
SOFIA ACC SUPERVISOR	Other Co-ordination	SUPV	375500
SOFIA FIC	VFR Flight Plan Data and other co-ordination	FISO	375553
SOFIA ACC FLOW MANAGEMENT	Other Co-ordination	FMP	375556

Note: DL between lower – upper sectors is flexible.

Flights over all COPs at FL245 (included) or below will be coordinated and transferred between Sofia ACC and Yeşilköy APP. Flights over all COPs FL250 or above shall be coordinated and transferred between Sofia ACC and Ankara ACC.

C.3 Failure of Ground/Ground Voice Communications.

C.3.1 Fall-Back Procedures for Co-ordination.

In case of failure of the direct speech line between the co-ordinating partners, co-ordination may be affected via:

a) VSAT communication according to the following table:

Originating WP	Destination WP	VSAT dial strings
SOFIA FDA	ANKARA FDA	44 60 20 11
ANKARA FDA	SOFIA FDA	44 20 60 11

b) AFTN

Ankara ACC:

ACC Supervisor

LTAZRZX

Sofia ACC:

ACC Supervisor

LBSRZIX

c) Other means (public telephone, etc.)

Ankara ACC:

ACC Supervisor

Tel: 0090-312-5905500

Tel: 0090-312-5905510

Fax: 0090-312-8271061

Voip: 759061/ 5500-5510

FMP

Tel: 0090-312-5905550/51

Fax: 0090-312-8271061

Sofia ACC:

ACC Supervisor

Tel: +359-2-937-4211

Tel: +359-2-937-4222

Tel: +359-2-937-4244

FMP

Tel: +359-2-937-1280

AMC

Fax: +359-2-945-9180

Tel: +359-2-937-1181

Tel: +359-2-937-1184

C.3.2 Alternate Fall-Back Procedures for Co-ordination.

In case of communications failure where the alternatives described in para C.3.1 are not available or practicable, pilots shall be instructed, at least **10 (ten) minutes** prior to the transfer of control point, to pass flight data on the appropriate frequency of the accepting ATS-unit for the purpose of obtaining an ATC entry clearance from the accepting ATS-unit. If the accepting ATS unit cannot issue an entry clearance to the pilot upon his initial contact, the pilot shall be instructed to inform the transferring ATS-unit accordingly via RTF. The transferring ATS-unit shall hold the aircraft within its AoR and after a minimum of **10 (ten) minutes** instruct the pilot to re-establish RTF contact with the accepting ATS-unit. This procedure shall be repeated until an onward clearance has been obtained from the accepting ATS-unit.

Appendix 1 to Annex C
Automatic Data Exchange

ABI/ACT/PAC/MAC/REV/LAM/COF/ROF/HOP/TIM/SDM/MAS messages are exchanged between ATS Units in accordance with the tables below:

Messages	COPs	Time and/or Distance Parameters/Manual events	
		Messages from ANKARA ACC to SOFIA ACC	Messages from SOFIA ACC to ANKARA ACC
ABI	UDROS, ODERO, VADEN, ADORU, IBLAL, REZOV, MAKOL, RIXEN, TUDBU, RILEX, AYTEK, ARTAT, NEGEM	Not earlier than 30 min ¹ Not later than 11 min ¹	Not earlier than 30 min ¹ Not later than 14 min ¹
ACT	UDROS, ODERO, VADEN, ADORU, IBLAL, REZOV, MAKOL, RIXEN, TUDBU, RILEX, AYTEK, ARTAT, NEGEM	10 minutes ²	13 minutes ²
REV	UDROS, ODERO, ADORU, RIXEN, RILEX, AYTEK, ARTAT, NEGEM	Not later than 5 min ²	Not later than 5 min ²
	VADEN, MAKOL, IBLAL REZOV, TUDBU	Not later than 2 min ²	

Messages	COPs	Time and/or Distance Parameters/Manual events	
		Messages from ANKARA ACC to SOFIA ACC	Messages from SOFIA ACC to ANKARA ACC
PAC	UDROS, ODERO, VADEN, ADORU, TUDBU, IBLAL, MAKOL, RIXEN, TUDBU, RILEX, AYTEK, ARTAT, NEGEM, REZOV	Nor earlier then 8 min Not later than 5 min	Nor earlier then 13 min Not later than 5 min
MAC	UDROS, ODERO, VADEN, ADORU, IBLAL, MAKOL, RIXEN, TUDBU, RILEX, AYTEK, ARTAT, NEGEM, REZOV	Not limited	Not limited
LAM	UDROS, ODERO, VADEN, ADORU, IBLAL, MAKOL, RIXEN, TUDBU, RILEX, AYTEK, ARTAT, NEGEM, REZOV	1 minute timeout	1 minute timeout
ROF	UDROS, ODERO, VADEN, ADORU, IBLAL, MAKOL, RIXEN, TUDBU, RILEX, AYTEK, ARTAT, NEGEM, REZOV	Manual ROF input	Manual ROF input
COF	UDROS, ODERO, VADEN, ADORU, IBLAL, MAKOL, RIXEN, TUDBU, RILEX, AYTEK, ARTAT, NEGEM, REZOV	Manual Transfer input	Manual Transfer input
HOP	UDROS, ODERO, VADEN, ADORU, IBLAL, MAKOL, RIXEN, TUDBU, RILEX, AYTEK, ARTAT, NEGEM, REZOV	Manual Transfer input	Manual Transfer input
MAS	UDROS, ODERO, VADEN, ADORU, IBLAL, MAKOL, RIXEN, TUDBU, RILEX, AYTEK, ARTAT, NEGEM, REZOV	Manual Assume input	Manual Assume input

Messages	COPs	Time and/or Distance Parameters/Manual events	
		Messages from ANKARA ACC to SOFIA ACC	Messages from SOFIA ACC to ANKARA ACC
TIM	UDROS, ODERO, VADEN, ADORU, IBLAL, MAKOL, RIXEN, TUDBU, RILEX, AYTEK, ARTAT, NEGEM, REZOV	3 minutes	3 minutes
SDM	UDROS, ODERO, VADEN, ADORU, IBLAL, MAKOL, RIXEN, TUDBU, RILEX, AYTEK, ARTAT, NEGEM, REZOV	Automatic reply on reception of TIM message	Automatic reply on reception of TIM message

Note 1: Another ABI message is sent in case of COP change.

Note 2: REV message is not sent in case of COP change when ACT message was already transmitted. In this case a verbal revision shall be made (see C1.4.).

Annex E

Transfer of Control and Transfer of Communications

Effective: 07 March 2016 - 00:01 UTC

Revised: 06 August 2026 - 00:01 UTC

E.1 Transfer of Control.

The transfer of control takes place at the AoR-boundary, unless otherwise specified in para E.3.

E.2 Transfer of Communications.

The transfer of communications shall take place not later than the transfer of control and as specified in para E.3, unless otherwise co-ordinated. Traffic with destination LTFM should be transferred to Yesilkoy APP/Ankara ACC at least 1 min prior COPs. Traffic above FL 245 over the COPs shall be transferred to Ankara ACC irrespective of cleared level.

Frequencies:

Sofia ACC:

<i>Sector</i>	<i>Frequencies</i>	<i>Alternate</i>
<i>SOFIA DELTA* LOWER SECTOR</i>	129.100 MHz (25 kHz)	129.100 MHz (25 kHz) 130.155 MHz (8.33 kHz) 135.025 MHz (25 kHz) 125.575 MHz (25 kHz) 127.955 MHz (8.33 kHz) 135.685 MHz (8.33 kHz)
<i>SOFIA DELTA* MIDDLE SECTOR</i>	127.955 MHz (8.33 kHz)	
<i>SOFIA DELTA* UPPER SECTOR</i>	130.155 MHz (8.33 kHz)	
<i>SOFIA DELTA* TOP SECTOR</i>	133.165 MHz (8.33 kHz)	
<i>SOFIA FOXTROT LOWER SECTOR</i>	127.955 MHz (8.33 kHz)	125.575 MHz (25 kHz) 129.100 MHz (25 kHz) 130.155 MHz (8.33 kHz) 135.025 MHz (25 kHz) 135.685 MHz (8.33 kHz)
<i>SOFIA FOXTROT MIDDLE SECTOR</i>	127.955 MHz (8.33 kHz)	
<i>SOFIA FOXTROT UPPER SECTOR</i>	127.955 MHz (8.33 kHz)	

<i>SOFIA FOXTROT TOP SECTOR</i>	127.955 MHz (8.33 kHz)	
<i>SOFIA GOLF LOWER SECTOR</i>	127.955 MHz (8.33 kHz)	
<i>SOFIA GOLF MIDDLE SECTOR</i>	127.955 MHz (8.33 kHz)	125.575 MHz (25 kHz) 129.100 MHz (25 kHz) 130.155 MHz (8.33 kHz)
<i>SOFIA GOLF UPPER SECTOR</i>	127.955 MHz (8.33 kHz)	135.025 MHz (25 kHz) 135.685 MHz (8.33 kHz)
<i>SOFIA GOLF TOP SECTOR</i>	127.955 MHz (8.33 kHz)	
<i>VARNA BRAVO LOWER SECTOR</i>	132.255 MHz (25 kHz)	
<i>VARNA BRAVO MIDDLE SECTOR</i>	132.255 MHz (25 kHz)	124.155 MHz (8.33 kHz) 128.055 MHz (8.33 kHz) 132.830 MHz (8.33 kHz)
<i>VARNA BRAVO UPPER SECTOR</i>	132.255 MHz (25 kHz)	133.130 MHz (25 kHz) 134.700 MHz (25 kHz) 136.325 MHz (25 kHz)
<i>VARNA BRAVO TOP SECTOR</i>	132.255 MHz (25 kHz)	
<i>VARNA ALPHA LOWER SECTOR**</i>	134.700 MHz (25 kHz)	124.155 MHz (8.33 kHz) 128.055 MHz (8.33 kHz) 132.255 MHz (8.33 kHz) 134.700 MHz (25 kHz)
<i>VARNA ALPHA MIDDLE SECTOR**</i>	133.130 MHz (8.33 kHz)	132.830 MHz (8.33 kHz) 133.130 MHz (8.33 kHz) 136.325 MHz (25 kHz)
<i>VARNA ALPHA UPPER SECTOR**</i>	128.055 MHz (8.33 kHz)	
<i>VARNA ALPHA TOP SECTOR**</i>	124.155 MHz (8.33 kHz)	

<i>VARNA DELTA LOWER SECTOR</i>	132.830 MHz (8.33 kHz)	124.155 MHz (8.33 kHz) 128.055 MHz (8.33 kHz) 132.255 MHz (8.33 kHz) 132.830 MHz (8.33 kHz) 133.130 MHz (8.33 kHz) 134.700 MHz (25 kHz) 136.325 MHz (25 kHz)
<i>VARNA DELTA MIDDLE SECTOR</i>	133.130 MHz (8.33 kHz)	
<i>VARNA DELTA UPPER SECTOR</i>	124.155 MHz (8.33 kHz)	
<i>VARNA DELTA TOP SECTOR</i>	132.830 MHz (8.33 kHz)	

Note 1: DL's between UPPER - TOP sectors are flexible (315-395).
DL's between MIDDLE - UPPER sectors are flexible (315-395).
DL between LOWER-MIDDLE sectors is flexible (315 - 395)

Note 2: For state aircraft unable to use the above mentioned frequencies the following UHF frequencies are available: Sofia Sectors - 296,300 MHz
Varna Sectors - 247,875 MHz
Military - 296.300 MHz;
Emergency frequency: 243.00 MHz
Transfer of non 8.33 equipped state aircraft to Sofia ACC shall be subject to prior coordination.
Emergency frequency - 121.500 MHz.

Note 3: Flight information and alerting services in Class G airspace within Sofia FIR is provided by FIC Sofia on frequency 130,6 MHz or Sofia ACC. Working hours of FIC Sofia are from Sunrise till Sunset.

Note 4: * - Depending on traffic, point VADEN is controlled by Sofia Delta or Sofia Foxtrot sector stack.

Note 5: ** - Depending on the traffic flow, point **IBLAL** can be controlled by VARNA ALPHA or VARNA DELTA sector stacks.

Ankara ACC:

<i>Sector</i>	<i>Frequencies</i>	<i>Alternate</i>
<i>SECTOR 12 LOWER</i>	133.550 MHz	124.125 Mhz 128.450 Mhz 130.825 Mhz 135.225 Mhz 285.150 Mhz 259.925 Mhz
<i>SECTOR 12 MIDDLE</i>	126.250 MHz	
<i>SECTOR 12 UPPER</i>	128.650 MHz	
<i>SECTOR 1 LOWER</i>	132.400 MHz	135.400 Mhz 136.600 Mhz 264.700 Mhz
<i>SECTOR 1 UPPER</i>	132.150 MHz	
<i>SECTOR 3 LOWER</i>	119.300 MHz	
<i>SECTOR 3 UPPER</i>	132.600 MHz	
<i>SECTOR 21 LOWER</i>	127.825 MHz	
<i>SECTOR 21 UPPER</i>	122.675 MHz	

Note: All sectors are equipped with frequencies 243.00 MHz and 121.500 MHz Emergency
FREQ. UHF are available 278.8 and 362.30 MHz.

E.3 Specific Points for Transfer of Control and Transfer of Communications.

Not Applicable.

Annex G Supplementary Procedures

Effective: **02 March 2019** - 00:01 UTC

Revised: **06 August 2026 - 00:01 UTC**

G.1. Longitudinal Separation of Flights in case of radar failure.

Transfer of control will be performed between aircraft flying at the same cruising level on the same ATS route in the same direction, when the succeeding aircraft is not faster than the preceding aircraft with the minimum longitudinal separation of :

- a) 10 (ten) minutes; or
- b) **5 (five) minutes**, provided that in each case the preceding aircraft is maintaining a true airspeed of **20 kt (37km/h)** or more than the succeeding aircraft

G.2 Contingency Procedures for ATCC Sofia

ATS provision by Air traffic control centre (ATCC) Sofia in contingency situation is structured in the following phases. Sofia ATCC shift supervisor will keep informed Ankara ATCC shift supervisor about the applied phases of the procedures.

No	OPERATOR POSITIONS	ATS (MFC-R2) number
1	LBSRSCA - Sofia Contingency Sector Alpha – Executive	375724
2	LBSRSCA - Sofia Contingency Sector Alpha – Planner	375723
3	LBSRSCB - Sofia Contingency Sector Bravo – Executive	375726
4	LBSRSCB - Sofia Contingency Sector Bravo- Planner	375725
5	LBSRSCC - Sofia Contingency Sector Charlie – Executive	
6	LBSRSCC - Sofia Contingency Sector Charlie – Planner	
7	LBSRVCA - Varna Contingency Sector Alpha- Executive	375722
8	LBSRVCA - Varna Contingency Sector Alpha- Planner	375721
9	LBSRVCB - Varna Contingency Sector Bravo - Executive	375715
10	LBSRVCB - Varna Contingency Sector Bravo - Planner	375760
11	VARNA TOWER	375701
12	VARNA APPROACH - Executive	375712
13	VARNA APPROACH - Planner	375711
14	FLIGHT DATA Assistant (FDA-1)	375751
15	FLIGHT DATA Assistant (FDA-2)	375752
16	PLANNING (PLAN)	375753
17	SUPERVISOR (SUPV)	375700
18	TECHNICIAN COMMUNICATIONS (TECH)	375799

G.2.1 Transition Period

G.2.1.1 Sofia ATCC shift supervisor will organize the publication of a NOTAM message with the applicable text, detailing the contingency situation.

G.2.1.2 Sofia ATCC shift supervisor may initiate an early transfer of control to downstream unaffected en-route sectors-units depending on the severity of the contingency situation.

G.2.1.3 Sofia ATCC shift supervisor may initiate an early transfer of control to downstream unaffected Approach (APP) and Control Tower (TWR) units for traffic arriving in Sofia FIR and adjacent areas depending on the severity of the contingency situation.

G.2.1.4 Sofia ATCC shift supervisor may require the implementation of contingency Flight Level Allocation Scheme. Details will be provided by waypoints on tactical basis.

G.2.2 Active Implementation

G.2.2.1 Sofia ATCC shift supervisor will provide information for the sectorisation capabilities of Sofia ATCC during that phase and available capacity.

G.2.3 ATS Provision Recovery,


G.2.3.1 Sofia ATCC shift supervisor will inform adjacent units for full ATC provision recovery.

G.3 Contingency Procedures for Ankara ACC

ATS provision by Yeşilköy APP in contingency situation is structured in the following phases. İstanbul APP shift supervisor will keep informed Sofia ATCC shift supervisor about the applied phases of the procedures.

No	OPERATOR POSITIONS	ATS (MFC-R2) number
1	İstanbul Contingency Position Sector2 Lower Executive	373277
2	İstanbul Contingency Position Sector2 Lower Planner	373278
3	İstanbul Contingency Position Sector2 Upper Executive	373279
4	İstanbul Contingency Position Sector2 Upper Planner	373280
5	İstanbul Contingency Position Sector1 Lower Executive	373275

6	İstanbul Contingency Position Sector1 Lower Planner	373276
7	İstanbul Contingency Position Sector1 Upper Executive	373266
8	İstanbul Contingency Position Sector1 Upper Planner	373267
9	İstanbul Contingency Position Sector21 Lower Executive	373911
10	İstanbul Contingency Position Sector21 Lower Planner	373910
11	İstanbul Contingency Position Sector21 Upper Executive	373905
12	İstanbul Contingency Position Sector21 Upper Planner	373904



Annex H Checklist of Pages

Effective: **02 March 2019** - 00:01 UTCRevised: **06 August 2026** - 00:01 UTC

Page	Date	Page	Date	Page	Date	Page	Date
1	29.03.2024	B9	06.08.2026	D3	17.04.2025		
2	29.03.2024	B10	14.05.2026	D4	14.05.2026		
3	29.03.2024	C1	06.08.2026	D5	14.05.2026		
4	29.03.2024	C2	18.05.2023	D6	14.05.2026		
A1	18.05.2023	C3	18.05.2023	D7	17.04.2025		
A2	18.05.2023	C4	29.03.2024	E1	06.08.2026		
A3	18.05.2023	C5	06.08.2026	E2	14.05.2026		
A4	20.05.2024	C6	14.05.2026	E3	14.05.2026		
A5	20.05.2024	C7	14.05.2026	E4	06.08.2026		
B1	06.08.2026	C8	14.05.2026	F1	14.05.2026		
B2	14.05.2026	C9	14.05.2026	F2	17.04.2025		
B3	14.05.2026	C10	18.05.2023	F3	14.05.2026		
B4	14.05.2026	C11	14.05.2026	F2	17.04.2025		
B5	17.04.2025	C12	14.05.2026	G1	06.08.2026		
B6	14.05.2026	C13	14.05.2026	G2	02.03.2019		
B7	17.04.2025	D1	14.05.2026	G3	06.08.2026		
B8	14.05.2026	D2	14.05.2026	H1	06.08.2026		