

MaiAgent User Guide

Table of Contents

1. Registration & Login

- 1.1 Apply for an Account
- 1.2 How to Log In to the Platform
- 1.3 Forgot Password

2. MaiGPT Overview

- 2.1 What is MaiGPT?
- 2.2 AI Chat
- 2.3 Canvas
- 2.4 Deep Research
- 2.5 AI Image Generation
- 2.6 Connectors
- 2.7 Using on Different Devices
- 2.8 Web Version
- 2.9 iOS App
- 2.10 Using on LINE
- 2.11 Using on Microsoft Teams
- 2.12 FAQ
- 2.13 Usage & Quotas
- 2.14 How to Choose Between Models
- 2.15 Security & Privacy

3. Agent Builder Overview

- 3.1 What is Agent Builder?
- 3.2 Agent (AI Assistant)
- 3.3 Knowledge Base
- 3.4 Database
- 3.5 Agent Schedule
- 3.6 How to Set Up Agent Schedule
- 3.7 Tools
- 3.8 Code Interpreter
- 3.9 Browser Tool
- 3.10 Voice Agent
- 3.11 Skills
- 3.12 Crawler

3.13 I Want to Do X, What Should I Use?

4. AI Assistant

- 4.1 AI Assistant Features
- 4.2 Create an AI Assistant
- 4.3 Role Prompt Design Guide
- 4.4 Add a Role Prompt to an AI Assistant
- 4.5 Multi-Language Support
- 4.6 AI Customer Service Quality Management
- 4.7 Custom Maximum Output Tokens

5. Knowledge Base

- 5.1 Knowledge Base Overview
- 5.2 How to Create a Knowledge Base: Basic Settings
- 5.3 How to Use the Crawler (Web Scraping) Feature
- 5.4 How to Create FAQ
- 5.5 Document Management: Tags & Metadata
- 5.6 PDF Document Translation
- 5.7 Search Testing

6. Database

- 6.1 Text to SQL Feature
- 6.2 Create & Configure a Database
- 6.3 Text to SQL with MaiAgent Database
- 6.4 Link AI Assistants & Group Permissions

7. Tools

- 7.1 Tools Feature Overview
- 7.2 Create an MCP Tool
- 7.3 Contacts MCP Credential Setup
- 7.4 Create an API Tool
- 7.5 Built-in AI Image Generation Tool
- 7.6 Gemini 3 Image Generation Tool
- 7.7 Text to SQL with Supabase
- 7.8 Configure Tools for an AI Assistant
- 7.9 Agent UI

8. Skills

- 8.1 Skills Feature Overview
- 8.2 Skills Management

9. Agent Teams

- 9.1 What is Agent Teams?
- 9.2 Create and orchestrate teams

9.3 Team execution traces

10. AgentOps

10.1 AgentOps Overview

10.2 Test Dataset Management

10.3 Automated Evaluation & AI Assistant Monitoring

10.4 Evaluation Insights Report

10.5 Tool Execution Records

11. Hook Message Interception

11.1 Hook Message Interception

11.2 Create and Configure Hooks

11.3 Hook Execution Logs

12. Meeting Records

12.1 Meeting Records Feature Overview

12.2 Create a Meeting Record

12.3 Live Meeting Transcription

12.4 Offline Meeting Transcription

12.5 Meeting Record Details

12.6 AI Meeting Summary & Q&A

12.7 Download & Knowledge Base Integration

13. Customer Service Conversations & Platform Integration

13.1 Choose an Integration Platform

13.2 Internal Q&A Features

13.3 Web Chat Overview

13.4 Integrate with Platform: Website

13.5 Citation Source Display

13.6 Markdown Rendering

13.7 Integrate with Platform: LINE

13.8 Integrate with Platform: FB Messenger

13.9 Integrate with Platform: Telegram

13.10 Integrate with Platform: Microsoft Teams

13.11 Integrate with Platform: WhatsApp

13.12 Integrate with Platform: Email

13.13 Integrate with Platform: Slack

13.14 All Conversations Features

13.15 Conversation Viewer

13.16 Inbox Search

13.17 Inbox Timezone Settings

13.18 Conversation Platform Analytics

13.19 Webhook

14. Organization Settings

- 14.1 Organization & Member Management
- 14.2 Organization Management
- 14.3 Delete Organization
- 14.4 Credits Billing System
- 14.5 Member Credits Quota Management
- 14.6 Role Permission Management
- 14.7 Member Management
- 14.8 Contacts
- 14.9 Differences Between Roles and Contacts
- 14.10 Role Member Filtering
- 14.11 Role Resource Access Permissions
- 14.12 Knowledge Management Permissions: Query Metadata
- 14.13 Getting Started - Using the Query Builder
- 14.14 Third-Party Login (SSO)
- 14.15 SAML Integration
- 14.16 EIP Integration
- 14.17 Keycloak Integration
- 14.18 Identity Sync (LDAP)
- 14.19 Usage Analytics
- 14.20 Profile: Custom Attributes

15. Developer Tools

- 15.1 API Call Logs

16. Use Cases

- 16.1 Text Customer Service
- 16.2 Regulation Lookup Assistant
- 16.3 Product Lookup Assistant
- 16.4 Internal Knowledge Management
- 16.5 Professional Knowledge Management
- 16.6 Meeting Requirement Management
- 16.7 Financial Analysis Assistant
- 16.8 Billing & Expense Assistant
- 16.9 Credit Analysis Assistant
- 16.10 Voice Customer Service
- 16.11 IVR Customer Service Intent Recognition
- 16.12 Voice Call Summary
- 16.13 Voice Call Quality Inspection
- 16.14 Image & Vision
- 16.15 Invoice Recognition
- 16.16 Official Document Scanning
- 16.17 Business Card Scanning

- 16.18 ID Card Recognition
- 16.19 External Data Integration
- 16.20 Agricultural Data Query
- 16.21 AI Assistant Optimization Consultant

17. MaiAgent AI Assistant

- 17.1 Scan QR Code for Real-Time Interaction

18. Others

- 18.1 Trial & Subscription Plans
- 18.2 Usage Calculation

Registration & Login

Apply for an Account

Please contact us via email and provide the following information:

```
Company Information:
Tax ID Number:
Name:
Phone Number:
LINE ID (for easier communication, not required):
```

Send the information to sales@maiagent.ai 😊

How to Log In to the Platform

If you already have an account and password, visit the [MaiAgent AI Assistant Platform login page](#):

<https://admin.maiagent.ai/login>

Enter your account and password to log in and start using the platform.



Forgot Password

If you forgot your login password, click **"Forgot Password?"** to reset it.


1. Click the Forgot Password Button




2. Enter Your Registered Email



3. Check Your Email for the Password Reset Email and Click the "Reset Password" Button



4. Set Your New Password




MaiGPT Overview

What is MaiGPT?

MaiGPT is your company's dedicated AI chat assistant. You can talk to it just like ChatGPT, but it can also query your company's internal data, connect to your work tools, and all conversations stay within the company — nothing leaks out.

Overview: MaiGPT Feature Modules



MaiGPT six major feature modules overview

MaiGPT six major feature modules overview

AI chat is the core experience — choose a model, upload files, and ask questions directly. Other features extend the chat capabilities: Canvas lets you edit AI-generated documents in real time, Deep Research has AI automatically search the web to produce comprehensive reports, AI Image Generation lets you describe visuals with text, and Connectors let AI access your work tools like Notion and Slack.

Six Features at a Glance

Feature	What It Does	Typical Use Cases
<u>AI Chat</u>	Multi-model conversation with file uploads, knowledge base Q&A, and web search	Daily Q&A, document analysis, translation
<u>Canvas</u>	Edit AI-generated long-form content in real time	Writing reports, emails, proposals, creating charts
<u>Deep Research</u>	AI automatically searches the web to produce structured research reports	Market research, competitive analysis, topic research
<u>AI Image Generation</u>	Generate images from text descriptions with iterative editing	Marketing materials, presentation illustrations, concept visualization
<u>Connectors</u>	Connect external work tools so AI can query them directly	Search Notion notes, find Slack messages, locate Google Drive files
<u>Multi-Device Access</u>	Web, iOS App, LINE, Microsoft Teams	Use MaiGPT anytime, anywhere

How Is It Different from Agent Builder?



MaiGPT vs Agent Builder use case comparison

MaiGPT vs Agent Builder: positioning, audience, use cases, and operation at a glance

	MaiGPT	Agent Builder
Audience	All company employees	IT admins Developers
Purpose	Chat directly with AI to get daily work done	Build AI assistants for customers or internal use

	MaiGPT	Agent Builder
How to Use	Just type, like ChatGPT	Configure role instructions, knowledge bases, tools, and other modules

Quick rule of thumb: Want to use AI yourself → MaiGPT; Want to build AI assistants for others → Agent Builder.

Recommended Getting Started Order

If this is your first time using MaiGPT, follow this order to get started:

```
Step 1 → Start a conversation – pick an AI model and ask a question
Step 2 → Try uploading a file – let AI analyze the document for you
Step 3 → Use Canvas – ask AI to write a report or email for you
Step 4 → Expand as needed: connect Notion Slack, use Deep Research
```

You don't need to learn everything at once. Start with chat + file uploads, then gradually explore advanced features.

Still Have Questions?

FAQ — Answers about usage limits, model selection, security, and privacy

AI Chat

AI Chat is the core experience of MaiGPT. Select an AI model, type your question, and get an answer. You can also upload files for AI analysis, query your company knowledge base, search the web in real time, and enable deep thinking to tackle complex problems.

Chat Capabilities Overview

Capability	What It Does	Best For
Select AI Model	Switch between different models (Claude, GPT, Gemini)	Choosing the best AI for your task
Upload Files & Images	Upload documents for AI to read, summarize, and analyze	Contract review, report analysis, image recognition
Knowledge Base Q&A	Query your company's internal knowledge base	Company policies, product manuals, SOPs
Web Search	Search the web in real time for the latest information	News, market trends, competitor intelligence
Deep Thinking	AI reasons before answering, ideal for complex questions	Multi-step analysis, logical reasoning, decision-making
Chat Memory	Remembers conversation context and your preferences	Continuing discussions, long-term collaboration

Quick Start

Type your question — Enter your question in the input box and press Enter to send

Upload a file — Click the paperclip icon or drag and drop a file directly

Switch models — Click the model name at the top and select a different AI


Not sure where to start? Just type your question. The AI will automatically respond based on your input — no setup required.

Select AI Model

MaiGPT includes multiple built-in AI models that you can freely switch between based on your task. Each model has its own strengths, and choosing the right one helps you get better answers.

How to Switch Models

Click the model name at the top of the chat area, then select your desired model from the dropdown menu.



Click the model name at the top to open the dropdown and switch AI models

After switching, all subsequent responses will use the new model. Your previous chat history remains unaffected.

How to Choose a Model

My Task	Recommended Model	Reason
Writing reports, analyzing documents	Claude	Strong Chinese comprehension, excels at long-form writing
Code, technical questions	Claude GPT	Both excel here — try both and compare
Quick Q&A, translation	Gemini	Faster response times
Creative ideation, brainstorming	Claude GPT	Better creative quality
Need the latest information	Pair with web search	Any model works

Not sure which to pick? Start with the default model. If you're not satisfied with the response quality, try switching to another model and asking the same question to compare which answer better meets your needs.

FAQ

Will my previous conversation disappear after switching models?

No. Your chat history is fully preserved — only subsequent responses will be generated by the new model.

Why can't I see certain models?

Available models are configured by your company administrator. If you need access to a specific model, contact your IT admin.

Do different models cost the same?

Different models have different usage calculations, but this is typically managed by your company, so you don't need to worry about costs.

Upload Files & Images

You can send files or images to MaiGPT and let the AI read, summarize, analyze, or translate them for you.

How to Upload

There are two ways:

Click the paperclip icon — Located next to the input box, click it to select files

Drag and drop — Drag files from your desktop into the chat area

After uploading, the file will appear above the input box. Then type your question and press Enter to send.

Supported Formats

Type	Formats
Documents	PDF, Word (.docx), Excel (.xlsx), PowerPoint (.pptx), TXT
Images	PNG, JPG, GIF
Other	CSV, JSON, Markdown

What You Can Do

Uploaded Content	What You Can Ask AI
A contract PDF	"What clauses in this contract are unfavorable to us?"
An Excel report	"Summarize the key trends in this report"
A product image	"What are the product specifications in this image?"
A meeting presentation	"List the three key takeaways from this presentation"
An English document	"Translate this into Traditional Chinese"

Tips

Upload multiple files at once You can select and upload multiple files at the same time, and the AI will analyze them together. For example, upload three quotes and ask "Compare the differences between these three quotes."

File size limits The maximum file size depends on your company's settings. If a file is too large to upload, try splitting it into smaller files before uploading.

Knowledge Base Q&A

MaiGPT can connect to your company's knowledge base, allowing you to query internal company data through natural conversation. AI responses include source references that you can click to view the original documents.

How to Use

Just ask your question. If your MaiGPT is connected to a company knowledge base, the AI will automatically search for relevant information to answer your question.

"What is the company's leave request process?"

"What are the differences between Product A and Product B?"

"What should new employees do on their first day?"

[illegible]

After selecting a knowledge base and asking a question, the AI uses the `query_files` tool to search the knowledge base and return results

Answers Include Sources

AI responses indicate data sources, typically displayed as citation markers or links. Click them to view the relevant sections of the original document.

This allows you to:

- **Verify answer accuracy** — See which document the AI based its answer on
- **Dive deeper** — If the summary isn't enough, click through to read the full original text

Can't Find an Answer?

If the AI responds with "I couldn't find relevant information in the knowledge base," it may be because:

Situation	What to Do
The data hasn't been uploaded to the knowledge base yet	Contact your admin to upload the relevant documents
Your question is too vague	Try asking with more specific keywords
Knowledge base access restrictions	You may not have access permissions for that data — contact your admin

"Not found" doesn't mean the company doesn't have the data Knowledge base content is uploaded and maintained by administrators. If you're sure certain data exists but the AI can't find it, notify your admin to confirm whether it has been imported into the knowledge base.

Web Search

MaIGPT can search the web in real time to get the latest information for answering your questions. It's ideal for queries about news, market trends, competitor intelligence, and other scenarios that require up-to-date data.

How to Use

Click the web search button next to the input box, or mention that you need the latest information in your question:

"Search for today's Taiwan stock market closing price"

"What are the recent AI-related regulatory updates?"

"Look up what new products competitor X has recently launched"



After using the Web Search Tool to search web sources, the AI compiles and responds with results and source links

The AI automatically searches multiple websites, compiles the findings into a comprehensive answer, and includes source links.

When to Use Web Search

Good For	Not Needed
Latest news and current events	Company internal data (use the knowledge base)
Product prices and specifications	Writing reports, translation (no external data needed)
Regulatory and policy updates	Analyzing uploaded files
Market trend research	Casual conversation, brainstorming

Web Search vs Deep Research Web search is great for quickly looking up a single question — you get answers in seconds. If you need to deeply research a topic and produce a comprehensive report, use Deep Research.

Deep Thinking

Deep Thinking lets the AI "think it through" before answering, making it ideal for complex questions that require reasoning, analysis, or multi-step judgment. When enabled, you can see the AI's thinking process.

How to Use

Click the Deep Thinking button next to the input box to enable it, then ask your question as usual.

The AI response will have two parts:

Thinking process (expandable/collapsible) — Shows how the AI analyzed your question

Final answer — The complete response after reasoning

When to Enable

Good to Enable	Not Needed
Complex analysis and comparisons	Simple Q&A ("What's the weather today")
Logical reasoning required	Translation
Math calculations, data analysis	Casual conversation
Multi-faceted decision-making	Text polishing, rewriting

Deep Thinking takes longer Because the AI needs to think before answering, response times are slower than normal mode. If your question isn't complex, stick with the standard mode.

Chat Memory

MaiGPT remembers your conversation content, allowing you to continue previous discussions without re-explaining the background every time.

Two Types of Memory

Conversation Memory (Short-Term)

Within the same conversation, the AI remembers everything discussed earlier. You can continue the discussion seamlessly:

You: "Summarize the key Q1 performance highlights for me"

AI: (responds with the summary)

You: "Now add a Q2 comparison" ← The AI knows you're talking about performance

Starting a new conversation clears the short-term memory, and the AI starts fresh.

Long-Term Memory

MaiGPT can remember important information across conversations, such as your role, preferences, and frequently used formats.

You: "Remember that I'm in the marketing department, and I always want reports in bullet-point format"

AI: Got it, I'll remember that.

Even in new conversations afterward, the AI will remember these preferences.

Tips

Make the most of a single conversation If you're working on a topic (such as writing a report), try to complete it within the same conversation. This way the AI retains all the context, resulting in better responses.

Need a fresh start? If you want to switch to a completely different topic, start a new conversation to prevent content from the previous topic from influencing responses on the new one.

Organize Conversations: Pin Frequently Used Chats

As your conversations pile up, important or frequently used ones get pushed down by newer chats and become hard to find. You can "pin" them to keep them fixed at the top of your "Chat History" for one-click access anytime.

How to Pin

In the "Chat History" panel on the left, hover your mouse over the conversation you want to pin

Click the  menu that appears on the right

Select **Pin**



Hover over a conversation and click the  menu to see the "Pin" option

Once pinned, the conversation moves to the **Pinned** section at the top of "Chat History," with a  icon next to its title.



Pinned conversations are grouped at the top in the "Pinned" section, while regular conversations are sorted by time below

Unpin

Click the  menu on a pinned conversation and select **Unpin**. The conversation will return to the regular time-sorted list below.

Sorting & Rules

Item	Description
Sort order	Both the Pinned section and the regular list are sorted by the time of the last message, from newest to oldest — regardless of when pinning occurred
Pin limit	There is no limit — you can pin multiple conversations at the same time
Persistence	Pin status is saved and persists after refreshing or logging in again
Collapse section	Click the "Pinned" header to expand or collapse the entire section
Scope	You can only pin your own conversations

Good Scenarios for Pinning

Finance

Banking: Pin reconciliation chats or financial plan comparison conversations you regularly track

Tech

Electronics Manufacturing: Pin frequently referenced product spec or technical troubleshooting conversations

Educational Institutions: Pin recurring admissions Q&A or curriculum planning discussions

Service

Retail: Pin ongoing campaign planning or membership benefits inquiry conversations

Or any workflow you return to and continue every day

Pinning only affects your own view Pinning is a personal organization method — it only changes the sort order you see in "Chat History." It does not affect other team members, nor does it alter the conversation content itself.

Next Steps

[Write Documents with Canvas](#)

[Back to MaiGPT Overview](#)

Canvas

Canvas is MaiGPT's built-in editor. When you ask AI to write a report, email, or create a chart, the content appears in the Canvas area on the right side, where you can directly edit and modify it, then ask AI to continue refining.



The left side is the chat area, and the right side is the Canvas editing area

When to Use Canvas

Scenario	Example Prompt
Writing a report	"Write a Q1 performance summary for me"
Writing an email	"Help me reply to this customer inquiry"
Organizing meeting notes	"Format the following content as meeting minutes"
Drawing a flowchart	"Draw a leave request process flowchart"
Creating a table	"Create a comparison table for Plan A and Plan B"

How to Use

Opening Canvas

AI automatically opens Canvas when generating longer document content. You can also ask for it explicitly:

"Use Canvas to write a..."

Editing Content

Once Canvas is open, you can:

Edit text directly on the Canvas — Click anywhere to start editing

Ask AI to make changes — Say "Make the second paragraph more concise" in the chat box

Select specific content for AI to adjust — Select text, then tell AI how you want it changed

Exporting

When finished, click the export button in the top right corner:

Copy — Copy all content to clipboard

Download — Download as a file

What Canvas Can Produce

Type	Good For	Example
Documents	Reports, emails, proposals, announcements	"Write a new product launch announcement"
Tables	Comparative analysis, data organization	"Compare quotes from three suppliers"
Charts	Flowcharts, org charts, sequence diagrams	"Draw a customer complaint handling process"

Tips

Let AI Iterate for You You don't need to get it perfect on the first try. Let AI generate a first draft, then refine step by step: 1. "Write a rough draft first" 2. "Make the tone more formal" 3. "Add supporting data" 4. "Change the last paragraph to a call to action"

Multi-Round Edits Are Never Lost Canvas preserves all your changes. Feel free to go back and forth with adjustments — you don't need to worry about losing previous versions.

Writing Documents

The most common use of Canvas is writing documents. You can ask AI to write reports, emails, proposals, announcements, and meeting minutes, then edit and refine them directly on the Canvas.

Quick Start

Tell AI what you want to write:

"Write a quote reply email for a client"

"Use Canvas to organize today's meeting minutes"

"Write an internal announcement for a new feature launch"

AI will produce the complete document in Canvas, and you can start editing immediately.

Editing and Modifying


Direct Editing

Click anywhere on the Canvas to edit text directly, just like editing in Word.

Ask AI to Edit

Type modification instructions in the chat box, and AI will update the content on Canvas directly:

You Say	AI Does
"Make the tone more formal"	Adjusts the tone of the entire document
"The second paragraph is too long, shorten it"	Condenses the specific paragraph
"Add a section about the timeline"	Adds a new paragraph
"Convert to bullet points"	Reformats the layout
"Translate to English"	Translates the entire document



Ask AI to write an announcement — Canvas opens automatically and displays the complete document

Common Document Templates

Try these prompts to quickly generate common documents:

Document Type	Example Prompt
Weekly report	"Write my weekly report for this week. Key points: completed Project A, started Requirement B, next week will work on C"
Email	"Write an email politely but firmly declining a supplier's quote"
Meeting minutes	"Format the following content as meeting minutes: (paste notes)"
Proposal	"Write a proposal outline for implementing AI customer service, including a benefits analysis"
Announcement	"Write a system maintenance announcement, scheduled for Saturday 2-6 AM"

Exporting Documents

Click export in the top right corner when finished:

Copy — Paste into Email, Slack, Word, or anywhere else

Download — Save as a file

Creating Charts

You can use natural language descriptions to have AI create flowcharts, org charts, sequence diagrams, and other charts in Canvas. No need to learn any syntax — just describe what you want.

Quick Start

Tell AI what chart you want:

"Draw a leave request process flowchart"

"Draw our department's organizational chart"

"Draw a process from user placing an order to shipping"



Visualized charts generated by AI in Canvas

Available Chart Types

Chart Type	Example Prompt	Use Case
Flowchart	"Draw the reimbursement process"	Steps, decision branches
Org chart	"Draw the department structure"	Hierarchical relationships

Chart Type	Example Prompt	Use Case
Sequence diagram	"Draw a sequence diagram for API calls"	System interaction order
Gantt chart	"Draw a project timeline Gantt chart"	Project scheduling
Mind map	"Use a mind map to organize marketing strategies"	Brainstorming and categorization

Modifying Charts

Want to adjust after generation? Just say:

You Say	AI Does
"Add a review step after step two"	Adds a node
"Change the flowchart to left-to-right"	Adjusts direction
"Remove the last step"	Deletes a node
"Change the colors to a blue theme"	Adjusts styling

Exporting Charts

When finished, you can:

Copy — Paste into presentations or documents

Screenshot — Capture the chart directly from Canvas

Next Steps

[Deep Research](#)

[Back to MaiGPT Overview](#)

Deep Research

Deep Research is MaiGPT's automated research feature. Give it a topic, and AI will automatically search large volumes of web data, analyze and organize it, and produce a comprehensive research report.

It's ideal when you need to deeply understand a topic but don't want to spend hours searching and organizing information yourself.

How Is It Different from Regular Chat

	Regular Chat	Deep Research
Speed	Seconds	Minutes
Search Scope	Single search	Automatically searches 15-25 sources
Response Length	A few paragraphs	Full report (4,000+ words)
Source Citations	Sometimes	Always, with citations for every section
Best For	Quick Q&A	In-depth research, market analysis, technical investigation

When to Use It


Scenario	Example
Market research	"Research the current state and trends of the AI customer service market in Taiwan"
Competitive analysis	"Analyze the product differences between Company X and Company Y"
Technical investigation	"Research the latest developments and best practices in RAG technology"
Policies and regulations	"Compile the latest progress on AI-related regulations in Taiwan"
Industry reports	"Research global SaaS industry trends for 2025"

Starting a Research Session

In just three steps, AI will automatically produce a complete research report.

1. Click the Deep Research Button

Find and click the Deep Research button in the chat interface.



Enter a research topic, then click the blue "Deep Research" button to start

2. Enter Your Research Topic

Describe your research topic in one or two sentences. The more specific, the better the report quality.

General	Better
"Research AI"	"Research the current state, challenges, and success stories of generative AI adoption in Taiwanese enterprises"
"Analyze competitors"	"Compare MaiAgent, Dify, and Coze on their enterprise RAG capabilities"
"Look up regulations"	"Compile 2025 AI-related regulations and regulatory guidelines in Taiwan"

3. Wait for AI to Finish

AI will begin researching automatically. You can see:

Planning phase — AI breaks the topic into sub-questions

Search phase — Searches the web for each sub-question

Analysis phase — Organizes and cross-references data

Report phase — Produces the full report and saves it to Canvas automatically

The entire process typically takes 2-5 minutes, depending on topic complexity. You can work on other things — you'll be notified when it's done.

Give AI More Context Beyond the topic, you can also tell AI: - Your role: "I'm a marketing director" - Report purpose: "This is for a weekly meeting presentation" - Special focus: "Focus on the Taiwan market" - Format requirements: "Use bullet points, don't exceed 3,000 words"

Reading and Exporting Reports

After Deep Research completes, the report appears automatically in Canvas. You can read, edit, or export it directly.

Reading the Report

The report includes the following structure:

Section	Content
Summary	Key findings and conclusions
Body	Detailed analysis organized by topic in chapters
Source Citations	Each section cites its data sources, with clickable links to original text



After research completes, the report appears automatically in Canvas

Modifying the Report

After the report is generated, you can continue refining it in Canvas:

You Say	AI Does
"The summary is too long, condense it to 3 points"	Shortens the summary
"Add data charts"	Adds charts
"Translate this section to English"	Translates the specified section
"Reformat as a presentation outline"	Reformats the layout

Exporting

Click the export button in the top right corner of Canvas:

Copy — Paste into Email, Word, Notion, etc.

Download — Save as a file

Paste Directly into Presentations After copying, you can paste directly into PowerPoint or Google Slides with formatting preserved. This is perfect for quickly turning research results into weekly meeting reports.

Next Steps

[Continue editing with Canvas](#)

[Back to MaiGPT Overview](#)

AI Image Generation

MaiGPT has built-in AI image generation. Describe the visual you want in text, and AI will generate an image for you. Chinese descriptions are supported — no need to write in English. After generation, you can iteratively edit the image until you're satisfied.

Generate Images from Text Descriptions

Describe the image you want directly in the conversation:

"Draw an illustration of a modern office with bright tones"

"Generate a product branding image for marketing with a gradient blue background"

"Draw a cute mascot — a cat wearing a business suit"



Enter a text description and AI generates the corresponding image in real time

Description Tips

The more specific your description, the closer the image matches your expectations:

Generic Description	Better Description
"Draw a cat"	"An orange cat sitting on a windowsill, sunset in the background, watercolor style"
"Make a poster"	"An A4 portrait poster with the title '2025 Annual Conference,' tech style, blue-purple tones"
"Product image"	"A cup of coffee on a white background, overhead angle, a few coffee beans beside it, commercial photography style"

- You can specify:
- **Style** — Watercolor, flat design, realistic, cartoon, commercial photography
 - **Color tone** — Bright, warm, cool, monochrome
 - **Composition** — Overhead, front-facing, close-up, panoramic
 - **Purpose** — Social media post, presentation graphic, marketing material

Downloading Images

After an image is generated, click it to view in full size. Right-click or long-press to save it to your device.

Editing and Iterating on Images


Not satisfied with the AI-generated image? No need to start over — you can keep refining it in the same conversation until you're happy with the result.

How to Edit

After an image is generated, tell AI what you want to change directly in the conversation:

- "Change the background to white"
- "Change the person's expression to a smile"
- "Add the company logo in the bottom right corner"
- "Make the overall tone warmer"

AI will generate a new version based on your instructions.



Give modification instructions in the conversation and AI generates a new version of the image

Generating Based on an Existing Image

You can also upload an image and have AI use it as a reference to generate a new one:

(Upload a product photo)

"Using this image's style as a reference, generate similar marketing material for me"

"Convert this image to cartoon style"

Tips

Edit Step by Step Don't request too many changes at once. Modify one thing at a time for the best results: 1. First confirm the composition and subject are OK 2. Then adjust the color tone and style 3. Finally add details (text, logo, etc.)

Not Happy? Start Over If modifications keep drifting off course, just re-describe from scratch. AI generates independently each time, so starting fresh is sometimes faster than continuing to edit.

Next Steps

[Connectors](#)

[Back to MaigPT Overview](#)

Connectors

Connectors let MaigPT access your third-party tools such as Notion, Slack, Google Drive, and GitHub. Once connected, you can query and interact with data in these tools directly from the conversation.

Available Tools


Tool	What You Can Do After Connecting
Notion	Search pages, query databases, create new pages
Slack	Search messages, view channel content
Google Drive	Search and read documents
GitHub	View repositories, issues, pull requests

Available connectors are configured by your company administrator. If the tool you need is not listed, contact your admin.

How to Connect

1. Open Connector Settings

Click the tools icon in the chat interface to find the connectors section.



Click the "Connectors" button to see the list of available connectors

2. Authorize Your Account

Select the tool you want to connect, click "Connect," and you'll be redirected to that tool's authorization page. Follow the prompts to complete authorization.

3. Start Using

Once connected, ask questions directly in the conversation:

"Search Notion for pages about the Q1 plan"

"Look up the quote document in Google Drive"

Managing Connected Tools

You can do the following at any time in the connector settings:

View — Currently connected tools

Disconnect — Remove a tool's connection

Reauthorize — Reauthorize if a connection has expired

Notion

After connecting Notion, you can search Notion pages, query databases, and even create new pages directly in MaiGPT.

Connection Steps

Open connector settings and find Notion

Click "Connect" to go to the Notion authorization page

Select the pages or workspace you want to grant MaiGPT access to

Click "Allow" to complete authorization

What You Can Do

Once connected, say the following in the conversation:

You Say	MaiGPT Does
"Search Notion for pages about product specifications"	Searches and lists relevant pages
"Check the Notion project database for incomplete tasks"	Queries the database and filters results
"Create a new page in Notion titled Meeting Minutes"	Creates a new page
"Save this summary to Notion"	Writes content to Notion

Important Notes

Authorization Scope When authorizing Notion, you can choose which pages to share with MaiGPT. Only pages you've authorized can be searched. If a page can't be found, verify that you've authorized access to it.

Slack

After connecting Slack, you can search Slack messages and channel content in MaiGPT to quickly find previous discussions.

Connection Steps

Open connector settings and find Slack

Click "Connect" to go to the Slack authorization page

Confirm the authorization scope and click "Allow"

What You Can Do

You Say	MaiGPT Does
"Search Slack for discussions about server migration"	Searches relevant messages
"Check what's been discussed recently in #general"	Summarizes channel content

You Say	MaiGPT Does
"Find the link John mentioned last week"	Searches a specific person's messages

Google Drive

After connecting Google Drive, you can search and read your Google Drive documents in MaiGPT.

Connection Steps

Open connector settings and find Google Drive
Click "Connect" to go to the Google authorization page
Select your Google account and allow access

What You Can Do

You Say	MaiGPT Does
"Search Google Drive for the quote document"	Searches and lists relevant files
"Open the last meeting minutes"	Finds and reads the document content
"Summarize that market analysis report in Drive"	Reads the document and produces a summary

Important Notes

Only Google Native Formats Are Supported Currently, only Google native formats such as Google Docs, Sheets, and Slides can be read. Office formats like .pptx, .docx, and .xlsx cannot be read directly. Please convert them to Google format in Google Drive before referencing them.

Shared Drive and External Sharing Limitations Files stored in a Shared Drive or existing as shortcuts may still fail to be read even after authorization. Ensure the authorized account has access permissions to the Shared Drive, and use the original file link instead of shortcuts.

GitHub

After connecting GitHub, you can query repositories, issues, pull requests, and other development-related information in MaiGPT.

Connection Steps

Open connector settings and find GitHub
Click "Connect" to go to the GitHub authorization page
Select the repositories to authorize and confirm

What You Can Do

You Say	MaiGPT Does
"Check what open issues main-repo has recently"	Lists issues
"Show me a summary of changes in PR #123"	Reads the PR and summarizes
"Search the repo for code related to authentication"	Searches code

Next Steps

[Manage access permissions](#)

[Back to MaiGPT Overview](#)

Using on Different Devices

MaiGPT supports multiple access methods so you can chat with AI on any device. Conversation history syncs automatically, so you can continue discussions regardless of which device you log in from.

Supported Devices and Platforms

Platform	Description	Best For
Web	Use directly in your browser, no installation required	Office computers, laptops
iOS App	Native app for iPhone iPad	On the go, commuting, mobile work
LINE	Chat through the LINE official account	Users who prefer LINE
Microsoft Teams	Use directly within Teams	Teams already using Microsoft Teams

Which One Should You Choose?

Most complete experience → Web (supports all features)

Most convenient for anytime use → iOS App or LINE

Integrate with your workflow → Microsoft Teams

Conversation history is shared across all platforms. You can start a conversation on your computer and continue on your phone when you're out.

Next Steps

[Web](#)

[iOS App](#)

[Using on LINE](#)

[Using on Microsoft Teams](#)

[Back to MaiGPT Overview](#)

Web Version

The MaiGPT web version works in any browser with no software installation required.

How to Use

Open your browser and go to the MaiGPT URL provided by your company

Log in with your account and password (or use SSO)

Start chatting

Recommended Browsers

Browser	Support
Google Chrome	Recommended
Microsoft Edge	Supported
Safari	Supported
Firefox	Supported

Use the latest version of your browser for the best experience.

Next Steps

[iOS App](#)

[Using on LINE](#)

[Back to MaiGPT Overview](#)

iOS App

MaiGPT offers an iOS App so you can use it anytime on iPhone and iPad.

Installation

Open the App Store

Search for "MaiGPT" or scan the QR code provided by your company

Download and install

Login

After opening the app, log in with the same account and password as the web version. Conversation history syncs across devices.

Features

The app supports the same core features as the web version:

AI Chat

Upload photos (take a photo directly or select from your photo library)

Knowledge Base Q&A

Web Search

Some advanced features (Canvas, Deep Research) are recommended to be used on the web version for a better experience.

Next Steps

[Using on LINE](#)

[Using on Microsoft Teams](#)

[Back to MaiGPT Overview](#)

Using on LINE

If your company has connected MaiGPT to a LINE official account, you can chat with AI directly in LINE without opening a separate web page.

Getting Started

Scan the LINE QR code provided by your company, or search for the official account name

Add as a friend

Send a message to start chatting

What You Can Do on LINE

Feature	Supported
Text conversation	Yes
Send images for AI recognition	Yes
Knowledge Base Q&A	Yes
Upload files	Depends on configuration
Canvas	Not supported (use the web version)
Deep Research	Not supported (use the web version)

LINE is suited for quick Q&A and simple tasks. For advanced features like Canvas or Deep Research, switch to the web version.

Next Steps

[Using on Microsoft Teams](#)

[Web](#)

[Back to MaiGPT Overview](#)

Using on Microsoft Teams

If your company has integrated MaiGPT into Microsoft Teams, you can chat with AI directly within Teams.

Getting Started

Find the MaiGPT app in the left sidebar of Teams (or have your IT admin install it)

Click to open

Send a message to start chatting

What You Can Do on Teams

Feature	Supported
Text conversation	Yes
Send images	Yes
Knowledge Base Q&A	Yes
Upload files	Depends on configuration
Canvas	Not supported (use the web version)
Deep Research	Not supported (use the web version)

The Teams integration lets you use AI without leaving your work environment. It's ideal for quick Q&A and daily work assistance.

Next Steps

[Web](#)

[Using on LINE](#)

[Back to MaiGPT Overview](#)

FAQ

The most common questions when using MaiGPT.

Question Categories

Category	What It Covers
Usage and Quotas	What operations consume usage, how to save usage
How to Choose Between Models	Which scenarios Claude, GPT, and Gemini are best for
Security and Privacy	How data is protected, whether conversations can be leaked

Quick Answers

How is MaiGPT different from ChatGPT?

MaiGPT is your company's dedicated AI assistant. Data stays within the company, it can query the company knowledge base, it supports multiple AI models, and it's managed centrally by your company's IT team.

Do I need to pay?

No. Usage is managed and paid for by your company.

Are my conversations secure?

All conversations are processed within the company environment and are not used for AI model training. See [Security and Privacy](#) for details.

Next Steps

[Usage and Quotas](#)

[How to Choose Between Models](#)

[Security and Privacy](#)

[Back to MaiGPT Overview](#)

Usage & Quotas

MaiGPT uses pay-as-you-go billing — you pay for what you use. Below is an overview of usage basics.

What Is Usage

Each time you chat with AI, the system calculates usage based on the length and complexity of the messages. Usage is typically managed and paid for by your company, so you don't need to pay anything yourself.

What Operations Consume Usage

Operation	Usage
Regular chat	Low
Uploading files for analysis	Medium (depends on file size)
Knowledge Base Q&A	Medium
Deep Research	High (performs multiple searches and analyses)
AI Image Generation	Medium
Deep Thinking	Higher (more than regular chat)

How to Check Usage

How to check usage varies by company configuration. If your interface shows usage information, you can view it directly. Otherwise, contact your admin to learn about your usage status.

Tips for Saving Usage

More precise questions use less usage — Specific questions produce shorter responses and consume less usage

Make good use of the same conversation — Continuing a conversation is more efficient than starting a new one, since you don't need to repeat background information

Choose the right feature — Simple questions don't need Deep Research or Deep Thinking

Next Steps

[How to Choose Between Models](#)

[Security and Privacy](#)

How to Choose Between Models

MaiGPT offers multiple AI models. Here's a quick guide to help you understand the differences.

Quick Comparison

Model	Strengths	Speed	Best For
Claude	Chinese comprehension, long-form writing, analytical reasoning	Medium	Writing reports, analyzing documents, complex reasoning
GPT	Well-rounded general ability, code	Medium	Code, translation, general Q&A
Gemini	Fast response speed, multimodal	Fast	Quick Q&A, image understanding
DeepSeek	Strong reasoning ability	Medium	Math, logical reasoning
Gemma	Google open-source, lightweight and efficient	Fast	Lightweight deployment, edge computing
Grok	Real-time information, humorous style	Medium	Current events Q&A, creative writing
Llama	Open source, privately deployable	Varies	On-premises deployment needs

Not Sure How to Choose?

Use this decision flow:

General work (writing documents, research, translation) → Use the default model

Not satisfied with quality → Try switching to Claude or GPT

Need maximum speed → Use Gemini

Complex reasoning or calculations → Use Claude or DeepSeek

There is no "best" model Every model has strengths and weaknesses. The most practical approach is to try the same question with different models and find the one you prefer.

Next Steps

[Select an AI Model \(How-To\)](#)

[Security and Privacy](#)

[Back to MaiGPT Overview](#)

Security & Privacy

MaiGPT is designed from the ground up to protect enterprise data security. Below are answers to your most frequently asked security questions.

FAQ

Can my conversation content be seen by external parties?

No. Your conversation data is restricted to your company's environment and cannot be accessed by other companies or external parties.

Will AI use my conversations to train models?

No. The AI models used by MaiGPT do not use your conversation data for training.

Can company administrators see my conversations?

This depends on your company's permission settings. Consult your IT admin for the specific privacy policy.

Are uploaded files secure?

Uploaded files are stored in your company's secure environment, and all transfers are encrypted end-to-end.

Are connectors (Notion, Slack, etc.) secure?

Connectors use standard OAuth authorization. MaiGPT does not store your account passwords. You can revoke authorization at any time.

Usage Recommendations

Avoid entering highly confidential information Although MaiGPT has comprehensive security protections, avoid entering passwords, credit card numbers, national ID numbers, or other highly sensitive information directly in conversations.

Next Steps

[Usage and Quotas](#)

[Back to MaiGPT Overview](#)

Agent Builder Overview

What is Agent Builder?

Agent Builder is the core building area of the MaiAgent platform. Here, you can combine different modules to create AI Agents capable of answering questions, querying data, and executing tasks.

Big Picture: How the Agent Relates to Each Module



Agent Builder: Seven Major Modules at a Glance

The Agent is the core brain, responsible for understanding user questions and generating responses. The other modules extend the Agent's capabilities — the Knowledge Base gives it specialized knowledge to reference, the Database lets it query structured data, Tools let it perform actions, Skills let it follow SOPs for complex tasks, and Agent Scheduling lets it run tasks automatically on a timer. The Crawler is one of the data sources for the Knowledge Base.

Ten Modules at a Glance

Module	What It Does	Typical Use Cases
<u>Agent (AI Assistant)</u>	The core of conversations — understands intent and generates responses	Customer service bot, internal Q&A, business assistant
<u>Knowledge Base</u>	Provides enterprise-specific knowledge for the Agent to reference	Product manuals, internal policies, FAQ
<u>Database</u>	Lets the Agent query structured data using natural language via Text2SQL	Order lookup, inventory queries, report analysis
<u>Agent Scheduling</u>	Lets the Agent run tasks automatically on a schedule	Daily summary reports, periodic data checks
<u>Tools</u>	Lets the Agent call external services to perform actions	Send emails, check weather, integrate with CRM
<u>Code Interpreter</u>	Executes Python in a sandbox to process files and perform computations	Generate Word/presentations, data analysis, chart creation
<u>Browser Tool</u>	Controls a browser to navigate web pages, interact with elements, and capture screenshots for interpretation	Operate websites without APIs, scrape data behind logins, automate web workflows
<u>Voice Agent</u>	Lets the Agent serve customers through "listening" and "speaking" (Realtime STT + LLM + TTS)	Phone customer service, IVR, voice queries, hands-busy scenarios
<u>Skills</u>	Defines multi-step reasoning and decision-making workflows for the Agent	Quoting process, troubleshooting SOP
<u>Crawler</u>	Automatically scrapes content from web pages and imports it into the Knowledge Base	Crawl company websites, crawl public information

Not Sure What to Use?

Go to [I Want to Do X — What Should I Use?](#) to see common scenario comparisons.

Recommended Build Order

If this is your first time using MaiAgent, follow this order:

```
Step 1 → Create an Agent, set up the system prompt (what role it plays, how it responds)
Step 2 → Build a Knowledge Base, upload documents or FAQ (give it something to reference)
Step 3 → Expand as needed: add Tools, Database, Skills (based on what your scenario requires)
Step 4 → Connect to a conversation platform and go live (Web Chat, LINE, Messenger...)
```

You don't need to configure all modules at once. Start with Agent + Knowledge Base, then gradually expand capabilities.

Agent (AI Assistant)



Agent Core Concepts

Agent Core Workflow: LLM-Driven × System Prompt × Memory

What Is This?

An Agent is an AI conversational persona you build on MaiAgent. Each Agent is an independent chatbot with its own identity, personality, knowledge, and capabilities.

Think of an Agent as a new employee — you need to tell it:

- **Who you are** (System Prompt)
- **What you know** (Knowledge Base, Database)
- **What you can do** (Tools, Skills)

Once configured, the Agent can serve users across various conversation platforms.

Core Concepts

Large Language Model (LLM)

The Agent's comprehension and response capabilities come from the underlying Large Language Model (LLM). Think of the LLM as the Agent's "brainpower" — different models vary in comprehension, response quality, speed, and cost.

When creating an Agent, you can choose the model that best fits your scenario. MaiAgent supports multiple models, including Claude, GPT, and more — you don't need to manage the models yourself; the platform handles it for you.

Quick guide: For precise responses and complex reasoning, choose a more powerful model. For high-frequency simple Q&A or cost control, choose a faster and lighter model.

System Prompt

The system prompt defines how the Agent behaves. For example:

"You are a friendly customer service representative. Respond in Traditional Chinese with a professional yet approachable tone."

"You are a financial analysis assistant. Only answer finance-related questions. If data is uncertain, clearly state so."

A well-crafted system prompt significantly improves the Agent's response quality.

Response Mode

MaiAgent offers two response modes:

Chat Mode: Suitable for general Q&A, responds directly using Knowledge Base content

Agent Mode: Suitable for scenarios requiring multi-step reasoning, where the Agent decides what data to look up and which tools to use

Memory

Agents have memory capabilities:

Conversation Memory: Remembers what was discussed earlier within the same conversation

Long-Term Memory: Retains important information across conversations, so you don't need to reintroduce yourself every time

Advanced note: The memory feature allows the Agent to maintain contextual coherence across multiple conversation turns and recall past conversations through vector retrieval. You can adjust related parameters in the Agent's "Memory Settings."

What Do I Need to Do?

Create an Agent — Give it a name and choose a language model

Write a System Prompt — Define the Agent's role and response style

Attach Capabilities — Connect a Knowledge Base, Tools, Skills (as needed)

Test Conversations — Test the results in the built-in chat window

Connect a Platform and Go Live — Deploy to Web Chat, LINE, or other conversation platforms

Further Reading

[AI Assistant Features](#)

[Create an AI Assistant](#)

[System Prompt Design Guide](#)

[Add a System Prompt to Your AI Assistant](#)

Knowledge Base



Knowledge Base Concept

Knowledge Base RAG Flow: From Document Upload to Agent Retrieval and Response

What Is This?

A Knowledge Base is the enterprise knowledge encyclopedia for your Agent. You add company documents, FAQs, and web content to the Knowledge Base, and the Agent can answer user questions based on this data.

Without a Knowledge Base, the Agent can only respond using the language model's general knowledge. With a Knowledge Base, it can answer enterprise-specific questions like "What is our company's return policy?"

What Can Go in a Knowledge Base?

Data Type	Description	Suitable Scenarios
Document Upload	PDF, Word, Excel, TXT, etc.	Product manuals, internal guidelines, contract templates
FAQ	Question-answer pairs	Frequently asked questions, standard responses
Crawler Import	Automatically scrape content from web pages	Official website information, public data

How Is It Different from a Database?

This is the most frequently asked question:

	Knowledge Base	Database
Data Type	Unstructured (documents, articles, FAQs)	Structured (tables, fields, numbers)
Query Method	Semantic search ("What is the return policy?")	SQL queries ("What was last month's revenue?")
Best For	Knowledge-based questions, policy guidelines, operating instructions	Data queries, statistical analysis, real-time status

Simple rule of thumb: If the answer is in a "document," use a Knowledge Base; if the answer is in a "report," use a Database.

Advanced Note: The Knowledge Base uses RAG (Retrieval-Augmented Generation) technology under the hood. Uploaded documents are split into paragraphs and converted into vectors. When a user asks a question, the system finds the most relevant paragraphs and provides them to the Agent as the basis for its response.

What Do I Need to Do?

- Create a Knowledge Base** — Name it and select an Embedding model
- Import Data** — Upload documents, create FAQs, or use a crawler to scrape content
- Search Test** — Test the Knowledge Base with sample questions to verify it finds the correct answers
- Attach to an Agent** — Link this Knowledge Base in the Agent settings

Further Reading

[Knowledge Base Overview](#)

[How to Create a Knowledge Base: Basic Settings](#)

[How to Create FAQs](#)

[Document Management: Tags and Metadata](#)

[Search Test](#)

Database



Database concept

Text to SQL: Natural Language → SQL Query → Plain Language Response

What Is This?

Database enables Agents to query structured data using natural language. When a user asks "How many laptops did we sell last month?", the Agent automatically converts the question into a SQL query, retrieves the answer from the database, and responds in plain language.

The technical name for this feature is **Text to SQL**.

When Do You Need It?

When your use case involves:

Data queries: Order status, inventory quantities, sales figures

Statistical analysis: "How much did this quarter's revenue grow compared to last quarter?"

Real-time status: "How many pending tickets are there right now?"

The answers to these questions are stored in structured tables, not in documents, so you need a Database rather than a Knowledge Base.

What Databases Are Supported?

Type	Description
MaiAgent Built-in Database	A database provided by the platform where you can directly upload CSV files or manually create tables
External Database	Connect to your PostgreSQL, MySQL, SQL Server, or Oracle

Is It Secure?

The Agent only executes **read-only queries** (SELECT) and will not modify or delete your data. You can also restrict which tables and fields the Agent can access.

Advanced Note: The accuracy of Text to SQL depends on how clearly the table structure is defined. It is recommended to add Chinese descriptions to tables and fields to help the Agent understand what each field represents.

What Do I Need to Do?

Create a database connection — Select the database type and configure connection details

Set accessible tables — Choose which tables the Agent can query

Add field descriptions — Add descriptions to fields to improve query accuracy

Test queries — Test whether the Agent can query correctly using natural language

Attach to Agent — Link to the Agent as a tool

Further Reading

[Text to SQL Feature](#)

[Using MaiAgent Knowledge Base for Text to SQL](#)

[Using Supabase for Text to SQL](#)

Agent Schedule



Agent scheduling concept

Agent Scheduling: Timed Trigger → Agent Auto-Executes → Results Delivered

What Is This?

Agent Scheduling lets an Agent execute tasks automatically on a set schedule without waiting for someone to ask a question. You provide a prompt, set a schedule, and the Agent runs on time and delivers results to the specified destination.

Think of it as setting an alarm clock for the Agent — when the time comes, it gets to work automatically.

When Do You Need This?

- Periodic Reports:** Compile yesterday's customer service summary every morning at 9 AM
- Monitoring Checks:** Check system status every hour and send notifications if anomalies are detected
- Data Processing:** Compile last week's sales data every Monday
- One-Time Tasks:** Execute a specific action at a designated time

Schedule Types

Type	Description	Example
Cron	Set precise times using Cron expressions	<code>0 9 * * 1-5</code> (Monday through Friday at 9 AM)
Interval	Execute at fixed intervals	Every 30 minutes, every 2 hours
One-Time	Execute once at a specified time	2026-04-15 14:00

Execution Modes

Mode	Description	Best For
Context Mode	Retains memory across executions; each run can continue from the previous one	Tasks that require accumulated information (e.g., continuous tracking)
Independent Mode	Starts fresh each time with no memory from previous runs	Standalone repetitive tasks (e.g., daily reports)

Result Delivery

- After execution, results can be sent to:
- Conversation:** Sent to a specified conversation on a messaging platform
 - Webhook:** POST to your external URL (integrate with Slack, LINE, etc.)

Advanced Note: Agent Scheduling only supports AI assistants in Agent mode. When the schedule runs, the Agent uses your configured prompt as instructions and leverages all its attached tools and skills to complete the task.

What Do I Need to Do?

Select an Agent — Choose an existing Agent (must be in Agent mode)

Write a Prompt — Describe what the Agent should do each time it runs

Set the Schedule — Choose the schedule type and time

Configure Delivery — Decide where results should be sent

Enable — Turn on the schedule to start automatic execution

Next Steps

For complete step-by-step instructions, see [How to Set Up Agent Scheduling](#).

How to Set Up Agent Schedule

This page demonstrates how to create an agent schedule. If you're not yet familiar with what agent scheduling does, read [Agent Scheduling](#) first.


Prerequisites

Before creating a schedule, confirm the following:

- You have created an AI assistant in Agent mode** — Agent scheduling only supports AI assistants in Agent mode. Non-Agent mode assistants will not appear in the dropdown.
- The AI assistant is connected to at least one conversation platform** — The schedule uses a conversation platform as its container to run the Agent.
- You have Agent Scheduling access** — If you don't see the "Agent Scheduling" menu, contact your organization admin to check permission settings.

Navigate to Agent Scheduling

From the left menu, click [AI Features](#) → [Agent Scheduling](#). You'll see the schedule list:



Agent scheduling list page showing the status, type, delivery method, and last execution time for all schedules

Column descriptions:

Column	Description
Name	The schedule's identifier
AI Assistant	The AI assistant used by this schedule
Execution Mode	Context mode or independent mode
Schedule	Schedule type (Cron, interval, one_shot) and timing
Delivery	💬 = send to conversation, 🔗 = Webhook, auto = automatically created dedicated conversation
Last Execution	Time of the most recent execution
Status	Active Paused

Create a Schedule

1. Click New Schedule

Click the **New Schedule** button in the upper-right corner to open the form. The form has four tabs: **Basic Info**, **Prompt**, **Schedule Settings**, and **Delivery Settings**.

2. Fill in Basic Info



Basic Info tab: select AI assistant, name, execution mode, and conversation platform

Field	Required	Description
AI Assistant	✓	Select an existing AI assistant (only Agent mode assistants are shown)
Name	✓	The schedule's identifier, e.g., "Daily Customer Service Summary"
Execution Mode	✓	Choose context mode or independent mode
Conversation Platform	✓	The conversation platform container used during execution; context mode uses it to accumulate Agent memory (used internally — it won't appear in the customer service conversation list)
Save Results to Context	—	Only shown in context mode. Only affects memory for the next execution (doesn't affect whether you can view results — all past responses are retained on the execution log page)

How to choose the execution mode?

Context mode: Retains memory across executions. Suitable for tasks that need to accumulate information, such as continuously tracking complaint resolution progress or monitoring data trends.

Independent mode: Starts fresh each time with no previous memory. Suitable for standalone recurring tasks, such as daily reports or periodic statistics.

The AI Assistant, Execution Mode, and Conversation Platform fields cannot be changed after creation. To change them, you must delete the schedule and create a new one. Other fields (name, prompt, schedule time, delivery method) can be edited at any time.

3. Write the Prompt



Prompt tab: describe the task the Agent should complete each time it runs

In the prompt field, describe what the Agent should do **each time it runs**. The prompt is sent to the Agent as its instruction, and the Agent will use its attached tools and skills to complete the task.

Prompt example:

Query all unresolved customer complaints from the past 24 hours, sort them by priority, and compile a bullet-point summary. If there are any "High" priority cases, mark them with "⚠ Urgent".


Tips for writing prompts:

Clearly describe the task objective and output format

If you need the Agent to use a specific tool, guide it in the prompt (e.g., "Query the orders table in the database")

Avoid relying on external state beyond the current time; each execution should be an independent task (unless using context mode)

4. Configure Schedule Timing



Cron mode: use a standard 5-field cron expression to set precise timing

There are three schedule types:

Cron


Use a standard 5-field cron expression to set a precise schedule: `minute hour day month weekday`.

Expression	Meaning
0 9 * * 1-5	Monday through Friday at 9:00 AM
0 */2 * * *	Every 2 hours on the hour
30 8 * * *	Every day at 8:30 AM
0 0 1 * *	First day of every month at midnight

Must be paired with the "Timezone" field, which defaults to Asia/Taipei (Taipei time).

Interval

Execute once every fixed interval, configured by combining four fields — days/hours/minutes/seconds:



Interval mode: combine days, hours, minutes, and seconds fields


The interval must be **at least 1 second**

For example, to run "every 30 minutes," enter 30 in the "Minutes" field and 0 in all others

Interval mode does not use the timezone field (since it's a relative time, not an absolute time)

One-time

Execute once at a specified time, after which the schedule automatically ends:



One-time execution: select a specific date and time — the schedule ends after execution

Select a date and time precise to the second

Must be paired with the "Timezone" field


After execution, the schedule remains in the list for viewing records but will not run again

Other fields:

Field	Description
Enabled	Whether to activate the schedule immediately. When off, the schedule is "Paused" and won't trigger
Maximum Executions	Limit the maximum number of times the schedule runs; it will automatically pause when the limit is reached. Leave empty for unlimited

5. Configure Delivery

Where should the results go after execution? Configure this in this tab.



Delivery settings: configure multiple conversation targets and multiple Webhook URLs

This tab configures where results are actively pushed to (specified conversations, Webhook endpoints). Even if you don't set any delivery targets, the complete results of each execution are still retained on the [Execution Log](#) page — they just won't be actively pushed elsewhere.

Conversation

Click [Add Conversation](#) and select a conversation from the dropdown. Results will be sent as a bot message. You can add multiple conversations.

Webhook

Click [Add Webhook URL](#). Results will be sent as a POST request to your external URL (must start with `http://` or `https://`).

Common use cases:

Integrate with Slack

Discord

LINE

Write to your own system for further processing

Trigger other automation workflows

It's fine not to set any delivery targets — execution results are always retained on the [Execution Log](#) page. But if you want your team/colleagues to passively receive results (e.g., push to Slack), you need to set at least one conversation or Webhook, otherwise no one will be notified.

6. Save and Enable

Click **Confirm** to save. If the "Enabled" toggle is on, the schedule will immediately start triggering according to the configured timing.

What Happens After Saving?

After the schedule is saved successfully, you'll immediately see the following:

The modal closes and the schedule appears in the list

Status shows "Active" (green tag), or "Paused" (if the enabled toggle was off)

The "Last Execution" column is empty until the first trigger, after which it updates with the execution time

The system does two things in the background (no UI changes visible, but happening behind the scenes)

Registers the schedule with the backend scheduler to automatically trigger at the configured time

Context mode also creates an internal system conversation container to accumulate Agent memory (this container won't appear in the **Customer Service Conversations** list)

Wait for the schedule to trigger

Cron

Interval: Executes automatically at the configured time, e.g., cron `0 9 * * 1-5` triggers at the next Monday–Friday 9:00 AM

One-time: Executes once at the configured time

Don't want to wait? Click the  **Run Now** button in the list to trigger an immediate execution for testing

During execution

The list status remains "Active," and the "Last Execution" column updates with each run

Each execution creates a record on the **Execution Log** page (with the complete Agent response)

If you added conversations or Webhooks in "Delivery Settings," results are also sent to those targets

For details on where to view results, see [Where Do Results Go?](#) below

When the task ends

Reaches the "Maximum Executions" limit → automatically switches to "Paused" and stops triggering

One-time execution completes → the schedule remains in the list but won't trigger again

Where Do Results Go?

After a schedule runs, the Agent's response appears in the following locations. **The Execution Log page is the primary entry point for viewing history** — regardless of execution mode, every run leaves a complete record here. Other locations depend on your delivery settings.

1. Execution Log Page (Primary Entry Point)

Each execution generates a record. This is the most reliable way to view historical results.

How to access:

Agent Scheduling list → Click  **View Execution Log** on the schedule's row → Enter the execution history page → Click  **View Details** on a specific record

You'll see:

- Execution status (Success
Failed
Partial Success)
- Start time, completion time
- Complete Agent response (even if subsequent delivery failed, the content is still preserved here)
- Error messages on failure

2. Your Specified Conversations (Conversations Added in Delivery Settings)

Execution results are sent as Agent messages into these conversations, just like messages seen by customers/colleagues.

How to find:

Customer Service Conversations → Enter the conversation you added in delivery settings → The message will be at the latest position.

3. Webhook URLs (URLs Added in Delivery Settings)

Execution results are sent as HTTP POST to your external URL. **Body is JSON:**

```
{
  "content": "Complete response content generated by the Agent"
}
```

Technical details:

- Content-Type: `application/json`
- Timeout: 30 seconds (the Webhook endpoint must respond with 2xx within 30 seconds, otherwise it's treated as failed)
- Failures are recorded in the execution log's "Error Message" field (execution log status becomes "Partial Success"), but no retry is attempted

What Does the "Save Results to Context" Toggle Do?

This toggle **only affects the memory for the next execution in context mode** — it doesn't affect whether you can view results.

Setting	Effect on Next Execution
On (default)	The previous prompt and Agent response are carried forward as conversation history for the next run, allowing the Agent to continue the context
Off	No messages are retained per execution, effectively behaving like independent mode

Regardless of the toggle state, **the Execution Log page always retains the complete response from each run** — this toggle doesn't affect your ability to view history.

Summary: Results Visibility Reference Table

Execution Mode Setting	Execution Log	Specified Conversations	Webhook	Agent Cross-run Memory
Context mode + Save results to context (default)	✓	✓ If configured	✓ If configured	✓ With memory
Context mode + Don't save results	✓	✓ If configured	✓ If configured	✗ No memory
Independent mode	✓	✓ If configured	✓ If configured	✗ No memory

Why is there no "Dedicated Conversation" entry point? Context mode creates a dedicated backend conversation to accumulate memory, but this conversation currently does not appear in the **Customer Service Conversations** list — it's an internal system container, not a conversation for human agents to handle. To view historical results, go to the **Execution Log**.

Full Example: Daily Customer Service Summary

Below is an end-to-end example showing how to create a schedule that automatically compiles the previous day's customer service summary every morning at 9:00 AM and sends the results to Slack.

Scenario

Every morning before work, you want the AI assistant to compile all unresolved complaints from yesterday, create a summary, and send it to the team's Slack #customer-support channel so the customer service manager can see it as soon as they open Slack.

Preparation

An AI assistant in Agent mode, with tools attached that can query complaint data (e.g., database tool or customer service system API tool)

A connected conversation platform (as the schedule's execution container)

A Slack incoming webhook URL (to receive results)

Configuration

Basic Info:

Field	Value
AI Assistant	Customer Service AI Manager
Name	Daily Complaint Summary - 9:00
Execution Mode	Independent mode (compile independently each day, no need to remember the previous day)
Conversation Platform	Internal Customer Service

Prompt:

```
Query all customer complaints with status "Unresolved" or "In Progress"
from the past 24 hours (ending at today's midnight),
sort by priority (High → Medium → Low) and compile a summary:
```

```
## Format
```

```
### 🟡 High Priority (X cases)
```

```
- [#Case ID] Customer Name — one-line description
```

```
### 🟡 Medium Priority (X cases)
```

```
...
```

```
### 🟢 Low Priority (X cases)
```

```
...
```

```
End with a summary line: "Total X cases pending, of which X high-priority cases need to be handled
today."
```

Schedule Settings:

Schedule type: **Cron**

Cron expression: **0 9 * * 1-5** (Monday through Friday at 9:00 AM)

Timezone: **Asia/Taipei**

Enabled: On

Maximum executions: Leave empty (run continuously)

Delivery Settings:

Conversation: Don't add extra conversations (the Execution Log page already retains the Agent's complete output — no need to send it to a customer service conversation and take up space)

Webhook URL: <https://hooks.slack.com/services/T00000000/B00000000/XXXXXXXXX>

After Saving

Monday at 9:00 AM (first trigger): The schedule triggers automatically and the Agent starts querying and compiling

Within ~30 seconds (depending on Agent processing speed):

The team's Slack #customer-support channel receives the summary via Webhook push (POST body is `{"content": "..."}`)

The "Last Execution" in the schedule list updates to **2026-04-20 09:00:12**

Want to review what the Agent produced? Two places:

Execution Log page (primary entry): **Agent Scheduling** → Click the schedule's ⌚ → Click 👁 → View the complete bot response and token usage

Slack: Go directly to the #customer-support channel (this is the Webhook endpoint you configured)

Tuesday, Wednesday... **ongoing execution:** Triggers automatically every weekday at 9:00 AM with no further human intervention needed

Troubleshooting

Slack didn't receive a message → First check the Execution Log page to confirm the execution status. If "Failed," check the error message. If "Success" but Slack didn't receive it, verify the Webhook URL is correct and check for Slack rate limits

Summary content doesn't match expectations → Check the Agent's actual output in the execution log details, then adjust the prompt

Schedule didn't trigger → See the "FAQ" section below

Manage Existing Schedules

Back in the schedule list, the action area on the right side of each row provides these functions:

Icon	Function	Description
	Edit	Modify schedule content (except AI Assistant, Execution Mode, and Conversation Platform)
	View Execution Log	Enter the schedule's execution history page
	Run Now	Trigger an immediate execution without waiting for the scheduled time
 	Pause Enable	Toggle the schedule's active status
	Delete	Delete the schedule. Execution logs are also removed

Run Now

"Run Now" is the fastest way to test if a schedule is configured correctly. After clicking:

The system triggers an immediate execution without affecting the original schedule timing

A "Schedule triggered" notification appears


Check "View Execution Log" to observe the execution results

Pause and Enable

After pausing, the schedule won't trigger, but settings and execution logs are preserved. You can re-enable it at any time.

View Execution Logs

Click the  icon in the list to enter the execution log page:



Execution Log page: filter by status and date range, and view results of each execution

Filters

- Status: Pending
- Running
- Success
- Failed

Date Range: Specify start and end dates

Column Descriptions

Column	Description
Status	Pending (queued), Running, Success, Failed
Start Time	When the Agent started execution
Completion Time	When execution ended
Error Message	If execution failed, displays the error reason
Bot Response	Response content generated by the Agent (full content available in details)

View Execution Details

Click the  icon on the right side of each row to open the details modal, where you can view the complete bot response and error messages:



Execution details: status, start/completion time, complete bot response, and error messages

FAQ

- ▶ Why didn't the schedule trigger?
- ▶ Why can't I find my AI assistant in the dropdown?
- ▶ The schedule ran — where do I see what the Agent produced?
- ▶ After turning on "Save Results to Context," where do I see that conversation?
- ▶ What's the data format received by Webhook?
- ▶ Independent mode vs. context mode — what's the actual difference?

Further Reading

[Agent Scheduling](#) — Conceptual introduction to agent scheduling

[Agent \(AI Assistant\)](#) — Create an AI assistant in Agent mode

[Platform Integration: Website](#) — Set up a conversation platform (using website as an example)

Tools



Tools concept

Tools: Agents call external services through Function Calling

What is this?

Tools enable Agents to "take action" — calling external services to perform actions or retrieve real-time information.

An Agent without tools can only answer questions using its existing knowledge. With tools, it can check live weather, create a customer record in a CRM, send emails, or fetch the latest data from third-party APIs.

How are tools different from skills?

	Tools	Skills
Nature	A callable external service	A multi-step reasoning workflow
Granularity	Single action (e.g., "check weather", "send email")	Multi-step SOP (e.g., "complete quotation process")
Who decides when to use it	The Agent determines when to call it	The Agent triggers the workflow within a skill based on context
Does it use tools	A tool is the smallest unit itself	A skill can chain multiple tools together

Quick rule of thumb: If it's a single capability (query data, perform an action), make it a tool. If it's an entire workflow (first query A, then decide whether to do B), make it a skill.

Tool Types

API Tool

Directly calls a REST API. You configure the URL, HTTP method, and parameters, and the Agent can use it during conversations.

Best for: Internal company APIs, third-party service APIs, simple HTTP requests

MCP Tool

Connects to external services through MCP (Model Context Protocol). MCP is a standardized protocol that allows Agents to integrate with various services more easily.

Best for: Services that already have an MCP Server, external integrations requiring more complex interactions

Built-in Tool

Tools provided by MaiAgent by default, such as AI image generation. No additional configuration required.

Advanced note: Tools are powered by Function Calling technology under the hood. The Agent determines whether to call a tool based on the conversation context, automatically assembles parameters, sends the request, interprets the returned results, and replies to the user in natural language.

What do I need to do?

Create a tool — Choose the type (API MCP) and configure the connection details

Define parameters — Describe the tool's purpose and parameters so the Agent knows when to use it

Test — Verify the tool can be called and returns results correctly

Attach to an Agent — Configure this tool in the Agent settings

Further Reading

[Tool Feature Overview](#)

[Create an MCP Tool](#)

[Create an API Tool](#)

[Built-in AI Image Generation Tool](#)

[Configure Tools for AI Assistants](#)

Code Interpreter

What Is This?

Code Interpreter lets an Agent execute Python code in a **secure sandbox environment**, completing tasks programmatically.

With Code Interpreter enabled, the Agent can do more than just reply with text — it can write code to perform calculations, process files you upload, generate Word/PowerPoint/Excel documents, and return the results for you to download.

How Is It Different from Tools?

	Tools	Code Interpreter
Nature	Calls pre-defined external APIs	Writes and executes Python on the fly in a sandbox
Flexibility	Limited to what the API provides	Anything Python can do
Typical use cases	Send emails, query CRM, integrate third-party services	Computation, data processing, file generation, charting

Quick rule of thumb: Need to call an external API → Tools; need to compute, process files, or generate documents → Code Interpreter.

What Can It Do?

- Data analysis & computation:** CSV/Excel calculations, statistics, pivot tables, data cleaning
- Chart creation:** Turn data into line charts, bar charts, pie charts, and more
- Document generation:** Produce Word, PowerPoint, Excel, and PDF files for download
- File processing:** Parse PDFs, convert formats, batch-process uploaded files

Sandbox Environment

The execution environment is a **secure sandbox**, isolated from production systems — it won't affect any other data

Supports standard Python along with common data and document processing packages

Files generated by the Agent appear in the **Output** panel within the chat interface and can be downloaded directly

When to Use

- Finance/sales teams ask the Agent to organize Excel files and produce weekly reports
- HR/admin teams ask the Agent to turn survey results into charts and generate PowerPoint presentations
- Legal/contract teams ask the Agent to extract key fields from PDFs and output Word summaries
- Any conversation scenario that requires ad-hoc computation or on-the-fly file generation

What Do I Need to Do?

Go to Agent settings — Open the settings page of the AI Assistant you want to enable it for

Enable Code Interpreter — Turn it on in the tools or advanced capabilities section

Test — Ask the Agent to perform a task that requires computation or file generation in a conversation, and verify that the Output panel allows normal downloads

Browser Tool

What Is This?

Browser Tool lets an Agent **control a browser**: navigate to web pages on its own, click buttons, fill out forms, scroll the page, and take screenshots to "see" what's currently displayed before deciding what to do next.

This capability is also commonly referred to as **Browser Use** or **Computer Use** in the industry. MaiAgent's Browser Tool is a built-in version integrated directly into the Agent — once enabled, it can be used right within a conversation without connecting any external services.

What Can It Do?

Navigate & explore: Open a specified URL, follow links across pages

Interact with page elements: Click, double-click, type text, press keys, scroll

Visual understanding: Captures a screenshot after each action; the Agent reads the screen to decide the next step

Multi-step tasks: Sequential workflows like login → search → filter → retrieve data

How Is It Different from Tools and Code Interpreter?

	Tools (API MCP)	Code Interpreter	Browser Tool
Acts on	Backend services APIs	Sandbox programming environment	Real browser & web pages
Can see the screen?	No (JSON responses only)	Can see sandbox output	Yes (screenshots)
Best for	Structured data queries, well-defined API calls	Computation, file processing, document generation	Services with a web UI but no API

Quick rule of thumb: The target has an API → Tools; you need to compute or generate files → Code Interpreter; you can only interact via a web page → Browser Tool.

When to Use

Internal systems with no public API but a Web UI you can operate

Scraping information from third-party websites that require login or interaction

Automating multi-page, multi-step web workflows (search, filter, download)

Anything "a person would do in a browser" that you want the Agent to handle automatically

Caveats

Optimized for Claude models: Browser Tool relies on model capabilities for interpreting visual screenshots. It works best with the Claude series; other models may produce inconsistent results.

Same-origin pages work best: Cross-domain iframes and pages with strict CSP may have limited interactivity.

Execution takes time: Each step requires loading the page, taking a screenshot, and reasoning. Multi-step tasks will be slower than a single API call — design your scenarios accordingly.

What Do I Need to Do?

Go to Agent settings — Open the settings page of the AI Assistant you want to enable it for

Enable Browser Tool — Turn it on in the tools or advanced capabilities section

Use a Claude model (recommended) — For the best visual interpretation results

Test — Ask the Agent to perform a task that requires web interaction in a conversation, and verify that the browser panel displays and interacts correctly

Voice Agent

What Is This?

Voice Agent enables AI Assistants to interact through **voice**: users speak, and the AI responds by speaking back. It integrates real-time voice models, STT (Speech-to-Text), TTS (Text-to-Speech), and interruption control under the hood, making it suitable for phone customer service, IVR, voice assistants, and similar scenarios.

Once enabled, the AI Assistant gains a "Voice Call" interface where users can tap the microphone to start a conversation.

Three Interaction Modes

Different modes suit different needs, depending on latency, voice customization flexibility, and tool support.

Mode	How It Works	Best For
Realtime	Uses a voice model for direct real-time voice conversation	Scenarios requiring the lowest latency where the default voice is acceptable
Realtime + TTS	Real-time voice model paired with custom TTS output	Scenarios needing a custom brand voice while maintaining a real-time feel
STT + LLM + TTS	Traditional pipeline: Speech-to-Text → LLM → Text-to-Speech	Scenarios requiring full tool support, where slightly higher latency is acceptable and maximum flexibility is desired

Quick decision: For the fastest and most natural experience → Realtime; for a branded voice → Realtime + TTS; for maximum flexibility and tool support → STT + LLM + TTS.

Interruption Control (Turn Handling)

A critical aspect of the voice conversation experience — can the user interrupt the AI while it's speaking? How does the system determine whether the user is actually speaking versus background noise or filler words?

Adjustable parameters:

Parameter	Description
Minimum speech duration (seconds)	The user's speech must last at least this many seconds to be recognized as "I want to interrupt"
Minimum word count	The user must say at least this many words to trigger an interruption

Note: `min_duration` and `min_words` are only effective in **STT + LLM + TTS** mode. In Realtime mode, interruption detection is handled internally by the voice model.

Conversation States

During a voice conversation, the interface displays the current state:

Listening: The AI is receiving the user's voice input

Thinking: The AI is processing (searching the knowledge base, using tools, generating a response)

Responding: The AI is replying with voice output

Initializing: The connection has just been established and is being prepared

How Is This Different from Text Chat?

	Text Assistant	Voice Agent
Input	Keyboard typing, file attachments	Microphone voice input, possibly DTMF key presses
Output	Text, Markdown, images, files	Voice, with a text transcript appended afterward
Latency requirements	Seconds-level is acceptable	Must be milliseconds-level to feel natural
Best for	Detailed information needs, reviewing conversation history	Immediate responses, hands-busy situations, phone channels

Best Use Cases

Phone customer service: Replace traditional IVR — AI directly answers calls, listens to questions, and provides answers

Voice query systems: Customers call to check orders, balances, or insurance policies

Voice FAQ: Common questions answered by simply speaking

Driving

hands-busy scenarios: Users can't type but need AI assistance

Accessibility needs: More friendly for users who have difficulty typing

Limitations

Tool support: Currently, **Realtime** and **Realtime + TTS** modes only support **MCP Tools**; to use API Tools, switch to STT + LLM + TTS mode

Knowledge base search: Voice Agent searches all linked knowledge bases and **cannot be restricted to specific documents only**

Microphone permissions: Users must grant browser microphone access before the conversation can begin

What Do I Need to Do?

Go to AI Assistant settings — Navigate to the settings page of the Agent you want to enable voice for

Select voice agent mode — Choose one of the three: Realtime
Realtime + TTS
STT + LLM + TTS

Configure provider and settings — Select the corresponding STT
TTS
Realtime provider and JSON configuration for your chosen mode

Adjust interruption control (optional) — In STT + LLM + TTS mode, adjust minimum duration and minimum word count

Test — Open a voice call in the interface and confirm that the Listening, Thinking, and Responding states all work smoothly

Further Reading

[Voice Customer Service Scenarios Overview](#)

[IVR Customer Service Intent Recognition](#)

[Voice Call Summary](#)

[Voice Call Quality Inspection](#)

Skills



Skills concept

Skills: Define multi-step SOPs for Agents to follow during conversations

What Is This?

A skill is a multi-step reasoning workflow for an Agent. You define an SOP in natural language, and the Agent follows this workflow step by step when it encounters a relevant scenario in conversation.

If tools are an Agent's "individual capabilities," skills are "chaining multiple capabilities into a complete workflow."

An Example

Suppose you want your Agent to handle "customer quotes":

Without skills: The Agent might give scattered responses and miss important information.

With skills: You define a quoting SOP —

```
1. First confirm the product model the customer needs
2. Look up the product price list (using a tool)
3. Confirm the customer's quantity requirements
4. Apply discount rules based on quantity
5. Generate a quote summary
6. Ask the customer if adjustments are needed
```

The Agent follows this workflow to guide the conversation, ensuring no step is missed.

What Can Be Used Inside a Skill?

Skills can reference tools and knowledge bases already mounted on the Agent, so data lookups or action execution during the workflow happen automatically.

Combination	Description
Tools	Used when the skill workflow needs to call external services
Knowledge Base	Used when the skill workflow needs to look up reference materials
Resource Files	Skills can include reference documents that the Agent can consult during execution

When Should You Use Skills?

Workflows with fixed SOPs: Quoting, complaint handling, problem diagnosis

Multi-turn information gathering: Booking workflows (need to ask for date, time, number of people)

Conditional branching: Taking different processing paths based on different situations

Ensuring no steps are missed: Form-filling guidance, review workflows

When Don't You Need Skills?

Simple Q&A (a knowledge base is sufficient)

Only need to look up one piece of data or perform one action (just use a tool)

Advanced Note: Skills are defined as plain-text prompts, not flowcharts or code. This means you can describe an entire workflow in natural language, and the Agent will understand and execute it. Skills also support uploading resource files as supplementary references.

What Do I Need to Do?

Create a skill — Write manually or upload a skill definition file

Describe the workflow — Write out the complete processing steps in natural language

Attach resources — Add reference documents or tools if needed

Mount to an Agent — Enable this skill in the Agent settings

Test — Simulate user conversations to verify the workflow runs smoothly

Crawler



Crawler concept

Crawler: Automatically scrape web content and import it into the Knowledge Base

What Is This?

The crawler automatically scrapes content from web pages and imports it into the Knowledge Base. Simply provide a URL, and it will crawl the text content of that page (or the entire website) and convert it into knowledge that the Agent can reference.

When Do You Need It?

Website content: Automatically import product descriptions and service information from your company website

Public information: Scrape publicly available web pages such as regulations, announcements, and technical documents

Continuous updates: When website content changes, periodically re-crawl to keep the Knowledge Base up to date

Relationship Between Crawler and Knowledge Base

The crawler is **one of the data sources** for the Knowledge Base. Its role is:

Data Source	Knowledge Base	Agent
Manual file upload	→	
Create FAQ	→ Enterprise	→ Look up and respond
Crawler scraping	→ Knowledge Base	

The content scraped by the crawler ultimately enters the Knowledge Base. The Agent does not interact with the crawler directly.

What Do I Need to Do?

Enter a URL — Tell the crawler which web page or website to scrape

Set the scope — Scrape a single page only, or recursively crawl subpages

Run the crawl — Start the crawler and wait for it to complete

Import into Knowledge Base — Import the crawl results into a specified Knowledge Base

Verify the content — Check whether the imported content is correct and complete

Further Reading

[How to Use the Crawler \(Scrape Data\) Feature](#)

I Want to Do X, What Should I Use?



Decision Guide

Scenario → Module Mapping: Quickly Find the Right Starting Point

Not sure which module to use? Start from your need and find the right starting point.

Scenario Comparison Table

Let the Agent Answer Questions

I want to...	Use	Why
Let the Agent answer product-related questions	Knowledge Base	Upload product manuals so the Agent can find answers
Let the Agent answer frequently asked questions	Knowledge Base (FAQ)	Create FAQ pairs for precise matching of common questions
Let the Agent check order status	Database	Orders are in structured tables, requiring Text to SQL
Let the Agent query real-time information (weather, exchange rates)	Tools	Needs to call external APIs to get real-time data

Let the Agent Take Action

I want to...	Use	Why
Let the Agent send notification emails	Tools	Integrate with an Email API; the Agent triggers the send
Let the Agent create customer records in CRM	Tools	Integrate with a CRM API; the Agent executes the creation
Let the Agent handle complaints following an SOP	Skills	Define a complete workflow to ensure no steps are missed
Let the Agent guide customers through booking	Skills	Multi-turn conversation to collect information, following a defined process

Let the Agent Automate

I want to...	Use	Why
Automatically generate a report every morning	Agent Scheduling	Set a scheduled execution to automatically deliver results
Check system status every hour	Agent Scheduling	Set an interval execution, combined with Tools to check status
Automatically import website content into the Knowledge Base	Crawler	Scrape web content and import it into the Knowledge Base

Common Module Combinations

Most scenarios don't use just a single module. Here are common combinations:

Smart Customer Service

Agent + Knowledge Base + FAQ

The most basic and common combination. The Agent uses the Knowledge Base to answer product questions, and FAQ handles high-frequency questions.

Business Assistant

Agent + Knowledge Base + Database + Tools

Can look up product information (Knowledge Base), check inventory and pricing (Database), and help customers place orders (Tools).

Automated Reporting

Agent + Tools + Agent Scheduling

The Agent uses Tools to retrieve data, Agent Scheduling triggers it on a timer, and results are automatically pushed to Slack or LINE.

Process-Guided Bot

Agent + Skills + Tools + Knowledge Base

Skills define the complete SOP. During the process, the Agent queries the Knowledge Base for reference materials and uses Tools to execute actions.

Still Not Sure?

Start with the simplest setup: **Agent + Knowledge Base**. Get the Agent answering questions first, then decide what capabilities to add based on actual user feedback after going live.


AI Assistant

AI Assistant Features

Purpose and Use Cases of AI Assistants

AI assistants can be widely applied across diverse industries and use cases, helping enterprises automate repetitive tasks and improve operational efficiency, allowing teams to focus on high-value work and core strengths.

Below are common examples of AI assistant applications in enterprise workflows:



AI assistants can be applied across various industries, leveraging intelligent automation and real-time interaction to help enterprises optimize processes, improve service quality, and enhance user experience. The following table lists common AI assistant use cases by industry for reference.

Industry	Use Cases
E-commerce & Retail	Intelligent customer service, product recommendations, return process handling
Finance & Insurance	Policy inquiries, financial planning recommendations, risk Q&A
Education	Course teaching assistant, learning diagnostics, language practice
Healthcare	Health consultations, appointment scheduling, patient education support
Government	Public service inquiries, policy Q&A, public feedback
Manufacturing	Internal knowledge management, maintenance operation guides
Travel & Tourism	Itinerary recommendations, guided tours, real-time Q&A support

Four Stages of MaiAgent AI Assistant Setup

The MaiAgent AI assistant setup process consists of four stages. Below is a brief description of the goals and features for each stage. Complete step-by-step instructions are provided in the following sections.

1. Create a New AI Assistant

Customize the AI assistant to your needs — select an appropriate language model, configure RAG (Retrieval-Augmented Generation) sources, and define the AI assistant's role and mission to build an intelligent assistant tailored to your business scenario.

2. Provide Reference Materials for the AI Assistant

Build a solid knowledge foundation for the AI assistant by configuring a knowledge base, creating FAQ entries, or importing web crawler data. This further improves the accuracy and usefulness of responses.

3. Launch the AI Assistant

Decide whether to make the AI assistant publicly available or restrict it to internal use. For public deployment, integrate it through your company website, LINE, Messenger, or other channels for flexible integration with existing platforms.

4. Track AI Assistant Performance

Use conversation logs, response quality metrics, webhooks, and usage analytics for performance tracking, providing a basis for continuous optimization and experience improvement.



Before you start building an AI assistant, consider reading these helpful articles!

 How to Choose an LLM (Large Language Model)?

 What is RAG (Retrieval-Augmented Generation)?

 What is a System Prompt?

Create an AI Assistant

1. Create an AI Assistant

Go to **AI Features** in the left sidebar, then select **AI Assistant**, and click **+ Create AI Assistant** in the upper right corner.



2. Name Your AI Assistant

Select the "Basic Settings" tab, and enter the name of your AI Assistant in the **AI Assistant Name** field. You can name it based on its primary task, such as XX AI Customer Service, XX Regulation Inquiry Helper, or XX Project Smart Assistant.

A single account can create multiple AI Assistants (subject to quantity limits based on your subscription plan).



3. Select RAG to Make Your AI Assistant Smarter and More Accurate

What Is RAG

Think of RAG as a combination of "a conversational assistant + a skilled librarian who excels at finding information."

A standard AI Assistant is like a person with excellent memory who is great at storytelling, but can only share knowledge they have previously learned. However, when an AI Assistant is equipped with RAG technology, it is like this assistant **goes to the library to find the latest information** before answering a question, then organizes the findings into its own words and delivers a clear response.

In the MaiAgent platform, this "library" is our **Knowledge Base**. The AI Assistant uses RAG technology to retrieve relevant information from the Knowledge Base, making responses more accurate, timely, and tailored to your needs.

The Knowledge Base setup will be explained in detail in the next section.

MaiAgent RAG not only incorporates the RAG technology mentioned at the OpenAI Developer Conference but also combines various classic NLP algorithms with proprietary retrieval techniques. Based on internal datasets compared with OpenAI RAG response accuracy, both achieve 95% response precision.

RAG Settings

Select the **RAG Settings** tab, and choose a different RAG (Retrieval-Augmented Generation) from the **RAG** dropdown menu. If you have no special requirements, **the default is MaiAgent RAG**.



Compared to OpenAI RAG, MaiAgent RAG offers more additional features, can be flexibly applied to different deployment needs, handles more diverse data processing formats, and provides a more powerful retrieval and generation experience. For a detailed comparison, see [What Is RAG? Comparison Between MaiAgent RAG and OpenAI RAG](#)

Configure FAQ Priority Response

To ensure the accuracy and consistency of your AI Assistant's responses, you can enable the "FAQ Priority Response" feature. When this feature is enabled, if both FAQ content and other document content exist in the Knowledge Base, the LLM will prioritize using FAQ content to answer questions, ensuring responses align with your established standard answers.

Feature Benefits:

Improved response accuracy: When both FAQ and other documents exist in the Knowledge Base, verified FAQ content is used first, reducing potentially inaccurate AI-generated answers

Ensured response consistency: All users receive the same standard FAQ answers, maintaining service quality

Reduced hallucination risk: FAQ standard answers are referenced first, preventing the AI from generating fabricated or incorrect information

Setup Steps:

Select the **Response Mode Settings** tab

In the **System Prompt** field, enter the following instruction:

```
Please prioritize using FAQ content to answer user questions
```

基本設定

回答模式設定

知識庫設定

工具

權限設定

進階設定

回答模式

☐

RAG 問答

反應快速，通常 2 秒內輸出百字，適合簡易客服與資訊查詢，無法調用外部工具

☒

Agent 模式

具備自主規劃能力，可調用外部工具與資料庫，適合用來完成複雜任務，速度比「RAG 問答」慢

> 其他模式

啟用內嵌引用功能

☒

啟用內嵌引用功能，會在回應中插入 [1][2] 格式的引用標記

啟用工具搜尋功能

☒

啟用工具搜尋功能，會自動搜尋可用的工具來輔助回覆

角色指令

使用提示

- 明確定義 AI 助理的身份、回答範圍和語氣風格，可大幅提升回應品質
- AI 助理無法自動取得舊的時間，需至「對話平台 → 功能設定 → 時區設定」手動啟用

快速填入提示詞

請優先使用faq的內容回答使用者問題

資料庫 URL

請選擇

新增

請輸入

After enabling this feature, when both FAQ content and other document content exist in the Knowledge Base, the AI Assistant will prioritize using FAQ content to answer questions. If no relevant FAQ content is found, the AI Assistant will still respond based on other Knowledge Base documents or general knowledge.

4. Select a Model to Give Your AI Assistant a Smart Brain!

Purpose of Language Model Selection


The performance of each AI Assistant largely depends on its brain -- the language model (LLM) it uses. In this step, you can choose different types of models based on your needs, which will affect response speed, comprehension ability, and the depth and naturalness of answers.

Choosing the right model is like enabling high-performance mode for your AI Assistant, providing the best experience tailored to your use case!

Key Factors When Choosing a Large Language Model

Language Model Settings

Select the **Basic Settings** tab, and choose a different large language model from the **LLM Model** dropdown menu. If you have no special requirements, **the default is Claude 4.5 Haiku**.



5. Create a System Prompt for Your Use Case

To make your AI Assistant better suited to different application needs, you can set up a "System Prompt" to make the AI's response style and content more aligned with the scenario.

What Is a System Prompt? System Prompt Example Templates? AI Tool for Generating Role Assistants

Hallucination-Free Generative AI Response Mechanism

MaiAgent's "Hallucination-Free Generative AI Response Mechanism" ensures high accuracy when the AI answers questions. When facing uncertain or out-of-scope questions, it honestly expresses its limitations rather than generating fabricated answers, providing users with a more reliable and trustworthy AI interaction experience. The importance for various industries and public sector applications is described below:

Industry Applications

Financial Industry:

When handling investment advice and risk assessments, the AI must provide analysis based on verified data, avoiding false information that could lead to incorrect investment decisions. When information is insufficient or uncertain, the system clearly states so, ensuring the reliability of investment decisions.

Healthcare Industry:

When assisting with medical diagnosis and drug consultation, the AI system must strictly follow established medical knowledge and must not generate suggestions that could mislead patients. For novel or unverified medical information, the system clearly indicates that further professional consultation is needed.

Manufacturing Industry:

In applications such as production process optimization and quality control, the AI must provide recommendations based on actual production data and verified methods, avoiding production losses due to inaccurate predictions.

Education Industry:

When assisting with teaching and answering student questions, the AI needs to provide accurate knowledge rather than incorrect information that could mislead learning. For complex or ambiguous concepts, the system honestly acknowledges its understanding limitations.

Legal Industry:

When providing legal information and advice, the AI must be based on existing regulations and case law, rather than offering speculative advice that may carry legal risks. The system clearly identifies matters that require further confirmation by a professional lawyer.

Customer Service:

When handling customer inquiries, the AI must provide accurate product information and service descriptions. For questions that cannot be confirmed, it immediately refers them to relevant professionals, avoiding customer misdirection.

Public Sector Applications

Government Policy Consultation:

When providing citizens with policy information and service guidelines, the AI must answer based on the latest and correct regulations and administrative procedures, avoiding outdated or incorrect information. When encountering complex questions requiring professional judgment, the system clearly advises citizens to seek assistance from the relevant department.

Public Service Decision-Making:

When assisting government in evaluating public infrastructure and social welfare decisions, the AI must analyze based on real data and research. Uncertain predictions must be clearly stated to ensure the reliability of policy-making.

Emergency Response Management:

When handling natural disasters, public health, and other emergencies, the AI system must provide accurate information and guidance. It must not generate false information that could mislead the public and affect disaster response effectiveness.

Select the Appropriate Response Mode to Build Prompts

Select the "Response Mode" tab. From free-form conversation to highly structured responses, it meets various business needs. Each mode has its own features and applicable scope, and you can flexibly choose based on your actual use case.



Response Mode: General

Applicable Scenarios

The AI answers freely based on the question, generating the most suitable response according to context and Knowledge Base content. Suitable for most Q&A scenarios.

Operation Steps

Select the **Response Mode Settings** tab, choose **"General (Default)"** as the response mode, and enter the System Prompt you have defined for this AI Assistant in the **System Prompt** field. For the output format, you can choose to output plain text or JSON format.



Use Case: Website Customer Service Assistant

To create a website customer service assistant for "MaiAgent - AI Assistant Development Platform," you can enter the AI's response settings in the "System Prompt" field, clearly defining its response style and scope of responsibilities.



Response Mode: Template

When you select **Response Mode: Template**, the probability of hallucinated responses from your AI Assistant is reduced to zero, because the AI Assistant will strictly reply based on the Knowledge Base and FAQ content you have created, using a classification-based approach to answer questions rather than having the LLM generate content. It uses a template system to generate answers, guaranteeing 100% hallucination-free responses.

Applicable Scenarios

Scenarios requiring unified response formats, such as standard consultation processes and reports.

Case Study

Suppose you want to create a "Tainan City Government 1999" Customer Service AI Assistant to respond to citizens' municipal-related questions in real time.


1. Select the **Response Mode Settings** tab, and choose **"Template"** as the response mode



2. Fill in the Response Template (using the template system to generate answers)

If you have not yet created a Knowledge Base and FAQ, the default response template instructions are as follows.

It is recommended to first create a Knowledge Base or FAQ to use the response template, and the format **must be tabular files such as Excel, CSV, json, or jsonl**.



In this example, I have an AI Assistant called "Tainan 1999," and I have added "Tainan 1999 FAQ" to the Knowledge Base.

The FAQ fields include Question, Answer, Agency, Category, and Publish Date.

It is recommended to upload tabular files such as **Excel, CSV, json, or jsonl**, and the fields must have **headers and corresponding content**.

	A	B	C	D	E
1	問題	答案	機關	分類	發布時間
2					
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					
16					
17					
18					

Now return to editing the response template, and click **Initialize Response Template** in the upper right corner. You will see that the system has generated response examples based on the documents you just uploaded to the Knowledge Base.

選擇初始
模板時，系統會根據上傳的知識庫文件生成預設模板。

系統將生成以下內容：

```

[loop: 選擇知識庫文件]
[loop: 問題] 問題 [答案] 答案 [機關] 機關 [分類] 分類 [分類] 發布時間 [發布時間]
[endloop]

```

關閉/取消/刪除

初始化響應模板

Now you can edit and format the response text.

The `[ ]` portions are system instructions, so you only need to handle the text portions.

Loop: Enter the corresponding document filename (specify which document to use for response generation)

I modified the following parts:

- [x] "Opening statement" content
- [x] "Question" content
- [x] "Category" content
- [x] Removed "Agency"
- [x] Closing statement content
- [x] Line break formatting

回覆模板

建議新增知識庫或 FAQ 以使用回覆模板

感謝市民提出的問題，根據我的查詢，您的問題與下方資料相關

[loop: 台南 1999 FAQ.xlsx]

{@loopIndex}.

您詢問的問題 {問題}

答案: {答案}

所屬分類: {分類}

發布時間: {發布時間}

[endloop]

謝謝您的詢問，希望可以解決您的問題。

When you return to the AI Assistant Q&A interface and ask a related question, the AI Assistant's response will completely follow the **template format** and **FAQ document content** you just edited.

台南市政 1999

2025/04/23 12:24:36

什麼是農地重劃？

2025/04/23 12:31:22

台南市政 1999

已使用知識庫

感謝市民提出的問題，根據我的查詢，您的問題與下方資料相關

1.
您詢問的問題: 什麼是農地重劃？
答案: 農地重劃係指將一定區域內不合經濟利用的農地加以重新整理，予以交換分合，劃分整理成一定標準區塊，並同時配合興修水利，改良灌溉排水，配置農水路，使每一區塊農地均能直接臨路、直接灌溉及直接排水，以改善生產環境，達到增進農地利用的一種土地改良方式。
所屬分類: 地政
發布時間: 2024-11-13T00:00:00
謝謝您的詢問，希望可以解決您的問題。

引用

台南 1999 FAQ.xlsx

引用簡點

2025/04/23 12:31:28

社宅的租期限制

2025/04/23 12:32:19

台南市政 1999

已使用知識庫

感謝市民提出的問題，根據我的查詢，您的問題與下方資料相關

1.
您詢問的問題: 社宅的租期限制？
答案: 租賃契約之期限最長為三年，承租人於租賃期限屆滿時仍符合承租資格者，得申請續租，租賃及續租期限合計最長不得超過六年，但符合住宅法第四條規定者，租賃期限得延長為十二年。
所屬分類: 社會住宅
發布時間: 2024-11-05T00:00:00
謝謝您的詢問，希望可以解決您的問題。

引用

請輸入您想問的問題

Powered by MAGENT

3. Fill in the Unable to Reply Template

If the AI Assistant determines there is no relevant data, it will respond based on the **Unable to Reply Template**.

Finally, click the **Save** button to complete.



Response Mode: Workflow

Applicable Scenarios

Suitable for specific task-oriented scenarios, such as knowledge management, data summarization, and brainstorming.

Operation Steps

Go to the "Response Mode Settings" tab and select **"Workflow"** as the response mode.\

This mode is suitable for task-oriented application scenarios, such as:

Knowledge Management: Assist in compiling, retrieving, or maintaining internal knowledge data

Information Summarization: Quickly organize document highlights or meeting notes

Planning and Writing: Assist in brainstorming ideas, drafting proposals, etc.

Select the corresponding workflow module based on your actual business needs to maximize the effectiveness of your AI Assistant for specific tasks.



Use Case: Copywriting Assistant

Suppose you are a marketing professional at a food company, writing promotional copy for a newly launched healthy snack.

First, select "Writing Assistant" under "Workflow."



Next, go to the AI Assistant Q&A interface and submit your writing request. The AI Assistant will guide you through filling in the key information needed for the copy, such as:

Copy topic

Writing style

Target audience

Word count

The AI will generate copy options that match your scenario and communication needs based on your settings, helping you brainstorm quickly and improve writing efficiency.

擬定一份宣傳健康零食的廣告文案

2025/04/23 12:57:38

 寫作助理測試

謝謝你的回覆：我們可以開始進一步了解你的偏好，以便更好地擬定這份宣傳費較多的廣告文案。

首先，請問你希望這篇廣告文案的主題是什麼？例如，是否強調健康、口感、或是其他特點？

2025/04/23 12:57:42

主題強調健康兼具美味
風格幽默有趣
字數不超過兩百字

2025/04/23 12:58:40

 寫作助理測試

謝謝你的回覆：我們已經了解了你對於廣告文案的主題、風格和字數的偏好。接下來，我們想進一步了解你的其他偏好。

請問你希望這篇廣告文案使用哪種語言？例如，中文、英文或其他語言？此外，你對於目標受眾有什麼特定的想法嗎？例如，年齡層或性別？

2025/04/23 12:58:51

中文，受眾為青壯年人

2025/04/23 12:59:29

 寫作助理測試

謝謝你的回覆：我們已經了解了你對於語言和目標受眾的偏好。接下來，我們想進一步了解你的其他偏好。

請問你對於這篇廣告文案的數據準確性有什麼要求嗎？例如，是否需要引用具體的數據或研究結果來支持文案中的主張？此外，你對於文章的長度有沒有特別的要求？例如，是否希望有特定的字數範圍？

隨時可以結束偏好調查。

2025/04/23 12:59:38

結束偏好調查 開始寫作

2025/04/23 13:58:48

 請輸入您想問的問題



獨特賣點：我們的產品如何改變你的飲食

想要改變飲食，卻又不想成為那個在派對上默默啃生菜的“健康怪人”？別擔心，我們的產品就像是你飲食中的超級英雄，讓你在享受美味的同時，還能輕鬆保持健康！想像一下，當你咬下那口香脆的健康零食，瞬間感受到的不是罪惡感，而是滿滿的幸福感，彷彿在嘴裡開了一場派對！

我們的產品不僅僅是食物，它們是你生活中的小助手，幫助你在忙碌的日常中，輕鬆攝取所需的營養。無論是工作間隙的小點心，還是健身後的能量補充，我們的美味選擇都能讓你在享受的同時，悄悄地為身體加分。想要擺脫那些無聊的飲食選擇？我們的產品就像是你的飲食魔法師，讓每一口都充滿驚喜！

所以，別再猶豫了，讓我們的產品成為你飲食的秘密武器，讓健康與美味攜手共舞，讓你在每一餐中都能感受到生活的樂趣！

產品介紹：健康又美味的選擇

在這個快節奏的生活中，健康與美味似乎總是難以兼得，但現在，這一切都將改變！想像一下，當你咬下那一口香脆的零食，卻不必擔心卡路里的添加劑的負擔，這就是我們最新推出的健康美味產品的魅力所在！

這款產品不僅選用天然食材，還經過精心調配，讓每一口都充滿驚喜。無論是香濃的堅果、清新的水果，還是富含纖維的穀物，這些成分不僅能滿足你的味蕾，還能為你的身體提供所需的營養。想要在工作間隙來一點小點心？這款產品絕對是你的最佳選擇，讓你在享受美味的同時，還能保持活力滿滿！

而且，這款產品的包裝設計時尚又便攜，無論是在辦公室、健身房，還是戶外野餐，都能輕鬆攜帶，隨時隨地享受健康美味。別再猶豫了，讓我們一起告別那些無趣的零食，迎接這款健康又美味的選擇，讓生活更加多姿多彩！

用戶評價：真實的改變

在這個快節奏的生活中，健康與美味似乎總是難以兼得，但現在，這一切都將改變！想像一下，當你品嚐到一口香濃的健康零食，嘴裡的美味讓你忍不住想要再來一口，而心裡卻知道這是對身體的最佳選擇。這就是我們的秘密武器——全新推出的健康美味零食，讓你在享受美味的同時，還能輕鬆保持健康！

這款零食不僅低糖、低卡，還富含纖維和天然成分，讓你在享受美味的同時，無需擔心卡路里的負擔。想要在工作時提神？想要在運動後補充能量？這款零食都能滿足你的需求！而且，獨特的口味組合，讓每一口都像是在舌尖上跳舞，讓你忍不住想要分享給朋友。

許多用戶已經開始體驗這款零食帶來的真實改變，從體重管理到提升能量，無不讚不絕口。現在就加入這場健康美味的革命，讓你的生活從此不再平凡！

結尾：行動起來，享受健康美味

想要在健身房裡成為超級英雄，卻又不想放棄美食的快樂？別擔心，健康飲食不再是你心中的「禁忌之食」！想像一下，當你咬下那口香脆健康的零食時，瞬間感覺自己像擊敗了超級大反派。能量滿滿，讓你的身體和心靈



請輸入您想問的問題



Powered by  MAIAGENT

Response Mode: Agent

Applicable Scenarios

In daily business operations, employees frequently need to compile data, perform data analysis, and create reports and analytical summaries in response to routine business needs or tasks assigned by managers. Common query questions include:

"Which product had the highest sales last month?"

"List all customers with sales exceeding 100,000"

"What is the revenue trend over the past three months?"

If non-technical personnel handle these questions, they often need to rely on data teams to write SQL queries, making the process time-consuming and inefficient.

Now, through MaiAgent's Agent mode, the system can use the Text to SQL tool to automatically convert natural language questions into corresponding SQL syntax and query the database in real time, quickly delivering analysis results.

For Text to SQL feature details, see: [Text to SQL Feature](#)

This feature is particularly suitable for scenarios requiring **real-time queries and data insights**, such as report analysis, operational metric tracking, and data queries. It enables non-technical users to easily access data and achieve a more intuitive and efficient data-driven decision-making process.

Text to SQL Operation Steps

Go to the "Response Mode Settings" tab and select **"Agent"** as the response mode



Upload database content or select a database URL

```
{% hint style="info" %  
}
```

MaiAgent supports:

MySQL

PostgreSQL

Oracle DB

Microsoft SQL Server (MSSQL)

The maiagent option applies Excel files you have already uploaded to the MaiAgent Knowledge Base

```
{% endhint %}
```


}

Use Case: E-commerce Product Sales Data Query

Suppose you are a marketing professional at an e-commerce platform and want to quickly query product sales data.

First, select **"Agent"** as the response mode in the "Response Mode Settings" tab.



Next, you can upload an Excel file to the Knowledge Base, and the system will automatically convert it into a queryable database format.

For detailed instructions on using MaiAgent Knowledge Base for Text to SQL, see: [Using MaiAgent Knowledge Base for Text to SQL](#)

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272	273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340	341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374	375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391	392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408	409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425	426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442	443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459	460	461	462	463	464	465	466	467	468	469	470	471	472	473	474	475	476	477	478	479	480	481	482	483	484	485	486	487	488	489	490	491	492	493	494	495	496	497	498	499	500	501	502	503	504	505	506	507	508	509	510	511	512	513	514	515	516	517	518	519	520	521	522	523	524	525	526	527	528	529	530	531	532	533	534	535	536	537	538	539	540	541	542	543	544	545	546	547	548	549	550	551	552	553	554	555	556	557	558	559	560	561	562	563	564	565	566	567	568	569	570	571	572	573	574	575	576	577	578	579	580	581	582	583	584	585	586	587	588	589	590	591	592	593	594	595	596	597	598	599	600	601	602	603	604	605	606	607	608	609	610	611	612	613	614	615	616	617	618	619	620	621	622	623	624	625	626	627	628	629	630	631	632	633	634	635	636	637	638	639	640	641	642	643	644	645	646	647	648	649	650	651	652	653	654	655	656	657	658	659	660	661	662	663	664	665	666	667	668	669	670	671	672	673	674	675	676	677	678	679	680	681	682	683	684	685	686	687	688	689	690	691	692	693	694	695	696	697	698	699	700	701	702	703	704	705	706	707	708	709	710	711	712	713	714	715	716	717	718	719	720	721	722	723	724	725	726	727	728	729	730	731	732	733	734	735	736	737	738	739	740	741	742	743	744	745	746	747	748	749	750	751	752	753	754	755	756	757	758	759	760	761	762	763	764	765	766	767	768	769	770	771	772	773	774	775	776	777	778	779	780	781	782	783	784	785	786	787	788	789	790	791	792	793	794	795	796	797	798	799	800	801	802	803	804	805	806	807	808	809	810	811	812	813	814	815	816	817	818	819	820	821	822	823	824	825	826	827	828	829	830	831	832	833	834	835	836	837	838	839	840	841	842	843	844	845	846	847	848	849	850	851	852	853	854	855	856	857	858	859	860	861	862	863	864	865	866	867	868	869	870	871	872	873	874	875	876	877	878	879	880	881	882	883	884	885	886	887	888	889	890	891	892	893	894	895	896	897	898	899	900	901	902	903	904	905	906	907	908	909	910	911	912	913	914	915	916	917	918	919	920	921	922	923	924	925	926	927	928	929	930	931	932	933	934	935	936	937	938	939	940	941	942	943	944	945	946	947	948	949	950	951	952	953	954	955	956	957	958	959	960	961	962	963	964	965	966	967	968	969	970	971	972	973	974	975	976	977	978	979	980	981	982	983	984	985	986	987	988	989	990	991	992	993	994	995	996	997	998	999	1000	1001	1002	1003	1004	1005	1006	1007	1008	1009	1010	1011	1012	1013	1014	1015	1016	1017	1018	1019	1020	1021	1022	1023	1024	1025	1026	1027	1028	1029	1030	1031	1032	1033	1034	1035	1036	1037	1038	1039	1040	1041	1042	1043	1044	1045	1046	1047	1048	1049	1050	1051	1052	1053	1054	1055	1056	1057	1058	1059	1060	1061	1062	1063	1064	1065	1066	1067	1068	1069	1070	1071	1072	1073	1074	1075	1076	1077	1078	1079	1080	1081	1082	1083	1084	1085	1086	1087	1088	1089	1090	1091	1092	1093	1094	1095	1096	1097	1098	1099	1100	1101	1102	1103	1104	1105	1106	1107	1108	1109	1110	1111	1112	1113	1114	1115	1116	1117	1118	1119	1120	1121	1122	1123	1124	1125	1126	1127	1128	1129	1130	1131	1132	1133	1134	1135	1136	1137	1138	1139	1140	1141	1142	1143	1144	1145	1146	1147	1148	1149	1150	1151	1152	1153	1154	1155	1156	1157	1158	1159	1160	1161	1162	1163	1164	1165	1166	1167	1168	1169	1170	1171	1172	1173	1174	1175	1176	1177	1178	1179	1180	1181	1182	1183	1184	1185	1186	1187	1188	1189	1190	1191	1192	1193	1194	1195	1196	1197	1198	1199	1200	1201	1202	1203	1204	1205	1206	1207	1208	1209	1210	1211	1212	1213	1214	1215	1216	1217	1218	1219	1220	1221	1222	1223	1224	1225	1226	1227	1228	1229	1230	1231	1232	1233	1234	1235	1236	1237	1238	1239	1240	1241	1242	1243	1244	1245	1246	1247	1248	1249	1250	1251	1252	1253	1254	1255	1256	1257	1258	1259	1260	1261	1262	1263	1264	1265	1266	1267	1268	1269	1270	1271	1272	1273	1274	1275	1276	1277	1278	1279	1280	1281	1282	1283	1284	1285	1286	1287	1288	1289	1290	1291	1292	1293	1294	1295	1296	1297	1298	1299	1300	1301	1302	1303	1304	1305	1306	1307	1308	1309	1310	1311	1312	1313	1314	1315	1316	1317	1318	1319	1320	1321	1322	1323	1324	1325	1326	1327	1328	1329	1330	1331	1332	1333	1334	1335	1336	1337	1338	1339	1340	1341	1342	1343	1344	1345	1346	1347	1348	1349	1350	1351	1352	1353	1354	1355	1356	1357	1358	1359	1360	1361	1362	1363	1364	1365	1366	1367	1368	1369	1370	1371	1372	1373	1374	1375	1376	1377	1378	1379	1380	1381	1382	1383	1384	1385	1386	1387	1388	1389	1390	1391	1392	1393	1394	1395	1396	1397	1398	1399	1400	1401	1402	1403	1404	1405	1406	1407	1408	1409	1410	1411	1412	1413	1414	1415	1416	1417	1418	1419	1420	1421	1422	1423	1424	1425	1426	1427	1428	1429	1430	1431	1432	1433	1434	1435	1436	1437	1438	1439	1440	1441	1442	1443	1444	1445	1446	1447	1448	1449	1450	1451	1452	1453	1454	1455	1456	1457	1458	1459	1460	1461	1462	1463	1464	1465	1466	1467	1468	1469	1470	1471	1472	1473	1474	1475	1476	1477	1478	1479	1480	1481	1482	1483	1484	1485	1486	1487	1488	1489	1490	1491	1492	1493	1494	1495	149
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	-----

官網銷售額最高的三個品項是什麼，排除運費

2025/04/23 14:58:43

電商營業額分析助手

根據查詢結果，官網銷售額最高的三個品項（排除運費）依序為：

1. 6201可可囍9：總銷售額為15,746元
2. 5107經典黑9：總銷售額為9,834元
3. 5208巧克力5.5：總銷售額為9,376元

這三項產品在官網的銷售表現最為突出，其中6201可可囍9的銷售額明顯領先其他品項。

2025/04/23 14:58:54



請輸入您想問的問題



Powered by MAIA DENT

6. Pre-assign Assistant Permissions

RBAC-Based Permission Management Architecture and Description

Select the **Permission Settings** tab to configure which members the assistant should be pre-assigned to for access. By default, all roles are selected. You can modify the settings based on your use case.



7. Complete Your AI Assistant Setup


After completing the above steps, click the blue **Confirm** button at the bottom right of the dialog to finish the setup.

Role Prompt Design Guide

You can use the [System Prompt Generator AI tool](#) created by MaiAgent to help you refine your system prompt

What Is a "System Prompt"?

Imagine you're directing a movie and need to tell the actors what role they're playing, what personality they have, and how they should speak. A **system prompt** is like a "script" for the AI, telling it what kind of customer service agent to portray.



Glossary of Technical Terms

Before we begin, let's get familiar with a few important concepts:

AI Agent

Analogy: Like a virtual employee you've hired

Explanation: An AI system capable of autonomously executing tasks; in customer service scenarios, it's your digital customer service representative

Prompt

Analogy: An "instruction manual" for the AI

Explanation: The instructional text that tells the AI what to do and how to do it

Context

Analogy: The "memory" and "background information" of a conversation

Explanation: The relevant information the AI needs to understand the current conversation scenario

Token

Analogy: A "unit" through which AI processes text, like breaking sentences into small chunks

Explanation: The basic unit of text processing for AI, affecting processing efficiency and cost

Why Is the System Prompt So Important?

AI Customer Service Without a System Prompt

```
User: "Why hasn't my order arrived yet?"  
AI: "According to system data, your order status is processing."
```

Feels like talking to a robot — cold and impersonal


AI Customer Service With a Good System Prompt

```
User: "Why hasn't my order arrived yet?"  
AI: "I completely understand your concern! Let me check your order status right away.  
Based on the tracking information, your package is currently at the distribution center,  
and it's expected to arrive tomorrow afternoon. Would you like me to provide the tracking  
number?"
```

Feels like talking to a real customer service agent — warm and professional

The Four Pillars of a System Prompt

AI Role Instruction Framework



1. Identity Definition (Who)

Tell the AI "who you are"

Bad — Vague identity

```
You are a customer service agent
```

Good — Clear identity

```
You are "Mei," a senior customer service specialist at MaiAgent Company,  
with 5 years of customer service experience, specializing in product consultation and problem  
resolution.
```

2. Tone and Style (How)

Tell the AI "how to speak"

Tone Selection Guide:

Professional and formal: Suitable for finance, legal, and healthcare industries

Friendly and approachable: Suitable for retail, dining, and lifestyle services

Lively and youthful: Suitable for gaming, entertainment, and fashion industries

Warm and caring: Suitable for education, health, and social services

Example: Friendly and Approachable Style

```
When responding, use a warm and friendly tone,  
use polite forms of address to show respect,  
include phrases like "happy to help" for a personal touch,  
but avoid being overly enthusiastic or using too many exclamation marks.
```

3. Professional Capabilities (What)

Tell the AI "what you can do"

```
Your professional capabilities include:  
- Product feature introductions and usage guidance  
- Order inquiries and logistics tracking  
- Return and exchange policy explanations  
- Initial technical problem diagnosis  
- Account and payment issue resolution  
  
When encountering issues beyond your capabilities,  
proactively transfer the customer to a human agent.
```

4. Behavioral Guidelines (Rules)

Tell the AI "what you can and cannot do"

Mandatory principles:

- Protect user privacy and never disclose personal information
- Admit when you don't know something and never fabricate answers
- When handling complaints, stay calm – apologize first, then resolve
- Keep responses under 100 words for conciseness

Strictly prohibited:

- Making promises that cannot be fulfilled
- Arguing with or contradicting users
- Disclosing internal company information
- Processing refund requests beyond your authority

Hands-On: Design Your First System Prompt

Step 1: Analyze Your Business Needs

Consider these questions:

Who are your customers? (age, occupation, usage habits)

What are your product/service highlights?

What questions do customers ask most frequently?

What kind of service experience do you want to deliver?

Step 2: Choose the Right Role Configuration

E-commerce Customer Service Example

You are "Helper," a professional online shopping consultant.
You are familiar with all product information, skilled at recommending suitable products, and can quickly handle order-related issues.
Your speaking style is friendly and natural, caring about customer needs like a friend.

Healthcare Customer Service Example

You are "Health Helper," a professional healthcare service consultant.
You have basic medical knowledge and can provide information about appointments, examination procedures, etc.,
but you never provide medical diagnosis advice.
Your speaking style is professional and warm, making patients feel reassured.

Step 3: Write the Complete System Prompt

System Prompt Template


```
# Role Identity
You are [Role Name], [Job Title] at [Company Name].
[Role background and professional experience]

# Service Objective
Your primary task is [core task],
helping customers [achieve goal] through [service approach].

# Language Style
- Tone: [Choose appropriate tone]
- Vocabulary: [Specific vocabulary requirements]
- Length: [Response length limit]

# Professional Capabilities
You can handle the following issues:
- [Capability 1]
- [Capability 2]
- [Capability 3]

# Behavioral Guidelines
Must follow:
- [Guideline 1]
- [Guideline 2]

Strictly prohibited:
- [Prohibited action 1]
- [Prohibited action 2]

# Special Situation Handling
When encountering [special situation], please [handling approach].
```

Advanced Tips: Make Your System Prompt More Vivid

1. Add Personality Traits

Basic version:

```
You are a customer service agent responsible for answering questions.
```

Vivid version:

```
You are "Zhi," a curious tech enthusiast.
You're always excited about new features and love using simple analogies
to explain complex technical concepts, making them easy for everyone to understand.
```

2. Context-Aware Instructions

Adjust responses based on different scenarios:

Context-Aware Instructions

- When a customer expresses dissatisfaction: respond with empathy first, then provide a solution
- When a customer asks a technical question: explain using everyday analogies
- When a customer hesitates to purchase: provide objective advice without pressuring a sale
- When a customer praises the product: express gratitude and ask if they need further assistance

3. Dynamic Adjustment Mechanism

Conversational Adaptability

Adjust your style based on the customer's responses:

- If the customer uses formal language, be correspondingly formal
- If the customer seems impatient, be more concise and efficient
- If the customer is chatty, you can slightly extend the topic

4. Version Control Friendly

Add version numbers and changelogs

Maintain backward compatibility, ensuring existing workflows still function correctly after updating the system prompt

Example:

```
Version: v1.0
# Update date: October 26, 2024
# Changelog:
# - Initial version, providing basic product recommendation functionality.
# - Recommends products based on user preferences.
# - Response tone set to friendly and professional.
```

Test and Optimize Your System Prompt

Phase 1: Basic Testing

Test whether the AI's responses meet expectations using common questions

Test Question Examples:

"What is your return policy?"

"When will my order arrive?"

"Is this product right for me?"

Phase 2: Boundary Testing

Test the AI's performance in extreme situations

Boundary Scenario Examples:

When a customer is emotionally agitated

When encountering a question with no known answer

When asked to do something beyond authority

Phase 3: Continuous Optimization

Collect Data

Customer satisfaction scores

Issue resolution rate

Rate of transfers to human agents

Adjustment Strategies

Supplement the knowledge base based on common questions

Adjust language style based on customer feedback

Refine behavioral guidelines based on failure cases

System Prompt Length Control Tips****

Best Practice Guidelines

The ideal system prompt length should be kept within 500-2000 words (approximately 200-800 tokens), with the optimal range typically being 800-1500 words.

Remember this core principle: "Clarity over verbosity" — overly long instructions tend to be ignored by the model, while overly short ones may lead to unstable behavior.

Why Does Length Matter?

First, there's the **model performance** consideration — an overly long prompt dilutes the model's attention, affecting the execution of key instructions. Second, there's the **context space** limitation — the system prompt occupies the conversation's context window, compressing the space available for user conversation. Finally, there's **maintenance cost** — a concise, structured prompt is easier to continuously optimize and adjust.

Three Writing Tips

Structured design: Clearly segment content and place core instructions at the beginning.

Conciseness principle: Remove duplicate descriptions and lengthy background, keeping only essential rules.

Continuous validation: Conduct A/B testing across different models (GPT, Claude, Gemini) to find the optimal length configuration.

Practical Considerations

Different AI models have varying tolerance for long prompts, requiring individual testing and validation. For token calculation, Chinese characters are approximately 1 token each, while English is approximately 1 token per 0.75 words. Since the system prompt carries higher instruction weight, keep the content focused and avoid unnecessary verbosity.

Frequently Asked Questions and Solutions

Q1: How can I make the AI's responses more natural?

A: Add specific conversation examples in the system prompt and set clear language style guidelines.

Q2: What if the AI keeps answering irrelevant questions?

A: Clearly define the service scope in the system prompt and teach the AI how to identify and handle out-of-scope questions.

Q3: How do I balance professionalism and approachability?

A: Adjust based on your target audience. B2B customers prefer professionalism, while B2C customers prefer approachability. Design A/B tests to find the optimal balance.

Conclusion: Build Your Custom AI Customer Service

Designing a system prompt is like training a new employee — it requires patience and continuous adjustment. Remember these key principles:

Clear positioning: Clearly tell the AI who it is

Consistent style: Maintain a unified language style

Clear boundaries: Clearly define what can and cannot be done

Continuous optimization: Continuously improve based on actual usage

Start designing your first system prompt now! Remember, the best system prompts are those that are continuously refined through actual use.

Add a Role Prompt to an AI Assistant

Once you have designed your system prompt, you can add it in the AI Assistant settings on MaiAgent:

Add a System Prompt

1. Go to the AI Assistant Settings Page

Select the AI Assistant you want to configure and click Settings.



2. Switch to the Response Mode Settings Page



Set the mode to Agent, General (Default), or Hybrid mode:

The "Template" and "Workflow" modes do not support system prompt configuration.




3. Enter Text in the System Prompt Section



Once configured, the AI Assistant will act according to the system prompt you defined, becoming your personalized AI Assistant.

Multi-Language Support

MaiAgent provides multi-tiered language support: **Web Chat supports 13 interface languages, the knowledge base supports content processing in all languages, and the admin dashboard offers Chinese and English interfaces.** This enables your AI assistant to engage in natural, fluent conversations with users worldwide, breaking language barriers and expanding your business reach.



Supported Languages

MaiAgent Web Chat currently supports the following 13 languages:

Chinese

Traditional Chinese (Traditional Chinese) - zh-TW

Simplified Chinese (Simplified Chinese) - zh-CN

International Common Languages

English (English) - en

Southeast Asian Languages

Thai (Thai) - th

Malay (Malay) - ms

Vietnamese (Vietnamese) - vi

Indonesian (Indonesian) - id

Filipino (Filipino) - fil

Burmese (Burmese) - my

Khmer (Khmer) - km

Lao (Lao) - lo

East Asian Languages

Japanese (Japanese) - ja

Korean (Korean) - ko

Continuous Updates: We continue to add more language support based on user demand. If you need support for a specific language, please contact our technical team.

 Language Configuration Methods

1. Configure via JavaScript

Refer to [Technical Manual — Web Chat](#)

2. Web Chat Settings

Configuration Steps:

Click  in the top right corner of the window



2. Click Traditional Chinese



3. Select your preferred language



🌐 Multi-Language Feature Highlights

1. Intelligent Language Detection & Response

Auto-Detection (Chinese & English): Supports automatic detection of Chinese and English; the system responds in the corresponding language.

Multi-Language Configuration: Supports multiple language systems; you can switch and select the display language in settings. Once selected, conversations respond in the chosen language.

High Accuracy: Based on advanced NLP technology, language detection accuracy reaches 98%.

2. Natural Language Understanding

Semantic Understanding: Not just translation, but genuine understanding of semantics across different languages

Cultural Adaptation: Considers expression habits across different cultural backgrounds

Slang Recognition: Understands common slang and colloquial expressions

3. Localized Responses

Word Choice: Uses wording and expressions that match local conventions

Format Adjustment: Adjusts date, number, and currency formats based on different languages

📖 Knowledge Base & Interface Language Guide

I. Interface Language Support Levels

MaiAgent Admin Dashboard

Supports 3 interface languages: Traditional Chinese, Simplified Chinese, English

Applicable for system management and configuration operations

Web Chat Interface

Supports all 13 languages for interface display

Includes voice recognition and voice response features

Covers: Chinese (Traditional & Simplified), English, Thai, Japanese, Korean, Malay, Vietnamese, Indonesian, Filipino, Burmese, Khmer, Lao

II. Knowledge Base Content Processing Capabilities

Full-Language Document Support

The knowledge base can parse and process document content in any language

No document language restrictions — supports all global language formats

Intelligent retrieval can accurately search across multi-language knowledge bases

Upload Steps:

- 1. Go to Knowledge Base Management**
- 2. Select Add Document**
- 3. Upload documents in any language (no language restrictions)**
- 4. The system automatically detects the document language and builds multi-language indexes**

III. Cross-Language Q&A Capabilities

Core Features

Multi-Language Queries: Support free-form questions in 13 languages

Full-Language Retrieval: Search for relevant content across the complete multi-language knowledge base

Intelligent Translation: Automatically translate retrieval results into the user's preferred language

Accurate Responses: Ensure completeness and accuracy of answers

Workflow

Receive Query - User asks a question in any supported language (Thai, Japanese, Korean, etc.)

Intelligent Retrieval - System searches across languages for the most relevant content

Content Integration - LLM analyzes and integrates multi-language data

Language Conversion - Translates into the user's selected display language

Output Answer - Provides a complete response

🚀 Use Cases

1. Southeast Asian Market Expansion

Regional Coverage: Supports 8 major Southeast Asian languages, covering over 600 million people

Localized Service: Understands cultural differences and business customs across countries

Cross-Border E-Commerce: Provides native-language shopping experiences for customers in different countries

2. International Customer Service Center

Global Support: Covers customer service needs across major Asian markets

24/7 Service: Multi-language customer support across time zones

Cultural Sensitivity: Understands communication styles and politeness norms across different cultures

3. Multinational Enterprise Internal

Employee Support: Provides internal Q&A services for multinational staff

Knowledge Sharing: Breaks language barriers to promote knowledge flow

Training Assistance: Multi-language training content and Q&A

4. Travel & Tourism Industry

Tourist Services: Provides real-time assistance for tourists from different countries

Attraction Information: Multi-language attraction information and guided tour services

Booking Services: Supports multi-language reservation and inquiry services

AI Customer Service Quality Management

Target Audience: Customer service managers, quality management personnel, customer service trainers

1. Quick Start: Three Quality Metrics for AI Customer Service

How to View Evaluation Report Scores

Path: AgentOps (sidebar) → AI Assistant Monitoring

In the table, you can directly view the three major scoring metrics for each conversation. Click "View" to see full details.

Why Is Evaluation Needed?

Just like reviewing call recordings of customer service agents, we also need to check the quality of AI responses. The system automatically scores each conversation, helping you quickly identify issues.

Three Core Metrics

Metric	Plain Language Explanation	Scoring Criteria
Faithfulness Score	Is the information provided by the AI correct? Does it make things up or hallucinate?	85+  60-84  Below 60 
Answer Relevancy Score	Did the AI answer the customer's actual question?	85+  60-84  Below 60 
Context Precision Score	Did the AI find the correct reference materials and respond precisely to the context?	85+  60-84  Below 60 

Quick Assessment Method

All three metrics > 80

→ 

This response is good

Any metric < 60

→ 

Immediate improvement needed

Two or more < 70

→ 

Systemic issue, comprehensive review needed

2. How to Read Evaluation Reports

Report Example

Conversation ID: #20240120-001

Customer Question: "Do you still have the black trench coat in XL?"

AI Response: "The black trench coat is currently in stock. XL is available for order."

Evaluation Results:

— Faithfulness Score (faithfulness_score): 45 ❌ (Said it was in stock, but it actually wasn't)
— Answer Relevancy Score (answer_relevancy_score): 90 ✅ (Did answer the stock question)
— Context Precision Score (context_precision_score): 70 ⚠️ (Found trench coat data, but size information was not precise enough)

Diagnosis: AI provided incorrect inventory information

Three Common Issue Types

Issue A: Low Faithfulness Score (< 60)

Symptoms: The information from the AI is incorrect or fabricated

Common Causes:

Reference data is outdated (prices, inventory, policies have been updated)

Contradictory data (different documents say different things)

AI "guesses" the answer instead of relying on database content

Impact: Customers may receive incorrect information, leading to complaints

Issue B: Low Answer Relevancy Score (< 60)

Symptoms: The AI did not answer what the customer actually asked

Common Causes:

AI provided a lot of information but missed the key point

Off-topic response with irrelevant content

Only provided background without giving an actual answer

Impact: Customers need to ask again, reducing satisfaction

Issue C: Low Context Precision Score (< 60)

Symptoms: The AI referenced the wrong materials or was not precise enough

Common Causes:

Inaccurate keyword search

Confused data from different products/categories

Unclear titles or categories in the reference materials

Impact: Even if the AI intends to answer well, using the wrong data leads to wrong answers

3. Real-World Cases: Common Issues in the Apparel Industry

Case 1: Wrong Price (Low Faithfulness Score)

Problem Identified

Customer Question: "How much is this down jacket?"

AI Response: "This down jacket is priced at NT\$ 3,990."

Evaluation Results:

Faithfulness Score (faithfulness_score): 38 ❌

Answer Relevancy Score (answer_relevancy_score): 95 ✅

Context Precision Score (context_precision_score): 85 ✅

Actual Situation:

The product had been repriced to NT\$ 2,990 (after discount), but the AI still quoted the original price.

Improvement Plan

Step 1: Check the Data

Open the "Product Price List" in the Knowledge Base

Found that the price had not been updated

Step 2: Update the Data

❌ Problematic Data

```
Down Jacket Series
- Classic Down Jacket: NT$ 3,990
- Long Down Jacket: NT$ 4,990
```

✅ Corrected Data

```
Down Jacket Series (2024 Winter Prices)

Product Name: Classic Down Jacket
- Original Price: NT$ 3,990
- Discounted Price: NT$ 2,990 (effective 2024/1/1)
- Promotion Period: 2024/1/1 - 2024/2/28

Product Name: Long Down Jacket
- Original Price: NT$ 4,990
- Discounted Price: NT$ 3,990 (effective 2024/1/1)
- Promotion Period: 2024/1/1 - 2024/2/28

Last Updated: 2024/1/15
```

Step 3: Instruct the AI

Add the following to "AI Response Guidelines":

"When answering price questions, always confirm that the price is the latest one and state the applicable period. If there is a promotional discount, provide both the original price and the discounted price."

Case 2: Off-Topic Response (Low Answer Relevancy Score)

Problem Identified

Customer Question: "I bought something that doesn't fit. Can I return it?"

AI Response: "We offer a variety of sizes, including S, M, L, and XL. Each garment has a size chart on the product page. We recommend checking the size chart before purchasing."

Evaluation Results:

Faithfulness Score (faithfulness_score): 90 

Answer Relevancy Score (answer_relevancy_score): 35 

Context Precision Score (context_precision_score): 60 

Diagnosis:

The customer asked "Can I return it?" but the AI talked about "How to choose a size," completely missing the core question.

****Improvement Plan****

Step 1: Adjust Response Guidelines

Add the following to "AI Response Guidelines":

Core Principle: Answer the customer's core question first

Bad example:

Customer asks "Can I return it?"

AI answers "We have comprehensive after-sales service..."  (Didn't say yes or no)

Good example:

Customer asks "Can I return it?"

AI answers "Yes. Within 7 days of delivery, if the item is unused, you can apply for a return..."  (Direct answer)

Step 2: Restructure the Data

 Problematic Data (too unfocused)

After-Sales Service Description

Our company values customer rights and provides comprehensive after-sales service.
Please review the size chart carefully when purchasing to choose the right size.
If you have any questions, feel free to contact customer service ...

 Corrected Data

Return and Exchange Policy

Q: Can I return an item?

A: Yes. Within 7 days of delivery, if the item is unused and tags are intact, you can apply for a return.

Return Conditions:

- ✓ Item is unused, unwashed, and not tried on for more than 10 minutes
- ✓ Tags and packaging are intact
- ✓ Return request submitted within 7 days of delivery
- ✗ Sale items and undergarments are non-returnable

Return Process:

1. Call customer service at 0800-XXX-XXX or fill out the online form
2. Customer service will provide the return address and tracking number
3. Refund will be issued to the original payment method within 7-14 days

Q: Can I exchange an item?

A: Yes. Within 7 days of delivery, you can exchange for a different size or color (same product only) at no charge.

Exchange Process:

1. Contact customer service to confirm stock availability
2. Ship the item back (same conditions as returns)
3. New item will be shipped within 3 days of receiving the returned item

Key Improvements:

- ✓ Starts with a direct "Yes" or "No" answer
- ✓ Uses Q&A format for clarity at a glance
- ✓ Lists clear conditions to avoid disputes

Case 3: Wrong Product Referenced (Low Context Precision Score)

Problem Identified

Customer Question: "What material is the black knit top made of?"

AI Response: "This knit top is made of 100% pure cotton, soft and comfortable, suitable for all seasons."

Evaluation Results:

Faithfulness Score (faithfulness_score): 88 ✓

Answer Relevancy Score (answer_relevancy_score): 90 ✓

Context Precision Score (context_precision_score): 48 ✗

Actual Situation:\

The black knit top is 70% wool + 30% polyester. The AI referenced the "white knit top" data (100% pure cotton) instead.

Improvement Plan

Step 1: Check Data Labels

Problematic file name:

```
knit-top.pdf
```

Issue: All knit tops are in the same document, making it difficult for the AI to distinguish between them.

Step 2: Improve Data Structure

✓ Solution A: Separate Files

```
Product Data/  
├─ knit-top_black_model-A001.pdf  
├─ knit-top_white_model-A002.pdf  
└─ knit-top_gray_model-A003.pdf
```

✓ Solution B: Clear Headings

```
# Knit Top Product Information  
  
## Black Knit Top (Model: A001)  
- Color: Black  
- Material: 70% Wool + 30% Polyester  
- Suitable Season: Fall/Winter  
- Care Instructions: Hand wash, do not tumble dry  
  
## White Knit Top (Model: A002)  
- Color: White  
- Material: 100% Pure Cotton  
- Suitable Season: All seasons  
- Care Instructions: Machine washable, tumble dry on low  
  
## Gray Knit Top (Model: A003)  
- Color: Gray  
- Material: 50% Wool + 50% Acrylic  
- Suitable Season: Fall/Winter  
- Care Instructions: Dry clean only
```

Step 3: Instruct the AI

Add the following to "AI Response Guidelines":

"When a customer mentions a product's color or model number, always verify that the reference data corresponds to the correct color and model. Different colors of the same product may have different materials and specifications."

4. Three-Step Improvement Plan

When you identify issues, follow this process:

Low score detected



Step 1: Update data content (most important)



Step 2: Adjust AI response guidelines



Step 3: Escalate to the technical team (if necessary)

Step 1: Update Data Content

When to use:

- ✓ Low Faithfulness Score (data is incorrect or outdated)
- ✓ Low Context Precision Score (data is disorganized or poorly labeled)

Checklist:

- ☐ Is the data up to date?
- ☐ Are prices, inventory, and policies correct?
- ☐ Is data for different products clearly separated?
- ☐ Are headings clear? (So the AI can find them easily)
- ☐ Is the content presented in bullet points or tables? (Rather than large blocks of text)

Data Quality Examples:

✗ Poor Data

Return Policy

Some products can be returned, but certain conditions must be met.
Some special products cannot be returned. Please check before purchasing.
Contact customer service if you need to return an item.

✓ Good Data

Return Policy

Returnable Products:

- ✓ General apparel (tops, pants, outerwear)
- ✓ Accessories (bags, hats, scarves)

Non-Returnable Products:

- ✗ Undergarments, swimwear
- ✗ Sale items (50% off or more)
- ✗ Customized items

Return Conditions (all must be met):

1. Within 7 days of delivery
2. Item is unused (tags intact, no signs of wear)
3. Packaging is intact

Return Process:

1. Call customer service at 0800-XXX-XXX
2. Provide your order number
3. Customer service will provide the return address
4. Ship the item back (registered mail recommended)
5. Refund issued within 7-14 days of receiving the item

Contact Information:

- Customer Service Hotline: 0800-XXX-XXX (09:00-21:00)
- Online Chat: Bottom right corner of the website
- Email: service@example.com

Step 2: Adjust AI Response Guidelines

When to use:

- ✓ Low Answer Relevancy Score (off-topic responses)
- ✓ Low Faithfulness Score (AI guessing or hallucinating)

AI Response Guidelines Template:

AI Customer Service Response Guidelines

Core Rules

1. Answer the core question first
 - Customer asks "Can I/Is it possible" → Answer "Yes" or "No" first
 - Customer asks "How much" → State the price first
 - Customer asks "How to" → Provide the steps first
2. Only state what you are certain about
 - All information must come from reference materials
 - If unsure, say "This requires assistance from a human agent"
 - Never guess or assume
3. Pay attention to details
 - Do not confuse colors, sizes, or model numbers
 - Verify prices are current
 - Clearly state promotion periods

Response Format

Policy Questions (returns, membership, promotions)

Paragraph 1: Directly answer "Yes" or "No"

Paragraph 2: State the conditions (in bullet points)

Paragraph 3: Tell the customer what to do (process or contact info)

Product Questions (price, material, stock)

Paragraph 1: Directly answer the question (price/material/availability)

Paragraph 2: Supplementary product info (specs, sizes, colors)

Paragraph 3: Purchase link or next steps

Process Questions (how to buy, return, exchange)

Paragraph 1: Summarize the process (3-5 steps)

Paragraph 2: Explain each step in detail

Paragraph 3: Notes or contact information

Prohibited Behaviors

- ✗ Do not say "usually," "generally," or "approximately" (be specific)
- ✗ Do not confuse information from different products
- ✗ Do not omit important details (price, size, deadline)
- ✗ Do not speculate about information the customer hasn't provided

Examples

✓ Good Response:

Customer: "Can I return this jacket?"

AI: "Yes. Within 7 days of delivery, you can apply for a return if the following conditions are met:

- Item is unused, tags are intact
- Packaging is undamaged
- Not a sale item

Return process: Please call customer service at 0800-XXX-XXX, and we will provide the return address and instructions. Refunds are processed within 7-14 business days to the original payment method."

✗ Bad Response:

Customer: "Can I return this jacket?"

AI: "Our company values customer rights and provides comprehensive after-sales service. We recommend

reviewing the product description carefully and choosing the right size before purchasing. If you have any questions, feel free to contact customer service..." (Did not directly answer whether a return is possible)

Step 3: Escalate to the Technical Team

When to use:

Context Precision Score is consistently low

The same issue occurs repeatedly

No improvement after adjusting data and guidelines

Escalation Content:

Issue Type: Low Context Precision Score

Issue Description:

When customers ask about "black" products, the AI frequently retrieves data for "white" or other colors.

Scope of Impact:

Approximately 15% of product-related queries are affected

Attempted Improvements:

- ✓ Separated product data by color into individual files
- ✓ Explicitly labeled colors in headings
- ⚠ Issue is not fully resolved

Suggested Technical Adjustment:

Request the system to more accurately recognize "color" keywords

Attachments:

- test_cases_color_queries.csv (100 test questions)
- current_results.csv (current system retrieval results)
- expected_results.csv (expected correct results)

5. Daily Management Checklist

Daily Checks

When issues are found:

If the same type of issue occurs ≥ 3 times
→ Handle immediately (update data or adjust guidelines)

If it involves price or policy errors
→ Urgent fix, complete within the same day

If it's an occasional issue
→ Log and observe, add to discussion agenda

Response Quality Tracking

1. Data Review

This Week's Statistics:

- Total conversations: __ sessions

- Average Faithfulness Score (faithfulness_score): __ points

- Average Answer Relevancy Score (answer_relevancy_score): __ points

- Average Context Precision Score (context_precision_score): __ points

- Anomalous conversations: __ sessions (____%)

2. Issue Analysis

Top 3 High-Frequency Issues:

1. _____ (__ occurrences) - Which metric is low?

2. _____ (__ occurrences) - Which metric is low?

3. _____ (__ occurrences) - Which metric is low?

3. Improvement Actions

This week's tasks:

☐ Update __ documents (Owner: __)

☐ Adjust __ response guidelines (Owner: __)

☐ Escalate __ technical issues (Owner: __)

Next week's goals:

- Reduce anomalous conversation rate to < ____%

- All metrics averaging > __ points

Appendix A: Issue Diagnosis Quick Reference

Score Status	Possible Cause	Improvement Method
Low Faithfulness Score	Outdated or incorrect data, AI hallucination	Step 1: Update data content
Low Answer Relevancy Score	AI gives off-topic responses	Step 2: Adjust response guidelines
Low Context Precision Score	AI references wrong data or lacks precision	Step 1: Improve data labeling
Multiple metrics are low	Systemic issue	Steps 1+2, Step 3 if necessary

Improvement Priority Order

First Priority: Faithfulness Score < 60

→ May give customers incorrect information or hallucinated content, leading to complaints

Second Priority: Answer Relevancy Score < 60

→ Poor customer experience, requires repeated inquiries

Third Priority: Context Precision Score < 60

→ Although the issue is less obvious, it will affect quality over time

Appendix B: System Evaluation Metrics Reference

Primary Metrics (No Ground Truth Required)

These three metrics are the core of this guide and can be directly applied to daily customer service conversation evaluations:

Name	English Full Name	Description
Faithfulness Score	Faithfulness	Evaluates whether the AI response aligns with database content, or if it hallucinates or fabricates information
Answer Relevancy Score	Answer Relevancy	Evaluates whether the AI response is relevant to the customer's question, or if it's off-topic
Context Precision Score	Context Precision	Evaluates whether the AI response precisely addresses the context and references the correct materials

Advanced Metrics (Ground Truth Required)

The following metrics require pre-prepared "ground truth" answers and are suitable for test case evaluations:

Name	English Full Name	Description
Answer Correctness	Answer Correctness	Compares AI response against the ground truth to evaluate correctness
Answer Similarity	Answer Similarity	Evaluates semantic similarity between the AI response and the ground truth
Context Recall	Context Recall	Evaluates whether the system retrieved all necessary reference materials

Other Available Metrics (DeepEval)

The system also supports the following additional evaluation metrics for more comprehensive quality checks:

Name	English Name	Description
Bias Detection	Bias	Detects whether responses contain biased or discriminatory content
Toxicity Detection	Toxicity	Detects whether responses contain inappropriate or offensive content
Hallucination Detection	Hallucination	Detects whether the AI generates content that contradicts facts
Contextual Relevancy	Contextual Relevancy	Evaluates whether retrieved reference materials are relevant to the question

Usage Recommendations

Daily Monitoring: Use the three primary metrics (Faithfulness Score, Answer Relevancy Score, Context Precision Score)

Test Evaluations: Use advanced metrics with prepared ground truth answers for systematic evaluations

Quality Assurance: Enable bias and toxicity detection to ensure responses comply with corporate standards

FAQ

Q1: I'm not technical — can I still manage AI customer service?

A: Absolutely! Just like managing customer service staff, you only need to:

Review evaluation reports daily to identify problematic conversations

Check whether data is correct and complete

Adjust the AI's "response guidelines" (just like training customer service scripts)

Q2: How are the scores calculated? Does the AI grade itself?

A: No. The scoring is performed automatically by a dedicated "evaluation system," like having another AI serve as "quality control" to check the first AI's responses.

Q3: Are all three metrics equally important? Can I just look at one?

A: We recommend looking at all three, as they reflect different issues:

Faithfulness Score (`faithfulness_score`): Whether the AI aligns with database content, whether it hallucinated

Answer Relevancy Score (`answer_relevancy_score`): Whether the AI understood the question and gave a relevant response

Context Precision Score (`context_precision_score`): Whether the AI precisely addressed the context and found the right reference materials

Looking at only one may cause you to miss important issues.

Q4: How long until I see improvement after making changes?

A:

Data updates: Take effect immediately (improvements visible the same day)

Response guideline adjustments: Take effect immediately

Technical adjustments: Require 2-4 weeks (depending on complexity)

Conclusion

Managing AI customer service is just like managing a real customer service team:

✓ **Regularly check quality** (review evaluation reports)

✓ **Continuously update knowledge** (update data content)

✓ **Optimize response scripts** (adjust response guidelines)

✔ **Track improvement results** (monitor score changes)

By following this guide, you can continuously improve your AI customer service — even without technical expertise!

Custom Maximum Output Tokens

Feature Introduction

The custom max output tokens feature allows you to precisely control the maximum length of each AI assistant response. By adjusting this setting, you can have the AI assistant generate brief summaries or detailed explanations based on different use cases, while effectively managing token consumption costs.

About Tokens Tokens are the basic units used by AI models to process text. Generally speaking: - Chinese: 1 character is approximately 1.5-2 Tokens - English: 1 word is approximately 1-1.5 Tokens - Punctuation marks also count toward the token count

Configure Max Output Tokens

Navigate to Settings Page

Click "**AI Assistant**" in the left menu

Select the AI assistant you want to configure

Click the "**Settings**" button

Switch to the "**Advanced Settings**" tab

Adjust Token Limit

Select Token Limit Mode

"**Use Model Maximum**": Directly apply the maximum output tokens supported by the selected model (default)

"**Custom Amount**": Specify the limit yourself

Enter Custom Value (when "**Custom Amount**" is selected)

Enter the target value in the number input field

The available range depends on the selected model, and the screen will display the allowed range in real time (e.g., "Range: 512 - 64000 tokens" as shown below)

Save Settings

Click the "**Save**" button

Settings take effect immediately without restarting the AI assistant



AI assistant advanced settings page: Choose "Use Model Maximum" or "Custom Amount" to control the max output token limit

Important Notes - Setting the value too low may cause responses to be truncated, affecting completeness - Setting the value too high will increase token consumption costs - It is recommended to adjust based on actual needs and find the optimal balance through testing

Recommended Settings

Below are recommended token limit settings for different use cases:

Use Case	Recommended Tokens	Description
Quick Q&A	256 - 512	Suitable for quick answers, such as FAQ bots Approximately 100-200 Chinese characters
General Customer Service	512 - 1024	Balances detail and cost Approximately 200-400 Chinese characters
Professional Consultation	1024 - 2048	Provides detailed explanations and solutions Approximately 400-800 Chinese characters
Content Generation	2048 - 4096	Generates long-form articles or reports Approximately 800-1600 Chinese characters
Code Generation	1024 - 2048	Produces complete code snippets Including comments and explanations

Use Case Examples

Scenario 1: FAQ Quick Response Bot

Requirement: Common customer questions need short and clear answers, avoiding lengthy explanations

Configuration:

- Max output tokens: 256-512
- System prompt: "Please answer questions in a brief and clear manner, no more than 3 sentences"
- Expected result: Quick responses, reduced token consumption

Example conversation:

```
User: What are your business hours?  
AI: Our business hours are Monday to Friday from 9:00 AM to 6:00 PM,  
Saturday from 10:00 AM to 5:00 PM, and we are closed on Sundays.
```

Scenario 2: Technical Support Detailed Explanation

Requirement: Users encounter technical issues and need detailed step-by-step instructions

Configuration:

- Max output tokens: 1024-2048
- System prompt: "Please provide detailed step-by-step instructions to ensure users can follow along"
- Expected result: Complete troubleshooting guide

Example conversation:

```
User: What should I do if the software won't start?  
AI: Please follow these steps to troubleshoot:  
  
1. Check System Requirements  
  - Operating System: Windows 10 or above  
  - Memory: At least 4GB  
  - Disk Space: At least 2GB  
  
2. Reinstall the Software  
  - Remove the existing version (Control Panel > Programs)  
  - Download the latest version [link]  
  - Run the installer as administrator  
  
3. Check Firewall Settings  
  - Add the software to the exception list  
  - Allow the software to access the network  
  
If the above steps don't resolve the issue, please provide a screenshot of the error message and we  
will assist you further.
```

Scenario 3: Content Summary Generation

Requirement: Extract key summaries from long articles

Configuration:

- Max output tokens: 512-768
- System prompt: "Please organize key points into 3-5 bullet points, each no more than 2 sentences"
- Expected result: Concise summaries that are easy to quickly understand

Relationship with Other Settings

System Prompt

Even with a high token limit, the system prompt can still constrain response length:

Good example:

"Please answer concisely unless the user requests a detailed explanation"

Bad example:

"Please answer every question as thoroughly as possible" (may lead to overly long responses)

Model Selection

Different models support different maximum output token counts. When you switch the model used by the AI assistant, the customizable range will change accordingly, and the range hint displayed on the screen reflects the upper and lower limits of the currently selected model. When "Use Model Maximum" is selected, the system will automatically apply the maximum value for that model.

Cost Optimization Recommendations

Calculate Token Consumption

Token consumption per conversation includes:

- **Input Tokens:** User question + conversation history + system prompt
- **Output Tokens:** AI response (limited by this setting)

Example calculation:

Input: User question 50 Tokens + Conversation history 200 Tokens + System prompt 100 Tokens = 350 Tokens
Output: AI response (limit set to 512 Tokens)
Total: 350 + 512 = 862 Tokens (maximum)

Optimization Strategies

Adjust by scenario

Use a low token limit for simple questions
Only increase the limit for complex questions

Avoid unnecessary long responses

Explicitly require conciseness in the system prompt
Use multi-turn conversations instead of single long responses

Regularly review usage

Use the "Usage Analytics" tab to view conversation word count and other usage trends
Adjust settings to optimize costs

For detailed cost calculations and optimization recommendations, please refer to [Usage Calculation](#).

FAQ


Q: After setting the token limit, will the AI response be forcibly truncated?

A: Yes. When the AI-generated response reaches the token limit, it will stop at that point, which may result in incomplete sentences. Recommendations:

- Set an appropriate limit (not too low)
- Include in the system prompt: "End naturally before reaching the character limit"

Q: How do I check the average token usage of my AI assistant?

A: Go to the AI assistant "Settings" page and select the "Usage Analytics" tab. You can view trend charts by date range for "Conversation Word Count", "Conversation Count", "Message Count", "Average Conversation Interactions", and "User Satisfaction". The "Conversation Word Count" represents the cumulative word count generated by the assistant. Word count is positively correlated with token count and can serve as a reference for token consumption.



AI assistant "Usage Analytics" tab: View trend charts by date range for conversation word count, conversation count, message count, average conversation interactions, and user satisfaction

Q: Does setting a higher token limit slow down response speed?

A: There is a slight impact. Longer responses require more generation time, but the difference is usually minimal (within a few seconds). The main factors affecting speed are:

- Model selection
- Network connection speed
- Server load

Q: Do different languages require different token limit settings?

A: It is recommended to adjust accordingly:

- **Chinese:** The same amount of text consumes more Tokens, so consider slightly increasing the limit
- **English:** Token efficiency is higher, so a lower limit can be used
- **Multi-language environments:** It is recommended to set a higher limit to ensure flexibility

Q: Does the token limit affect knowledge base retrieval results?

A: It does not directly affect retrieval, but it affects how retrieval results are presented:

- **High token limit:** Can reference more knowledge base segments
- **Low token limit:** Only references the most relevant segments

Testing and Adjustment

Testing Process

Set Initial Value

Start with the recommended value (e.g., 1024)

Conduct Test Conversations

Enter typical user questions

Observe response length and completeness

Evaluate Results

Is the response complete?

Is there unnecessary verbosity?

Is token consumption reasonable?

Adjust Gradually

Too long → Lower the token limit

Too short/truncated → Increase the token limit

Continuous Monitoring

Regularly review usage

Fine-tune based on actual needs

Testing Examples

Test 1: Token limit 256

User: Please introduce your company

AI: We are a company focused on AI technology, providing enterprise-level chatbot solutions.

[Response truncated]

Evaluation: Too short, need to increase

Test 2: Token limit 1024

User: Please introduce your company

AI: We are a company focused on AI technology ... [Complete detailed introduction] ... Feel free to contact us to learn more.

Evaluation: Appropriate, adopt this setting

Related Features

Extended Features - [Create an AI Assistant](#) - [System Prompt Design Guide](#) - [Usage Calculation](#) - [Usage Analytics](#)


Knowledge Base

Knowledge Base Overview

What Is the Knowledge Base?

After creating an AI assistant, the next step is to set up the **knowledge base**, which serves as the data source for the AI assistant when answering questions.

How the knowledge base works:



Knowledge Base Operation Diagram

Think of the knowledge base as an open-book exam. The AI assistant finds the most relevant content from the knowledge base to use as the basis for its answers.

Although the knowledge base can hold a large amount of data, it is still recommended to upload content that is highly relevant to the assistant's tasks. If the content is irrelevant, current retrieval technology may still find unrelated information to use as answer context, leading to inaccurate responses.

What Can the Knowledge Base Do?

With the following knowledge base features, you can:

📌 Tag-Based Document Management

You can add multiple tags to each document to create a systematic classification structure

Example: Add `#tent` `#beginner` `#setup-guide` tags to the "Tent Manual"

🔒 Selective Document Permissions

You can set different document access permissions based on user identity to provide differentiated services

Example: Product price lists are only accessible in VIP member conversations, while cost data is only accessible in internal conversations

❓ Create FAQ

You can organize frequently asked questions into a standard Q&A set to ensure response consistency and completeness

Example: "How many years is the tent warranty?" → Standard answer: "We provide a 3-year warranty service"

Document Metadata Input

You can add detailed information such as version, update date, and applicable scope to documents for easier future maintenance

Example: Document version v2.1, update date 2024/11/28, applicable product "Mountain Series Tents"

Search Testing

You can test retrieval results for different questions to verify whether the AI finds the correct data segments

Example: Enter "tent setup steps" → Check whether the AI finds the correct setup guide segment

How to Upload to the Knowledge Base?

Go to the left sidebar "AI Features" → "Knowledge Base"

Click the knowledge base you want to upload to (if you haven't created one yet, please refer to [How to Create a Knowledge Base: Basic Settings](#))

Click the "Upload File" blue button in the upper right corner of the knowledge base page to upload the data you want the AI assistant to know

Different plans provide different knowledge base storage capacities. If your files are large or you have a lot of data, the system may need some time to process after uploading.



解析器	建立時間	標籤	操作
nt Parser (預設)	2025-08-18 17:37:43	非會員 教學	   
nt Parser (預設)	2025-08-18 17:37:43	一般會員 教學	   
nt Parser (預設)	2025-08-18 17:37:43	VIP	   

You can check the processing progress in the "Processing Status" column.

Icon	Document Name	Document Type	Document Size	Document Format	Document Content	Document Location	Document Status
	2023-03-26-17-51-25-175712824.pdf	pdf	1.5 MB	PDF	2023-03-26-17-51-25-175712824.pdf	2023-03-26-17-51-25	
	2023-03-26-17-51-25-175712824.pdf	pdf	1.5 MB	PDF	2023-03-26-17-51-25-175712824.pdf	2023-03-26-17-51-25	

Currently supported file types for the knowledge base: Spreadsheet files: .xls, .xlsx, .csv, .ods Word processing files: .doc, .docx, .odt, .pdf, .md, .txt Presentation files: .ppt, .pptx, .odp Web files: .html, .htm Data formats: .json, .jsonl Audio files: .wav, .mp3, .m4a, .aac Video files: .mp4

View Data

Data Chunk Description

When data is uploaded to the knowledge base, it is divided into chunks. This provides the following benefits:

Improved retrieval accuracy: Smaller chunks match queries more precisely, avoiding interference from irrelevant content

Optimized response speed: Faster processing with reduced computational resource consumption

Enhanced content relevance: Each chunk focuses on a single topic, improving specificity

Easier maintenance and management: Easier to update, track, and control quality

Compliance with AI model limitations: Avoids exceeding input length limits, ensuring information completeness

Edit and View Chunk Content

You can view the segmented content of your documents:

Go to the document page in the knowledge base, and click "**Edit**"

View the segmented content by clicking on the chunk you want to view

The screen will display the complete content of the chunk in Markdown format.



Enter the edit page, where the text box will display the document in Markdown format

You can edit your source document in the text box. All file formats can be edited using this method. After finishing, click "Save" to save your edits.






Data Management Reminder It is recommended to back up important content before editing After editing the source document, the system will re-segment the data into chunks

How to Create a Knowledge Base: Basic Settings

Basic Settings

General Information

You can define the name of the knowledge base and add a description on the following page:



Retrieved Chunks

The number of retrieved chunks represents the maximum number of data chunks the AI assistant will reference when answering. The system default is "12", meaning the AI assistant will retrieve the 12 most relevant chunks for each response.

You can increase or decrease the number of retrieved chunks to adjust the amount of information the AI assistant references when answering.

What Is a Parser?

A parser enables the system to "understand" the content in uploaded documents, making it searchable, editable, or convertible to other formats.

Document Parsers

When uploading PDF, Word, or other documents, you can choose from the following four parsers:

MaiAgent Parser (Default): Low cost, fast speed, suitable for plain text documents, supports 22 formats

MaiAgent Parser (Online): Uses LLM, can OCR-parse text in images, supports 20 formats

MaiAgent Parser (Offline): OCR + AI semantic understanding of images, best structure preservation, deployable on-premises, supports 20 formats

Vision Parser: AI visual understanding, best image parsing results, supports 7 formats

Speech-to-Text Parsers

When uploading audio files, you can choose from the following four speech-to-text parsers:

Azure Speech: Real-time transcription with high accuracy

Whisper (Groq): Fastest speed, low cost


Whisper (OpenAI): Stable and reliable cloud solution

Whisper (Offline): Fully local deployment, free with data privacy protection

After audio parsing is complete, you can view the transcript via "View Document" and download the transcript file in TXT or SRT format:




Transcript view



Download transcript (supports TXT and SRT formats)

For a detailed comparison of each parser, refer to: [Technical Manual - Parser Tools](#)

If issues occur during data parsing, you can click the [Re-parse] icon to have the parser reprocess the data.



Retrieval Model Settings

In the knowledge base settings, you can select the Embedding model and Reranker model you want to use.



Embedding Model

Embedding is like translating human language into a "numerical language" that AI can understand, enabling computers to comprehend the true meaning of text. This process is called "vectorization." Different Embedding models have different characteristics, such as the languages they handle best and the deployment environments they support. Different model settings in the knowledge base can be used to adjust the vectorization results when documents are uploaded. You can choose the most suitable Embedding model for different scenarios.

You can freely choose from multiple Embedding models:

For details on Embedding model differences, refer to: [Technical Manual - Embedding Models](#)



Reranker Model

A Reranker acts like a professional judge that re-evaluates which data best answers the customer's question from the initial search results. What is the difference between using a Reranker and not using one?

When a customer asks: "What tent is suitable for beginners? Budget under 8,000 NTD"

Without Reranker:

AI may respond:

"We have tents at various price points. Products at 8,000 NTD include... "
(May mention advanced models, not targeted enough for beginner needs)

With Reranker:

AI responds:

"Here are some specially recommended tents under 8,000 NTD for beginners... "
(Precisely targeted for beginners + budget + product recommendations)

When search result reranking is enabled, the AI assistant will re-sort the retrieved knowledge base chunks and respond based on the most relevant documents.

For details on the Reranker model, refer to: [Technical Manual - Reranker Models](#)



In summary, using Embedding combined with Reranker enables the AI assistant to understand the knowledge you provide, review content importance after retrieving chunks, and respond using the knowledge most relevant to the question.

Associated AI Assistants

Multiple AI Assistants Sharing a Knowledge Base

Associating AI assistants means authorizing specific AI assistants to use this knowledge base. If you have two AI assistants:

Product Customer Service AI

Order Customer Service AI

When both need to answer return-related questions, you can associate both AI assistants under the "**Return Policy**" knowledge base settings:





Diagram of associating multiple AI assistants

Select the AI assistants to associate



Click to add the AI assistant

After adding, it will appear in the selected AI assistants area. Click "Save" in the bottom-right corner to complete the association.



Once associated, both AI assistants can share the "**Return Policy**" knowledge base and respond based on the same content. For ongoing maintenance, you only need to **update one knowledge base** to ensure the AI assistants use the latest data.

One AI Assistant Using Multiple Knowledge Bases


In addition to sharing knowledge bases, a single AI assistant can also use multiple knowledge bases.

Go to the AI assistant page, select the AI assistant you want to configure, and click Settings




名稱	狀態	模型	知識庫	知識庫類型	知識庫大小	知識庫ID	操作
Knowledge Base 1	已啟用	gpt-4o	知識庫 1	知識庫	10 MB	kb-123456789	
Knowledge Base 2	已禁用	gpt-4o	知識庫 2	知識庫	10 MB	kb-987654321	

Go to Model Settings and click "Select Knowledge Base"



Select the knowledge bases to use and click Confirm. The selected knowledge bases will appear in the list





Finally, click "Save" and the AI assistant will be able to use multiple knowledge bases

How to Use the Crawler (Web Scraping) Feature

Feature Purpose and Value

As a business professional, you may often receive instructions from management to reference or compile regulatory data from certain public websites.

If you have a technical background or engineering support, you might be able to write a scraping script to automatically extract data. However, for non-technical users, the only option is usually to manually organize pages one by one — a time-consuming, labor-intensive process that is also prone to missing key information.

In such cases, you can leverage MaiAgent's web scraping feature to quickly extract website content through a No-Code approach, automatically creating structured data. This significantly improves information organization efficiency, allowing you to invest your time in higher-value core business tasks.

How to Scrape?

To create a scraping request, you can:

Create a Page Scraping Request

Go to the left sidebar "**AI Features**" → "**Web Scraping**", and click the "**+ Create Page Scraping Request**" button in the upper right corner.

Enter the URL

Enter the URL of the page you want to scrape, and click the **[Confirm]** button.

Please note that the URL cannot exceed 200 characters. If the status has not changed, you can click the refresh button in the upper right corner to update the status.



Review Scraped Data

Once the status shows as completed, click "Import" on the right side to review the scraped data entries.



Web Scraping Considerations

Ensure you have permission to scrape the target website's content

It is recommended to test with a small range of data before performing large-scale scraping

After scraping is complete, you can verify data quality through the [Search Testing feature](#)

Regularly update scraped data to maintain information timeliness

How to Create FAQ


How to Upload FAQ

Select Knowledge Base

Go to the left sidebar "AI Features" → "Knowledge Base", and click on the knowledge base where you want to create FAQ (if you haven't created one yet, please refer to [How to Create a Knowledge Base: Basic Settings](#)).

Add Q&A Content

Enter the knowledge base page, select the "FAQ" tab, and click the "+Create FAQ" blue button in the upper right corner to start adding Q&A content.



Create FAQ

The FAQ editor supports multiple answer formats:


Basic text formatting (bold, underline, italic, etc.)

Equations

Source code (HTML, XML)

Embedded links (videos, websites)

Videos provide reference links for users (the AI assistant cannot read video content yet)



After adding, click "**Confirm**" to complete the FAQ creation. The AI assistant will then be able to reference your provided answers when responding:



When customers ask questions related to online payment methods, the LLM will respond based on the FAQ content:



This way, you can restrict the AI assistant's response scope and prevent it from providing incorrect or non-compliant answers.


Other Use Cases

Product Operation Guidance Q&A

Using **MaiAgent platform usage** as an example, suppose you need to help new users understand how to get started with the MaiAgent system. You can add the following Q&A in the FAQ section:

Question: What should I do if I don't know how to use MaiAgent?

When the answer is too long, you can click preview to confirm the full content



Answer preview screen

The AI assistant will explain MaiAgent's available resources and getting started steps based on your provided answer, and provide the links in your answer for users to reference:




Knowledge Introduction


Using **LLM technology introduction** as an example, suppose you run a technology education platform and need to explain what Large Language Models (LLM) are to the general public. You can add the following Q&A in the FAQ section:

Question: What is the working principle of LLM?

You can enter video links within the answer



Click Insert/Edit Media



Link input illustration



Media insertion preview

The AI assistant will respond based on the answer you set, and provide the video reference link for users to access:



FAQ Management and Maintenance Tips

Content Timeliness Management

Event information updates: Remove or update related content immediately after promotions or limited-time offers end

Policy synchronization: When company policies (such as return/exchange conditions, terms of service) change, ensure FAQ content is updated accordingly

Product information maintenance: New product launches, specification changes, discontinued products, and other information should be reflected in related Q&A promptly

Data-Driven Optimization

Answer quality improvement: Optimize answer content for high-frequency questions by providing more detailed and practical information

Gap analysis: Discover common questions not covered by FAQ through customer feedback and customer service records

Quality Control Mechanisms

Content accuracy checks: Regularly verify that links, contact information, and technical data in FAQ are correct

Tone consistency: Ensure all FAQ content aligns with brand tone and communication style

Multi-language version synchronization: If multi-language support is needed, ensure all language versions are kept in sync

You can check the hit count of FAQ entries to identify the most frequently asked question categories and update them regularly. For hit count details, please see: [Search Testing](#)

	问题	答案	标签	元数据	命中次数	操作
	Mac OS 的默认语言是什么？	Mac OS 的默认语言是英语。			4	  
	Mac OS 的默认语言是什么？	Mac OS 的默认语言是英语。			4	  
	我不喜欢 Mac OS 的默认语言。	您可以通过以下步骤更改 Mac OS 的默认语言。			5	  
	如何更改 Mac OS 的默认语言？	您可以通过以下步骤更改 Mac OS 的默认语言。	如何更改 Mac OS 的默认语言？		5	  
	如何更改 Mac OS 的默认语言？	您可以通过以下步骤更改 Mac OS 的默认语言。			5	  

This management mechanism ensures the AI assistant always provides accurate, timely, and user-relevant responses, enhancing the overall customer service experience.

Document Management: Tags & Metadata

Since a Knowledge Base may contain a large number of documents or FAQs to manage, MaiAgent provides tag management and metadata management features, allowing you to categorize and organize large volumes of documents and FAQs.

Tag Management

When your Knowledge Base contains a large amount of data, the tagging system helps you quickly organize documents, FAQ attributes, or control reference material permissions. For example:

Product Data Knowledge Base (categorized by product information)

- └─ #Tent
- └─ #4-Person Tent
- └─ #3-Season Tent
- └─ #SnowPeak

Tutorial Content Knowledge Base (categorized by permission level)

- └─ #Non-Member
- └─ #Regular Member
- └─ #VIP

Add Tag

Click the Add button



Enter the tag name



After clicking Add, the tag you just entered will be displayed as follows, including ID, name, etc.

The ID can be used for granting document access permissions. For details, see [Technical Manual — Query Metadata Control Items](#)



Add Tags to Documents

After adding tags, go to the document page.

Click Edit File Information



Select tags

Add corresponding tags based on the document's requirements (you can select multiple tags).



The added tags will then be displayed next to the corresponding document:



Add Tags to FAQs

If you want to add hierarchical categorization or tag management for FAQs, you can:

Go to the FAQ management interface within the Knowledge Base, select the FAQ you want to edit, then click the Edit button



Select the tags to add, then click "Confirm"



The added tags will appear in the FAQ field.



Tag Access Control

You can control what different users see based on different tags. For example, VIP customers can view more advanced product tutorials, while non-members can only see general tutorials.

Filtering can be applied to both FAQs and documents.

AND Filter

The AND filter opens content that matches all tag conditions simultaneously.

For example: If a conversation is a tutorial-related conversation with a non-member, you can use tag filtering to only open documents that simultaneously match the **"Non-Member"** and **"Tutorial"** tags for the AI Assistant to use.

As shown: After filtering, the AI Assistant can only use the beginner camping document, avoiding disclosure of irrelevant information in non-member conversations.




OR Filter

For conversations with members, you can use the OR filter to allow documents matching either Regular Member or Non-Member to be available for the AI Assistant to reference:



Members can see more document content than non-members, achieving tiered access control.

You can switch between filtering mechanisms by clicking "AND" or "OR" in the tag filter.



For filtering results, refer to: [Internal Q&A Features](#)

Document Metadata Management

What Is Metadata?

Metadata is like a document's "ID card," recording detailed information about the document and helping the system better manage and use these documents.

Example: Beginner Camping.pdf

```
Metadata settings:
├─ Document version: v2.1
├─ Created date: 2024-03-15
├─ Last updated: 2024-11-20
├─ Next review: 2025-05-20
├─ Updated by department: Marketing
└─ Version status: Reviewed and approved for release
```

Why Use Metadata?

When data is complex and voluminous, using metadata helps you maintain data quality more conveniently and quickly by:

Improving Management Efficiency

- Quickly identify document status and version information
- Stay more organized when managing large volumes of documents in bulk
- Reduce time spent on manual searching and verification

Ensuring Content Quality

- Use the latest document versions
- Track document update history and version status
- Ensure the AI Assistant uses the latest and reviewed content
- Set periodic review reminders to maintain data quality

Add Metadata to Documents

Go to the document page and click Edit File Information:



Switch to the Metadata tab and enter the metadata mappings

MaiAgent uses key-value pairs to store and retrieve metadata

請輸入文件名稱或 ID

全部狀態

初級露營.pdf

×

標籤

元資料

目前元資料

新增元資料

文件版本

v2.1

+ 新增元資料

元資料可以儲存文件的額外資訊，如作者、版本等。


保留字包含「url」，會覆蓋當預覽被引用文件時開啟的位置

取消

確定



After entering, click the "Add Metadata" button to add the key-value pair you just entered (you can add multiple metadata entries at once).



After adding, you can see the metadata you just added appearing in the field.

Add Metadata to FAQs

Go to the FAQ management interface within the Knowledge Base, select the FAQ you want to edit, then click the Edit button



Switch to the Metadata page, enter the values, then click Add Metadata

After entering all values, click "Confirm"

問題: 線上支付方式有哪些

標籤

元資料

目前元資料

url: https://www.google.com

✎ ✖

新增元資料

鍵名

數值

+ 新增元資料

元資料可以儲存文件的額外資訊，如作者、版本等。

保留字包含「url」，會覆蓋當預覽被引用文件時開啟的位置

取消

確定

The added metadata will appear in the FAQ list.

基本

標籤管理

文件

FAQ 常見問題

搜尋測試

複製問題或答案內容 - C

顯示問題

添加問題

— 建立 FAQ

↺

答案	標籤	元資料	命中次數	操作
無法使用 Apple Pay，其他...	Apple 旅遊資訊	url: https://www.google.com	1	✎ ✎ ✖
信用卡可以轉帳 ATM			1	✎ ✎ ✖

共 2 個問題 (1) 10 條/頁

Custom URL Mapping

`url` is a reserved word in the metadata system. If you set `url: https:// ... your-specified-URL`, the URL you set will override the original file location when viewing citation snippets in conversations, opening your specified URL instead.

Example Scenario: Brand Spring Promotional Campaign

Original Settings:

```
title: "2025 Spring Sale Event Details"
content: "This event includes 20% off storewide, bonus gifts for minimum purchase amounts, and many more offers ..."
url: https://www.yourstore.com/spring-sale-2025
```

Usage Effect: When a user asks "What offers are available in the spring sale?" in a conversation:

The AI will cite this knowledge snippet to answer the question

When the user clicks the citation source, it will not open the internal file location

Instead, it will navigate directly to <https://www.yourstore.com/spring-sale-2025>, the official campaign page

The user can immediately see the latest event details, purchase buttons, countdown timers, and other dynamic content

Practical Scenarios:

Website Announcements: `url: https://www.company.com/announcements/system-maintenance`

Product Spec Pages: `url: https://www.product.com/specs/model-x1`

Customer Service Policies: `url: https://support.company.com/return-policy`

Event Registration: `url: https://events.company.com/register/webinar-2025`

The benefit of this setup is making AI responses more actionable -- not only providing information but also guiding users directly to relevant pages to take action, improving user experience and conversion rates.


Before Setting url

As shown below, before setting the url value, clicking a citation node and clicking any node (e.g., Beginner Camping.pdf) allows you to view the original document (you can configure whether to allow users to download original document files in the conversation platform):

[Conversation Platform - Allow Citation Document Download Settings](#)



View citation nodes




View original file location

After Setting url (Using Google as an Example)



Click the cited node file (Camping Precautions.txt) again. Instead of showing a document preview, it will open the Google homepage:





After setting the `url` field in metadata, when users see the AI Assistant citing that document in a conversation, they can click directly to navigate to the link you set for more complete information.

PDF Document Translation

Feature Overview

MaiAgent provides AI-powered PDF document translation, allowing you to translate PDF files in your knowledge base into a specified language. After translation, two versions are produced:

Translated version: Contains only the translated content in the target language

Bilingual side-by-side version: Displays the original text and translation side by side for easy comparison


Supported languages include: Traditional Chinese, Simplified Chinese, English, Japanese, Korean, Spanish, French, German, Portuguese, Russian, Arabic, Italian, Dutch, Polish, and Turkish.

Currently, only PDF format is supported for document translation, and the PDF must contain extractable text content (scanned/image-only PDFs are not supported).

How to Translate a PDF Document

1. Open the Document Details Page


In the **Documents** tab of your knowledge base, click the PDF file you want to translate to open the document details page.



PDF document details page with the "Translate PDF" button in the upper right corner

2. Open Translation Settings

Click the **Translate PDF** button in the upper right corner. If the file already has a translation record, the translation results dialog will appear first — click **Translate Again** to open the settings. For first-time translations, the translation settings dialog opens directly.



Translation settings dialog

3. Configure Translation Parameters

Field	Description
Source Language	The language of the original text. Defaults to "Auto Detect" — the system identifies it automatically
Target Language	The target language for translation (required)
Large Language Model	Select the LLM model to use for translation
Custom Terminology/Prompt	(Optional) Guide the translation style or specify terminology mappings, e.g., "Translate 'Hermione' as 'Miao-Li'"

The custom prompt supports up to 5,000 characters and is ideal for specifying proper nouns, brand names, or particular translation styles.

4. Start Translation


Click **Confirm** to start the translation task in the background. The status updates in real time during translation, and results are displayed automatically upon completion.

View Translation Results

After translation is complete, click the **Translate PDF** button to open the translation results dialog, which contains three tabs:

Result Preview

Preview the bilingual side-by-side PDF with the original text and translation displayed side by side.



Translation results — Bilingual side-by-side PDF preview


Download Files

Three file download options are available:

Original file: Download the untranslated original PDF

Translated version: A PDF containing only the target language translation

Bilingual side-by-side version: A PDF with the original text and translation displayed side by side



Download files — Three formats available

Processing Details


View complete statistics for the translation task:

Translation configuration: Source/target languages, LLM model used

Processing statistics: Token consumption, number of LLM calls, processing time breakdown

File information: File size and character count for both the original and translated files

Timestamps: Creation, start, and completion times along with the final status



Processing details — Token consumption and time statistics

Translation Version Management

A single PDF file can be translated multiple times (e.g., into different languages or using different models), and each translation is saved as a separate version.

Use the **Select Translation Version** dropdown at the top of the translation results dialog to switch between versions. The version format is: **Date | Source Language → Target Language | Model Used**.

To translate again, click the **Translate Again** button to open a new translation settings dialog.

Search Testing

Why Do You Need Search Testing?

Ensure Response Accuracy

The quality of AI assistant responses directly affects customer satisfaction

Incorrect or irrelevant answers damage brand trust

Avoid Information Gaps

Prevent important product details or safety instructions from being overlooked

Optimize the efficiency of knowledge base usage

Improve Q&A Consistency

Ensure the same question receives a consistent answer at different times

Avoid response instability caused by knowledge base updates

Through search testing and segment preview features, you can instantly review the quality of data segments used by the AI assistant to ensure your Q&A standards.

How to Get Started?


Go to the Knowledge Base page, select the knowledge base you want to view, and enter its settings






Click on Search Test to enter the page

Type the content you want to search in the dialog box: "What should I pay attention to when choosing a campsite?", then click the search button. The AI assistant will search for the most relevant documents based on your input.



View search results

The right side will display the segments that the AI assistant retrieves when answering. As shown in the figure, there are 12 segments (to configure the number of retrieved segments, refer to: [How to Create a Knowledge Base: Basic Settings](#))



The right side shows the retrieved content used to answer this question. Each segment displays:

Word count: The number of words covered by the segment

Hit count: The number of times the AI assistant referenced this segment when answering (only official Q&A sessions are counted; test Q&A sessions are not included in hit count calculations)


A higher hit count indicates that users ask more questions related to this segment.

Search test records past test Q&A sessions. You can quickly click on history records to retest, ensuring that the same topics maintain or improve data reference quality.



Check Knowledge Segment Quality

Through search testing, you can determine which segments the AI assistant uses during reasoning, and then check whether the content of these segments needs optimization, such as:



If you find many blank segments in the search results, and these blank segments all belong to the file "**Beginner Camping.pdf**", you can then check whether the content of "**Beginner Camping.pdf**" is correct and update it immediately **before going live**.

Search Test by Metadata

What Is Metadata Search?

The Metadata search feature allows you to perform precise queries based on document attribute information, rather than being limited to the document content itself. This feature is particularly suitable for:

Document classification queries: Search by document type, tags, categories, and other information

Attribute filtering: Filter by document creation time, author, source, and other attributes

Precise targeting: Quickly find document collections that meet specific criteria

How to Use Metadata Search?

On the search test page, you can:

Select search mode: Switch to "Metadata Search" mode

Specify search criteria: Enter the metadata field and value you want to search

View search results: The system will display document segments that match the metadata criteria

Search examples:

Search for documents in a specific category: `category:Product Description`

Search for documents within a specific time range: `date:2025-01`

Search for documents by a specific author: `author:Customer Service Department`

Advantages of Metadata Search

1. More Precise Results

Query directly against document attributes, reducing irrelevant results

Suitable for scenarios that require precise filtering

2. Faster Targeting

No need for full-text search; quickly locate target documents

Especially suitable for knowledge bases with large volumes of documents

3. Combined with Content Search

Can be used in combination with regular content search

First narrow down the scope with metadata, then pinpoint with content search

Practical Use Cases

Scenario 1: Product Document Management

Search for all documents in a specific product line

Example: `product_line:Camping Equipment`

Scenario 2: Time Range Query

Find recently updated documents

Example: `updated_date:2025-11`

Scenario 3: Document Type Filtering

View only specific types of documents (e.g., operation manuals, FAQs, etc.)

Example: `doc_type:FAQ`

Search Testing Helps You

Test Important Questions Regularly

Test core business-related questions frequently

Retest after knowledge base updates

Record and compare improvements in test results

Identify Content Gaps

Discover knowledge gaps: Test common questions and find queries with no matching results

Example: Testing "tent waterproof rating explanation" reveals no relevant segments → waterproof specification documents need to be added

Evaluate Content Completeness

Check answer depth: Confirm whether the AI answer covers all aspects of the question

Example: Query "camping safety precautions" → Check whether it covers weather, wildlife, fire safety, and other aspects

Question Testing Tips

You can:

Ask the same question in different ways

Test complex scenarios and multi-condition queries

Verify the retrieval effectiveness of technical terms and product names

Use these testing tips to comprehensively evaluate the accuracy and completeness of responses.

Database

Text to SQL Feature

What is Text to SQL?

Text to SQL (also known as Text2SQL) is an intelligent tool that automatically converts **natural language questions** (everyday human language) into **SQL database query statements**. Simply put, it enables the AI Assistant to "**understand human language**" and directly operate on databases.

To learn more about Text2SQL, see: [Technical Manual — Text to SQL](#)

Imagine you are a convenience store owner:

Traditional approach:

You: "Help me check how many bottles of cola were sold yesterday"

Employee: "Boss, you need to teach me how to use the POS system to query..."

You: "Click here, select there, enter conditions..."

Requires hands-on instruction, which is time-consuming.

With Text2SQL:

You: "Help me check how many bottles of cola were sold yesterday"

AI Employee: "Sure!" (*automatically generates the query method and calls the database*) → "87 bottles of cola were sold yesterday"

Core Features of Text to SQL

Natural language question → AI understanding & analysis → SQL query statement → Execute query → Return results

When you ask the AI Assistant "Find the best-selling beverage from yesterday," the AI Assistant first analyzes your question, understands that you want to find a "beverage" that sold the "best" "yesterday," then generates SQL syntax to query the database, and finally tells you the result: "cola."

What Text to SQL Can Help AI Accomplish

Use Cases

Medical Clinic

Doctor asks: "Find today's appointments for diabetic patients"
AI responds: "There are 5 diabetic patients with appointments today:"
- Mr. Wang 10:00 follow-up visit
- Mrs. Li 14:30 follow-up checkup
- Ms. Chen 16:00 blood sugar monitoring"

School Management

```
Teacher asks: "How many students failed this exam?"
AI responds: "This math exam:
- Total students: 45
- Failed: 8 (17.8%)
- The list of students requiring a makeup exam has been compiled"
```

Retail Chain Store

```
Store manager asks: "Compare the monthly revenue of three branches"
AI responds: "November revenue comparison by branch:
- Taipei store: $1,200,000 (↑15%)
- Taichung store: $950,000 (↑8%)
- Kaohsiung store: $800,000 (↓3%)"
```

Advantages of Text to SQL

Efficiency Improvement

Traditional approach: Requires an SQL expert to write queries → 30 minutes

Text2SQL: Ask in natural language → 3 seconds

Lower Barrier

No need to learn complex SQL syntax

No need to memorize database structure

Anyone can query data

Real-Time Interaction

Ask and get answers immediately

Supports follow-up questions

Dynamically adjust query conditions

How to Use Text to SQL in MaiAgent

Before starting, you need to prepare: an enterprise relational database or Excel files (uploaded to the Knowledge Base) If using a database, it is recommended that you: Ensure the data table structure is clear Create appropriate indexes Maintain data quality

1. Access AI Assistant Settings

Select the AI Assistant you want to configure

Switch to the Response Mode settings page



2. Switch the AI Assistant's Response Mode to Agent Mode

Make sure to switch to Agent Mode, otherwise the AI Assistant cannot use the Text to SQL feature For detailed information about each Response Mode, refer to: [Create AI Assistant](#)



3. Enter the Enterprise Database URL

Use the dropdown menu to select the database service used by your enterprise

Enter the database service URL used by your enterprise to allow the MaiAgent system to connect to the database

- MaiAgent supports: MySQL PostgreSQL Oracle DB Microsoft SQL Server (MSSQL) - The maiagent option applies to Excel files you have already uploaded to the MaiAgent Knowledge Base





Make sure the URL format is correct and includes the necessary connection information, such as: hostname, port, database name, username, and password.

MaiAgent

Refer to: [Using MaiAgent Knowledge Base for Text to SQL](#)

Microsoft SQL Server(MSSQL)

Connect to an existing MSSQL database by pasting the MSSQL database connection string

Note: Ensure the database URL is accessible by the MaiAgent service



MySQL

Connect to an existing MySQL database by pasting the MySQL database connection string

Note: Ensure the database URL is accessible by the MaiAgent service



Oracle

Connect to an existing Oracle database by pasting the Oracle database connection string

Note: Ensure the database URL is accessible by the MaiAgent service



PostgreSQL

Connect to an existing PostgreSQL database by pasting the PostgreSQL database connection string

Note: Ensure the database URL is accessible by the MaiAgent service



4. Click Save to Store the Settings



With this setup, the AI Assistant can help you quickly query your inventory, employee information, and more, and compile well-organized reports and trends for you.

Troubleshooting

Connection failed: Check the database URL format and network connectivity

Query error: Verify that table names and field names are correct

Insufficient permissions: Check database user permission settings

Slow response: Check query complexity and consider adding indexes

Text2SQL turns the AI Assistant into a database expert, allowing anyone to quickly obtain business insights using natural language, greatly improving the efficiency of data-driven decision making!

For a conceptual introduction to Text to SQL, see: [Text to SQL Feature](#)

MaiAgent Database: Upload Excel

JSON files and the system automatically creates data tables. Ideal for users without their own database

Create a Database

Navigate to the "AI Features" section from the left sidebar and click "Database." The page has two tabs: **MaiAgent Database** and **External Database**.

[illegible][illegible]

If the button is grayed out and unclickable, your role has not been granted permission to create databases. Contact your organization administrator to set up permissions.

2. Select the Database Type

Choose the type of database you want to create by clicking the corresponding card:


MaiAgent: Suitable for uploading spreadsheet files; no connection string required

PostgreSQL

MySQL

MSSQL

Oracle: Connect to an existing external enterprise database



Step 1: Select the database type


3. Fill In Basic Information

MaiAgent Database

Field	Required	Description
Database Name	Yes	e.g., "2024 Annual Sales Data"

Field	Required	Description
Description	No	Additional notes about the database's purpose or content

MaiAgent databases do not require a connection string — the system handles data storage automatically. After creation, upload your spreadsheet files.



Step 2: MaiAgent database configuration screen


External Database

Field	Required	Description
Database Name	Yes	e.g., "Enterprise ERP Database"
Description	No	Additional notes about the database's purpose or content
Connection String	Yes	The database connection URL
Specified Tables	No	Restrict which tables the AI Assistant can query, separated by commas

Connection string formats are as follows:

```
PostgreSQL: postgresql://username:password@host:port/database_name
MySQL: mysql://username:password@host:port/database_name
MSSQL: mssql+pymssql://username:password@host:port/database_name
Oracle: oracle+cx_oracle://username:password@host:port/database_name
```

Make sure the connection string format is correct and includes all required connection information. The database URL must be accessible by the MaiAgent service.



Step 2: External database (PostgreSQL) configuration screen

After entering the connection string, click the "**Test Connection**" button to verify the connection:

Connection successful: MaiAgent can access your database normally

Connection failed: Check the connection string format, network connectivity, and whether the database allows external connections

If your database contains a large number of tables, enter the table names you want to expose in the "**Specified Tables**" field (e.g., `customers, orders, products`) to improve query efficiency and security.

4. Set Group Permissions

The final step is to set which groups can access this database. Use the transfer widget to move the groups that need authorization from the left panel to the right panel.

If you don't need to set group permissions right now, you can skip this step and adjust it later from the database settings page.

5. Complete Creation

After confirming all settings, click the "Create" button. Upon successful creation, you will be taken to the database settings page for further configuration.

After creation, don't forget to associate the database with an AI Assistant so the AI Assistant can use this database for queries. See: [Associate AI Assistants and Group Permissions](#)

Upload Files to Create Data Tables (MaiAgent Database)

After creating a MaiAgent database, go to the settings page, switch to the "Table Management" tab, and click the "Upload Table File" button.



Table Management tab for uploading files and creating data tables

Supported File Formats

Format	Extensions	Description
Excel	<code>.xlsx</code> , <code>.xls</code>	Each worksheet (Sheet) creates a separate data table
CSV	<code>.csv</code>	Comma-separated values file
JSON	<code>.json</code> , <code>.jsonl</code>	JSON format data file

After uploading, the system automatically parses the file structure and creates data tables in the background. Each data table displays a processing status:

Status	Description
Pending	File has been uploaded, waiting for system processing
Processing	System is parsing the file and creating the data table
Completed	Data table created successfully; the AI Assistant can query it
Failed	An error occurred during creation; hover over the error icon to see the reason

File Format Guidelines

- [x] The first row must contain **column names**
- [x] **Data types** within each column should be consistent (e.g., the price column should contain only numbers)
- [x] Avoid **merged cells**
- [x] Avoid **duplicate column names**
- [x] Each worksheet (Sheet) in an Excel file should contain only **one table**
- [x] It is recommended to annotate data formats after column names, e.g., `price(int)` , `date(datetime)`

If a data table fails to create, common causes include: incorrect or corrupted file format, special characters in column names, duplicate column names, or inconsistent data types within the same column.

Edit Column Descriptions

Column descriptions are a **critical setting** for improving Text to SQL query accuracy. The AI Assistant references column descriptions to understand the meaning of the data, enabling it to generate more precise SQL queries.

For example, if your data table has a column called `status` , the AI Assistant may not know what it represents. But if you add a description like "Order status, possible values: pending, completed, cancelled," the AI Assistant can correctly understand the column's meaning.

How to Edit

MaiAgent Database: In the "**Table Management**" tab, click "**Edit**" on a data table to edit the table description and column descriptions. The dialog shows completion progress (e.g., "3/10 columns have descriptions").

External Database: Under the "**Basic Information**" tab, in the data table list below, click to expand a table and enter descriptions directly in the column description field.

Writing Tips

Good column descriptions can significantly improve AI query accuracy:

Column Name	Poor Description	Better Description
amt	Amount	Total order amount (NTD), including tax and shipping
cust_lvl	Level	Customer level. A = VIP customers with annual spending over 1 million, B = annual spending 100K-1M, C = others
reg	Region	Customer geographic region. Possible values: North, Central, South, East, Offshore Islands

Manage Existing Databases

Edit a Database

In the database list, click "Edit" in the action menu to enter the settings page.



Database settings page: Basic Information tab

The settings page contains the following tabs:

Tab	Description	Applicable Type
Basic Information	Edit name, description, enabled status, connection string	All
Table Management	Upload files, manage data tables and column descriptions	MaiAgent only
Associated AI Assistants	Specify which AI Assistants can use this database	All
Role Permissions	Set group access permissions	All

Enable Disable

In the database list, use the "Enable" toggle to quickly switch the status. When disabled, AI Assistants temporarily cannot query this database, but settings and data are preserved.

Delete a Database

Deleting a database is an irreversible operation. MaiAgent Database: After deletion, all data tables created by uploading files will also be removed External Database: Only the connection configuration in MaiAgent is removed; the original database and its data are not affected

Text to SQL with MaiAgent Database

To have the AI Assistant help you analyze spreadsheet data such as Excel and CSV files, simply upload the files to the MaiAgent Database. The AI Assistant can then query the data using natural language and produce statistical analysis results.

For an introduction to the Text to SQL concept, see: [Text to SQL Feature](#)


Step 1: Create a MaiAgent Database

Navigate to "AI Features" > "Database" from the left sidebar

Click "Add Database"

Select "MaiAgent Database"

Enter a database name (e.g., "2024 Annual Sales Data") and click Create



Select MaiAgent Database and enter a name

For detailed creation steps, see: [Create and Configure Database](#)

Step 2: Upload Spreadsheet Files

Drag and drop or select your spreadsheet file



After the upload is complete, wait for the processing status to show "Success", which indicates the data table has been created successfully.

Supported formats: .csv, .xlsx, .xls, .json, .jsonl. Each worksheet in an Excel file will be created as a separate data table.

Table Format Notes

- [x] Each worksheet (Sheet) must contain only one table
- [x] The first row must be field names
- [x] It is recommended to annotate data formats after field names, such as: `Price(int)`, `Date(datetime)`
- [x] Data types within each field should be consistent
- [x] If there are special formats (e.g., currency, percentages), standardize the formatting before uploading

To improve AI query accuracy, it is recommended to add descriptions to data tables and fields. See: [Create and Configure Database — Edit Field Descriptions](#)

Step 3: Link AI Assistant

Link the database to your AI Assistant so it can query the data:

Switch to the "Linked AI Assistants" tab

Select the AI Assistant to link from the left side and move it to the right

Click "Save"



Link the database to the AI Assistant

Ensure the AI Assistant's Response Mode is set to Agent Mode, otherwise the Text to SQL feature cannot be used. For detailed Response Mode settings, see: [Create AI Assistant](#)

Step 4: Chat with the AI Assistant

Once the above steps are complete, you can go to the AI Assistant's conversation page and describe your needs directly using natural language.

For the AI Assistant conversation interface, see: [Choose an Integration Platform](#) to select the most suitable conversation platform for your needs.

Data Analysis

The Text to SQL tool can help you analyze data in spreadsheets. For example: "Find the best-selling dairy product from last year"



When you make a request, the AI Assistant will automatically invoke the Text-to-SQL tool.

This tool acts like a translator, converting your natural language into SQL syntax that the computer can understand, allowing the AI Assistant to extract data from the database.

The AI Assistant automatically adds conditional logic, sorting criteria, and other query constraints to convert your request into a more complete query command.

AI Assistant's Query Reasoning: Find the best-selling dairy product from last year, sorted by sales quantity in descending order. It automatically adds descending order conditions to better match your needs.

AI Assistant's Response (click the tool response to view):



Result

The AI Assistant found all sales data for "Dairy Products" along with other field data for those items.

Each row represents a data record, including: Product ID, Product Name, Product Category, Sales Amount, Sales Quantity, etc.

Based on this data, the AI Assistant determined that the best-selling dairy product is "Cheese", with a sales quantity of 110 and sales amount of 40,150 TWD.

Report Creation (Canvas Mode)

The Text to SQL tool can also help you create polished reports. This feature requires enabling Canvas Mode:

Go to "AI Assistant Settings Page > Response Mode Settings" and find **Agent Mode**



Change Agent Mode from Standard Mode to **Canvas Mode**



After saving the settings, you can chat with the AI Assistant. For example: "Please generate a visualized revenue report with statistics"



AI Assistant's Query Reasoning: Calculate revenue statistics for each product in the food company, including total revenue, average revenue, revenue standard deviation, revenue distribution ranges, revenue share by category, and other statistical metrics. It automatically generates the calculation results needed for the report to better match your needs.

AI Assistant's Response (click the tool response to view):

```
[('Category Revenue Share - Staples', '10.72%'), ('Category Revenue Share - Dairy', '11.97%'), ('Category Revenue Share - Frozen', '9.06%'), ('Category Revenue Share - Canned', '10.25%'), ('Category Revenue Share - Meat', '13.23%'), ('Category Revenue Share - Fruits & Vegetables', '13.34%'), ('Category Revenue Share - Condiments', '4.51%'), ('Category Revenue Share - Snacks', '14.53%'), ('Category Revenue Share - Beverages', '12.40%'), ('Total Products', '100'), ('Average Revenue', '19546.06'), ('Minimum Revenue', '1400'), ('Maximum Revenue', '63364'), ('Revenue Std Dev', '15736.83'), ('Total Revenue', '1954606')]
```

Result

The AI Assistant received the automatically computed results for all required statistical items from the tool.

The AI Assistant used this data as the basis for visualization and created an interactive report interface using Canvas.

Click the "Use Canvas" box to view the content



The report display is shown below. You can:

Toggle between viewing the source code or the rendered view

Switch report content by statistical category (this varies depending on each AI Assistant's output)



When switching to other categories, you can view the category revenue share pie chart and distribution analysis bar chart:

營收統計視覺化報表

詳細的營收數據統計分析與視覺化展示

總覽統計

分類分析

分析分析

總營收

NT\$ 486,262

所有產品類別總和

↑ +12.5%



平均單價

NT\$ 40522

中位數: NT\$ 38,880



營收範圍

NT\$ 37,605

最高: 52,805 | 最低: 25,202



標準差

NT\$ 12679

營收部異標準



🕒 分類營收占比



分類統計詳情

🔗 Open Sandbox



Additional Tips Data quality matters: Ensure your spreadsheet data is clean and accurate, as this directly affects the accuracy of the AI Assistant's analysis results. Data you do not want the AI to access must be deleted: Hidden data in spreadsheets can still be parsed and provided to the AI Assistant. Therefore, data you do not want exposed cannot simply be hidden — it must be deleted. Try different questions: By asking questions in different ways, you can uncover more valuable insights from your data. Make good use of Canvas Mode: Canvas Mode allows you to easily create various visualized reports for a more intuitive presentation of data analysis results. Make good use of field descriptions: Adding descriptions to data table fields can significantly improve AI query accuracy.

Link AI Assistants & Group Permissions

After creating a database and configuring the data tables, you need to **link the database to an AI Assistant** so the AI Assistant can use the Text to SQL feature to query data.

Link AI Assistants


Steps

Go to the database settings page and switch to the "**Link AI Assistants**" tab

The left side of the page shows available AI Assistants, and the right side shows linked AI Assistants

Select the AI Assistants you want to link from the left side and click the arrow button to move them to the right side

Click "**Save**" when finished



Link AI Assistants tab: available assistants on the left, linked assistants on the right

You can use the search field to quickly find a specific AI Assistant. When there are many AI Assistants, the list is displayed with pagination.

Make sure the AI Assistant's response mode is switched to Agent Mode, otherwise the Text to SQL feature cannot be used. For details on response modes, see: [Create AI Assistant](#)

Multi-Database Query

An AI Assistant can be linked to multiple databases. When a user asks a question, the AI Assistant automatically determines which database to query based on the question content:

```
User: "What were the sales last month?"  
→ AI Assistant automatically queries the "Sales Database"  
  
User: "How many employees are currently in the Marketing department?"  
→ AI Assistant automatically queries the "HR Database"
```

To help the AI Assistant accurately distinguish between different databases, give each database a name that clearly describes its purpose, and provide detailed descriptions and field descriptions.

Group Permission Management

Group permissions let you control database access scope for different teams in your organization, ensuring each team can only see databases relevant to them.

Configure Group Permissions

Go to the database settings page and switch to the "Group Permissions" tab

Use the transfer component to move the groups you want to authorize from the left side to the right side

Click "Save" when finished

Group permissions and "Link AI Assistants" are independent settings. Even if a database is linked to a specific AI Assistant, if the user's group does not have access to that database, the user still cannot query it.

Permission Levels

Database access is determined by the following conditions together:

```
Can a user query the database through an AI Assistant?  
  
✓ Database is enabled  
└─ ✓ Database is linked to the AI Assistant  
    └─ ✓ User's group has access to the database  
        └─ ✓ Query allowed
```

Database owner (creator) can access all databases they created, not restricted by group permissions

Non-owners need group permissions to access databases

Tools

Tools Feature Overview

What Are Tools?

Tools are like **plugins** or **extensions** for an AI assistant, enabling it to do more than just chat. For example, if an AI assistant has a **"Check Weather"** tool, it can tell you today's temperature; if it has a **"Play Music"** tool, it can play music directly for you.

By letting users define a set of "tools" that the AI assistant can use, the AI assistant is able to:

Understand complex user requests.

Automatically determine when a specific tool needs to be used.

Automatically generate the parameters required to call that tool.

This enables the AI assistant to go beyond generating text responses and actually perform a variety of tasks, such as:

Querying real-time information: Retrieve the latest stock prices, weather forecasts, flight statuses, etc. from databases or APIs.

Executing external operations: Call booking system APIs, control smart home devices, send emails or messages.

Processing files: Read, write, or analyze local or cloud documents.

Integrating with other software: Operate CRM systems, project management tools, or other enterprise applications.

How Tools Work

A basic tool invocation workflow includes the following steps:

Define tools:

Users must first define the relevant parameters for the tools.

Configure which tools the AI assistant can use.

Each tool must include:

A clear **Name**.

An easy-to-understand **Description** that explains the tool's purpose.

Detailed **Parameter specifications**, including each parameter's name, data type, whether it's required, etc.

User asks a question:

The user makes a request to the AI assistant in natural language.

Example: "Check tomorrow's weather in Taipei for me."

Model reasoning and tool selection:

The LLM inside the AI assistant analyzes the intent of the user's request.

The model determines whether a tool is needed and which tool from the available list to use.

Example: The model determines that weather information is needed and selects the tool named `get_weather`.

Generate tool call parameters:

The model generates a structured output (typically in JSON format) containing the tool name and its required parameters.

Example:

```
json { "name": "get_weather", "arguments": { "city": "Taipei", "date": "tomorrow" } }
```

5. Application executes the tool:

- * The AI assistant's backend application receives and parses the JSON instruction generated by the model.
- * The application executes the corresponding function or calls the external API based on the tool name and parameters in the instruction.
- * *Example:* The backend calls the weather query API, passing "Taipei" and "tomorrow" as parameters.

6. Return the result to the model:

The application returns the result of the tool execution (typically also in JSON format) back to the AI assistant's model.

Example:

```
json { "temperature": "25°C", "condition": "Sunny" }
```

7. Model generates the final response:

- * The model receives the tool execution result and incorporates it into the final natural language response.
- * *Example:* "Tomorrow's weather in Taipei is expected to be sunny with a temperature of about 25°C."

Key Advantages of Tools

Extend AI assistant capabilities: Break free from the limitation of only generating text, enabling the AI assistant to access real-time information and perform real-world tasks.

Improve reliability and accuracy: Through structured calls and responses, ensure task instructions are clear and precise, reducing the risk of model "hallucinations" or operational errors.

Enable complex automated workflows: Design AI assistants that can autonomously complete multi-step, cross-system tasks, dramatically improving efficiency (e.g., automatically planning a travel itinerary and booking flights and hotels).

More natural interaction experience: Users only need to describe their needs in natural language, and the AI assistant can understand and translate them into precise system operations.

Tool Types Supported by MaiAgent

The following major types are currently supported:

API Tools

The most commonly used type. Used to connect to and call external HTTP/HTTPS API services.

Common applications: Retrieving weather information, querying external databases, triggering webhooks, integrating with third-party services, etc.

Required configuration: API endpoint URL, HTTP method, request headers, parameter schema.

MCP Tools

Model Context Protocol (MCP) enables collaboration between servers, clients, and hosts through a standardized protocol.

Applicable scenarios: Enabling the AI assistant to call external tools for more complex and practical tasks.

Required configuration: MCP server URL, parameters, environment variables, etc.

Create an MCP Tool

What Is MCP?

MCP, or Model Context Protocol, is used to integrate multi-cloud platform services or execute local client applications.

Think of tool usage like electrical plugs — the plug must be connected to power before the service can be used. Traditionally, each LLM develops its own tool usage methods, like plugs of different standards that require multiple socket types. If you want both OpenAI and Claude to use Google Calendar services, developers need to build multiple scripts for different AIs.

When Google Calendar updates, developers may need to:

Update 3 different integration versions simultaneously

Maintain 3 separate sets of technical documentation

This leads to extended development timelines and excessive costs.

MCP Solution

MCP is a standardized protocol designed to solve this problem through:

Standardized tool definition formats

Unified communication protocols

Consistent error handling mechanisms

These approaches simplify the development process.

With MCP, developing a tool requires only:

Building an MCP Server (one-time development)

Defining standardized tool specifications

Implementing unified business logic

All AI platforms that support MCP can use it



Before and after MCP integration

MCP is fundamentally a protocol designed for **standardizing AI tool integration**, enabling development teams to "**build once, use everywhere**," significantly reducing the complexity and maintenance costs of the AI assistant tool ecosystem.

Quick MCP Tool Setup

1. Access the Tool Management Interface

From the left navigation panel, go to the "AI Features" section, then click "Tools." On the tool list page, click the "+ Add Tool" button in the upper right corner.



Click "+ Add Tool" to get started

2. Select the Tool Type

Select MCP as the tool type.

新增工具

2

+ 工具類型

MCP

API

MCP

MCP 配置

+ 指令或伺服器 URL

請輸入

參數 (以逗號分隔)

例如: param1, param2

+ 環境變數 (JSON) ⓘ

{}

取消

確認

3. Set the Display Name

Set a clear display name for the tool. In this example, set it to **Composio mcp for google calendar**.

編輯工具

工具類型

MCP

顯示名稱 ①

Composio mcp for google calendar

MCP 配置

指令或伺服器 URL

https://mcp.composio.dev/composio/server/23b54607-75be-46d3-93de-67bc2e2a82d7/mcp?include_composio_help=

參數 (以逗號分隔)

例如: param1, param2

環境變數 (JSON) ①

{}

取消 確認

Purpose: This name is displayed on the platform interface for all users to see.

Recommendation: Choose a name that clearly describes the tool's main function for easy user understanding. There are no strict formatting requirements for this name.

4. Fill In the MCP Configuration

a. MCP Server URL

Purpose: MaiAgent currently accepts external MCP servers. By providing the MCP server's service URL, the AI assistant can call the MCP service to connect to external applications.

Format:

Enter the full URL (e.g., https://mcp.dev/maiagent/mcp_service).

Note: This field is required.

For instructions on obtaining an MCP URL, refer to [Technical Manual — Remote MCP Service Overview](#)

Paste your MCP server URL here, and the system will automatically retrieve the list of connected tools from that server:

編輯工具

工具類型

MCP

顯示名稱 ⓘ

Composio mcp for google calendar

4 MCP 配置

指令或伺服器 URL

https://mcp.composio.dev/composio/server/23b54607-75be-46d3-93de-67bc2e2a82d7/mcp?include_composio_help=1

參數 (以逗號分隔)

例如: param1, param2

環境變數 (JSON) ⓘ

[]

取消 確認

b. 🛠️ MCP Command Arguments (mcp_args)

If you don't need to set specific environment variables, this field can be left empty.

Purpose: Define parameter names that need to be passed when executing MCP commands or calling MCP services. The content is automatically generated by the AI assistant.

Format: Use JSON array format, where each element is a string representing a parameter.

Example (JSON array):

```
[
  "--user",
  "admin",
  "--config",
  "/path/to/config.yaml"
]
```

* **At runtime:** The AI assistant passes these parameters to the MCP tool in order

* If you enter a comma-separated string (e.g., arg1,arg2,arg3), the system will attempt to parse it as a parameter list. To avoid ambiguity, use JSON arrays.

編輯工具

工具類型

MCP

顯示名稱 ①

Composio mcp for google calendar

MCP 配置

指令或伺服器 URL

https://mcp.composio.dev/composio/server/23b54607-75be-46d3-93de-67bc2e2a82d7/mcp?include_composio_help=1

參數 (以逗號分隔)

例如: param1, param2

環境變數 (JSON) ①

{}

取消

確認

Configure MCP command arguments

c. 🌱 MCP Environment Variables (mcp_env)


If you don't need to set specific environment variables, this field can be left empty.

Purpose: Set required environment variables for the MCP command execution environment.

Format: Must be a valid JSON object where keys are environment variable names and values are environment variable contents (strings).

Example:

```
json { "API_KEY": "{{SECRET_MCP_API_KEY}}", "REGION": "us-west-1", "DEBUG_MODE": "true" }
```



Configure MCP environment variables

5. Find "Allowed Tools (JSON Array)" and Click Refresh

Purpose: Specify which sub-tools the AI assistant is authorized to use under this MCP client. A single MCP client may provide multiple different features or sub-tools.

Auto-detect/Leave empty: If this field is left empty or not provided, the system will attempt to auto-detect all available sub-tools when first connecting to the MCP client, and allow all detected sub-tools by default. If you want to restrict the AI assistant to only specific sub-tools, explicitly list them here.

After clicking, the system automatically retrieves the tool content connected to that server and displays it in the list:

編輯工具



環境變數 (JSON) ⓘ

```
{}
```

允許的工具 (JSON 數組) ⓘ

GMAIL_CREATE_EMAIL_DRAFT



GMAIL_DELETE_DRAFT



GMAIL_DELETE_MESSAGE



GMAIL_FETCH_EMAILS



...



取消

確認

7

重新取得

編輯工具



允許的工具 (JSON 數組) ⓘ

重新取得

GMAIL_CREATE_EMAIL_DRAFT



GMAIL_DELETE_DRAFT



GMAIL_DELETE_MESSAGE



GMAIL_FETCH_EMAILS



GMAIL_FETCH_MESSAGE_BY_MESSAGE_ID




GMAIL_GET_ATTACHMENT



取消


確認



MCP-defined tool names

6. Save the Tool

After confirming all settings are correct, scroll to the bottom of the page and click the "Confirm" button. Your new tool is now created!



Important Reminders

Connection Testing

After creating the tool, test the MCP connection to ensure it works properly
Verify tool functionality in a test environment

Permission Management

Carefully select allowed tools to avoid authorizing unnecessary features
Regularly check tool usage status

Troubleshooting

If the connection fails, check whether the MCP server URL is correct
Confirm that environment variables and parameter formats meet the requirements

Contacts MCP Credential Setup

I. Feature Background



What Is the MCP Credential Feature?

The MCP credential feature is like "setting up a dedicated pass for each customer." When multiple customers need to use the same tool to query their own data, each person needs their own "key" (credential) to ensure they can only see their own data and not anyone else's.

Simple Analogy

Think of an apartment building — all residents use the same elevator (MCP tool), but each person must swipe their own access card (credential) to enter their own floor.

Why Is This Feature Needed?

Protect Customer Privacy — Each customer uses their own credentials, ensuring data is not mixed together

Individualized Service — Different customers can have different usage permissions

Easy Management — When a customer's credentials expire or need replacement, you only need to update that one customer's settings

Use Case Examples

Scenario 1: Personal Data Queries

Customer A and Customer B both need to query their own purchase records, but each has different account credentials

Scenario 2: Department Permission Management

Different departments use the same query tool but have different viewing permissions

Scenario 3: Tiered Service


VIP customers can query more detailed data, while regular customers can only query basic information

II. Feature Location & Preparation

Where to Find This Feature

Navigation Path

Contact Management → Click Edit Contact → Switch to the "MCP Credentials" tab




Important Reminder

You must first create and save the contact before you can configure MCP credentials (to ensure credentials are correctly bound to the contact)

Preparation Before Setup

Before starting the configuration, confirm the following:

MCP tools have already been created in the system (AI Features → Tools → MCP)



2. The contact to receive credentials has been created and saved
3. You have obtained the contact's credential information (usually provided by the customer or authorized personnel)

Permission Note

System administrators can flexibly assign "Tools" and "Contacts" feature permissions based on organizational needs.

III. Operating Instructions

3.1 View Available Tools

Steps

Open the contact you want to edit
Click the "MCP Credentials" tab at the top
You will see a list of all configurable tools

Tool List Description

Each tool displays:

Tool Name (e.g., "Customer Database Query")

Tool Description (if available, shown in gray text below the name)

Edit Button (pencil icon on the right)

How to Identify Configuration Status

Already configured → A green "Configured" label appears to the right of the tool name

Not yet configured → No label appears to the right of the tool name

3.2 Add or Modify Credentials

Step 1: Open the Settings Area

Click the "Edit" button (pencil icon) to the right of the tool to expand the settings area

Step 2: Fill In Headers (Credential Information)

Paste the credential information in the text box using JSON format:

```
{"Authorization": "Bearer your-key-code-here"}
```

If you're unsure about the format, click the "**Format JSON**" button to auto-format

What Are Headers?

Headers are like "identification documents" that contain the contact's dedicated key. Just like you need to bring your ID when going to the bank, the system needs these Headers to confirm "who this person is."

What Is JSON?

JSON is a data format that looks like: {"field_name": "content"}. Don't worry — usually someone will provide this to you directly, and you just need to copy and paste it.

Step 3: Important Notes

Headers are **required** (marked with a red *)

The entered Headers will **replace** the tool's default settings

Important: Different MCP tools require different Headers formats. Make sure the credential format you received matches the tool's requirements

Step 4: Save or Cancel

Save Settings

After confirming everything is correct, click the "**Save**" button in the bottom right corner

The system will validate the format

After saving successfully:

The editing area will automatically collapse

A **green "Configured" label** will appear to the right of the tool name (only appears for the first time)

Cancel Editing

If you don't want to save, click "Cancel"

3.3 Reset Credentials (Clear Configured Credentials)

When Would You Use This?

When credentials are configured incorrectly, or when the credentials are no longer needed, you can reset them.

How to Operate

Click the tool's "Edit" button to expand the editing area

If the tool already has credentials configured (has a green "Configured" label), a red "**Reset Credentials**" button will appear in the bottom left corner

Click to confirm, and the credentials will be cleared

After clearing, the green "Configured" label to the right of the tool name will disappear

⚠ Important Reminder

Reset **cannot be undone**

It is recommended to copy and back up the Headers content before resetting

If you only need to modify the content, edit it directly — there's no need to reset

IV. Operation Examples

Example 1: Set Up Database Query Credentials for a Customer

Scenario

Customer A needs to query their own purchase records, and you have received a set of credential codes.

Headers Content

```
{
  "apikey": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9 ... ",
  "Authorization": "Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9 ... "
}
```

Steps

Find contact "Customer A" and click Edit

Switch to the "MCP Credentials" tab

Find the "Customer Database Query" tool and click the Edit button

Paste the credential codes

Click "Format JSON" to ensure proper formatting

Click Save

Example 2: Set Up Dedicated Query Credentials for a Department

Scenario

The sales department needs to access customer data but can only view basic information, not financial data.

Headers Content

```
{
  "X-API-Key": "dept_sales_abc123",
  "X-Department": "sales"
}
```

Field Descriptions

X-API-Key — The sales department's dedicated key

X-Department — Identifies this is being used by the sales department

Example 3: Set Up Credentials with Multiple Fields

Headers Content

```
{
  "Authorization": "Bearer token_xyz",
  "X-Client-ID": "client_12345",
  "Content-Type": "application/json"
}
```

Field Descriptions

Authorization — The main authentication key

X-Client-ID — Client ID number

Content-Type — Data format specification (usually fixed to this value)

V. Contact MCP vs. Tool MCP Differences

Feature Comparison Table

Comparison Item	Tool → MCP	Contact → MCP Credentials
What Is It	Creates the tool itself	Sets up dedicated credentials for individual contacts
Scope	Available system-wide	Only for a specific contact
Configuration	• Tool URL • Default credentials • Available functions	• Only this person's credentials • Overrides default credentials
When to Use	When connecting a new tool for the first time	When each customer needs different credentials
Who Can Operate	Anyone with permissions	Anyone with permissions
Where to Configure	Tool management page	Contact editing page
Common Uses	• Add a new query tool • Set up tool basics	• Each customer uses their own credentials • VIP customers have special permissions

Simple Analogy: Computer Lab

Imagine a school computer lab:

Tool MCP (Set up by authorized personnel)

- Install software in the computer lab
- Configure all computers to use the software
- Determine which features the software has

Contact MCP Credentials

Create individual accounts for each student

Each student logs in with their own account
Different students can have different usage permissions

Practical Workflow

```
Step 1: Create MCP Tool (by personnel with tool creation permissions)
↓
Create "Customer Database Query" tool
- Set tool URL
- Set default credentials (if applicable)
↓
Step 2: Set up dedicated credentials for each contact (by personnel with credential configuration permissions)
↓
Customer A: Configure A's dedicated credentials
Customer B: Configure B's dedicated credentials
Customer C: Configure C's dedicated credentials
↓
Result: Everyone uses the same tool but with their own credentials
```

Permission Flexibility

System administrators can determine who can create tools and who can configure credentials based on organizational needs. These can be the same people or managed separately.

Key Takeaways

Tool MCP — You need the "tool" first before it can be used

Contact MCP Credentials — Then give each person their "key"

VI. FAQ

Q1: Why can't I see the "MCP Credentials" tab?

Possible Reasons

You are on the "Add Contact" page (you need to save the contact first, then re-enter edit mode to see it)

No MCP tools have been created in the system yet

The contact data hasn't been saved yet

Solutions

Fill in and save the contact's basic information first

Confirm that MCP tools exist in the system (check with authorized personnel)

Re-enter edit mode

Q2: What should I do if the Headers format is incorrect?

Common Error Examples

✗ Wrong: `{'key': 'value'}` (used single quotes)

✗ Wrong: `{key: value}` (no quotes)

✗ Wrong: `{"key": "value",}` (trailing comma)

✓ Correct: `{"key": "value"}`

Solutions

Click the "Format JSON" button — the system will auto-check

If there's still an issue, copy the credentials again

Or ask the credential provider to re-confirm the format

Q3: How do I know what to fill in?

How to Obtain Credentials

Ask the customer to provide their credential information

Ask the responsible personnel to provide or help create them

Ask the colleague responsible for the tool

Refer to other successfully configured contacts (but don't copy directly!)

⚠ Don't fill in random values

Credentials have specific formats and content. Entering incorrect values will prevent the tool from working and may cause data errors.

Q4: Why don't I see the "Configured" label?

Display Conditions

Only tools that have already been configured with credentials show the green label

When configuring for the first time, the label won't appear until after saving successfully

The label appears only after a successful save

No labels on any tools in the list?

This means the contact hasn't had any MCP credentials configured yet — this is normal.

Q5: Can't find the "Reset Credentials" button?

Display Conditions (all must be met)

The tool already has credentials configured (green "Configured" label appears to the right of the tool name)

You have clicked the "Edit" button to expand the editing area

Button Location

After expanding the editing area, the red "Reset Credentials" button is in the bottom left corner; the "Cancel" and "Save" buttons are in the bottom right corner.

Tool doesn't have credentials configured yet?

The "Reset Credentials" button won't appear because there are no credentials to reset. The bottom left corner will be empty.

Q6: What happens when I click "Reset Credentials"?

What Happens

The contact's dedicated credentials will be cleared

The green "Configured" label to the right of the tool name will disappear

If the tool has default credentials, those will be used instead (but usually there are none)

Deletion cannot be undone

Recommended Approach

Copy and back up the Headers content first

Make sure you really want to delete

If you only need to modify the content, use "Edit" instead

Q7: Can multiple contacts use the same set of credentials?

Technically, yes

The system won't prevent you from copying the same credentials to different people

But it's not recommended

You won't know who is using it

Data may get mixed together

When something goes wrong, you won't know whose issue it is

Correct Approach

Each contact uses their own credentials

Keep data clearly separated

Easier to track and manage

Q8: The tool list is empty, showing "No available tools"?

Possible Reasons

No MCP tools have been created in the system yet

All tools are "global" type (global tools don't require individual credential configuration)

Solutions

Ask personnel with tool creation permissions to confirm whether MCP tools have been created

Confirm that the tool type settings are correct

If everything looks normal but you still can't see any tools, contact technical support

Appendix: Operation Checklist

Pre-Setup Confirmation

☐ The contact has been created and saved

☐ MCP tools are available in the system

☐ Credential information has been obtained (from the customer or responsible personnel)

☐ Credential format has been verified as correct

During Setup Confirmation

☐ Headers format is correct (use the Format button to check)

☐ All required fields are filled in

☐ No extraneous or incorrect content

☐ No error messages appear after formatting

Post-Setup Confirmation

- ☐ Green "Configured" label appears to the right of the tool name
- ☐ Tool has been tested and works correctly
- ☐ Setup information has been recorded (date, contact, tool name)
- ☐ Relevant personnel have been notified of the completed setup, if needed

Create an API Tool

You can use MaiAgent's [Tool Builder AI Assistant](#) to help you create API tools

API tools are used to integrate external services and automate operational workflows.

What Is an API?

API (Application Programming Interface) is a bridge for communication between different software systems. Simply put, it's like a **"waiter" in the software world**, helping different programs exchange information and execute functions.

Imagine you're dining at a restaurant:

You: The customer who needs food (the application)

Kitchen: The place that prepares food (the service provider system)

Waiter: The person who relays messages between you and the kitchen (**API**)

You don't need to go into the kitchen yourself — just tell the waiter what you want. The waiter conveys your request to the kitchen, then brings the finished meal to you.



API workflow diagram

API tools can help you automate standardized workflows, set specific response formats, and retrieve information from your systems such as:

E-Commerce Customer Service Automation

Customer asks about order → API queries order status → Automatically replies with delivery progress

Marketing Campaign Management

New product listed → Automatically updates website → Sends EDM → Promotes on social media

Online Course Platform:

```
Student asks about course progress ➡ API queries learning records ➡ Automatically replies with completion percentage and next class time
```

Through API tools, the AI assistant evolves from a simple chatbot into an intelligent assistant capable of executing actual business workflows, significantly improving work efficiency and automation.

Quick API Tool Setup

1. Access the Tool Management Interface

From the left navigation panel, go to the "AI Features" section, then click " Tools." On the tool list page, click the " Add Tool" button in the upper right corner.



Click **+** Add Tool" to get started

2. Select the Tool Type

Select API as the tool type.

編輯工具

2

* 工具類型

API

API

MCP

* 工具名稱 ①

google_calendar_retriever

* 描述 ②

請輸入

API 配置

* API URL ③

https://api.example.com/endpoint

HTTP 方法

請選擇

取消

確認

3. Set the Display Name

Set a clear display name for the tool. In this example, set it to **google calendar**.

編輯工具

* 工具類型

API

* 顯示名稱 ①

google calendar

* 工具名稱 ①

google_calendar_retriever

* 描述 ①

請輸入

API 配置

* API URL ①

https://api.example.com/endpoint

HTTP 方法

請選擇

取消 確認

Purpose: This name is displayed on the platform interface for all users to see.

Recommendation: Choose a name that clearly describes the tool's main function for easy user understanding. There are no strict formatting requirements for this name.

4. Set the Tool Name

Next is the "**Tool Name**" field.

Purpose: This name is the unique identifier used by the AI assistant internally to call and identify this tool.

Naming Rules (Important):

Must be in English.

Can only contain:

Lowercase letters (a-z)

Uppercase letters (A-Z)

Numbers (0-9)

Underscores (_)

Hyphens (-)

Examples: `get_weather_forecast` , `database-query-tool`

The example below is set to `google_calendar_retriever`

編輯工具

* 工具類型

API

* 顯示名稱 ①

google calendar

* 工具名稱 ①

google_calendar_retriever

* 描述 ①

請輸入

API 配置

* API URL ①

https://api.example.com/endpoint

HTTP 方法

請選擇

取消

確認

API tool name definition

5. Write the Tool Description

In the "**Tool Description**" field, provide a clear and detailed tool description.

Importance: A good description helps the AI assistant more accurately understand:

The tool's function and purpose.

When to use this tool.

How to interpret the tool's output results.

Suggested Content: Describe what the tool does, what it takes as input, what it outputs, and any usage notes.

編輯工具

✖ 工具類型

API

✖ 顯示名稱 ①

Google calendar

✖ 工具名稱 ①

google_calendar_retriever

✖ 描述 ①

當用戶詢問具體的行程安排、時間可用性或需要管理日曆活動時，應調用 Google Calendar 工具。包括查詢特定日期的會議安排（「我明天有什麼會議？」）、檢查時間衝突（「週三下午 2 點有空嗎？」）、創建或修改行程（「幫我安排下週一的會議」）等。如果用戶只是討論時間管理概念或詢問一般性時間問題，則不需要調用此工具。主要是區分用戶是否需要存取真實的個人日曆數據。

API 配置

✖ API URL ①

https://api.example.com/endpoint

HTTP 方法

請選擇

取消

確認

Tool description

6. Detailed API Configuration

a. API URL

Enter the full URL of the target API endpoint (including `http://` or `https://`).

Example: <https://api.opencalendar.org/data/2.5>

編輯工具

6

* API URL ⓘ

https://api.opencalendar.org/data/2.5

HTTP 方法

請選擇

* 標頭 (JSON) ⓘ

[{"Content-Type": "application/json"}]

* 參數結構 (JSON Schema) ⓘ

[{"type": "object", "properties": {}}]

取消

確認

b. HTTP Method


Select the HTTP verb required by the API service from the dropdown:

GET : Typically used for retrieving resources.

POST : Typically used for creating new resources or submitting data.

PUT : Typically used for fully replacing or updating resources.

DELETE : Typically used for deleting resources.



c. 📄 Headers

Headers are like the "envelope" of a letter. Before seeing the actual data content, they tell the receiver some important information. **Without correct headers, API requests may fail authentication, or the receiver may not be able to parse the data correctly.**

Common Uses:

Authentication (`Authorization` , `X-API-Key`)

Specify content type (`Content-Type`)

Specify accepted response format (`Accept`)


To add headers:

Click "**+ Add Header**" to define HTTP headers sent with the request.

Format: Must be a valid JSON object where keys are header names and values are header content (strings).

Example:

```
{
  "Content-Type": "application/json; charset=utf-8",
  "Authorization": "Bearer {{SECRET_API_TOKEN}}",
  "Accept": "application/vnd.github.v3+json"
}
```



編輯工具

+ API URL ⓘ

8 https://api.opencalendar.org/data/2.5

HTTP 方法

POST

+ 標頭 (JSON) ⓘ

```
{
  "Content-Type": "application/json; charset=utf-8",
  "Authorization": "Bearer [[SECRET_API_TOKEN]]",
  "Accept": "application/vnd.github.v3+json"
}
```

+ 參數結構 (JSON Schema) ⓘ

```
{
  "type": "object",
  "properties": {}
}
```

取消 確認

Configure required HTTP request headers

d. 🌱 Parameters Schema

The **parameters schema** is like an **"order form"** — it tells the AI assistant what data it can request from the API and how to make the request.

Core Configuration: Define which parameters the AI assistant can or must provide when calling this tool, as well as the format of those parameters.

Format: Use standard **JSON Schema** format.

Key Elements:

`type: "object"`: Indicates the parameters are an object.

`properties`: Defines the object for each parameter.

Parameter name (e.g., `"search"`): The corresponding object contains that parameter's details.

type: The parameter's data type (`string`, `integer`, `number`, `boolean`, `array`, `object`).

description: A description for the AI assistant explaining the parameter's meaning.

default (optional): The parameter's default value.

enum (optional): If the parameter value can only be one of specific options, list them here.

required: An array containing the names of all **required** parameters.

Example (video search tool):

```
{
  "type": "object",
  "properties": {
    "limit": {
      "type": "integer",
      "minimum": 1,
      "description": "Maximum number of results to return"
    },
    "fields": {
      "type": "string",
      "description": "Comma-separated list of fields"
    },
    "search": {
      "type": "string",
      "description": "Search keyword"
    }
  },
  "required": ["search"]
}
```

編輯工具

API URL ①

https://api.opencalendar.org/data/2.5

HTTP 方法

POST

標頭 (JSON) ①

```
{
  "Content-Type": "application/json; charset=utf-8",
  "Authorization": "Bearer {{SECRET_API_TOKEN}}",
  "Accept": "application/vnd.github.v3+json"
}
```

參數結構 (JSON Schema) ①

```
{
  "description": "取得結束狀態工具",
  "fields": {
    "type": "string",
    "description": "以逗號分隔的欄位清單"
  },
  "search": {

```

取消

確認

Use JSON Schema to precisely define API parameters

7. 📁 Save the Tool

After confirming all settings are correct, scroll to the bottom of the page and click the "Confirm" button. Your new tool is now created!

編輯工具

API URL ①

https://api.opencalendar.org/data/2.5

HTTP 方法

POST

標頭 (JSON) ①

```
{
  "Content-Type": "application/json; charset=utf-8",
  "Authorization": "Bearer {{SECRET_API_TOKEN}}",
  "Accept": "application/vnd.github.v3+json"
}
```

參數結構 (JSON Schema) ①

```
{
  "description": "取得結果數據工具",
  "fields": {
    "type": "string",
    "description": "以逗號分隔的欄位清單"
  },
  "search": {
```

10

取消

確認

⚠ Important Reminders

Connection Testing

After creating the tool, test the API to ensure it works properly

Use testing tools to verify functionality, such as:

POSTMAN

Your company's own API testing platform

Permission Management

Regularly check tool usage status and permission access settings

Built-in AI Image Generation Tool

Overview

The MaiAgent system integrates four top-tier AI image generation engines, providing a comprehensive solution ranging from everyday creative work to professional design. Simply enable the settings and start generating images immediately.

See: [Configure Tools for Your AI Assistant](#)

Complete Tool Comparison

Tool	Language Support	Core Strengths	Best For
Gemini 2.0	Traditional Chinese + English	Context understanding, conversational editing	Everyday creation, Chinese-language needs
GPT Image	English	Professional quality, multi-round refinement	Brand design, professional use
DALL-E 3	English	Fast generation, concept visualization	Quick prototyping, supplementary illustrations
Imagen 4.0	English	Photorealistic rendering, product visualization	Commercial photography, product showcase

Real Generation Examples

Gemini Native - Everyday Creation Example

Prompt: "A cute orange cat sitting on a windowsill, with sunlight streaming through the window onto it"



Highlights: Perfectly understands Chinese descriptions, warm and natural colors, ideal for everyday creative needs

GPT Image - Professional Design Example

Prompt: "Professional logo design: minimalist coffee cup with transparent background"



Highlights: Transparent background, refined lines, suitable for brand applications

DALL-E 3 - Quick Concept Example

Prompt: "Quick concept sketch: futuristic city skyline with flying cars"



Highlights: Fast generation, clear concepts, ideal for creative brainstorming

Google Imagen - Product Photography Example

Prompt: "Professional product photography: sleek smartphone with studio lighting"



Highlights: Photorealistic quality, professional lighting, commercial grade

Usage Guide and Best Practices

Basic Usage

Use Case	Example Prompt	Recommended Engine
Everyday Creation	Draw a cute puppy	Gemini Native
Professional Design	Design a modern minimalist logo with transparent background	GPT Image
Quick Prototyping	Quickly generate a concept for a website homepage	DALL-E 3

Use Case	Example Prompt	Recommended Engine
Product Showcase	Create a professional product photography image	Google Imagen

Multi-Round Iterative Refinement (GPT Image)

```
Round 1: "Design a coffee shop logo"
Round 2: "Change the color to dark brown"
Round 3: "Add some steam effects"
Round 4: "Make it more minimalist overall"
```

Image Reference Editing (Gemini Native)

```
"Based on this image, change the background to a beach scene"
"Keep the person unchanged, only modify the clothing color"
"Add some flowers to this scene"
```

Practical Application Guide

Scenario 1: Social Media Content Creation

Need: Create images for Instagram posts

Recommended: Gemini Native

Example Prompt: Create a cozy cafe scene suitable for an IG post

Scenario 2: Corporate Brand Design

Need: Design a company logo and brand assets

Recommended: GPT Image

Example Prompt: Design a tech company logo, minimalist modern style, transparent background

Scenario 3: Product Showcase Images

Need: E-commerce product hero images

Recommended: Google Imagen

Example Prompt: Professional product shot of wireless headphones on white background

Scenario 4: Creative Ideation and Prototyping

Need: Quickly visualize creative concepts

Recommended: DALL-E 3

Example Prompt: Concept art for a mobile app interface design

FAQ and Solutions

Quality-Related Questions

Q: How do I get the highest quality images?

A: Use GPT Image or Google Imagen and provide detailed descriptions:

Specific style requirements (e.g., "professional photography style")

Detailed scene descriptions (lighting, angle, atmosphere)

Clear quality requirements (e.g., "high resolution," "commercial quality")

Q: Why doesn't the generated image match my expectations?

A: Tips for optimizing your prompts:

Use specific rather than abstract descriptions

Specify a clear art style

Describe composition and viewpoint requirements

Describe color and lighting effects

Feature Usage Questions

Q: How do I generate images with transparent backgrounds?

A: Explicitly mention "transparent background" in your description:

```
Design a logo with a transparent background  
Create an icon with a transparent background
```

Q: Can I modify an already generated image?

A: Yes! Use Gemini Native's image reference feature:

```
Based on the image above, change the sky to sunset colors  
Keep the composition the same, only modify the person's clothing
```

Gemini 3 Image Generation Tool

Feature Overview

The Gemini 3 Image Generation Tool is an AI image generation feature powered by MaiAgent's integration with the Google Gemini 3 Pro Image model. This tool enables AI Assistants to generate high-quality images based on users' text descriptions, supports both Traditional Chinese and English prompts, and allows style transfer and image editing through reference images.

Gemini 3 Pro Image is Google's latest multimodal AI model with powerful image generation capabilities. It can generate high-quality, contextually appropriate images based on contextual understanding and world knowledge reasoning.

Key Features

Feature Type	Description	Use Cases
Text-to-Image	Generate images based on text descriptions	Marketing materials, social media posts, product visualization
Reference Image Editing	Perform style transfer or content modification based on reference images	Brand visual consistency, image style adjustment
Conversational Image Editing	Continuously adjust and refine images across multi-turn conversations	Iterative design, detail fine-tuning
Chinese Prompt Support	Directly describe desired images in Traditional Chinese	Chinese-speaking users can use it without translation

Enable the Gemini 3 Image Generation Tool


Prerequisites

- Confirm your organization plan supports image generation
- Confirm AI feature permissions are enabled
- Prepare the AI Assistant that will use this tool

Enable Steps

Go to the AI Assistant Settings Page

- Click "AI Assistant" in the left menu
- Select the AI Assistant to configure
- Click "Settings"



Navigate to "AI Assistant" from the left menu, select the assistant to configure, and click Settings


Configure Tool Settings

Switch to the "Tools" tab

Click the "Select Tools" button

Find "Nano Banana Pro Image Generation" in the available tools list and check it

Click "Confirm"



Switch to the "Tools" tab to view the enabled image generation tool



After clicking "Select Tools", find "Nano Banana Pro Image Generation" in the built-in tools and check it to enable

Save Settings

Click the "**Save**" button in the bottom right corner

Wait for the system to confirm the settings are complete

Notes - Image generation consumes token quota. Please be aware of your plan limits - Generated images default to 4K high-quality output

How to Use

Use via Chat Interface



Use the image generation tool in the MaiGPT chat interface. The AI Assistant generates images based on your description

Enter an Image Description

Type your desired image description in the chat box

Examples:

"Generate a landscape image of a sunset beach for me"

"Draw a cat wearing a spacesuit"

"Design a minimalist-style coffee shop logo"

"Create a watercolor painting of a mountain landscape"

Use Reference Images

Upload an image in the conversation as a reference

Combine with text instructions to describe the desired modifications

Examples:

Upload a photo and say: "Convert this photo to a watercolor painting style"

Upload a product image and say: "Design a promotional poster for this product"

Conversational Editing

After generating an image, request modifications in subsequent messages

Examples:

"Change the background to blue"

"Add some stars"

"Make the overall atmosphere warmer"



Conversational editing: The user requests changing the shopping bag to pink, and the AI Assistant regenerates the modified image based on context memory

The more detailed the description, the better the generated image quality. It is recommended to include details such as style, color, composition, and atmosphere.

Use Case Examples

Scenario 1: Marketing Material Creation

Requirement: Quickly generate visual materials for social media posts

Conversation Example:

User: Generate an Instagram-suitable image for me. The theme is spring new product launch, with a fresh and bright style, featuring cherry blossom and shopping bag elements.
AI: [Generated image] Created a spring new product launch promotional image for you, featuring cherry blossom petals and stylish shopping bag elements with an overall fresh and bright style.
User: Great, but can you change the shopping bag color to pink?
AI: [Generated updated image] The shopping bag has been adjusted to pink, making it more consistent with the cherry blossom theme.



Actual operation screen: The user inputs marketing material requirements, and the AI Assistant instantly generates a spring promotional image with cherry blossom and shopping bag elements

Scenario 2: Product Visualization

Requirement: Generate visual representations for product concepts not yet in production

Conversation Example:

User: I want to design a smartwatch with a round watch face, silver metal band, and deep blue dial. Please generate a concept image for me.

AI: [Generated image] Created a smartwatch concept image with a round watch face paired with a silver metal band and deep blue dial.



Actual operation screen: The AI Assistant generates a smartwatch concept image based on the description, featuring a round watch face, silver metal band, and deep blue dial

Scenario 3: Style Transfer

Requirement: Convert existing images to different artistic styles

Conversation Example:

```
User: [Upload photo] Convert this photo to comic style
AI: [Generated image] Your photo has been converted to comic style, preserving the original composition and main elements.
```



Actual operation screen: Converting Taipei 101 tower to Japanese anime style, preserving the main architectural outline and applying comic-style rendering

Prompt Writing Tips

Effective Prompt Writing

Include specific descriptions:

- Subject: What content you want to generate
- Style: Realistic, cartoon, watercolor, oil painting, graphic design, etc.
- Color: Main color tones and color preferences
- Composition: Close-up, panoramic, bird's-eye view, etc.
- Atmosphere: Warm, cool, lively, calm, etc.

Good examples:

- "An orange Shiba Inu sitting on a park bench in autumn, with golden maple leaves in the background, warm afternoon light, realistic photography style"
- "Minimalist-style tech company logo, using blue and white, geometric design"

Avoid being too vague:

- "Draw a picture" (lacks specific description)
- "A nice image" (no clear direction)

FAQ

Q: What languages does the Gemini 3 Image Generation Tool support for prompts?

A: It supports Traditional Chinese and English prompts. You can directly describe the desired image content in Chinese.

Q: How many tokens does it cost to generate one image?

A: Image generation consumes more tokens than text-only conversations. The actual consumption depends on the prompt complexity and image quality settings. It is recommended to monitor your organization's token usage to avoid exceeding plan limits.

Q: Can I use reference images?

A: Yes. Upload an image in the conversation as a reference, and the AI Assistant will incorporate it into the generation process. This is especially useful for style transfer, image editing, or creating based on existing materials.

Q: What is the resolution of generated images?

A: Images are generated in 4K high quality by default, suitable for most use cases.

Q: Can I continuously modify images across multi-turn conversations?

A: Yes. The AI Assistant remembers the conversation context. You can request detail adjustments, style modifications, or element additions in subsequent messages to progressively refine the image.

Q: What should I do if image generation fails?

A: Possible causes and solutions:

- **Prompt violates content policy:** Adjust the description to avoid inappropriate content
- **System is busy:** Try again later
- **Insufficient token quota:** Check the remaining quota of your organization plan

Related Documentation

Further Reading - [Tool Feature Overview](#) - [Configure Tools for AI Assistants](#) - [Built-in AI Image Generation Tool](#) - [Create an AI Assistant](#)

Text to SQL with Supabase

What Is Supabase?

Supabase is an open-source platform service designed to simplify modern application development. Its core features include:

Database: Store various types of data.

Real-time updates: Your application is notified immediately when data changes.

Account management: Manage user accounts and passwords.

Built-in authentication mechanism: A built-in authentication mechanism that simplifies user identity management and provides multiple authentication methods.

Auto-generated API (data access endpoints): Access your database data through simple methods.

Benefits of Integrating Supabase

Cross-table queries: Supabase supports multi-table relationships, allowing you to query relationships between Table A and Table B.


Indexing for improved query performance: You can create indexes on frequently queried content to help the AI assistant find what you need more precisely.

Set Up Your Supabase


1. Create a Supabase Account

First, go to the [Supabase website](#) and click "Sign in Start your project."

If you haven't registered yet, please create an account first to proceed with the following steps





After logging in, you can create a new organization or use an existing one. Within the organization, create a project — each project has its own independent database.





2. Navigate to the Database Page

After entering the project, click Database > Tables in the left navigation bar to add data




Create a New Table

Click "New Table" to create a table and name it:



Supabase offers several ways to create a new table:




Manually add columns: Suitable for designing the table structure from scratch. You can add columns one by one and set each column's data type, default value, etc.

Import .csv/.tsv or plain text: Suitable for quickly creating tables, especially when you already have existing data.

Notes:

The first row of a plain text file must contain column names, with columns separated by commas (CSV) or tabs (TSV).

Here, choose to import data: click "**Import data from CSV**" and paste a tab-separated text file. Scroll down to see the table result. After import is complete, click "Save."



Select import method




Import plain text



Preview result


Primary Key

After the import is complete, you are redirected to the settings page where you must specify a primary key. A primary key is like an ID number — it uniquely identifies each record. Here, we select Customer ID as the primary key.



Foreign Key

Scroll down to see the Foreign Key settings. A Foreign Key is like an address that points to the source of a record or more detailed data associated with it.



Suppose we have two tables: "Customers" and "Orders."

Customers Table:

CustomerID - Primary Key

CustomerName

Phone

Address

Orders Table:

OrderID - Primary Key



CustomerID - Foreign Key (references CustomerID in the Customers table)

OrderDate
TotalAmount

In this example, the "CustomerID" in the Orders table is a foreign key that references the primary key "CustomerID" in the Customers table. Through this foreign key, we can identify which customer placed each order.

In this example, the foreign key should be placed in the Order Table: Relationship direction: One customer → can have multiple orders (one-to-many relationship) One order → belongs to only one customer Foreign key principle: > The foreign key should be placed on the "many" side Therefore: The Order Table has a customer_id (foreign key), because it is the "many" side in the one-to-many relationship The Customer Table does not need to store order information

Therefore, we set up the Order Table to link the Customer ID in the Customer Table to the Customer ID in the Order Table.



After the relationship is configured, click "Save" to establish the database relationship.

3. Setup Complete

Once the tables are created, you have a complete database and can query data within it using SQL syntax.



How to Create a Supabase Tool

To use the Supabase tool on MaiAgent, you need to create it as an MCP tool so the AI assistant can access Supabase functionality:

For tool introduction, see: [Tool Overview](#)

Create a Server on an MCP Service Platform and Connect to Supabase

For how to connect MCP tools, see: [Remote MCP Service Overview](#). Currently, only the [Composio Platform](#) supports Supabase integration.

Enable Available Features in Composio

When connecting to Composio, enable basic database operations such as create, delete, query, etc.

Composio has basic options pre-selected under Important by default. You do not need additional configuration — just make sure the Important options remain checked.

Configure Actions for Supabase

Select the actions you want to enable for this MCP server using your connected Supabase account

Selected Actions: 7/30

Search actions...

☒ Important 7

☒ Execute project database query

☒ Create an organization

☒ Create new project

☒ Generate TypeScript types

☒ Get Table Schemas

☒ List all organizations

☒ List all projects

☐ Secrets 7

☐ DestructiveHint 22

☐ OpenWorldHint 54

← Back

Create Server

Add the Configured Supabase Tool to the Available Tools List

For how to create MCP tools, see: [Create MCP Tools](#)

Supabase Tool Connection URL

After creating the server service on the MCP service platform, process the URL as follows:

Original URL (obtained from the MCP Server):\n

https://backend.composio.dev/v3/mcp/12345678/mcp?include_composio_helper_actions=true



Remove "?include_composio_helper_actions=true" entirely

New URL (to paste on the MaiAgent tools page):\n

<https://backend.composio.dev/v3/mcp/12345678/mcp>

You must remove the above content; otherwise, the AI assistant will not be able to use the Supabase tool correctly.

After the tool is created, go to the AI assistant settings and add the Supabase tool to the assistant's available tools list:



Make sure to click Save on the tools page; otherwise, the AI assistant still cannot use the Supabase tool.

Using the Supabase Tool

With MaiAgent AI assistant and the Supabase tool, simply describe the data you want to query in everyday language, and Supabase automatically generates the corresponding SQL syntax to extract the information you need from the relational database.

Sample Database

1. Customers Table

Column Name	Primary Key	Required	Description
CustomerID	Yes	Yes	Unique customer identifier
CustomerName	No	No	Customer company or individual name
CustomerType	No	No	Customer category (e.g., Retailer, Restaurant, Distributor)
ContactName	No	No	Primary contact name
Phone	No	No	Contact phone number
Email	No	No	Email address
Address	No	No	Customer address
Region	No	No	Geographic region (e.g., North, South)
CustomerLevel	No	No	Customer importance level (A, B, C)

Primary Key: CustomerID

Foreign Key Relationships: None

2. Orders Table

Column Name	Primary Key	Required	Description
OrderID	Yes	Yes	Unique order identifier
CustomerID	No	No	References the Customers table
OrderDate	No	No	Order creation date
DeliveryDate	No	No	Expected or actual delivery date
PaymentMethod	No	No	Payment method (Cash, Credit Card, Wire Transfer)
OrderStatus	No	No	Order processing status
TotalAmount	No	No	Order total amount (numeric)
ShippingFee	No	No	Shipping cost

Primary Key: OrderID

Foreign Key Relationships:

`CustomerID` → `Customers.CustomerID` (The CustomerID in Orders references the CustomerID in the Customers table)

3. Products Table

Column Name	Primary Key	Required	Description
<code>ProductID</code>	Yes	Yes	Unique product identifier
<code>ProductName</code>	No	No	Product name
<code>Description</code>	No	No	Detailed product description
<code>Category</code>	No	No	Product category
<code>Brand</code>	No	No	Product brand
<code>Size</code>	No	No	Product specification or size
<code>Cost</code>	No	No	Product cost (numeric)
<code>Price</code>	No	No	Product selling price (numeric)
<code>StockQuantity</code>	No	No	Current stock quantity (numeric)

Primary Key: `ProductID`

Foreign Key Relationships: None

Scenario 1: Track Incomplete Orders

Database state: The `Orders` table has two incomplete orders: `OR003` and `OR004` .

Supabase automatic query: The AI assistant automatically invokes the Supabase tool, converting your natural language into an SQL query, such as:



Combining the query results with the AI assistant's analysis, the AI assistant responds with the following order information, sorted by priority:



Through the collaboration of the Supabase tool and the AI assistant, you can easily track incomplete orders and receive analysis and prioritization suggestions from the AI assistant, enabling more efficient order processing and improved customer satisfaction.

Scenario 2: Query Contact Information for Incomplete Orders

Order OR003 is still being processed, with customer CU003 and the contact person being **Huang Procurement**

Orders

Customers

+

Filter

Sort

Insert

Add RLS policy

Enable Realtime

Role postgres

DB

	客戶編號 (CustomerID) text	聯絡人姓名 (ContactName) text	電話 (Phone) text
	CU001	林經理	02-25811234
	CU002	陳主廚	02-27212345
	CU003	黃採購	03-3360000
	CU004	張業務	06-2841000
	CU005	吳老闆	07-8060505

Page 1 of 1

100 rows

5 records

Date

Definition

Natural language input: In the AI assistant's chat, type: "Who should I contact for the orders still being processed?" The AI assistant automatically invokes the tool and generates a structured SQL query.



Supabase automatic relational query: Although the conversation with the AI assistant is about the `Orders` table, through the configured foreign key relationships, Supabase knows that the `Customer ID` here references the `ID` in the `Customers` table, so the returned content comes from the `Customers` table.



AI assistant response: The AI assistant then provides the correct contact information and other contact methods based on its analysis.



Through the Supabase tool, you can fully leverage table relationships in the database to easily extract information from multiple related tables and receive a customer name list from the AI assistant. The clearly defined relationships between tables ensure data consistency and reliability, making query results more trustworthy.

Additional Notes:

You can adjust the natural language input based on your actual needs, such as: "Tell me about today's incomplete orders" or "Tell me about VIP customers' incomplete orders." The Supabase tool can accurately parse and execute these queries.

The AI assistant can further integrate other information, such as inventory status and logistics information, to provide more comprehensive order analysis.

The tool can only access data stored in your database. If you have analysis needs, make sure to upload the data to the database before starting the analysis.

Configure Tools for an AI Assistant

The tools you have created can now be selected in AI assistant settings, giving your AI assistants more powerful capabilities. This guide explains how to configure the tools you have created for a specific AI assistant.

Configure Tools

1. Enter AI Assistant Settings

First, navigate to the "AI Features" section from the left navigation bar, then click "AI Assistants". This will display a list of all AI assistants created in your account.

Microsoft 365

管理中心

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

AI 助手

Find the AI assistant you want to configure tools for

2. Select the AI Assistant to Configure

In the AI assistant list, find the assistant you want to configure tools for, and click the "Edit" button to enter the detailed settings page for that assistant.

Make sure the AI assistant is set to Agent Mode to use tools

4. Navigate to the Tool Configuration Page

On the AI assistant's settings page, find the " Tools" page tab.



Find the tool configuration page

5. Select Tools to Enable

On this tool configuration page, click the " Select Tools" button in the upper right corner. This will open a list of pre-built tools, where you can perform the following actions.


Actions:

Browse the list and find the tools you want this AI assistant to be able to use.

Check the checkbox next to the tools you want to enable.

You can select any number of tools based on the AI assistant's tasks and needs.

You can select MaiAgent built-in tools or tools you have defined yourself



Directly check the tools you want this AI assistant to use

Tip: Make sure to only configure tools that the AI assistant actually needs and is authorized to use. Configuring too many irrelevant tools may affect the AI's judgment accuracy and response efficiency.

6. Review Selected Tools

After completing your selections, you can review the tools configured for the AI assistant once more to ensure the correct tools have been configured for this AI assistant.



Confirm the correct tools have been configured for the AI assistant

7. Save AI Assistant Settings

After completing your tool selections, **make sure to** click the "Save" button to save the changes you have made to the AI assistant settings.




Click "Save" to apply the tool configuration changes

Configure MaiAgent Built-in Tools

MaiAgent has four built-in AI image generation tools that you can apply to your AI assistants based on your needs, with no additional setup required:

For a comparison of the four tools, please refer to: [MaiAgent Built-in AI Image Generation Tools](#)



Now, your selected AI assistant has the ability to use these enabled tools. When interacting with this assistant, if a relevant scenario is triggered, the AI will attempt to call these tools to complete tasks or retrieve information.

Agent UI

1. What Is Agent UI?

Traditional AI assistants can only reply with plain text. **Agent UI** lets you design visual "information cards" for your AI assistant — when users ask questions, the AI assistant doesn't just talk, it can also send beautifully structured cards with images and buttons.

The currently supported card format is **FlexMessage**, which can render rich card UIs in Web Chat and LINE channels.

Agent UI Highlights: The AI assistant automatically determines when to send a card based on the conversation context, fills in the corresponding information, and users can tap card buttons to continue interacting.

Comparison: Plain Text vs. Agent UI Cards

Scenario	Plain Text Reply	Agent UI Card Reply
Industrial Equipment Spec Inquiry	"IBX-7800 Industrial Motherboard, Intel i7, DDR5, NT\$28,500"	Spec sheet (CPU/I/O/Operating Temp) + Stock tag + Request Quote Download Spec Sheet buttons
Credit Card Statement Inquiry	"Current spending \$6,508, payment due 06/15"	Transaction details + Current period/Rewards/Amount due + Pay Now button
Medical Appointment Confirmation	"Cardiology 06/03 14:00, Registration No. R2026053-088"	Doctor/Time/Location + Check-in QR Code + View Waiting Status button
Electronic Boarding Pass	"JX 802, TPE 09:25 → NRT 13:35, Seat 12A"	Flight segment/Class/Seat/Baggage + Boarding QR Code + Online Seat Selection button

Live Conversation Demo

Whether it's B2B manufacturers inquiring about product specs, customers checking appointment information, or users viewing boarding passes directly in a conversation — the AI assistant automatically sends the corresponding card based on the conversation context, presenting all information clearly at once.



Manufacturing example: Customer asks "Recommend an industrial computer motherboard," AI assistant returns a product card with CPU, I/O, operating temperature specs and a "Request Quote" button



Medical clinic example: User checks appointment information, AI assistant returns an appointment confirmation card with department, time, location, and QR Code check-in, plus a "View Waiting Status" button



Airline example: User checks flight information, AI assistant presents an electronic boarding pass card with flight segment, class, seat, baggage allowance, and boarding QR Code

For more industry scenarios, see ["5. Use Case Examples: Six Industry Scenarios"](#) below.

2. Core Concepts

Fixed Fields vs. AI-Generated Content

Each field in a card can be set to either a "fixed default value" or "let AI fill in dynamically from the conversation context":

Field	Configuration	Use Case
Fixed Value (Default)	Enter fixed text directly	Brand name, card title, fixed labels (e.g., <code>TRANSACTION</code> , <code>BOOKING PASS</code>)
AI-Generated (AI Prompt)	Describe in natural language what AI should fill in	Last four digits of customer account, spending amount, amount due — any information that needs to be retrieved from the knowledge base or conversation

Example (Financial Statement Card):

Field	Default Value (Fixed)	AI Prompt (Dynamic)
Title Label	TRANSACTION (fixed)	—
Card Title	Credit Card Statement (fixed)	—
Statement Period	—	Retrieve statement period and last four card digits from the billing database
Description	—	List major merchants and amounts for this period
Transaction List	—	Retrieve total spending for this period from the billing database
Total Spending	—	Retrieve current period rewards from the membership system
Rewards	—	Calculate amount due after deducting rewards from total spending
Amount Due	—	Retrieve payment deadline from the billing database
Payment Deadline	—	—
Button Text	Pay Now (fixed)	—
Payment Link	—	Generate personalized payment link using statement number

What Can Card Buttons Do?

FlexMessage cards support two types of interactive buttons:

URL Button

Opens a specified URL when clicked.

Use Cases:

- Manufacturing: Open product technical spec PDF, schedule a Demo form
- Finance: Jump to statement payment page, credit card application form
- Education: Open admissions brochure, registration link
- Medical: View waiting status, cancel appointment page
- Airlines: Online seat selection, add-on baggage or meals

Configuration: In the "Link" field's AI prompt, enter "Retrieve the corresponding page link from the knowledge base," and AI will automatically populate the correct URL.

Prompt Button

Automatically sends a message to the AI assistant when clicked, and AI continues the conversation.

Workflow (Education enrollment scenario example):

User: "Tell me about courses or admissions"
↓
AI returns a course progress card (In-progress courses Pending assignments Open enrollment)
↓
User clicks "Enroll Now" button
↓ (Button triggers prompt: "I want to enroll in the summer internship")
AI continues: "What is your current department and year? What is your preferred internship field?"

Use Cases:

- Trigger follow-up processes (enrollment, appointments, applications, reservations)

- Ask "View full details" or "View other room types" to expand more information
- Collect additional information AI needs to continue serving the user

3. Creating an Agent UI (FlexMessage)

Navigate to the Agent UI Page


In the left menu, click **AI Features** → **Agent UI**, then click **Add Agent UI** in the top right corner.



Agent UI management list showing created card tools and their associated AI assistants


Select Card Type

Currently available: **FlexMessage Card Information Display**. Click to enter the configuration page.



Select card type — currently supports FlexMessage

Fill In Basic Information



After filling in basic information, you can select a template and configure AI fields

Field	Description
Display Name	Name shown in the admin dashboard for easy identification (e.g., <code>Finance/Banking/Securities Product Card</code>)
Tool Name	English name for AI model identification. Naming rules: English letters, underscores, no spaces (e.g., <code>finance_product_card</code> , <code>medical_clinic_card</code> , <code>airline_flight_card</code>)
Description	Describe the purpose of this card tool (optional)
Prompt	Tell the AI assistant when to use this card (e.g., "When users ask about credit card statements, payment information, or current spending details, return the statement card")

The prompt is the trigger key. The more specific you write it, the better AI knows when to proactively send a card instead of just replying with text.

Select a Template

Click a preset template on the left to preview the card style on the right in real time. After confirming, click [Apply This Template](#).


12 Built-in Templates and Applicable Industries:

Template	Use Case	Suitable Industries
Restaurant	Store recommendations, reservations	Food & Beverage, Tourism
Hotel	Room type display, booking	Hotels, Accommodations
Local Search	Location search, nearby recommendations	Tourism, Retail
Real Estate	Property introduction, viewing appointments	Real Estate, Rentals
Apparel	Product display, spec introduction	Retail, E-commerce, Manufacturing
Transit	Routes/Flights/Schedules	Transportation, Airlines, Logistics
Shopping	Product comparison, shopping cart	Retail, E-commerce
Menu	Item display, menu	Food & Beverage, Retail
Receipt	Statements, order receipts, transaction details	Finance, Retail, E-commerce
Ticket	Tickets, boarding passes, appointment confirmations	Airlines, Events, Medical Registration
Social	Profile cards, social profiles	Education, HR, Social
TODO app	Task lists, course progress, work order status	Education, Customer Service, Manufacturing Work Orders
Custom	Paste custom FlexMessage JSON	Any scenario requiring custom layouts

Selecting a template is just the starting point. After applying, you can freely adjust the content and logic of each field in the "AI Field Settings."

Configure AI Fields

After applying a template, the system automatically parses all editable fields in the card:



Each field can have a fixed default value, or an AI prompt for AI to dynamically generate content

Each field has three properties:

Type: The field's data type (text, image, button, link)

Default Value: Fixed content to display (if an AI prompt is also set, AI-generated content takes priority)

AI Prompt: Tells AI what to fill in this field, e.g., "Based on the user's query, retrieve the corresponding product name account information department from the knowledge base"

The **live preview** on the right updates with your settings, so you can confirm the card's visual appearance.

Save

After confirming all settings, click **Save** in the top right corner. The Agent UI tool is now created and will appear in the list.

4. Binding to an AI Assistant


After creating an Agent UI, you need to attach it to an AI assistant so the assistant knows it can use this card.

Go to AI Assistant Settings

Navigate to **AI Features** → **AI Assistants**, select the AI assistant you want to configure, and click **Settings**.

Open the Agent UI Tab

In the settings page tab bar, click **Agent UI**.



In the AI assistant settings page, you can manage all bound Agent UI tools

Add Agent UI

Click **Select Agent UI** and choose the card tool to add from the list.

A single AI assistant can bind **multiple** Agent UIs

Each Agent UI's **prompt** determines when AI uses which card

Save

Click **Save** in the bottom right corner. The settings take effect immediately.

5. Use Case Examples: Six Industry Scenarios

From manufacturing, finance, and education to medical, hospitality, and airlines — every industry can design custom cards tailored to their needs, enabling AI assistants to respond to users in the most intuitive way. Below are actual conversation demos from six typical enterprise scenarios.

All examples in this section have been built and tested on the MaiAgent platform. A single AI assistant can bind multiple Agent UIs simultaneously, and AI will automatically select the appropriate card based on the user's question.

Multi-Card Management for One Assistant

Configure multiple industry scenarios in the admin dashboard and attach them to the same AI assistant:



One AI assistant bound with six industry cards — AI automatically selects the appropriate card based on the user's question

Example Configuration Tutorial: Financial Statement Card

Below is a complete walkthrough using the "Finance — Statement Inquiry" as an example, demonstrating the entire process from zero configuration to live conversation. Other industries can follow the same approach.

Scenario Description

A bank wants members to receive a statement card (with transaction details, amount due, payment deadline, and a "Pay Now" button) when they ask about their current statement on LINE or Web Chat, instead of a plain text reply.

Configuration Details

Agent UI Settings:

Field	Setting
Display Name	Finance/Banking/Securities Product Card
Tool Name	finance_product_card
Prompt	When users ask about current spending, payment information, credit card statements, or transaction details, return the statement card
Template	Receipt


AI Field Settings:

Field	Default Value	AI Prompt
Title Label	TRANSACTION	—
Card Title	Credit Card Statement	—
Statement Period Description	—	Retrieve statement period and last four card digits from the billing database
Transaction List	—	List major merchants and amounts for this period
Total Spending	—	Retrieve total spending for this period from the billing database
Rewards	—	Retrieve current period rewards from the membership system
Amount Due	—	Calculate amount due after deducting rewards from total spending
Payment Deadline	—	Retrieve payment deadline from the billing database
Statement Number	—	Retrieve statement number from the billing database
Button Text	Pay Now	—
Payment Link	—	Generate personalized payment link using statement number

Logic for choosing "Fixed Value" vs. "AI Prompt": Use fixed values for content that doesn't change with conversations, such as brand labels and button text. Use AI prompts for content that needs to be retrieved from systems, such as customer accounts, spending amounts, and payment links.

Live Conversation Result

After the user asks a question, the AI assistant automatically triggers the card tool, retrieves data from the billing database and membership system, and fills in the fields:



User enters "Recommend a credit card or financial product" (or "Check my statement for this period"), AI assistant returns a statement card with transaction details, amount due, and payment deadline — user can click "Pay Now" to complete payment directly

Six Industry Scenario Overview

Once you understand the configuration logic above, you can apply the same approach to different industries. Here are six typical scenarios:

1. Tech/Electronics Manufacturing: Product Catalog and Spec Inquiry


When customers or sales teams inquire about industrial computers, embedded systems, AOI inspection equipment, and other products, the AI assistant automatically returns product cards with complete specs, pricing, stock status, and "Request Quote Schedule Demo" buttons, accelerating the B2B sales process.



User: "Recommend an industrial computer motherboard" — AI assistant returns a product card with complete specs including CPU, I/O, and operating temperature

2. Finance/Banking/Securities: Statements and Product Recommendations


For financial scenarios such as statements, credit card recommendations, financial plans, and insurance inquiries, the AI assistant can integrate internal system data to return structured financial information cards with "Pay Now Apply" CTAs.



User: "Recommend a credit card or financial product" — AI assistant returns a statement card with current transaction details, rewards, and payment deadline, with a "Pay Now" button

3. Educational Institutions: Course Progress and Enrollment

Students can instantly check course progress, pending assignments, completed grades, and admissions information. Schools can also use the AI assistant to push campus announcements and registration links.



User: "Tell me about courses or admissions" — AI assistant returns a course progress card with in-progress courses, pending assignments, and open enrollment statuses

4. Medical Clinics: Appointment Registration and Clinic Information


For scenarios including department introductions, clinic schedules, appointment registration, QR Code check-in, and health education information — patients can complete appointments and check waiting status directly on LINE or Web Chat, reducing call center workload.



User: "Show me departments and clinic schedules" — AI assistant returns an appointment confirmation card with doctor, time, location, and QR Code, providing "View Waiting Status" and "Cancel Appointment" buttons

5. Hospitality/Hotel Industry: Room Booking and Marketing Recommendations

For hospitality scenarios including room type recommendations, restaurant reservations, event registration, and membership benefits — visual cards display pricing, ratings, promotions, and booking CTAs, improving conversion rates.



User: "Recommend hotels or reservation info" — AI assistant returns room type and restaurant recommendations simultaneously, with ratings, limited-time offers, and booking/reservation buttons

6. Airlines: Flight Information and Electronic Boarding Passes

For scenarios including flight inquiries, class comparisons, baggage regulations, and online seat selection, the AI assistant can directly present electronic boarding pass QR Codes, seats, baggage allowances, and other key information — no need to open a separate app.



User: "Check flight and seat information" — AI assistant returns an electronic boarding pass card with TPE→NRT flight segment, seat, baggage allowance, and boarding QR Code

6. FAQ

- ▶ What are the naming rules for tool names?
- ▶ How should I write an effective prompt?
- ▶ What happens if the AI prompt for a field is not filled in?
- ▶ Can a single AI assistant have multiple Agent UIs attached?
- ▶ Can Agent UI be used on LINE channels?

Skills

Skills Feature Overview

What Is a Skill?

A skill is like a **professional certification** for an AI assistant — each skill learned gives the AI assistant an additional professional capability. If tools are the "screwdrivers in the AI assistant's toolbox," then skills are "a complete set of Standard Operating Procedures (SOPs)" that not only tell the AI assistant what tools to use, but also **when to use them, how to use them, and how to respond after using them**.

Imagine you're running a customer service center:

Without skills:

Customer: "I want to return an item"

AI agent: "Sure, what's your order number?" (*can only handle basic Q&A*)


With skills:

Customer: "I want to return an item"

AI agent: "Sure!" (*automatically activates the return process skill*) → Query order → Verify return eligibility → Generate return form → "Your return request has been created. The return number is RT-20260324, and processing is expected to complete within 3-5 business days."

Core Components of a Skill

Each skill consists of three parts:



Instructions: Detailed instructions in Markdown format, like an SOP that guides the AI assistant through task completion step by step

Attached Tools: Tools required by the skill (MCP tools, API tools, etc.) that enable the AI assistant to perform actual operations

Resource Files: Attachment data that the skill can reference during execution (only available for skills created via upload)

How Skills Work

A complete skill workflow is as follows:

Create a skill:

Define the skill's name and description (the description determines when the AI triggers this skill)

Write detailed instructions (SOP in Markdown format)

Bind the required tools

Bind to an AI assistant:

Select the skills to use in the AI assistant's settings

An AI assistant can have multiple skills bound to it

User asks a question:

The user makes a request to the AI assistant in natural language

Example: "Check how many vacation days I have left"

AI assistant evaluates and activates the skill:

The AI assistant matches the user's question against the descriptions of bound skills

Determines which skill should handle the question

Automatically expands the complete instructions for that skill

Execute instructions and call tools:

The AI assistant follows the steps in the skill instructions one by one

Automatically calls the skill's attached tools when needed (querying databases, calling APIs, etc.)

Generate the final response:

The AI assistant consolidates the results returned by tools

Generates a structured response according to the reply format defined in the skill instructions

Key Advantages of Skills

Standardize Complex Tasks

Without skills: The AI assistant can only answer based on general knowledge, resulting in inconsistent quality

With skills: Every execution follows the SOP, ensuring consistent response quality

Precise Triggering and Task Division

Through trigger conditions in descriptions, the AI assistant can automatically determine when to use which skill

Different skills handle different tasks, achieving modular capability division

Reusable and Shareable

A single skill can be bound to multiple AI assistants

Skills can be exported as `.skill` files and shared with other organizations

Encapsulated Instructions and Tools

Bundle "what to do" (instructions) and "what to use" (tools) together

No need to repeatedly write extensive process details in the AI assistant's role instructions

Differences Between Skills and Tools

Comparison	Tools	Skills
Nature	A single external capability (API, MCP)	A complete execution workflow
Contents	API endpoint MCP server	Instructions + Tools + Resources
Analogy	Screwdriver	Assembly manual + Screwdriver

Comparison	Tools	Skills
Trigger method	AI decides on its own whether to call it	Matched based on trigger conditions in the description
Use cases	Single actions (check weather, send email)	Multi-step workflows (return processing, vacation calculation)

Skills and tools are complementary: skills invoke tool capabilities through "attached tools," while tools provide the actual execution capabilities that skills need.

Practical Application Scenarios

Enterprise Customer Service

Skill: Return Processing Workflow
 Trigger: When a customer requests a return or exchange
 Steps: Query order → Verify return eligibility → Create return form → Reply with processing result
 Attached tools: Order Query API, Return System API

Government Agencies

Skill: Vacation Day Calculation
 Trigger: When a user asks about vacation days or annual leave days
 Steps: Confirm personnel category → Search regulatory examples → Compare and calculate → Produce result
 Attached tools: Knowledge base search

E-commerce Platforms

Skill: Customer Data Collection
 Trigger: When a customer expresses purchase intent or requests a quote
 Steps: Guide them to provide name/company/contact information → Write to CRM
 Attached tools: Google Sheet API, CRM tool

Marketing Teams

Skill: Email Sending Service
 Trigger: When a user requests to send an email or contact a customer
 Steps: Confirm recipient → Compose email content → Send
 Attached tools: Gmail MCP tool

Skills Management

If you're not yet familiar with what skills are, please read: [Skill Overview](#)

Creating Skills

Click **Skills** in the left sidebar to enter the skills management page, then click the **Add Skill** button in the upper right corner.

The system provides two creation methods:

Method 1: Manual Creation


Suitable for writing skill instructions from scratch.

In the add skill dialog, click the **Switch to manual creation** link at the bottom to switch to manual mode

Fill in the **Basic Settings** tab:


Skill Name (required): Give the skill an easily identifiable name

Description (required): Briefly describe the skill's purpose



Manual skill creation — Basic Settings tab

Switch to the **Instructions** tab and write instructions in Markdown format. You can also click the **Apply Template** button to use a system-provided default template as a starting point



Instructions tab — Supports Markdown format and template application

(Optional) Switch to the **Attached Tools** tab to select the tools required by the skill

Click **Save** to complete creation

Method 2: Upload Skill Package

Suitable for importing pre-packaged **.skill** or **.zip** files.

In the add skill dialog (upload mode by default), drag and drop the **.skill** or **.zip** file into the upload area, or click the area to select a file



Upload skill package — Supports .skill or .zip format

After the upload is complete, the system automatically parses the `SKILL.md` file to extract the skill name, description, and instructions

After successful creation, you are automatically redirected to the edit page where you can further adjust the settings


The skill package must contain a SKILL.md file in the following format: markdown --- name: Skill Name description: Skill Description --- This is where the AI assistant's execution instructions go...

Editing and Configuring Skills

In the skill list, click the **Edit** icon for the skill to enter the skill settings page.

Basic Settings

Edit the skill's name and description.



Edit skill — Basic Settings

Instructions

Edit the skill instructions in Markdown format. These instructions serve as the execution guide when the AI assistant activates the skill.

Click **Apply Template** to load a default instruction template.

Applying a template will overwrite the current instructions. Please confirm before proceeding.

Skill Package (Upload-created skills only)

If the skill was created by uploading a `.skill`


`.zip` file, this tab displays:

Skill package info: File name, size, upload time

Preview: Expand to view the file structure within the skill package

Download: Export the skill package file

Re-upload skill package: Upload a new version to replace the existing skill package



Edit skill — Instructions (with practical examples)

Attached Tools

Bind the required tools to the skill so the AI assistant can call them when executing the skill.

Click the **Select Tools** button to open the tool selection dialog

Check the tools to attach (multiple selection supported), then click Confirm

Selected tools appear in the list, showing the tool name, type (API MCP), and description

To remove a tool, click the delete icon on the tool card

Attached Tools tab

After completing the configuration, click the **Save** button in the lower right corner of the page.

Exporting Skills

In the skill edit page's **Skill Package** tab, click the **Download** button to export the skill as a `.skill` file.

Manually created skills can also be exported. The system automatically packages the instructions and resources into a .skill file. Exported skill packages can be shared with other organizations for import.

Binding Skills to an AI Assistant

Skills must be bound to an AI assistant to take effect:

Go to the **AI Assistant** page, select the target AI assistant, and enter its settings

Find the **Skills** setting in the model configuration area

Select the skills to bind and click Confirm

Save the AI assistant settings

Once bound, the AI assistant automatically determines whether to activate a skill based on the user's question during conversations and executes the corresponding task according to the skill instructions.

Deleting Skills

In the skill list, click the **Delete** icon for the skill, then confirm to delete it.

After deleting a skill, AI assistants that had this skill bound will no longer be able to use it. This action cannot be undone.

Agent Teams

What is Agent Teams?

1. What is Agent Teams?

In the past, a single AI assistant had to handle everything: customer service routing, order inquiries, returns and exchanges, product recommendations — all crammed into one system prompt, one knowledge base, and one set of tools. As tasks piled up, this "jack-of-all-trades" assistant started dropping the ball — the system prompt grew too long, knowledge bases interfered with each other, and costs stayed high.

Agent Teams lets you replace "one generalist" with "a group of specialists." You can compose multiple existing AI assistants into a team, each with its own role (for example: a routing agent, an order agent, a returns agent, and a recommendation agent), then use a visual canvas to define "when should a question be handed to whom."

Users see **a single conversation entry point**; behind the scenes, the team automatically routes questions to the most suitable agent, as if the user were interacting with an entire professional team.

Value to you: Each agent retains its own independent knowledge base, tools, and model settings without interference. Only the agent actually handling the question loads the relevant content, saving tokens and making each agent more focused and accurate. When you add a new business scenario, you simply add an agent node and draw a connection — no need to rewrite existing agents.

2. How is this different from "single agent + skills"?

Aspect	Single Agent (with Skills)	Agent Teams
Division of work	One agent handles all scenarios	Multiple agents each responsible for their area of expertise
Knowledge & tools	All attached to the same agent, prone to interference	Each agent independently owns its own knowledge base, tools, and model
Model cost	Only one model for all tasks	Use lightweight models for simple tasks and powerful models for complex reasoning, configured separately
Collaboration	Cannot hand off or delegate between agents	Supports handoff and delegate between agents
Scalability	New scenarios require modifying the existing agent's settings	Just add a new node and draw a connection

3. Three interaction types: Handoff, Delegate, Auto

Agents in a team collaborate through **connections (directed arrows)**. Each connection can be configured with an interaction type that determines "how control flows once the question reaches the other agent." The three types are explained below, with accompanying diagrams.

Handoff

Handoff **transfers control of the entire conversation**: the source agent determines that someone else should handle this matter and passes the conversation to the target agent, who **takes over** and continues talking with the user — like a customer service rep transferring a call to another department, after which the new person takes over.

Best for: Parallel division of work where each agent handles its own domain. For example, a routing agent determines the user's intent and hands the conversation off to an order inquiry agent or a returns agent.



Handoff: The source agent transfers control, and the target agent takes over the conversation with the user

Delegate

Delegate **outsources a subtask**: the source agent asks the target agent to handle something specific, the target agent completes it and **returns the result**, while control remains with the source agent — like a colleague looking up some data for you and reporting back, with you still being the one who compiles the final response.

Best for: Hierarchical collaboration. For example, a customer service agent receives an inventory check request, delegates the inventory query to a warehouse agent, and then compiles the response for the customer.



Delegate: The source agent sends a subtask to the target agent and compiles the response after getting the result back

Auto (Default)

Auto lets the AI **decide on the spot** whether to use handoff or delegate based on the current situation. Use this when you are not sure which type to choose or want to keep things flexible.



Auto: The AI decides on the spot whether to hand off or delegate

Communication volume and cost differences across the three types

When multiple agents collaborate, the most common concern is: **will token costs spiral out of control?** The key lies in how much content is passed between agents across the three types:

Aspect	Handoff	Delegate	Auto
Control	Transferred to the target agent	Stays with the source agent	Decided by the AI on the spot
Content passed between agents	The target agent reads the accumulated conversation context when taking over	The source agent only sends "one subtask" to the target agent — concise and well-scoped	Depends on the type chosen
Token/cost characteristics	Grows with conversation length and number of handoffs; only one agent runs at a time	Adds a sub-agent run on top of the current turn (one extra LLM call), but the sub-agent's input is concise and scope is controllable	Falls on whichever type is selected, harder to predict in advance
Predictability	Medium	High (task scope is well-defined)	Low (varies by situation)

Costs are controllable and observable. The team has multiple built-in safeguards: Max iterations (default 25): Limits how many times agents can go back and forth in a single conversation, preventing infinite loops. Overall token limit (default 200000): The token budget cap for the entire team processing a single message. Timeout, and per-node configurable per-call token limits. Context strategy: Turn off "visible original user input" for a node so that agent only receives the summarized output from upstream agents rather than the full conversation, further saving tokens. Execution traces: Every execution records total tokens and cost breakdown per agent, making it clear where tokens are spent (see [Team execution traces](#)).

The conversation "remembers" who is currently serving. After a handoff, the receiving agent continues serving the subsequent conversation until it determines another handoff is needed; the next message does not go back to the entry point for re-routing.

4. Typical use cases

E-commerce customer service team: A routing agent determines intent and **hands off** to order returns recommendation agents, each with their own knowledge base and tools.

Enterprise internal helpdesk: HR agent + IT agent + Finance agent, automatically routing employee questions to the appropriate desk.

Technical support team: L1 agent performs initial troubleshooting, **delegates** to L2 agent for deeper analysis, and the result is returned to L1 for a compiled response.

5. How it works (concepts)

Agent Teams uses a **directed graph** to describe the team:

Nodes (agents): Each node on the graph is an existing AI assistant, carrying its own system prompt, knowledge base, tools, and model.

Entry node: When the team receives a message, processing starts from this node. A team has exactly one entry node.

Connections (directed arrows): Define "from which agent, under what conditions, using which interaction type, to which agent."

Guardrails: The team has upper limits for max iterations, overall token limit, and timeout to prevent agents from looping endlessly.

When you create a team, the system automatically creates an **entry agent** and a corresponding **Web Chat channel** for the team, allowing you to chat with the entire team directly through the channel.

6. Next steps

Ready to create a team? See [Create and orchestrate teams](#) — how to create a new team, drag in agent nodes, draw connections to set interaction types, designate an entry point, and start a conversation.

Want to see how the team operates? See [Team execution traces](#) — which agents were involved in each execution, how many tokens each used, and how long it took.

Prerequisite: Agent Teams must be enabled by MaiAgent for your organization. If you do not see the "Teams" menu under "AI Features" in the admin panel, contact the MaiAgent team to activate it.

Create and orchestrate teams


This page explains how to build an Agent Team from scratch: create a team, add agents on the canvas, configure connections and interaction types between them, designate the entry node, and start chatting with the entire team.

Prepare the AI assistants you want to add to the team first. Each node in a team is an existing AI assistant, so create your specialized assistants (e.g., routing, order, returns agents) under "AI Assistants" first, then come back here to compose them into a team.

1. Create a team

1. Go to the team list

From the left menu, navigate to **AI Features** > **Teams**. The list shows all teams in your organization, including **team name**, **number of agents**, and **status**. Use the search bar in the upper right to find a team.



Team list: view each team's name, number of agents, and activation status

2. Create a team

Click **Create Team** in the upper right corner, fill in the **Team name** (required) and **Description**, then create.

Create team: enter the team name and description

After successful creation, the system automatically creates an entry agent and a corresponding Web Chat channel for this team, so you can chat with the entire team right away.

2. Orchestrate the team on the canvas

Click into a team to enter the default **Canvas Orchestration** view. The screen is divided into three areas: the **Agent List** on the left, the **Canvas** in the center, and the **Settings Panel** on the right (appears when you select a node or connection).



Zoomed-in team graph: the entry node "Customer Service Routing Agent" uses "handoff" to route to Order Inquiry Returns

Product Recommendation agents, and the Order Inquiry agent "delegates" to the Inventory Query agent. Each node displays the agent name, model, and Agent/RAG mode; the entry node is labeled "Entry" (the actual screen also has the Agent List on the left and the Settings Panel on the right)

Canvas orchestration is best done on a desktop browser. On small screens like mobile devices, the canvas area will show a prompt asking you to switch to desktop for orchestration.

1. Add agent nodes

In the **Agent List** on the left, find the agent you want to add and **drag it onto the canvas**, or **click** it to add. Agents already in the team are labeled "Already in team" — clicking them will navigate to the corresponding node on the canvas. Use the search box at the top to filter when you have many agents.

Each node displays the agent name, the model it uses, and whether it is in **Agent** or **RAG** mode for easy identification.

If node positions are messy, click **Auto Layout** on the canvas to have the system rearrange them. Node positions are saved automatically.

2. Configure nodes

Click a node to open the **Node Settings** panel on the right. You can adjust:

Setting	Description
Entry node	When enabled, the team starts processing conversations from this node. A team can have only one entry node.
Per-call token limit	Limits the token count for a single response from this node (optional).
Max iteration count	Limits the number of iterations for a single processing cycle on this node (optional).
Context strategy	Controls what this agent can see: " Visible original user input " determines whether it can read the user's original message (when off, it only sees the processed output from upstream agents); " Visible output sources " lets you specify which nodes' outputs it can see.



Node settings: designate the entry node, set token/iteration limits, and configure the context strategy

3. Draw connections and set interaction types

Drag from one node's connection point to another node to create a **directed connection** (source -> target). Click the connection to open the **Connection Settings** panel on the right:

Setting	Description
Trigger condition description	Describe in plain language "when should this connection be used." This description is provided to the AI as a basis for routing decisions — writing it clearly helps improve routing accuracy.
Interaction type	Choose Auto , Handoff , or Delegate (see the table below for differences).
Inherit source agent's tools	When enabled, the target agent can use all tools and resources from the source agent.

Interaction types (descriptions as shown in the settings panel):

Interaction type	Description
Auto (default)	The LLM automatically determines the most suitable interaction type.

Interaction type	Description
Handoff	Hand off control — the source agent goes idle and the target agent takes over the conversation.
Delegate	Delegate a task — the target agent executes and returns the result to the source.

目前設定的連線：委派（訂單查詢 → 倉儲查詢）

商品查詢助理
Product Search Agent

訂單查詢助理
Order Search Agent

倉儲查詢助理
Inventory Search Agent

轉交：將對話權交給目標代理。

轉交：將任務交給目標代理。

轉交：將任務交給目標代理。

訂單查詢助理
Order Search Agent

倉儲查詢助理
Inventory Search Agent

互動方式

自動（預設）
由 LLM 自動判斷最適合的互動方式

移交
移交控制權 — 來源代理休眠，目標代理接管對話

委派
委派任務 — 目標代理執行後回傳結果給來源

觸發條件描述
需要查詢商品庫存數量時，委派倉儲查詢助理查詢後回傳

繼承來源 Agent 的工具
開啟後，目標 Agent 可使用來源 Agent 的所有工具和資源

Connection settings: fill in the trigger condition description, select the interaction type (auto/handoff/delegate), and optionally inherit the source agent's tools

Watch for semantic warnings at the top of the canvas. When the team graph has issues, a yellow notice appears at the top of the canvas, such as: "No entry node set," "Multiple entry nodes — keep only one," "Duplicate connections," or "Connections form a cycle." It is recommended to resolve these warnings before starting a conversation.

3. Configure basic information and guardrails

In the team page, switch to the **Basic Information** view to adjust team-level settings:


Basic information: Team name, description, and whether it is enabled.

Guardrails:

Max iterations (default **25**) — The maximum number of times agents can go back and forth in a single conversation, preventing infinite loops.

Overall token limit (default **200000**) — The token budget cap for the entire team processing a single user message.

Timeout (default **600** seconds) — The hard timeout for the entire team's processing flow.



Basic information and guardrails: adjust team name, activation status, and max iterations, overall token limit, and timeout

4. Chat with the team

Once orchestration is complete and the team is "Enabled," you can chat with the entire team through the team's **Web Chat channel**. Users face a single entry point, and the system automatically routes questions to the appropriate agent.

When the team performs handoffs or delegates between agents, the chat interface displays transition messages such as "**Handing off to**," "**Delegating to**," or "**Switching to**," letting users know which agent is currently serving them.

5. Delete a team

In the danger zone at the bottom of the **Basic Information** view, you can **Delete Team**. Deleting a team also removes its entry agent, and **this action cannot be undone** — please confirm before proceeding.

6. Next steps

Once the team is running, you can check the **Team execution traces** to see which agents were involved in each execution, how many tokens each used, and how long it took — confirming the team is dividing work as expected.


Team execution traces

Teams automatically hand off and delegate between agents, and the process is seamless to users. **Execution traces** let you go back and review "which agents were involved and how many resources each consumed" for every conversation, helping you confirm the team is dividing work as expected and making it easy to troubleshoot and optimize.

1. View execution traces

In the team page, switch to the **Execution Traces** view to see a list of every execution for this team. Each record includes:

Field	Description
Trace ID	The unique identifier for this execution.
Status	"Running," "Completed," "Failed," or "Timed out."
Iterations	The total number of back-and-forth exchanges between agents during this execution.
Token count	The total token usage for this execution.
Duration	The total time from receiving the message to completing the response.




Execution traces: status, iteration count, token count, and duration for each team execution

2. Expand step details

Expanding a single record reveals the **Step Details** — which agent nodes this execution **passed through in order**, along with the details of each step:

Item	Description
Step number	Which step this is in the overall flow and which agent executed it.
Input	A summary of the content this agent received at this step.
Output	A summary of the content this agent produced at this step.
Cost breakdown	The token usage for this step (input tokens, output tokens, embedding tokens), letting you see exactly which agent the cost is attributed to.



Step details: see which agents were involved step by step, with input/output summaries and token cost breakdown for each

Not seeing any traces? Execution traces are only generated after the team is actually triggered by a conversation. If the list shows "No execution traces yet," chat with the team through the channel first, then come back to check.

3. How to use these traces to optimize your team

Routing not as expected: If questions are being sent to the wrong agent, go back to the canvas orchestration and adjust the connection's "trigger condition description" to be more explicit about "when to use this connection."

Iterations or duration too high: Agents may be handing off back and forth too many times. Check for unnecessary connections, or adjust the team's "max iterations" and per-node settings.

Cost concentrated on one agent: Use the "cost breakdown" to find the agent consuming the most tokens, and consider switching it to a lighter model or narrowing its knowledge base and tool scope.

AgentOps

AgentOps Overview

What is AgentOps?

AgentOps (Agent Operations) is the AI Assistant operation management module provided by the MaiAgent platform, focusing on testing, evaluating, and monitoring the actual performance of AI Assistants. With AgentOps, you can systematically manage AI Assistant quality and ensure consistently excellent service experiences.

Why Do You Need AgentOps?

Building an AI Assistant is just the first step — continuous monitoring and optimization are essential for long-term success. AgentOps helps you:

Ensure Consistent Quality

- * Establish standardized testing mechanisms
- * Track AI Assistant performance trends
- * Identify and fix quality issues promptly

Improve Operational Efficiency

- * Automate testing processes to save manpower
- * Quickly identify performance bottlenecks
- * Optimize system resources and costs

Data-Driven Decision Making

- * Quantify AI Assistant performance metrics
- * Compare the effectiveness of different settings or models
- * Develop optimization strategies based on actual data

AgentOps Core Features

1. Test Dataset Management

Create and manage test case collections to verify AI Assistant response quality.

Key Features:

- * Create multiple test datasets
- * Manage test cases and expected responses
- * Support search and categorization
- * Team collaboration on test case maintenance

Use Cases:

- * Verify response accuracy after Knowledge Base updates
- * Establish standard testing workflows
- * Collect frequently asked questions as test benchmarks

For details: [Test Dataset Management](#)

2. Automated Evaluation

Use test datasets to run automated evaluations and generate detailed quality reports.

Key Features:

- * One-click batch testing
- * Calculate success rates and response times
- * Generate detailed pass/fail reports
- * Compare performance across different periods or AI Assistants

Use Cases:

- * Regular quality checks
- * Regression testing before and after updates
- * Compare effectiveness of different AI Assistants or models

For details: [Automated Evaluation](#)

3. AI Assistant Monitoring

Monitor AI Assistant operations in real time and analyze every conversation in detail.

Key Features:

- * View input/output message content
- * Track reply time and processing time
- * Monitor token usage and costs
- * Analyze quality scores and user feedback

Use Cases:

- * Real-time system operation monitoring
- * Identify performance issues and anomalies
- * Track costs and usage
- * In-depth analysis of individual conversations

For details: [AI Assistant Monitoring](#)

AgentOps Workflow

Standard Quality Management Flow

1. Create Test Datasets
 - ↓
 - Collect common questions and expected responses
 - Build structured test cases
2. Run Automated Evaluations
 - ↓
 - Run tests regularly or after updates
 - Generate success rate and quality reports
3. Analyze Evaluation Results
 - ↓
 - Identify failed cases
 - Find issues that need improvement
4. Optimize AI Assistant
 - ↓
 - Update Knowledge Base content
 - Adjust AI settings and prompts
5. Monitor Actual Operations
 - ↓
 - Use AI Assistant Monitoring to track real conversations
 - Continuously ensure quality stability
6. Continuous Improvement
 - ↓
 - Discover new issues from monitoring data
 - Update test datasets
 - Repeat the evaluation and optimization cycle

Quick Start Steps

Week 1: Build Foundational Tests

1. Collect 20-30 frequently asked questions
2. Create your first test dataset
3. Run the initial automated evaluation
4. Record the current success rate as a baseline

Week 2: Continuous Optimization

1. Analyze failed test cases
2. Update the Knowledge Base or adjust AI settings
3. Re-run evaluations to verify improvements
4. Start using AI Assistant Monitoring to observe real conversations

Week 3: Build Habits

1. Run automated evaluations once a week
2. Check monitoring data daily to identify anomalies
3. Continuously add test cases to cover more scenarios
4. Create quality reports to track long-term trends

AgentOps Integration with Other Features

AgentOps + Knowledge Base Management

Integration Use Cases:

- * Run automated evaluations immediately after Knowledge Base updates
- * Supplement Knowledge Base content when monitoring data reveals knowledge gaps
- * Create test cases based on real conversations to optimize the Knowledge Base

Related documentation: [Build an Enterprise Knowledge Base](#)

AgentOps + Usage Analytics

Complementary Analysis:

- * **Usage Analytics:** Provides overall trends and statistics (conversation volume, satisfaction, etc.)
- * **AgentOps:** Provides in-depth quality analysis and individual conversation details

Combined use enables you to:

- * Detect anomalies from overall trends
- * Identify root causes from monitoring details
- * Comprehensively evaluate AI Assistant performance

Related documentation: [Usage Analytics](#)

AgentOps + Response Quality Control

Integration Use Cases:

- * AgentOps provides technical quality monitoring
- * Response Quality Control provides manual review and annotation
- * Together they form a complete quality assurance system

Related documentation: [Response Quality Control](#)

Best Practices

1. Establish a Regular Evaluation Schedule

Daily Check (5 minutes):

- * Review AI Assistant Monitoring to identify anomalies

Weekly Evaluation (30 minutes):

- * Run core test datasets
- * Check whether success rates remain stable
- * Update or add test cases

Monthly Analysis (2 hours):

- * Run a full evaluation
- * Export monitoring data for in-depth analysis
- * Produce quality reports
- * Plan optimization goals for the next month


2. Set Quality Baselines

Set reasonable quality targets for your AI Assistant:

Metric	Baseline	Target	Description
Automated Evaluation Success Rate	≥ 85%	≥ 95%	Standard test case pass rate
Average Response Time	< 5 seconds	< 3 seconds	User-perceived response speed
User Satisfaction	≥ 80%	≥ 90%	Like total feedback ratio
Token Usage	-	-	Set limits based on budget

3. Establish an Issue Tracking Workflow

When quality issues are discovered:



4. Team Collaboration

Establish AgentOps responsibility assignments:

AI Manager:

- * Overall quality monitoring
- * Develop optimization strategies
- * Regular evaluations and reporting

Knowledge Base Administrator:

- * Update the Knowledge Base based on evaluation results
- * Supplement missing knowledge content

Technical Staff:

- * Analyze performance issues
- * Optimize system settings
- * Handle technical anomalies

5. Continuous Improvement Cycle

The core of AgentOps is continuous improvement:

Measure: Obtain data through evaluations and monitoring

Analyze: Identify issues and improvement opportunities

Act: Implement optimization measures

Verify: Confirm improvement effectiveness

Standardize: Incorporate successful practices into workflows

FAQ

Q1: What is the difference between AgentOps and "Usage Analytics"?

Usage Analytics:

- * Overall trends and statistics (conversation volume, word count, satisfaction)
- * Suitable for understanding AI Assistant usage overview
- * Focuses on business metrics

AgentOps:

- * In-depth quality analysis and individual conversation details
- * Suitable for technical quality management
- * Focuses on technical metrics (success rate, response time, cost)

The two are complementary — we recommend using them together.

Q2: How often should evaluations be run?

Recommended frequency:

- * **Core features:** Once a week
- * **Full tests:** Once a month
- * **After major updates:** Run immediately
- * **When issues are found:** Test and verify at any time

Adjust based on your AI Assistant's importance and update frequency.

Q3: How many test cases should a test dataset contain?

Recommended amounts:

- * **Minimum:** 20 test cases (covering core features)
- * **Recommended:** 50-100 test cases (balancing coverage and efficiency)
- * **Comprehensive:** 200+ test cases (for large or critical systems)

Start with core features and expand gradually.

Q4: What success rate is considered acceptable?

It depends on the AI Assistant's purpose:

- * **High-risk applications** (finance, healthcare): $\geq 95\%$
- * **Customer support:** $\geq 90\%$
- * **General conversation:** $\geq 85\%$
- * **Experimental features:** $\geq 80\%$

The key is to establish a baseline and continuously improve.

Q5: Does AgentOps affect real users?

No. AgentOps testing and monitoring run in isolated environments or in the background, without interfering with the actual user experience.

Q6: Can I create multiple test sets for different business areas?

Yes. We recommend creating multiple test datasets for different business areas or features:

- * Product inquiry test set
- * Order processing test set
- * Technical support test set
- * ...and more

This allows you to track quality performance separately for each area.

Get Started with AgentOps

Ready to start using AgentOps? We recommend following this order:

Create Test Datasets: Collect common questions and create your first test set

Run Automated Evaluations: Test your AI Assistant and review evaluation reports

Use AI Assistant Monitoring: Gain in-depth understanding of actual operations

With AgentOps, you can establish a systematic quality management workflow to ensure your AI Assistant consistently delivers excellent service.

Test Dataset Management

What Is a Test Dataset?

A test dataset is a collection of pre-prepared test cases used to validate the response quality and accuracy of AI assistants. By creating standardized test datasets, you can:

Ensure Response Quality

- * Verify that the AI assistant's responses to common questions meet expectations
- * Ensure responses don't degrade after knowledge base updates
- * Continuously track response quality trends

Improve Efficiency

- * Batch test multiple questions without manual verification one by one
- * Create reusable test cases to save testing time
- * Quickly identify issues and make timely adjustments

Team Collaboration

- * Centrally manage all test cases
- * Different team members can jointly maintain test data
- * Track who created and last updated test cases

How to Access Test Dataset Management

Go to "**AgentOps**" in the left sidebar, then click "**Test Datasets**" to see the test dataset management page.

Test dataset management interface

The page displays the following information:

- * **Test Dataset ID:** A unique identifier automatically generated by the system
- * **Test Dataset Name:** The name you assigned to the dataset
- * **Test Case Count:** The total number of test cases in the dataset
- * **Created By:** The user who created this dataset
- * **Created At:** The date and time the dataset was created
- * **Last Updated:** The time the dataset was last modified
- * **Action Buttons:** Edit, delete, and other functions

Creating a Test Dataset

1. Start Creating

Click the "**Create Dataset**" button in the upper right corner to start creating a new test dataset.

2. Set Basic Information

In the dialog that appears, enter the following information:

Test Dataset Name (required)

- * Use a meaningful name, such as: "Product Query Test Set" or "Customer Service FAQ Test"
- * This makes it easier to manage and identify purposes later

Test Dataset Description (optional)

- * Describe the purpose and coverage of this test set
- * Example: "For testing product specification query functionality, containing 50 common product questions"

Select AI Assistant (required)

- * Choose the AI assistant to test
- * A test dataset can correspond to one or more AI assistants

3. Add Test Cases

After creating the test dataset, you need to add test cases. Each test case contains:

Test Question

- * Questions that users might ask
- * Recommended to cover various phrasings and scenarios

Expected Response

- * How the AI assistant should answer
- * Can be keywords, sentences, or complete paragraphs
- * The system compares whether the actual response contains the expected content

Test Case Examples:

Question: What is your return policy?

Expected Response: Unconditional returns within 7 days of purchase, items must remain new and unused

Question: How do I apply for a refund?

Expected Response: Apply for a refund through the order management page in the member center, refund will be processed within 3-5 business days after approval

Question: Who pays for return shipping?

Expected Response: We cover shipping for defective products, buyers cover shipping for personal preference returns

Managing Test Datasets

Search Test Datasets

Use the search bar at the top of the page to quickly find target datasets by:

- * Test dataset ID
- * Test dataset name
- * Description keywords

After entering keywords, the system filters and displays matching datasets in real time.

Edit Test Datasets

Click the "**Edit**" button in the action column to:

- * Modify the test dataset name and description
- * Add, edit, or delete test cases
- * Adjust the order of test cases

Regularly review and update test cases to ensure test content stays aligned with actual business needs

Delete Test Datasets

Click the "**Delete**" button in the action column to delete test datasets that are no longer needed.

Deleted test datasets cannot be recovered. Proceed with caution. If the dataset has been used in automated evaluations, the related evaluation records will be retained, but the same test cannot be run again.

Test Dataset Best Practices

1. Create Structured Test Categories

Group test cases by business needs:

```
Product-related knowledge base tests:
├─ Product Query Test Set (50 cases)
├─ Price Inquiry Test Set (30 cases)
└─ Inventory Verification Test Set (20 cases)

Customer service workflow tests:
├─ Order Processing Test Set (40 cases)
├─ Return & Exchange Workflow Test Set (35 cases)
└─ Membership Service Test Set (25 cases)
```

2. Cover Multiple Phrasings

The same concept can be phrased in different ways. Include various phrasings in your test cases:

```
Formal phrasing: Could you please tell me your business hours?
Colloquial phrasing: What time do you open?
Short phrasing: Business hours
Full sentence: I'd like to know what your business hours are, from when to when
```

3. Include Edge Cases

Test extreme situations and ambiguous questions:

- * Incomplete questions: "price," "what do I do"
- * Questions with typos: "prodcut specs"
- * Compound questions: "How much does it cost? Can I return it? What colors are available?"
- * Out-of-scope questions: Test how the AI assistant responds

4. Regularly Update Test Data

When new features launch: Add corresponding test cases

After knowledge base updates: Check whether related test cases need adjustment

When issues are discovered: Immediately add test cases for that scenario to prevent recurrence

Regular reviews: Review test cases monthly or quarterly to ensure they still reflect current conditions

5. Set Appropriate Test Quantities

Recommended test cases per dataset:

* **Minimum 20 test cases:** Ensures coverage of basic scenarios

* **Recommended 30-50 test cases:** Balances test coverage and execution time

* **100+ cases for special situations:** Suitable for complex business logic

Frequently Asked Questions

Q1: What is the relationship between test datasets and automated evaluations?

Test datasets are the foundation of automated evaluations. You need to create a test dataset first, then select the test dataset and AI assistant in the "Automated Evaluation" feature. The system automatically runs the tests and generates an evaluation report.

For more information, see: [Automated Evaluations](#)

Q2: Can one test dataset be used to test multiple AI assistants?

Yes. You can select the same test dataset with different AI assistants during automated evaluation to compare how different AI assistants perform on the same test cases.

Q3: Does the expected response need to match exactly?

No. The system checks whether the AI assistant's actual response "contains" the key content of the expected response. You can set keywords or important sentences, and the test passes as long as the actual response includes that content.

Q4: How do I import a large number of test cases?

Currently, you can batch-add test cases by copying and pasting. Future versions will support Excel or CSV file import — stay tuned.

Q5: Can test datasets be shared with other organization members?

Yes. All members within the same organization can view and use test datasets. You can identify who created a dataset through the "Created By" column to facilitate team collaboration.

Q6: If I delete an AI assistant, will the related test datasets disappear?

No. Test datasets are managed independently. Even if you delete an AI assistant, the test datasets are retained. You can use the same test dataset to test other AI assistants.

Next Steps

After creating test datasets, you can:

- * Go to [Automated Evaluations](#) to run tests and view results
- * Use [AI Assistant Monitoring](#) to track the AI assistant's actual operational performance
- * Adjust knowledge base content or AI assistant settings based on evaluation results


Automated Evaluation & AI Assistant Monitoring

Automated Evaluation

The automated evaluation feature allows you to use pre-built test datasets to automatically test AI Assistant response quality. The system sends test questions to the AI Assistant, compares actual responses with expected responses, and generates detailed evaluation reports.

Access Automated Evaluation

Go to "AgentOps" in the left sidebar, then click "Automated Testing".



测试ID	测试名称	描述	测试数据集	AI助理	成功率	平均响应时间	操作
65b1451-0133-4d11-812d-6a5b14510133	测试数据集 101 千问测试	测试 Mangrove 测试数据集 101	测试数据集 101 千问测试	Mangrove 测试数据集 101	100%	100ms	操作
65b1451-0133-4d11-812d-6a5b14510133	测试数据集 101 千问测试	测试 Mangrove 测试数据集 101	测试数据集 101 千问测试	Mangrove 测试数据集 101	100%	100ms	操作
65b1451-0133-4d11-812d-6a5b14510133	测试数据集 101 千问测试	测试 Mangrove 测试数据集 101	测试数据集 101 千问测试	Mangrove 测试数据集 101	100%	100ms	操作
65b1451-0133-4d11-812d-6a5b14510133	测试数据集 101 千问测试	测试 Mangrove 测试数据集 101	测试数据集 101 千问测试	Mangrove 测试数据集 101	100%	100ms	操作
65b1451-0133-4d11-812d-6a5b14510133	测试数据集 101 千问测试	测试 Mangrove 测试数据集 101	测试数据集 101 千问测试	Mangrove 测试数据集 101	100%	100ms	操作
65b1451-0133-4d11-812d-6a5b14510133	测试数据集 101 千问测试	测试 Mangrove 测试数据集 101	测试数据集 101 千问测试	Mangrove 测试数据集 101	100%	100ms	操作
65b1451-0133-4d11-812d-6a5b14510133	测试数据集 101 千问测试	测试 Mangrove 测试数据集 101	测试数据集 101 千问测试	Mangrove 测试数据集 101	100%	100ms	操作
65b1451-0133-4d11-812d-6a5b14510133	测试数据集 101 千问测试	测试 Mangrove 测试数据集 101	测试数据集 101 千问测试	Mangrove 测试数据集 101	100%	100ms	操作
65b1451-0133-4d11-812d-6a5b14510133	测试数据集 101 千问测试	测试 Mangrove 测试数据集 101	测试数据集 101 千问测试	Mangrove 测试数据集 101	100%	100ms	操作
65b1451-0133-4d11-812d-6a5b14510133	测试数据集 101 千问测试	测试 Mangrove 测试数据集 101	测试数据集 101 千问测试	Mangrove 测试数据集 101	100%	100ms	操作

Automated testing list showing success rate and average response time for each test run

The page displays all evaluation records, including evaluation name, test dataset, AI Assistant, success rate, average response time, and creation time.

Create and Run a Test

Ensure you have created a test dataset (refer to [Test Dataset Management](#))

Click the "Create Test" button


Fill in the evaluation name and description, then select the test dataset and AI Assistant

Click "**Start Evaluation**" and the system will automatically execute all test cases

Evaluation execution time depends on the number of test cases. Typically, 50 test cases take approximately 2-3 minutes.

View Evaluation Results

Click on an evaluation record to view the detailed report:



Test details page: success rate, AI insights summary, metric statistics, and improvement suggestions

The detailed report includes:

- Success Rate:** Percentage of test cases that passed
- AI Insights:** Automatically generated evaluation summary and improvement suggestions
- Metric Statistics:** Quality scores, response relevance, and other metrics
- Test Case Details:** Expected response, actual response, score, and status for each question

Success Rate Reference Benchmarks:

AI Assistant Type	Recommended Success Rate
Product Inquiry Assistant	≥ 95%
Customer Support Assistant	≥ 90%

Monitoring Field Descriptions

Field	Description
User Input Message	The question sent by the user to the AI
Output Message	The AI Assistant's response content
AI Assistant	The name of the AI Assistant that handled the conversation
User Feedback	Thumbs up 👍 or thumbs down 👎
Faithfulness Score	Whether the response is faithful to the Knowledge Base content
Response Relevance Score	The degree of relevance between the response and the question
Response Time	The total time for the AI to generate a response
LLM Processing Reasoning Time	The time spent on LLM reasoning and response generation
Total Token Count	Total tokens consumed in the conversation (including question and answer)
LLM	The name of the language model used
User	The user who initiated the conversation

Search and Filter

- Keyword Search:** Search input/output messages or usernames
- LLM Filter:** Select a specific language model to compare performance across different models
- AI Assistant Filter:** Select a specific assistant to track its operational status
- Time Range:** Select last 7 days, 30 days, 90 days, or a custom date range
- Export:** Export monitoring data in Excel or CSV format

Monitoring Best Practices

Daily Review: Check conversations from the last 24 hours to identify abnormal response times or errors

Identify Performance Bottlenecks:

- * Response time > 10 seconds: Check Knowledge Base retrieval efficiency or consider a faster LLM
- * High token usage: Evaluate whether the System Prompt or conversation history can be shortened

Quality Issue Tracking:

1. Use keyword search to find problematic conversations
2. Analyze root causes (insufficient Knowledge Base AI misunderstanding model limitations)
3. Add problem cases to the test dataset and run automated evaluations to verify fixes

Q: What is the difference between Automated Evaluation and AI Assistant Monitoring?

	Automated Evaluation	AI Assistant Monitoring
Purpose	Periodic quality testing	Real-time operational monitoring
Data Source	Predefined test datasets	Actual user conversations
Key Metrics	Success rate, response time	Performance, cost, quality scores
Best For	Quality verification, regression testing	Daily monitoring, troubleshooting

Q: How often should evaluations be run?

Recommendation: Core features weekly, full tests monthly, and immediately after major updates.

Q: Do evaluations affect actual users?

No. Automated evaluations run in an isolated environment and do not interfere with actual user conversations.

Q: How long is monitoring data retained?

The default retention period is 90 days. You can periodically export important data for long-term storage.

Evaluation Insights Report

This guide explains how to use the Evaluation Insights feature to quickly understand your AI assistant's test results and receive system-generated improvement recommendations.

What Are Evaluation Insights?

Evaluation Insights is an extension of AgentOps automated testing. After completing a batch test, the system not only displays metric scores but also automatically analyzes test results and generates an "Insights Report."

This report tells you:

How the test results performed overall

Where the main issues are

How to make specific improvements

Which items to prioritize

Think of it as having a senior consultant review your test report and provide you with an improvement recommendation document.

Core Advantages of Evaluation Insights



Automated Analysis

No need to manually interpret complex scoring data — the system automatically identifies problem patterns and compiles them into an easy-to-understand report.



Priority Recommendations

The system recommends which items to address first based on issue severity and scope of impact, making your improvement efforts more efficient.



Specific Improvement Directions

It doesn't just tell you "there's a problem" — it also provides concrete improvement suggestions, such as which settings to adjust and what content to supplement.



Multi-Language Support

Insights reports support multiple languages including Traditional Chinese, Simplified Chinese, and English. You can choose the language that best suits your team's needs.

How to Use the Evaluation Insights Feature

Step 1: Complete a Batch Test

Go to "AgentOps" → "Automated Testing"


Wait for the test to complete

Automated testing list showing success rate and average response time for each test

[Go to the test result detail page](#)

Review each scoring metric

Find the "Insights Report" section



Test detail page: includes success rate, AI insights summary, metric statistics, and improvement suggestions

Step 3: Select the Report Language

In the Insights Report section, you can choose the display language for the report:

Traditional Chinese: Suitable for Taiwan-based teams

Simplified Chinese: Suitable for Mainland China-based teams

English: Suitable for international teams or situations requiring English reports

After selecting a language, the system automatically generates the insights report in the corresponding language.

Step 4: Read the Insights Report

The insights report typically includes the following content:

1. Overall Evaluation Summary

Test pass rate

Key strengths

Areas needing improvement

2. Issue Analysis

Answer relevance issues

Safety risks (bias, offensiveness, hallucinations)

Response speed issues

3. Improvement Suggestions

Priority items (labeled as "High Priority," "Medium Priority," or "Low Priority")

Specific improvement steps

Expected improvement outcomes

Step 5: Make Improvements Based on Suggestions

Address issues in order of the priority listed in the report

Adjust AI assistant settings based on the specific improvement steps

After making adjustments, run the test again to verify the results

How Evaluation Insights Are Calculated

The system considers the following factors to generate the insights report:

Scoring Metrics: The levels and distribution of each score

Failed Cases: The number and reasons for failed cases

Problem Patterns: The frequency of recurring similar issues

Best Practices: Industry standards and optimization recommendations

Generating the insights report requires some processing time, typically completed within 1-2 minutes after the test finishes.

Practical Use Cases



Medical Clinic Customer Service

Test Results:

* Pass rate: 72%

* Hallucination score: High

Insights Report Suggestion:

"The test found that some responses contained unverified medical advice. It is recommended to explicitly restrict the role instructions: 'Do not provide diagnostic or treatment advice; only provide appointment scheduling and clinic information.'"



Enterprise Internal Knowledge Management

Test Results:

* Pass rate: 88%

* Answer relevance: Low

Insights Report Suggestion:

"The test found that some responses were too brief or did not fully answer the question. It is recommended to add more detailed operating steps and examples to the knowledge base."

FAQ

Q1: Can the insights report be downloaded?

Currently, the insights report can only be viewed within the system. You can copy the report content and compile it into an internal document.

Q2: Does the insights report update automatically with new test results?

Yes, each time a new batch test is run, the system generates a new insights report reflecting the latest test results.

Q3: Can I switch the language of the insights report?

Yes, you can switch the report language at any time, and the system will regenerate the report in the selected language.

Q4: Do I have to implement all the suggestions in the insights report?

Not necessarily. You can prioritize "High Priority" items based on actual needs and available resources. The system's suggestions are reference directions — you can adjust them according to your business requirements.

Q5: Why didn't my test generate an insights report?

Possible reasons:

- * Too few test cases (at least 10 are recommended)
- * The test has not finished yet
- * The system is still processing (please wait 1-2 minutes)

Tool Execution Records

Overview

Tool execution records let you track the complete history of an AI assistant's external tool invocations, including API calls, database queries, web scraping operations, and more. When an AI assistant needs to perform tasks beyond the scope of conversation, it uses tools to do so. Tool execution records help you understand tool usage, identify causes of execution failures, and optimize tool configurations.

With comprehensive execution records, you can identify the root cause of tool failures within 5 minutes, reducing troubleshooting time by 80% and ensuring the AI assistant can reliably deliver advanced functionality.

Features

With the tool execution records feature, you can:

Complete Execution History

The system automatically records every tool invocation, including input parameters, execution results, duration, and success or failure status.

Use case: An e-commerce platform's order query tool is invoked 500 times daily and needs success rate and response time tracking

Actual benefit: Discovered 10% of queries failed due to timeouts; after adjusting timeout settings, the success rate improved to 98%

Quickly Identify Failure Causes

When a tool execution fails, the system records detailed error messages to help you quickly understand what went wrong.

Use case: A weather query API suddenly starts failing frequently and the cause needs to be identified quickly

Actual benefit: Error records revealed an expired API key; service was restored within 5 minutes of updating it

Tool Usage Statistics

View invocation counts, success rates, average execution times, and other statistics for each tool.

Use case: An enterprise has configured 10 tools and wants to know which are used most frequently and which have the most issues

Actual benefit: Discovered 3 tools were never used; removing them reduced system complexity, and other tools saw a 15% improvement in response speed

Optimize Tool Configurations

Based on execution record analysis, adjust tool parameters, optimize invocation logic, and improve error handling.

Use case: A database query tool frequently times out because the query scope is too large

Actual benefit: After adjusting query limits based on record analysis, average execution time dropped from 8 seconds to 3 seconds

Tool Types

MaiAgent supports multiple tool types, and tool execution records track the execution status of all types:

API Tools

Call external APIs to retrieve real-time data, such as weather queries, exchange rate queries, inventory queries, etc.

Common execution issues:

- * Expired or invalid API keys
- * Incorrect request parameter formats
- * API service timeout or no response
- * Exceeded API call limits

Text-to-SQL Tools

Convert natural language questions into SQL queries to retrieve data from databases.

Common execution issues:

- * SQL syntax errors
- * Query scope too large causing timeouts
- * Database connection failures
- * Insufficient permissions to access specific tables

Web Scraping Tools

Scrape real-time information from specified websites, such as latest news, product prices, etc.

Common execution issues:

- * Target website unreachable
- * Web page structure changes causing parsing failures
- * Blocked or rate-limited by the target website
- * Scraping timeout

Custom Tools

Enterprise-developed tools for specific functions, such as order processing, member verification, etc.

Common execution issues:

- * Internal service errors
- * Parameter validation failures
- * Business logic errors
- * System integration issues

Usage Steps

Step 1: Access Tool Execution Records

Enter the admin dashboard and click **AgentOps** → **Tool Execution Records** in the left sidebar

View the list of recent tool execution records

ID	Tool Name	Tool Type	Execution Details	Status	Action
941399754602-405	WebAgent-抓取器	WebAgent-抓取器	why you didn't get https://www.baidu.com	成功	查看
4142018-1402-405	WebAgent-抓取器	WebAgent-抓取器	why you didn't get https://www.baidu.com	成功	查看
6071111-0101-405	WebAgent-抓取器	WebAgent-抓取器	why you didn't get https://www.baidu.com	成功	查看
40019401-0101-405	WebAgent-抓取器	WebAgent-抓取器	why you didn't get https://www.baidu.com	成功	查看
11071711-0101-405	WebAgent-抓取器	WebAgent-抓取器	why you didn't get https://www.baidu.com	成功	查看
1000111-0101-405	WebAgent-抓取器	WebAgent-抓取器	why you didn't get https://www.baidu.com	成功	查看
1001111-0101-405	WebAgent-抓取器	WebAgent-抓取器	why you didn't get https://www.baidu.com	成功	查看
1001111-0101-405	WebAgent-抓取器	WebAgent-抓取器	why you didn't get https://www.baidu.com	成功	查看
1001111-0101-405	WebAgent-抓取器	WebAgent-抓取器	why you didn't get https://www.baidu.com	成功	查看
1001111-0101-405	WebAgent-抓取器	WebAgent-抓取器	why you didn't get https://www.baidu.com	成功	查看

Tool execution records list page

Step 2: Filter Records

Use filter criteria to find execution records that need attention:

Time range:

Today, Last 7 days, Last 30 days

Or custom start and end dates

Tool type:

All tools

API tools

Text-to-SQL

Web scraping tools

Custom tools

Execution status:

All

Success

Failure

In progress

Specific tool:

Select a specific tool name from the dropdown

Click "Apply Filters" to view matching records

Priority Items to Check Recommended priorities: 1. Failed execution records 2. Records with execution time exceeding 10 seconds 3. Execution status of frequently used tools

Step 3: View Execution Details

Click any record in the list

Expand the detailed information, including:

Basic Information:

- * Tool name
- * Execution time (when it was invoked)
- * Execution duration (how many seconds it took)
- * Execution status (Success/Failure)

Input Parameters:

- * Parameter content passed by the AI to the tool
- * Check whether parameters are correct

Execution Result:

- * Complete result returned by the tool
- * Shows retrieved data on success
- * Shows error message on failure

Associated Conversation:

- * The conversation record that triggered this tool invocation
- * Trace back to the user's original question

Error Message (if any):

- * Detailed error description
- * Error code or exception type
- * Stack trace information (if applicable)

Step 4: Analyze Failure Causes

When you find failed execution records, follow these steps to analyze:

Check the error message:

Read the detailed error description

Identify whether it's a configuration issue, permission issue, or service error

Check input parameters:

Confirm whether the parameters passed by the AI are correct

Verify the parameter format meets tool requirements

Review the associated conversation:

Understand what question the user asked

Determine whether a specific question type caused the failure

Compare with successful cases:

Find successful execution records for the same tool

Compare the differences between successful and failed cases

Step 5: Optimize Tool Configuration

Based on execution record analysis, take improvement actions:

Update tool settings:

Correct incorrect API keys or connection information

Adjust timeout settings

Optimize query parameters or constraints

Adjust AI prompts:

If parameters are frequently incorrect, add clear guidance in the prompt

Explain the correct usage and parameter format of the tool

Improve error handling:

Add user-friendly error messages for common error scenarios

Set up automatic retry mechanisms

Remove unused tools:

If a tool has not been used for a long time, consider removing it to simplify the configuration

Step 6: Export Execution Records

Click the "Export" button on the tool execution records page

Select the export format (CSV or Excel)

Select the time range and filter criteria

Download the report for further analysis or archiving

Exported records can be used for: In-depth data analysis and trend tracking
Reporting issues to the technical team
Regular reviews of tool usage efficiency
Compliance auditing and record keeping

Use Cases

Case 1: Diagnosing Tool Failures

Scenario: An e-commerce platform's inventory query tool suddenly starts failing in large numbers, and customer service cannot check product inventory for customers.

Steps:

1. Go to tool execution records and filter by "Inventory Query Tool" + "Failure"
2. Discover 50 failed records in the past 2 hours
3. View the error message in the failed records: "Database connection timeout"

4. Check the database service status and discover the database is under maintenance
5. Temporarily disable the tool and notify customer service to use manual queries
6. Re-enable after database recovery and monitor the success rate returning to normal

Quantified Benefits:

- * Identified root cause within 5 minutes
- * Avoided hours of troubleshooting by the technical team
- * Promptly notified customer service to use backup methods, reducing customer wait times

Case 2: Optimizing Tool Performance

Scenario: The order query tool frequently runs slowly, affecting the conversation experience.

Steps:

1. Export the order query tool's execution records from the past 30 days
2. Analyze the execution time distribution and find:
 - Average execution time: 7.5 seconds
 - 25% of queries exceed 10 seconds
 - Maximum: 18 seconds
3. Review the input parameters of slow queries and find most are querying "all orders from the past year"
4. Optimize the tool configuration:
 - Limit query scope to the past 3 months
 - Add pagination with a maximum of 20 records per request
5. After optimization, average execution time drops to 3.2 seconds

Quantified Benefits:

- * Execution time reduced by 57% (7.5 seconds → 3.2 seconds)
- * Queries exceeding 10 seconds dropped from 25% to 5%
- * Significantly improved conversation experience and customer satisfaction

Case 3: Discovering Unused Tools

Scenario: An enterprise configured 12 tools for the AI assistant and wants to understand actual usage to simplify the configuration.

Steps:

1. Export all tool execution records from the past 90 days
2. Count each tool's invocation count:
 - Order query: 1,500 times
 - Member query: 800 times
 - Promotion query: 300 times
 - Product specification query: 200 times
 - Other 8 tools: 0 times
3. Review the configuration of unused tools and find:
 - Some tools have unclear definitions, so the AI doesn't know when to use them
 - Some tools have overlapping functionality
 - Some tools are outdated
4. Remove 6 unused tools and optimize the descriptions of 2 low-usage tools

Quantified Benefits:

- * Simplified configuration, improving AI tool selection accuracy by 20%
- * System response speed improved by 10% (reduced tool selection judgment time)
- * Lower maintenance costs

Case 4: Monitoring API Usage

Scenario: An enterprise uses a third-party weather API with a monthly invocation limit and needs to monitor usage to avoid exceeding the quota.

Steps:

1. Export the weather query tool's execution records every Monday
2. Track the invocation count trend:
 - Week 1: 320 times
 - Week 2: 450 times
 - Week 3: 680 times
 - Week 4: Estimated 900 times (monthly limit: 2,000 times)
3. Discover rapidly growing invocation volume and analyze the cause:
 - Increased frequency of customer weather inquiries
 - Some unnecessary duplicate queries
4. Take action:
 - Add a caching mechanism to avoid duplicate queries for the same city within 1 hour
 - Optimize the prompt to prevent the AI from over-relying on the weather tool
5. After optimization, weekly invocations drop to 400, ensuring the quota is not exceeded

Quantified Benefits:

- * Avoid exceeding the API quota, which would cause service disruption
- * 40% reduction in API invocation costs
- * Maintain service quality while controlling costs

Frequently Asked Questions

Q: How long are tool execution records retained?

A: The system retains tool execution records for 3 months by default. It is recommended to regularly export important data for long-term storage and analysis. For longer retention periods, contact customer service to upgrade your plan.

Q: Why did a tool fail but the conversation seems normal?

A: When a tool execution fails, the AI assistant may:

1. Tell the user "Unable to query at this time, please try again later"
2. Use knowledge base information to answer instead (if related content exists)
3. Ask the user for more information and retry

Although the conversation continues, functionality is limited. It is recommended to track failure causes through execution records and fix them to ensure stable tool operation.

Q: How can I reduce the tool execution failure rate?

Recommended optimization approaches:

Configuration level:

- * Ensure API keys, database connections, and other configurations are correct
- * Set reasonable timeout periods (recommended 10-15 seconds)
- * Add error retry mechanisms

Prompt level:

- * Clearly describe when to use tools and the parameter format
- * Add examples to help the AI invoke tools correctly

Monitoring level:

- * Regularly check execution records
- * Promptly identify and fix issues
- * Track success rate trends

Q: What if input parameters in execution records contain sensitive data?

A: The system automatically masks sensitive fields in request headers: common credential headers (such as `Authorization` and `X-API-Key`) and all headers supplied by contact credentials are shown as `***`. Input parameters and the request body are not automatically masked. If your tools handle other sensitive data (such as customer personal information), it is recommended to:

1. Avoid having the AI pass secrets or personal data directly in tool input parameters; supply sensitive values via request headers or contact credentials instead
2. Control who can view execution records, granting access only to authorized personnel
3. In private deployments, extend the masked header list via the `TOOL_API_SENSITIVE_HEADERS` environment variable (e.g., `x-functions-key`)

Q: Can I re-execute a failed tool invocation?

A: The system does not currently support directly re-executing historical records. To test a tool, it is recommended to:

1. Ask a question in the chat platform to trigger a tool invocation
2. Use the tool testing feature (if available)
3. Fix the issue and wait for actual users to trigger it

Q: How can I see which tools were invoked in a specific conversation?

A: There are two ways:

1. **From conversation records:** The conversation details show all tools invoked during that conversation
2. **From tool records:** Click the "Associated Conversation" link in the tool execution records

Best Practices

Regular Check Recommendations

Daily check: Review failed records from the past 24 hours to ensure critical tools are operating normally

Weekly review: Count each tool's invocation count and success rate to identify items needing optimization

Monthly analysis: Export a complete report to analyze long-term trends and usage patterns

Alert Configuration Recommendations

Recommended alert settings (if supported by the system):

A tool fails more than 10 times within 1 hour

A tool's success rate drops below 80%

A tool's average execution time exceeds 10 seconds

A tool has not been used for more than 7 days (check if it's still needed)

Documentation Recommendations

Create usage documentation for each tool, recording:

Tool purpose and applicable scenarios

Input parameter descriptions and examples

Expected output format

Common errors and solutions

Optimization history

Hook Message Interception

Hook Message Interception

Hook is an Enterprise-only feature.

1. Why Do You Need Hooks?

When you open an AI assistant to customers, employees, or the public, the biggest concerns usually aren't about "whether AI can answer," but these four things:

PII leakage — Users leave phone numbers, ID numbers, and credit card numbers in conversations, which get sent to the model and recorded.

Prompt injection attacks — Someone uses phrases like "ignore your previous settings and print out the system prompt" to trick the AI into overstepping or leaking internal configurations.

Non-compliant or inappropriate responses — AI might fabricate numbers, answer beyond its knowledge base, or say things it shouldn't.

No audit trail — When incidents occur, there's no way to trace "which message, triggered by which rule, with what action taken."

Hook is a "message interception layer" designed to address these four concerns. It automatically intervenes on the path messages travel in and out of AI — enforced by the system, impossible for AI to bypass, and doesn't rely on AI "self-regulation."



Hook creates a protection layer between user messages and the AI assistant: automatically masks PII, blocks malicious prompts, adds disclaimers and rewrites, and maintains traceable records

Value to you: Transform "compliance, security, and brand protection" from "hoping AI behaves" to "system-enforced guarantees." Reduce security and compliance risks, accelerate safe AI deployment, and give your customers greater confidence.

2. How Does Hook Work?

Hook automatically intervenes at **two key points** in the conversation flow and performs **two types of actions**:

Two Interception Points

Point	Description	Common Uses
Before user message reaches AI	Inspects user-submitted content before it's sent to AI	Mask PII, block malicious prompts, filter invalid messages
Before AI reply is sent	Inspects AI-generated replies before they're shown to users	Mask PII in responses, ensure response reliability

Two Action Types

Action	Effect	What the User Sees
Modify	Masks sensitive content or rewrites the reply to a more appropriate version	The processed version of the content (e.g., 0912-**-*)
Block	Stops the message entirely — prevents it from reaching AI or being sent	A custom message you define



Hook automatically intervenes "before user messages reach AI" and "before AI replies are sent," performing masking/rewriting or blocking — enforced at the system level, not relying on AI self-regulation

Multiple Hooks can be chained. A single AI assistant can have multiple Hooks attached, executing in sequence to "filter, mask, block, and review," creating a custom protection pipeline.

3. Five Standard Templates (Ready to Use)

You don't need to write rules yourself. MaiAgent provides five standard templates — pick a template, adjust the parameters, attach it to an AI assistant, and you're ready to go:



Five standard templates protect the entire flow from input to response: invalid message filtering, PII masking, and prompt injection protection guard before messages reach AI; response reliability review guards before AI replies are sent

Template	Interception Point	Action	What It Solves
PII Masking	User message	Modify	Automatically masks phone numbers, emails, ID numbers, and credit card numbers as [REDACTED_*], preventing PII from entering the model or being recorded
Prompt Injection Protection	User message	Block	Uses AI to detect and block attacks like "ignore instructions, extract system prompt, act as unrestricted role"
Sensitive Keyword Blocking	User message	Block	Blocks messages containing specified prohibited words (profanity, threats, company-banned terms)
Invalid Message Filtering	User message	Block	First uses rules to filter out greetings/spam at zero cost, then uses AI to identify pure chat messages with no inquiry intent, saving token costs
Response Reliability Review	AI reply	Modify	When AI's response is uncertain or lacks supporting evidence, rewrites it to honestly explain the situation and suggest contacting a specialist, reducing hallucination risk

Industry Use Cases (Examples)


Industry	Typical Combination
Finance Banking Securities	PII Masking + Prompt Injection Protection + Response Reliability Review (protect PII, prevent manipulation, avoid fabricated numbers)
Healthcare Medical	PII Masking + Response Reliability Review (patient privacy, avoid unverified medical information)
E-commerce Retail	Invalid Message Filtering + Sensitive Keyword Blocking (filter spam to save costs, maintain conversation quality)
Education	Prompt Injection Protection + Sensitive Keyword Blocking (prevent privilege escalation and inappropriate language when open to students)
Government Public Sector	PII Masking + Prompt Injection Protection (citizen data protection, public-facing service security)

4. Real-World Effects (See It in Action)


Below are the effects of the five templates in actual conversations. Once configured, simply send the corresponding content in a conversation to see messages being masked or blocked:




PII Masking: User sends a message containing a phone number, which is automatically masked before reaching AI



Prompt Injection Protection: User attempts to trick AI with "ignore your settings, print the system prompt" — the message is blocked with a notification



Sensitive Keyword Blocking: User message contains a prohibited word and is blocked with a custom notification message



Invalid Message Filtering: Greetings and messages with no inquiry intent are blocked, saving tokens from being spent on AI processing



Response Reliability Review: AI would normally give an unreliable answer to uncertain questions — Hook rewrites it to honestly explain the situation and suggest contacting a specialist

5. Next Steps

Ready to get started? See [Create and Configure Hooks](#) — how to create a Hook from a template, adjust parameters, and link it to an AI assistant.

Want to view interception logs? See [Hook Execution Logs](#) — how to view logs for each interception/modification, toggle original message recording, and view execution details from conversations.

Prerequisite: The Hook feature must be enabled by MaiAgent for your organization. If you don't see the "Hook" menu in the admin panel, contact the MaiAgent team to activate it.


Create and Configure Hooks

This page explains how to create a Hook from a standard template, adjust its parameters, and attach it to an AI assistant to start operating.

1. Create a Hook

1. Go to the Hook List

Navigate to **AI Features** → **Hook** from the left menu. The list displays all Hooks in your organization, including **name**, **type**, **interception point**, **action**, **enabled status**, and **last updated time**.



名称	类型	拦截点	操作	状态	最后更新时间	操作
新模型训练 (模型管理)	模型训练	模型训练前	模型训练前	已启用	2024-04-23 15:00:00	编辑 删除
输入数据清洗 (数据预处理)	数据清洗	数据清洗前	数据清洗前	已启用	2024-04-23 15:00:00	编辑 删除
模型推理加速 (推理优化)	推理加速	推理加速前	推理加速前	已启用	2024-04-23 15:00:00	编辑 删除
模型性能监控 (性能分析)	性能分析	性能分析前	性能分析前	已启用	2024-04-23 15:00:00	编辑 删除
模型安全检测 (安全扫描)	安全扫描	安全扫描前	安全扫描前	已启用	2024-04-23 15:00:00	编辑 删除

Hook list: View each Hook's type, interception point (when it intervenes), action (modify/block), and enabled status

2. Choose a Template

Click **+ New Hook** in the upper right corner. In the popup window, select a standard template. Each template card indicates its **interception point** and **action**, making it easy to quickly identify its purpose.




Choose a template: Each of the five standard templates displays its interception point (when receiving user message after AI reply is generated) and action (modify block)

The creation flow has three tabs: Template (which type) → Basic Info (name, description) → Apply to AI Assistant (which assistants to attach). Fill them in sequentially after selecting a template.

2. Adjust Parameters

Different templates have different parameters. After creation, go to the Hook settings page to make adjustments. Common parameters include:


Template	Main Parameters	Description
PII Masking	PII types to mask	Select which types to detect (Email Phone ID Number Credit Card)
Sensitive Keyword Blocking	Keyword blocklist, minimum word length	One prohibited word per line; minimum word length filters out overly short words to avoid false positives
Prompt Injection Protection	Judgment model, additional rules	Select an LLM to determine whether it's an attack; add custom rules
Invalid Message Filtering	Greeting word list, consecutive repeat limit, judgment model	Rules filter first, then an LLM determines whether the message is invalid
Response Reliability Review	Rewrite model, review criteria	Select an LLM to judge whether the response is reliable and rewrite it



Using "PII Masking" as an example: Select which PII types to detect and configure the enabled status

Judgment Model (LLM-based Templates)

Templates that require "semantic judgment" — such as Prompt Injection Protection, Invalid Message Filtering, and Response Reliability Review — have a **judgment model** field. The dropdown lists the models currently available to your organization. Since this judgment runs on every message, **it's recommended to choose a fast, cost-effective model** (such as Haiku, GPT-5 mini, Gemini Flash, or similar). Leave it empty to use the platform default model.



Using "Response Reliability Review" as an example: Select a judgment model from the available LLMs in your organization, and describe the review direction in plain language using "Review Criteria"


Block messages are customizable. "Block" type templates (such as Prompt Injection Protection, Sensitive Keyword Blocking, Invalid Message Filtering) allow you to set the message shown to users when blocked, for example: "Your message contains inappropriate language. Please revise and try again."

3. Link to AI Assistant

A Hook must be **attached to an AI assistant** to take effect. There are two ways:

Attach during creation: In the "Apply to AI Assistant" tab when creating a Hook, directly select the assistants to apply it to.

Attach from assistant settings: Go to an AI assistant's settings page, switch to the **Hook** tab, and select the Hooks to apply.



In the Hook's "Apply to AI Assistant" tab, move Hooks from the "Available" list on the left to the "Selected" list on the right to complete attachment

One assistant can have multiple Hooks. The system executes them in order — for example, first "Invalid Message Filtering" blocks spam, then "PII Masking" masks personal data, then "Prompt Injection Protection" blocks attacks — combining them into a custom protection pipeline.

Enable Hook

After confirming parameters and linked assistants, set the Hook to **Enabled**. Once enabled, whenever users chat with that assistant, the Hook will automatically operate at the corresponding interception points.

4. Next Steps

After setup is complete, you can check [Hook Execution Logs](#) to view logs for each interception or modification and confirm that the Hook is working correctly.

Hook Execution Logs

Every Hook interception, modification, and pass-through is logged. For regulated industries (finance, healthcare, government), **"traceability" is itself a compliance requirement** — when issues arise, you need to trace "which message, triggered by which rule, with what action, at what time."



Execution logs (Audit Log) provide a complete record of each action: matched rule, action taken, processing result, and timestamp, with keyword search, assistant filtering, and report export support

1. View Execution Logs

Navigate to **AgentOps** → **Hook Execution Logs** from the left menu. You can see the following for each execution entry:

Time — When it occurred

Assistant — Which AI assistant triggered it

Matched Rule — Which Hook handled it

Action — What was done (mask/rewrite, block, or pass-through)

Status — Processing result

You can filter by **date range**, **assistant**, and **keywords**, and **export reports** for further audit analysis. The top of the page also displays statistics for **total executions**, **matches**, and **match rate**.

ID	Hook Name	Trigger Point	Action	Result	Message Content	Operation
1000001	Hook 1	Trigger 1	Action 1	Success	Message 1	View
1000002	Hook 2	Trigger 2	Action 2	Success	Message 2	View
1000003	Hook 3	Trigger 3	Action 3	Success	Message 3	View
1000004	Hook 4	Trigger 4	Action 4	Success	Message 4	View
1000005	Hook 5	Trigger 5	Action 5	Success	Message 5	View
1000006	Hook 6	Trigger 6	Action 6	Success	Message 6	View
1000007	Hook 7	Trigger 7	Action 7	Success	Message 7	View
1000008	Hook 8	Trigger 8	Action 8	Success	Message 8	View
1000009	Hook 9	Trigger 9	Action 9	Success	Message 9	View
1000010	Hook 10	Trigger 10	Action 10	Success	Message 10	View

Execution logs list: Each entry shows the AI assistant, Hook name, trigger point, action, and result. You can see actual actions such as PII masking replacing phone numbers with [REDACTED_PHONE], and sensitive keywords and prompt injections being blocked

View Individual Log Details

Click on any log entry to see the complete context of that action: **basic information (Hook name, type, trigger point, action, result), related information, and message content**, giving you a clear picture of what the system did.

Hook Name

Hook Type

Result

Trigger Point

Hook Name: Hook 1

Hook Type: Hook

Result: Success

Trigger Point: Trigger 1

Message Content


Message Content: [REDACTED_PHONE]

Entry details: Using PII masking as an example, you can see the action is "modify" and the message content has been masked as [REDACTED_PHONE]

2. Control Whether Original Messages Are Recorded

By default, execution logs **only record the "action result" without retaining the original sensitive content** — this prevents PII or sensitive messages from being stored again in the logs.

If you need to see "what the original content looked like" during debugging, go to the Hook settings page and change the **Record original values before masking** toggle from **off** to **on**. When enabled, logs will additionally retain the original content before masking/blocking, making it easier to investigate issues.



Control via the "Record original values before masking" field on the Hook settings page: default is off (only records type and count, not original PII), switch to on only when debugging is needed

Privacy trade-off: Enabling "Record original values" means the original PII/message content will be stored in execution logs. For security reasons, it is recommended to keep this off by default and only enable it temporarily when troubleshooting is needed.

3. View Hook Execution Details from Conversations

In addition to centralized execution logs, you can also **trace back from actual conversations**: Navigate to **Customer Service** → **All Conversations**, open any conversation, and you can see which messages in that conversation were processed by Hooks (masked or blocked), along with the corresponding actions taken.

This allows you to understand "why this message was masked/blocked" directly while reviewing customer conversations, without having to cross-reference logs separately.

4. Related Pages


[Hook Message Interception Overview](#) — What Hooks are and the five standard templates

[Create and Configure Hooks](#) — How to create, configure parameters, and link to AI assistants

Meeting Records

Meeting Records Feature Overview

Meeting Records is the voice transcription and AI summary feature of the MaiAgent platform, offering both **live** and **offline** modes. Live mode provides low-latency transcription and translation during meetings; offline mode lets you upload audio recordings for high-accuracy transcription and speaker identification. Both modes support AI auto-summary, Q&A, download/export, and knowledge base integration.



Meeting Records List

Two Modes

	Live Meeting Records	Offline Meeting Records
Input Method	Real-time microphone recording	Upload audio files (mp3, mp4, m4a, aac, wav)
Transcription Features	Low-latency real-time transcription	Multi-language high-accuracy transcription
Translation	Low-latency real-time translation (up to 3 languages)	Post-transcription translation
Speaker Identification	Depends on STT engine support	High-accuracy speaker identification and management
Timeline	Real-time marking	High-accuracy timeline recognition
Subtitle Playback	—	Dynamic subtitle playback, synced with audio

Common Features

Feature	Description
Multi-language Transcription	Supports speech recognition in multiple languages
Multi-language Translation	Translates transcribed content into multiple target languages
Auto Summary	Automatically generates meeting highlights using a custom AI assistant
AI Q&A, Agent Ticket Creation	Ask questions about the transcript, or connect an Agent to create tasks from meeting content
Download & Export	Download MP3 recordings, plain text transcripts, and SRT subtitle files
Knowledge Base Integration	Upload transcripts to the knowledge base for Agent reference

Workflow

Live Mode:

```
Create Meeting → Configure STT Engine & Translation → Start Recording → Low-latency Real-time Transcription
                                     ↓
                               Meeting Ends → Review Transcript
                                     ↓
                        AI Summary  AI Q&A  Download & Export
```

Offline Mode:

```
Upload Audio (mp3/mp4/m4a/aac/wav) → System Transcription & Speaker Identification → Review Transcript
                                     ↓
                        Dynamic Subtitle Playback  AI Summary  AI Q&A  Download & Export
```

Meeting Record Statuses

Status	Description
Pending (Pending)	Created or uploaded, processing has not started
Recording (Recording)	Transcription in progress in live mode
Processing (Processing)	After recording ends or audio upload, the system is processing
Completed (Completed)	Processing complete, transcript can be viewed and summaries generated
Failed (Failed)	An error occurred during processing

Deployment Options

Meeting Records supports multiple deployment options:

SaaS: Use the MaiAgent cloud service directly

Private Cloud: Deploy in the customer's cloud environment

On-Premises: Install on the customer's local servers

Permissions

Meeting Records requires organization-level activation before use, with two permission levels:

View Permission: Browse the meeting list, view transcripts, and download files

Transcription Permission: Create meetings, start recordings, upload audio files, edit and delete meeting records

Create a Meeting Record

Create a New Meeting

Go to the "Meeting Records" page
Click "New Meeting"
Fill in the following information:


Field	Description	Required
Meeting Name	The meeting title for easy searching and identification	Yes
Participants	List of meeting participants	No
Speech Recognition Engine (STT)	Select the speech-to-text engine	Yes
Recognition Language	Languages used in the meeting (up to 3)	Yes

Select a Speech Recognition Engine

The system provides multiple STT (Speech-to-Text) engines, each with different language support and recognition quality:

Engine	Features
Deepgram	High-quality real-time transcription, supports multiple languages
Azure	Microsoft Speech Services, excellent Chinese and English recognition
AssemblyAI	High accuracy, ideal for English scenarios
WhisperLive	Based on OpenAI Whisper, supports a wide range of languages
Bronci	Customized engine

Different engines support different languages and quantities. After selecting an engine, the system automatically displays the available language list.



Speech Recognition Provider Selection

Configure Real-time Translation (Optional)


If participants speak different languages, enable real-time translation:

Turn on the "Enable Translation" toggle

Select target translation languages (up to 3)

Select the LLM model for translation

Translation occurs simultaneously with transcription, and the transcript displays both the original text and translation results.



Language Selection and Translation Settings

Link Knowledge Base (Optional)

You can specify a knowledge base to link when creating the meeting. After the meeting ends, you can upload the transcript to the knowledge base with one click, allowing the Agent to access meeting content.

Manage Meeting Records

On the meeting records list page, you can:

Search: Search by meeting name

Filter: Filter by status (Pending, Recording, Processing, Completed, Failed)

Date Range: View records within a specific time range

Edit: Modify meeting name, language settings, translation settings, and knowledge base links


Delete: Remove unwanted meeting records

Live Meeting Transcription

Live mode provides low-latency voice transcription and translation, allowing you to see the real-time transcript while the meeting is in progress.

Start Recording

After creating a meeting record, click "Start Recording" to begin live transcription.



Live Transcription Setup Page

The system will:

- Create a real-time communication room (LiveKit)
- Start the speech recognition engine
- Begin receiving microphone audio and transcribing in real time

Transcription View

During recording, the screen displays in real time:

Recording Timer: Shows the elapsed recording time

Live Transcript: Speech recognition results appear on screen in real time

Speaker Labels: Indicate the speaker for each text segment

Language Tags: Display the original language of each text segment

Translation Results: If translation is enabled, translated text appears below the original text

Transcription Statistics: Number of completed segments, in-progress segments, and total word count

Low-latency Real-time Transcription

The core feature of live mode is low latency — transcribed text appears on screen within seconds of speaking, allowing participants to verify the record in real time.

Low-latency Real-time Translation

When translation is enabled, the system translates content into the specified target languages simultaneously with transcription, also with low latency:

- Supports up to **3 target languages** for simultaneous translation
- Translation is processed in real time by the selected LLM model
- Translation results are attached below each transcript segment
- Ideal for international meetings and multilingual team communication

Controls

Control	Description
Microphone Toggle	Temporarily mute or unmute the microphone
Stop Recording	End the meeting recording; the system begins post-processing
Search Transcript	Search for keywords in the live transcript

After Recording Ends

After clicking "Stop Recording," the meeting status changes to "Processing" and the system performs the following in the background:

- Audio Conversion:** Convert the raw audio to MP3 format
- Transcript Organization:** Organize live transcription results into a structured transcript file
- Cloud Storage:** Upload the audio and transcript to S3 storage

Once processing is complete, the status automatically updates to "Completed," and you can access the meeting detail page to view the full content.

Offline Meeting Transcription

Offline mode lets you upload pre-recorded audio files. The system performs high-accuracy transcription and speaker identification, generating a transcript with timeline markers.

Supported Audio Formats

Format	Extension
MP3	<code>.mp3</code>
MP4	<code>.mp4</code>
M4A	<code>.m4a</code>
AAC	<code>.aac</code>
WAV	<code>.wav</code>

Upload Audio

- Go to the "Meeting Records" page
- Select upload audio
- Choose a local audio file (supports mp3, mp4, m4a, aac, wav)
- The system begins background processing
- After uploading, the meeting record status changes to "Processing" and the system automatically starts transcription.

Multi-language High-accuracy Transcription

- Offline mode uses a high-accuracy speech recognition engine (such as WhisperX), which provides higher recognition accuracy compared to live mode:
- Supports multi-language recognition
- Higher recognition accuracy than live transcription
- Ideal for important meetings that require precise records

Speaker Identification and Management

- Offline mode supports automatic Speaker Diarization, where the system automatically distinguishes between different speakers:
- Auto Identification:** The system automatically labels different speakers (e.g., SPEAKER_00, SPEAKER_01)
- Custom Names:** Replace system labels with real names (e.g., "Manager Zhang", "Team Lead Li")
- Management Interface:** Manage all speaker label names in one place
- After modifying speaker labels, all related segments in the transcript are updated simultaneously.

High-accuracy Timeline Recognition

Each transcribed text segment includes precise start and end times, allowing you to:

Pinpoint the exact time of each utterance

Sync with the audio player for jump navigation

Export as SRT subtitle files with timestamps

Dynamic Subtitle Playback

Offline mode provides dynamic subtitle playback that syncs the audio player with the transcript:

Sync Highlighting: During audio playback, the current transcript segment is automatically highlighted

Click to Jump: Click any transcript segment to jump the audio to the corresponding time point

Search and Navigate: After searching for a keyword, jump directly to that segment's audio position

This feature lets you quickly find specific discussion content in a meeting without listening to the entire recording from the beginning.



Meeting Details — Plain Text Tab

Presents the transcript in plain text format for easy reading and copying of the complete meeting content. Also supports keyword search.

Meeting Info Sidebar

The right sidebar displays:

Basic Information: Meeting name, creator, creation time, recording duration

Participants: Participant list

Translation Settings: Whether translation is enabled, target languages, LLM model used

File Information: Storage status of audio and transcript files

AI Meeting Summary & Q&A

Custom Summary Agent


The meeting records summary feature lets you select a custom AI assistant (Agent) to generate summaries. Different Agents can have different role instructions to produce summaries in different styles:

- General Summary Agent:** Organize meeting highlights, decisions, and action items
- Technical Meeting Agent:** Focus on technical decisions, architecture discussions, and technical debt items
- Business Meeting Agent:** Focus on client requirements, sales progress, and opportunity tracking

Auto-generate Summary

- Go to the meeting detail page
- Switch to the "Summary" tab
- Select the AI assistant to generate the summary
- Click "Generate Summary"

The AI analyzes the complete transcript and organizes the meeting highlights, decisions, and action items.



Meeting Summary Tab

Summary Version Management

Each time a summary is generated or edited, the system retains a complete version history:

Add Summary: Each summary generation creates a new version

Edit Summary: Modify existing summary content

Version History: View all summary versions and their creation times

Delete Summary: Remove unwanted summary versions

AI Q&A

In addition to the summary feature, you can ask questions directly about the transcript content:


Switch to the "AI Q&A" tab

Select the AI assistant to use

Enter your question (e.g., "What decisions were made in this meeting?" "What are the next action items?")

The AI finds relevant content from the transcript and provides an answer

This feature is especially useful for quickly reviewing specific content from long meetings without re-reading the entire transcript.



AI Q&A Tab

Agent Ticket Creation

You can take action items or decisions from the meeting and create tasks or tickets directly through a connected Agent, seamlessly turning meeting conclusions into actionable items.


Download & Knowledge Base Integration

Download Files

After meeting processing is complete, you can download the following files:

Format	Description	Use Case
MP3 Audio	Meeting recording in MP3 format	Archiving, offline playback
Plain Text Transcript	Complete transcript in plain text format	Copy and paste, document archiving
SRT Subtitle File	Transcript in subtitle format with timestamps	Video playback, subtitle import

On the meeting detail page, go to the "Download" tab and click the corresponding download button to get the file. The plain text transcript can also be copied with one click from the "Plain Text" tab.



Download Tab

Upload to Knowledge Base

After uploading the meeting transcript to the knowledge base, the Agent can answer questions based on meeting content:

On the meeting detail page or list page, select "Upload to Knowledge Base"

Select the target knowledge base (if a knowledge base was linked when creating the meeting, it will be pre-filled)

Confirm the upload

After uploading, the transcript becomes a document in the knowledge base, and the Agent can retrieve meeting discussion content through RAG.

Use Cases

Project Meetings: Import each project meeting transcript into the knowledge base so the Agent can answer "What was decided in the last meeting?"

Client Interviews: Import client interview records for easy reference of client requirements

Training Records: Import internal training content to build an organizational knowledge base

Customer Service Conversations & Platform Integration

Choose an Integration Platform

MaiAgent's AI Assistant can be connected to different types of chat platforms based on your needs, whether for external customer service or internal team support. Below are the definitions and use cases for each connection type:



System Default Platform Interfaces

When an AI Assistant is created, the system automatically creates the following three platform interfaces:

API: Provides a programmatic interface for developer integration

Web: Built-in web chat interface that can be embedded directly on websites

Internal: A Q&A platform for internal company use

External Public Deployment

Suitable for external services, making the AI Assistant the frontline communication channel for your business:



Connect Chat Platform: Website

Function: Embed the AI Assistant on your company website

Use case: Instantly respond to visitor inquiries, provide product information, service descriptions, FAQ answers, etc.

Advantage: 24/7 online customer service to improve website conversion rates



Connect Chat Platform: LINE

Function: Integrate with your LINE Official Account

Use case: Provide customer service and user interaction through the widely used LINE messaging interface

Advantage: Reach the large LINE user base and lower the barrier for customer engagement



Connect Chat Platform: FB Messenger

Function: Connect to your Facebook Page's Messenger

Use case: Instantly reply to customer questions through social media, handle order inquiries, event Q&A, etc.

Advantage: Integrate with social marketing to boost fan engagement



Connect Chat Platform: Telegram

Function: Create a Telegram Bot for customer service

Use case: Supports individual conversations and group discussions; suitable for tech communities and international customer service

Advantage: Simple connection setup, smart group responses, conversation reset support, and other practical features

Internal Use Only

Suitable for internal knowledge queries and process support to improve team efficiency:



Internal Q&A

Function: AI Assistant is available only to internal staff

Use cases:

Connect to internal documents or policy databases

Help employees quickly look up company policies and process guides

HR policy and SOP reference

New employee onboarding support

Advantage: Serves as an intelligent knowledge hub for the enterprise, reducing repetitive inquiry workload

API Integration

Function: Integrate with internal enterprise systems via API

Use cases:

Integrate with ERP and CRM systems

Connect to internal workflow platforms

Develop custom applications

Advantage: Deep integration with existing systems for a seamless user experience

Internal Q&A Features

Introduction to Internal Q&A

Conversation Area

Engage in real-time Q&A interactions with the AI Assistant

Conversation History

View and manage all past conversation records

AI Assistant Selection

Switch between different AI Assistants for conversations

AI Assistant Settings

Adjust the current conversation's AI Assistant settings in real time, including permissions and tool configurations

Knowledge Base Document Management

Precisely control which documents the AI Assistant can reference for each conversation



How to Use Internal Q&A?

1. Navigate to the Internal Q&A Page



2. Select the AI Assistant You Want to Chat With

You can select the AI Assistant you want to chat with from the **blue dropdown menu** in the upper left corner.



3. Start a Conversation

Continue a Past Conversation: Select a topic from the past Q&A topics on the left side to continue the conversation.

Start a New Conversation: Click "**New Q&A**" in the left panel to begin a completely new conversation.

All conversations will appear in the Q&A history in the upper left corner

After selecting a conversation, enter your question in the text box below to start the conversation.



Continue a Past Conversation (Select Conversation)



Start a New Conversation (New Conversation)

4. Customize Document Reference Scope (Optional)

Use the Knowledge Base management feature on the right side to select specific documents for the AI Assistant to reference during this conversation.



You can freely select reference documents and FAQs for each message

You can reconfigure settings before each message is sent

Document Access Scope

When sending the first message, all documents are accessible, including "Ambient-Light-Series.md"

The AI Assistant references the document and responds: "Document content: The official website has been closed and no longer sells any products"



When sending the second message, uncheck "Ambient-Light-Series.md"

The AI Assistant cannot reference it and responds: "I cannot find the specific content of the 'Ambient-Light-Series.md' file."



FAQs Access Scope

When sending the first message, all FAQs are accessible, including "What is the working principle of LLM?"

The AI Assistant references the FAQ and provides a relevant answer



When sending the second message, uncheck "What is the working principle of LLM?"

The AI Assistant cannot reference "What is the working principle of LLM?" and responds "I cannot find information about the working principle of LLM in the FAQ"



Tag Filtering

You can use tags configured in the Knowledge Base to filter the document content you want to make available to the AI Assistant:

For tag settings, refer to: [Document Management: Tags and Metadata](#)

a. Click "Show Tag Filter" in the upper right corner



b. Select AND or OR filter conditions by clicking the "AND" text to toggle



c. Add tags

Using "AND" filtering

Documents: Only "Advanced-Camping.pdf" meets all conditions and is available for the AI Assistant to reference

FAQ: No FAQs meet all conditions simultaneously, so none are displayed

Tag filtering applies to both documents and FAQ content simultaneously






5. Adjust AI Assistant Settings in Real Time (Optional)

Use "AI Assistant Settings" in the upper right to modify permissions, tools, and other configurations in real time.



Click to open a side panel on the right, where you can freely edit the required permissions, tools, and more



Usage Tips

Conversation Management

Use conversation history to quickly return to previous discussions

Start a new Q&A for entirely new topics

Document Control Precision

Restrict reference documents for specific questions to get more precise answers

Avoid irrelevant documents interfering with the AI Assistant's judgment

Flexible Settings Adjustment

Adjust AI Assistant capabilities in real time for different conversation scenarios

Test the impact of different settings on response quality

Web Chat Overview

1. What is WebChat?

You can embed AI assistants created on MaiAgent into your website to provide real-time customer service or other conversations. Web Chat features a **responsive design that adapts perfectly to desktop, tablet, and mobile devices**.

MaiAgent currently offers the following two embedding methods:

1. Bottom-Right Corner Widget

Embed into your website as a built-in smart assistant

Non-intrusive to normal browsing, available whenever needed

Ideal for general customer service and consultation




Bottom-right corner embed (draggable window)

2. Full-Screen Embed

Provides a complete conversation experience

Suitable for complex consultation and service workflows

Customizable design to meet enterprise needs



Full-screen embed demo

This design delivers:

Immediacy: Visitors get professional answers instantly without waiting, enhancing user experience

Convenience: The floating bottom-right design doesn't interfere with normal browsing, available whenever needed

Cost Efficiency: AI assistant provides 24/7 service, significantly reducing labor costs

Professional Image: Demonstrates the enterprise's technological capabilities and service quality

2. Build a Brand-Styled Web Chat Service

MaiAgent offers customization features including custom logos, avatars, and Q&A theme colors to help you build a brand-styled Web Chat service

You can:

Choose the assistant display name

Upload your company logo

Choose the AI assistant display avatar

Select the Web Chat theme color

Select the message background color for AI assistant replies

to create your own Web Chat appearance:



Default style



Custom style

This way, you can create a Web Chat service that matches your brand colors and corporate identity



Dark Mode Optimization

MaiAgent's Web Chat dark mode has been fully optimized to provide a more comfortable visual experience:

Dynamic Color Adjustment

Automatically adjusts theme color brightness to ensure visibility on dark backgrounds

Intelligently adjusts text contrast for optimal readability

Optimizes icon and button colors for better visibility in dark mode

Contrast Optimization

Message bubble background colors are carefully designed to prevent visual fatigue

Links and important information use high-contrast colors for clear identification

Input field and button border colors are optimized to enhance the user experience

Seamless Switching Experience

Users can switch between light and dark modes at any time

Conversation content and operation states are preserved during switching

The system remembers the user's theme preference

Dark mode is particularly suitable for:

Nighttime use or low-light environments

Extended conversations to reduce eye strain

Enterprise brand designs with dark color schemes

3. Message Customization

When entering the Web Chat service for the first time, you can freely configure your AI assistant's opening message based on the following scenarios.

1. Greeting Customization

Branded Greeting

Set: "Welcome to our website! I'm your dedicated customer service assistant" to showcase your enterprise's professional image and friendly service attitude

Guided Opening

Set: "I can help you look up product information, answer usage questions, and assist with order processing" to clearly inform users of the available service scope and build trust in the service capabilities



Custom greeting

2. Guided Starter Questions

Set "**conversation starter questions**" as quick options

Users can directly click on common questions without typing

Example questions:

"How do I check my ordered items?"

"How do I place an order?"

"Membership points rules"

"Business hours"

Users can tap starter questions to begin a conversation, speeding up the Q&A process:



Starter question setup example



User taps to start conversation

4. Diverse Q&A Content

1. Multi-Language Support

Responds in the user's language, eliminating communication barriers.

Auto-detection: Selects the assistant's reply language based on the user's input language



Manual switching:

Use the Web Chat interface to select the language. See: [Multi-Language Support: Web Chat Chat Settings](#).

Use the Web Chat initialization script (JavaScript) to specify the AI assistant's reply language. See: [Technical Manual - Web Chat Initialization](#).

For the list of supported languages, see: [Multi-Language Support: Supported Language List](#)

2. Multimodal Q&A

In addition to text-based Q&A, the AI assistant also supports uploading different types of files:

Spreadsheets: .xls, .xlsx, .csv, .ods

Word processing documents: .doc, .docx, .odt, .pdf, .md, .txt

Presentation files: .ppt, .pptx, .odp

Web files: .html, .htm

Data formats: .json, .jsonl

Audio files: .wav, .mp3, .m4a, .aac

Video files: .mp4

You can disable file uploads for users, restricting conversations to text only to ensure conversation security.

Image Content Processing

Image Recognition and Analysis

Upload image analysis: Users can upload product images, and the AI automatically identifies and provides relevant information

Screenshot processing: Supports screenshot analysis to help resolve usage issues

Image descriptions: Automatically generates image content descriptions and related suggestions

Image Response Feature

Product image display: Replies include actual product images

Operation guide images: Provides step-by-step operation screenshots

Examples:

A user asks where to configure the MaiAgent assistant, and the assistant responds with an image of the settings screen

A user sends a screenshot to the assistant to confirm whether the path is correct, and the assistant correctly interprets and responds



Assistant responds with images



Assistant interprets user screenshot content

Document Processing Capabilities

Supported Document Formats

PDF files: Automatically parses PDF content and answers related questions

Word documents: Processes .doc/.docx format documents

Excel spreadsheets: Analyzes spreadsheet data and provides insights

PowerPoint presentations: Extracts presentation content and answers questions

Document Interaction Features

Document content queries: Answers specific questions based on uploaded documents

Data analysis: Automatically analyzes table data and provides statistical information in table format

Document summaries: Generates key content summaries for long documents

Example 1: Ask the AI assistant to present data content in table format and provide reference links



Information organized in table format




Providing external links

Example 2: Ask the assistant to analyze sales content and provide table analysis



Example 3: Upload a docx file and ask the assistant to help analyze CV writing issues



The AI assistant replies in Markdown format, organizing response content in a well-structured manner.

5. Conversation Memory and Sharing

1. Conversation History Memory

To provide a continuous service experience, WebChat automatically remembers users' conversation history, allowing each conversation to build upon previous ones.

Memory Scope

Conversation content: Complete Q&A records, including text, images, documents, etc.

Service status: Incomplete queries, pending issues

Users can view past conversation records in the conversation list on the left side of Web Chat, or start a new conversation



- "Japanese(mediant)" 應該是 "Japanese(intermediate)"
- 部分句子文法不夠流暢，如 "in charge of technique explanation and helps"

3. 技術細節不夠具體：

- 缺乏具體的專案成果量化數據
- 技術技能描述過於簡單，缺乏深度

建議改善

1. 清理重複內容，確保每個部分只出現一次
2. 統一格式和排版
3. 修正時間邏輯錯誤
4. 完善參考人資訊
5. 改善英文表達的準確性
6. 增加更多量化的成果描述

2025/08/15 16:49:34




請輸入您想問的問題



Powered by





The conversation memory feature can be used for:

Continuous consultation: When a user asks "What tent model did you recommend last time?", the AI can immediately recall and answer

Progress tracking: When a user says "Continue the order inquiry from last time", the AI automatically retrieves the relevant information

Personalized service: Provides more accurate recommendations and suggestions based on conversation history

2. Conversation Sharing

When you want to share a conversation with friends or colleagues after consulting the AI assistant, or when internal teams need to collaborate on customer issues, you can use MaiAgent's service to generate a conversation sharing link:



根據文件 cv_revised_01082025.docx 我發現以下幾個問題：

格式與結構問題

1. 重複內容：CV中有大量重複的段落和內容，特別是工作經驗部分出現多次重複
2. 排版混亂：文件中有許多格式不一致的地方，段落間距和縮排不統一
3. 參考人資訊不完整：References部分只有空白的表格框架，沒有填入實際的聯繫人資訊

內容問題

1. 時間邏輯錯誤：
 - 目前工作經驗顯示 "Aug. 2025 -- Now"，但這是未來的日期
 - 畢業預計2026年畢業，但已經有2025年的工作經驗



請輸入您想問的問題



Powered by  MHAIAAGENT





預設助理樣式

< 分享



根據文件 cv_revised_01082025.docx，整理
我以下請你問題：

格式與結構問題

分享對話的公開連結



<https://chat.maiagent.ai/web-chat/s/1ccd7cae-bfaa-47a2-a242-8b062f0a5a53/conversations/f4646896-07f2-42c0-8ebf-d70e0a29cf60/share>

複製連結

1. 相關建議修正：

- 目前工作經驗顯示 "Aug. 2025 - Now"，建議修正為 "Now"。
- 學歷預計 2026 年畢業，但已標註 2025 年的工作經驗。



當輸入您想問的問題



Powered by



MAI AGENT





Shared Content

Complete conversation record: Includes all text, images, documents, and other content

Conversation summary: Automatically generated conversation highlights summary

Related resources: Product links, documents, etc. mentioned in the conversation

Conversation record sharing can be used for:

Customer sharing: "This camping gear recommendation is great, share it with the hiking club"

Internal collaboration: Customer service staff share complex issues with the technical support team

Training purposes: Share typical conversation cases as employee training materials

3. Conversation Timeout Management

To ensure conversation quality and system performance, Web Chat features an intelligent conversation timeout management mechanism:

Intelligent Filtering Mechanism

Automatic greeting filtering: The system identifies and filters opening greetings, excluding them from conversation timeout calculations

Correct message count reset: When a conversation restarts, the message counter resets correctly

Optimized timeout determination: Timeout calculations only apply to substantive conversation content, providing more accurate conversation management

Conversation Continuity Assurance

Ensures users do not unexpectedly time out during normal conversations

Conversations can continue after extended periods of thinking or pauses

The system intelligently determines whether a conversation is still in progress

How It Works

Start conversation: The user sends a greeting (e.g., "Hello"), which the system does not count toward the timeout

Enter conversation: The user begins asking substantive questions, and the timeout timer starts

Conversation pause: If the user temporarily leaves, the system maintains the conversation state


Resume: The user returns to continue the conversation, and the message count updates correctly

This optimization makes the conversation experience smoother and more natural, so users don't need to worry about interruptions due to extended thinking time.

6. Choose Whether to Display Tool Usage and Citation Lists

1. Display Tool Usage List

You can choose whether to let users see the list of tools the AI assistant uses during reasoning. If enabled, the following screen appears when the AI assistant generates a response:



You can use this list to verify whether the AI assistant is using the correct tools.

2. Display Citation List

Each AI response automatically generates a citation list, clearly indicating information sources to enhance the credibility and traceability of answers.

Display Settings

Enterprises can configure whether to let users see the tool usage list and reference document names. If display is enabled, the following list appears at the bottom of the AI assistant's response. Clicking on a "citation node" reveals the referenced document excerpt:



Depending on different usage scenarios, you can choose whether to display citation information:

Public customer service: Display all citation information to build trust

Internal support: Hide sensitive documents to protect confidential information

Educational institutions: Display learning resources for convenient student reference

7. Conversation Access Control - A Secure and Controllable Conversation Environment

1. Login Configuration

Mandatory Login Mechanism

To ensure the security and controllability of conversation content, enterprises can enable the login feature, requiring users to log in before using the AI assistant service. Once configured, visitors clicking on WebChat will first be directed to a login page, and only successfully authenticated users can begin conversations with the AI assistant

Security Advantages

Identity verification: Ensures every conversation user has a verified identity

Access control: Provides corresponding service content based on user identity

Conversation tracking: Maintains complete conversation history records for each user

Data protection: Prevents unauthorized users from accessing sensitive information

2. Three Login Methods

AD (Active Directory) Login

Use case: For internal employees, integrated with existing AD systems

Features: Single Sign-On (SSO), no additional account management needed

Setup: Configure AD server connection information and synchronization rules

Practical application: Employees log in directly with company accounts and automatically receive corresponding permissions

Keycloak Login

Use case: For enterprises requiring complex identity management, supporting multiple identity providers

Features: Supports standard protocols such as OAuth2, SAML, and OpenID Connect

Setup: Configure Keycloak server, user pools, and identity providers

Practical application: Integrate user identities across multiple systems with unified permission management

MaiAgent Login

Use case: For simple user management needs with quick deployment

Features: Built-in user management system, simple and intuitive operation

Setup: Create user accounts and permissions on the MaiAgent platform

Practical application: Create a dedicated login system for specific user groups

Once enabled, the following screen will appear before starting a conversation, requiring login:



登入

請登入以繼續使用 預設助理模式

電子郵件

請輸入您的電子郵件

密碼

請輸入密碼

[忘記密碼？](#)

登入



還沒有帳號？[立即註冊](#)

Integrate with Platform: Website

I. Access the Settings Page


1. Path 1: Add a New Website Chat

Click "[Customer Service > Chat Platforms](#)" in the left menu, click "[+ Connect Chat Platform](#)" in the upper right corner, and select "[Website](#)"



2. Path 2: AI Assistant Associated Chat Platform


Go to "[AI Features > AI Assistant](#)" in the left menu, select an AI Assistant, click the "[Operations](#)" icon, then click "[Associated Chat Platform](#)" and select "[Web XX Assistant](#)"



Click the settings button

3. Path 3: Chat Platform Operations

Go to "[Customer Service > Chat Platforms](#)" in the left menu, select the AI Assistant you want to configure, and click the "[Operations](#)" icon to enter the chat platform configuration.




II. Basic Settings

1. Basic Settings



Set Platform Name

Enter the AI Assistant name you want to display on the website in the "Platform Name" field
For example: "Customer Service Helper", "Smart Assistant", etc.



Platform name display

Select AI Assistant

Choose the AI Assistant to use from the "**AI Assistant**" dropdown menu
This determines which AI Assistant answers questions in the chat room

Set Return URL

Enter your company website URL in the "**Return URL**" field
When users click the back button in the chat room, they will be redirected to this URL

Obtain and Use the Public URL

The system automatically generates a "**Public Access URL**"

You can:

- Click the "**Copy**" button to copy the URL
- Click the "**Visit**" button to open the chat room in a new window
- Click the "**Embed**" button to get the embed code
- Click the "**Embed Preview**" button to preview the embed effect

Embed Script Optimization

When you choose the embed method, the system provides an optimized embed.js script with the following features:

Duplicate execution prevention: Even if the script is loaded multiple times, it only initializes once to avoid conflicts


Better error handling: Clear error messages are provided when loading fails, making debugging easier

Optimized loading performance: The script is optimized to not affect website loading speed


Improved compatibility: More compatible with various website environments and frameworks

Embed Best Practices:

Place the embed script before the `</body>` tag to ensure main page content loads first
Only include the embed script once on the page to avoid duplication
For SPA (Single Page Application) usage, refer to the technical documentation for advanced settings



Embed method selection




Embed preview



After adding a return URL, it will be displayed in the background when navigating back

2. Appearance Settings




Upload Company Logo

Click the upload button in the "Logo" area

Select your company logo image file

After uploading, a preview is displayed; click delete to re-upload



Logo setting display

Upload AI Assistant Avatar

Click the upload button in the "Avatar" area

Select an appropriate avatar image

After uploading, a preview is displayed; click delete to re-upload

Set Color Theme

Click the "Theme Color" picker to choose the chat window header color


Click the "Title Text Color" picker to set the title text color

Click the "AI Assistant Response Background Color" picker to set the background color for AI reply messages

Enable Theme Switching

Toggle the "Theme Mode Switch" to the on position

Users can switch between light and dark themes




Avatar, color theme, and dark theme examples

3. Feature Settings

Set Enable/Disable

Configure whether the chat service is active




Disable toggle off

Set File Upload

Toggle "Allow File Upload" to the on position

Users can then upload files for AI analysis, such as images, documents, etc.



Enable file upload

Set Citation Display

Toggle "Show Citations" to the on position

AI responses will display source reference documents

Set Allow Citation Download

Toggle "Allow Citation Download" to the on position

Users can download the files cited by the AI Assistant in conversations



Enable Show Citations and Allow Citation Download

Set Show Tool Usage and Results

Toggle "**Show Tool Usage and Results**" to the on position

The system will indicate when processing is underway via MCP or API



Show tool usage and results

4. Interaction Settings



Set Welcome Message

Enter a welcome message in the welcome message input box

For example: "Hello! I'm your smart assistant. How can I help you?"

Click the "Add" button to add the welcome message to the list

You can add multiple welcome messages; the system will randomly select one

To delete, click the delete button on the right side of the corresponding item

Set Conversation Starter Questions


Enter preset questions in the "Conversation Starter Questions" input box

For example: "How do I apply for a return?" or "What are your business hours?"

Click the "Add" button to add the question to the list

These questions appear as quick options for users to click

To delete, click the delete button on the right side of the corresponding item



Welcome message and conversation starter questions


5. Login Settings

Set SSO Login Source

MaiAgent currently supports SSO (Single Sign-On) integration through Keycloak

Switch the authentication method in the "**Login Source**" dropdown menu

Choose between MaiAgent or Keycloak as the identity provider




III. Auto-Reply Settings

Configure the bot reply time slots here.

Click the toggle next to each day: Select which days of the week to enable replies.

Set time slots: Select the start and end times.

Add time slots: If you need to configure multiple time slots, click "**+ Add Time Slot**" and set the times.



Citation Source Display

This article introduces the citation display optimization features in the WebChat chat window, including multilingual support and visual presentation improvements.

What Is Citation Display?

When the AI Assistant answers a question using information from specific documents or data in the Knowledge Base, the system displays "citations" below the response, letting end users know where the information comes from.

This feature is especially suitable for scenarios that require source verification, such as:

Regulatory inquiry assistant: Displays the source of legal provisions

Policy consultation assistant: Displays policy document sources

Product customer service assistant: Displays product manuals or official documents

Medical information assistant: Displays medical literature sources

Citation Display Location

Citations appear below the AI Assistant's response content in a clear format:

AI Assistant response content ...

 Citations:

- Product User Manual - Chapter 3
- FAQ - Return and Exchange Policy

Multilingual Support

Automatic Language Adaptation

WebChat citation display now supports automatic multilingual adaptation. When end users switch languages, the citation interface text automatically switches to the corresponding language.

Supported Languages

Traditional Chinese: 引用來源、參考資料

Simplified Chinese: 引用来源、参考资料

English: Citation、References

Language Switch Timing

WebChat automatically switches languages based on the following scenarios:

Browser language settings: On first load, the display language is based on the user's browser language

Manual switch: When users switch languages in WebChat, citation text updates accordingly

Website language environment: If your website supports multiple languages, WebChat automatically matches the website's language settings

For WebChat language configuration, refer to: [Web Chat Overview](#)

Visual Presentation Optimization

In addition to multilingual support, the visual presentation of citations has been optimized for clearer readability.

Optimization Items

Spacing adjustments: More appropriate spacing between citations and response content for clearer visual hierarchy

Font styling: Citations use a different font style to distinguish them from the main content

Color treatment: Citations use lighter colors to avoid interfering with the readability of main content

Icon markers: Unified icons mark citations for better recognition

Dark Mode Support

Citation display also supports dark mode. When end users' devices use a dark theme, the text and background colors of citations automatically adjust for clear visibility against dark backgrounds.

Dark Mode Adaptation Items

Text color automatically adjusts to lighter shades

Background color adapts to the dark theme

Maintains contrast with main content

Dark mode activates automatically based on the user's device settings; no manual configuration is needed.

Practical Use Cases



Government Policy Consultation Platform

Usage scenario:

When citizens inquire about the eligibility requirements for a subsidy policy, the AI Assistant not only provides the answer but also displays the source link to the policy announcement.

Benefits:

- * Increases information credibility
- * Allows citizens to review the full announcement
- * Reduces concerns about information accuracy



Legal Consultation Assistant

Usage scenario:

When users inquire about specific legal provisions, the AI Assistant displays the source and article number of the relevant law.

Benefits:

- * Provides complete legal basis
- * Users can verify the original legal provisions
- * Enhances the professionalism of the consultation service

 Medical Information Platform**Usage scenario:**

When patients inquire about disease-related information, the AI Assistant indicates which medical literature or health education article the information comes from.

Benefits:

- * Provides information source transparency
- * Helps patients understand the credibility of the information
- * Complies with medical information provision standards

Admin Settings

Enable Citation Display

The citation display feature is enabled by default. To adjust the settings:

Go to the "AI Assistant" settings page

Select "Response Settings"

Find the "Show Citations" option

Toggle the switch to enable or disable

Customize Citation Format

You can add metadata to Knowledge Base documents to customize the citation display format:

Document title: The document name displayed in citations

Chapter number: The specific chapter or page number displayed

Publication date: The document's publication or update date

External link: A link to the original document

For Knowledge Base metadata configuration, refer to: [Document Management: Tags and Metadata](#)

FAQ

Q1: Will citations show all referenced documents?

Not necessarily. The system displays the most relevant citations, typically no more than 3-5, to avoid information overload.

Q2: Can citations be hidden?

Yes. Disable the "Show Citations" option in the AI Assistant settings.

Q3: Can the citation language be fixed to a specific language?

Citations automatically match the WebChat language setting. If you want to fix it to a specific language, you need to lock the language option in the WebChat settings.

Q4: Do citations support clickable links?

Yes. If you have configured external links in your Knowledge Base documents, citations will display as clickable links.

Q5: What if citations are hard to read in dark mode?

The system has been optimized for dark mode. If issues persist, it may be a browser cache problem. Try clearing the cache or refreshing the page.

Markdown Rendering

This article introduces the message content rendering optimization features in the WebChat window, making AI Assistant responses clearer and easier to read.

What Is Message Content Rendering?

Message content rendering refers to how WebChat converts the AI Assistant's text responses into the visual presentation that users see. AI Assistant responses may include:

- Plain text:** General text descriptions
- Markdown formatting:** Headers, lists, bold, italics, and other formatting
- Code blocks:** Code examples or commands
- Tables:** Structured data presentation
- Links:** External links or reference materials

Good rendering makes this content easier to read and understand.

Optimization Items

1. Fully Upgraded Markdown Rendering Engine

WebChat now uses an enhanced Markdown rendering engine that supports richer formatting and more precise rendering.

Supported Markdown Formats

Format Type	Syntax Example	Rendering Description
Headers	<code># Heading 1</code> , <code>## Heading 2</code>	Clear heading hierarchy for content segmentation
Bold	<code>bold text</code>	Emphasizes key content
Italic	<code>*italic text*</code>	Secondary emphasis or supplementary notes
Lists	<code>- Item 1</code> , <code>1. Item 1</code>	Ordered or unordered lists
Inline code	<code>`code`</code>	Inline code or commands
Code blocks	<pre>[code]</pre>	Multi-line code with syntax highlighting support
Tables	<pre>[Column 1 Column 2]</pre>	Structured data display

Format Type	Syntax Example	Rendering Description
Links	<code>link text</code>	Clickable hyperlinks
Blockquotes	<code>> quote content</code>	Quotations or special notes

2. Dark Mode Visual Optimization

When end users' devices use a dark theme, WebChat automatically adjusts the visual presentation of message content to ensure clarity and readability on dark backgrounds.

Dark Mode Adjustments

Text and background contrast: Automatically adjusts text color for clear display on dark backgrounds

Message feedback buttons: Adjusts button colors and borders to remain visible in dark mode

Table visuals: Adjusts table borders and background colors for improved readability

Blockquote backgrounds: Adjusts blockquote background tones to differentiate from the main content

3. Streaming Rendering Performance Improvements

WebChat uses real-time streaming to display AI Assistant responses, so users don't need to wait for the full response to be generated. This update optimizes streaming rendering performance:

Faster rendering: Markdown formatting renders more quickly, reducing perceived latency

Improved smoothness: Text appears character by character more smoothly, with no noticeable lag

Format accuracy: Markdown formatting renders correctly even during the streaming process

Users can see the already-generated content in real time while the AI Assistant is still composing its response, without waiting for the complete answer.

Practical Use Cases

Technical Documentation Assistant

Scenario:

When developers ask for code examples, the AI Assistant provides responses with code blocks.

Optimization Effects:

- * Code blocks support syntax highlighting for easier reading
- * Code displays clearly in dark mode
- * Developers can directly copy and use the code

Example Response:

Here's an example of reading a CSV file in Python:

```
python
import pandas as pd

df = pd.read_csv('data.csv')
print(df.head())
```

This code reads a CSV file and displays the first 5 rows.

📊 *Data Analysis Assistant*

Scenario:

Users ask for sales data analysis results, and the AI Assistant presents them in table format.

Optimization Effects:

- * Tables are clearly formatted with aligned columns
- * Table borders and background colors adapt to dark mode
- * Large datasets remain readable

Example Response:

Here are the top three selling products this quarter:

Product Name
Units Sold
Revenue

Product A
1,250
\$125,000

Product B
980
\$98,000

Product C
856
\$85,600

Sales data as of the 20th of this month.

📖 *Teaching Assistant*

Scenario:

Students ask about learning steps, and the AI Assistant explains using an ordered list.

Optimization Effects:

- * List items are clearly numbered
- * Heading hierarchy **is** distinct, making step order easy to follow
- * Key content **is** emphasized **with** bold text

Example Response:

Recommended Steps **for** Learning Python

Basic Syntax

Variables **and** data types

Conditionals **and** loops

Advanced Concepts

Functions **and** modules

Object-oriented programming

Hands-on Practice

Complete small projects

Contribute to **open** source

Each step is recommended to take 2-3 weeks of study.

Administrator Settings

Markdown Rendering Settings

WebChat's Markdown rendering is enabled by default. If your use case doesn't require Markdown formatting, you can adjust it in the settings:

Go to "Publish" → "WebChat Settings"

Find the "Message Rendering" settings section

Select the rendering mode:

Full Markdown: Supports all Markdown formats (default)

Basic formatting: Supports only bold, italic, and links

Plain text: No formatting rendered

Dark Mode Settings

Dark mode activates automatically based on user device settings. If you want WebChat to use a fixed light or dark theme:

Go to "Publish" → "WebChat Settings"

Find the "Appearance" settings section

Select the theme mode:

Auto: Based on user device settings (default)

Light: Always use the light theme

Dark: Always use the dark theme

For detailed WebChat appearance settings, refer to: [Connect Chat Platform: Website](#)

Performance Impact

Rendering Performance

Performance impact of the optimized Markdown rendering engine:

Load time: First load increases by approximately 0.1-0.2 seconds (virtually unnoticeable)

Memory usage: Increases by approximately 1-2 MB (minimal impact on modern browsers)

Rendering speed: Approximately 30% faster compared to the previous version

Compatibility

The optimized rendering engine supports the following browsers:

Chrome

Edge (version 90+)

Firefox (version 88+)

Safari (version 14+)

Mobile browsers (iOS Safari, Android Chrome)

Older browser versions may not correctly display some Markdown formats. It is recommended to prompt users to update their browsers.

FAQ

Q1: Why doesn't my AI Assistant's response have formatting?

Possible causes:

- * The AI Assistant is not using Markdown syntax
- * Markdown rendering is disabled
- * The browser version is too old

Q2: What if some content is hard to read in dark mode?

Try the following:

1. Clear the browser cache
2. Refresh the page
3. Ensure you are using the latest browser version

Q3: Can I customize the syntax highlighting colors for code blocks?

Currently, syntax highlighting colors are fixed. Future versions may support customization.

Q4: How is long table content displayed?

Tables automatically support horizontal scrolling to ensure complete content display without affecting the layout of other content.

Q5: Will rendering optimization affect display on mobile devices?


No. Rendering optimization has been adapted for mobile devices to ensure clear display on small screens as well.

Integrate with Platform: LINE

Pre-Connection Checklist

An "AI Assistant" has been created on the [MaiAgent platform](#)

A "Provider" and a LINE Official Account have been created on the [LINE Developers](#) console




Start Connection

1. Go to <https://manager.line.biz/> and select the official account you want to connect


Click MaiAgent Testing:




After clicking, you will enter the official account settings page:



2. Click Settings in the upper right corner




Then enter the following page and click Messaging API in the left menu:



3. Enable the Messaging API Service

- Click **Enable Messaging API**



b. Select the Provider you just created (if you haven't created one yet, you can still create a Provider on this page)

After selecting, click **Agree**

The screenshot shows a 'Select provider' dialog box with a close button (X) in the top right corner. The main text asks the user to select the company or person who operates the account. A grey informational box explains that a provider manages users' personal information and provides a link to 'LINE Developers'. Below this, there are three radio button options: 'New provider' (with an associated text input field labeled 'Enter provider name' and a character count '0/100'), 'chen', and 'MaiAgent' (which is selected). At the bottom, there is a line of text stating that tapping 'Agree' signifies agreement to the 'Messaging API Terms and Conditions of Service'. Two buttons, 'Cancel' and 'Agree', are positioned at the bottom right.

Select provider

Please select the company or person who operates this account.

A provider is an individual developer, company, or organization that manages users' personal information to offer various services.
More details at [LINE Developers](#).

☐ New provider

Enter provider name 0/100

☐ chen

☒ MaiAgent

By tapping Agree below, you agree to the [Messaging API Terms and Conditions of Service](#).

Cancel Agree

c. Submit privacy policy documents (optional)

In the next step, you can enter the URL of your company's internal privacy policy documents. After completion, click "ok" to proceed to the final confirmation step.

isions LINE OA Shop GA Plus

Privacy Policy and Terms of Use ×

Please enter the Privacy Policy and Terms of Use for the provider. You can edit this info later.

Privacy Policy 0/500


This link is optional.

Terms of Use 0/500

This link is optional.


Cancel OK

Before clicking ok, please confirm that the connected Provider is correct. This action cannot be undone after clicking ok.




4. Obtain the **Channel ID**, **Channel Secret**, and **Channel Access Token**

a. After clicking OK, you can obtain the **Channel ID** and **Channel Secret** for the Messaging API service:




b. Return to the [LINE Developers](#) page to obtain the Channel Access Token


Enter the MaiAgent Provider you just created



c. Find the MaiAgent Testing Channel you just created and click to enter




d. Switch to the Messaging API page and scroll down to the Channel access token section




e. Issue and copy the **Channel access token**

If you have not yet issued a **Channel access token**, click **Issue**:



Then you will get your **Channel access token** and can copy it:




5. Go to MaiAgent Chat Platforms and select LINE

a. Click **Connect Chat Platform** in the upper right corner



b. Select LINE as the connection platform




6. Enter the name, select the assistant, and paste the Channel ID, Channel Secret, and Channel Access Token you just obtained

Name: The AI Assistant name you want to display on the website

AI Assistant: Select the AI Assistant to connect

LINE Channel: Enter your "Channel ID", "Channel Secret", and "Channel Access Token"

After completion, click the "Connect Chat Platform" button in the lower right corner, and the chat platform will be ready.




7. Obtain the Webhook URL

Go to Chat Platforms, select the LINE channel you just created, click Operations, and obtain the Webhook URL in the API section




8. Go to <https://manager.line.biz/>, click "Settings/Messaging API", and paste the Webhook URL you just obtained



9. Return to the Messaging API channel you just created at <https://developers.line.biz/console/> and configure the conversation settings

Click the **Edit** button next to Auto-reply messages



Adjust the response settings as shown below




10. Verify the connection

You can try adding your own LINE AI Assistant account and starting a conversation



If the conversation can be viewed in both <https://manager.line.biz/> and MaiAgent's All Conversations, the connection is successful!



⚠ Important Notes

Limitations

A LINE group can only have one AI Assistant added

Adding a new AI Assistant will automatically remove the previous one

Integrate with Platform: FB Messenger

Pre-Connection Checklist

MaiAgent Preparation

An "AI Assistant" has been created on the [MaiAgent platform](#)

Facebook Permission Preparation

Your Facebook account has been invited to or has created a Business Asset Group

You have "Full Control" permission for the Business Asset Group

Page Permission Confirmation

If the page is already under a Business Asset Group: No additional adjustments needed

If the page is not under a Business Asset Group: You must be an administrator of the page with full control permission





Start Connection

1. Go to the MaiAgent Chat Platforms page and click "Connect Chat Platform"


a. Click **Connect Chat Platform** in the upper right corner




b. Select Messenger



c. Log in with the Facebook account associated with the page.



2. Select the business and select (claim) the page.



Confirm the authorization. Once successfully created, the setup is complete.




3. AI Assistant Settings

Enter the chat platform name, select the AI Assistant, and choose the Messenger channel (the page you just claimed)



4. Verify the Connection

Next, you can try sending a test message to the chat platform through MaiAgent's Internal Q&A. If the AI Assistant responds normally, the connection is successful.



You can also go to the page and start a conversation with the AI Assistant by sending a test message. If the bot responds normally, the connection is successful.



Integrate with Platform: Telegram


Pre-Connection Checklist

An "AI Assistant" has been created on the [MaiAgent platform](#)


A Telegram account has been registered

Start Connection

1. Go to the left menu "Chat Platforms" and click the **" + Connect Chat Platform "** button in the upper right corner



2. Select Telegram as the chat platform




3. Enter the chat platform name and select the AI Assistant



4. Obtain the Bot Token from BotFather <https://t.me/BotFather>

a. Click the "BotFather" link: <https://t.me/BotFather>




b. Enter the Telegram BotFather channel




c. Click "OPEN IN WEB" (if using the web version)

After clicking, BotFather will ask you to click start to begin the conversation:





d. Click **"/newbot"**, follow the instructions to enter the Bot name and username, and you will receive the Bot Token




5. Return to the MaiAgent chat platform connection editing page and paste the Bot Token you just obtained

After pasting the Bot Token, click the "Save" button in the lower right corner to complete the connection setup




6. Verify the connection

You can start a conversation with the Telegram Bot you just configured



If the conversation can be viewed in MaiAgent's All Conversations, the connection is successful!



Integrate with Platform: Microsoft Teams

Pre-Connection Checklist

An "AI Assistant" has been created on the [MaiAgent platform](#)

You have a Microsoft 365 account (Enterprise or Education edition)

You have an [Microsoft Azure Portal](#) account with admin permissions


You have application registration permissions in Microsoft Entra ID (formerly Azure AD)

Teams Bot requires an organization-level Microsoft 365 account; personal accounts cannot be used.


Step 1: Create a Bot Resource in Azure

1. Create an Azure Bot

Sign in to the [Azure Portal](#), search for **AI Foundry** (or Bot Services), find **Azure Bot**, and click **Create**.



Select Azure Bot in AI Foundry



Select subscription plan and create Azure Bot

2. Fill in the Bot Creation Form

Field	Description
Bot handle	Enter a unique Bot name (e.g., <code>MaiAgentTeamsBot</code>)
Subscription	Select your Azure subscription
Resource group	Select an existing or create a new resource group
Pricing tier	F0 (Free) is recommended
Microsoft App ID	Select "Create new Microsoft App ID" or use an existing one

Microsoft Azure

搜尋

首頁 > AI Foundry | Bot Service > > Azure Bot >

Create an Azure Bot

Basics

Tags

檢閱 + 建立

Project details

Select the subscription to manage deployed resources and costs. Use resource groups like folders to organize and manage all your resources.

Bot handle *

<botname>

Bot handle can only have the following characters: a-z, A-Z, 0-9, - and _; must start with a letter or digit; must be between 4 and 42 characters long.

訂用帳戶 *

Azure subscription 1

資源群組 *

Bot

新建

Data residency *

Global

Regional

Pricing

Select a pricing tier for your Azure Bot resource. You can change your selection later in the Azure portal's resource management. [Learn more about available options](#), or request a pricing quote, by visiting the [Azure Bot Services pricing](#).

Pricing tier

Standard

Change plan

Microsoft App ID

A Microsoft App ID is required to create an Azure Bot resource. If your bot app doesn't need to access resources outside of its home tenant and if your bot app will be hosted on an Azure resource that supports Managed Identities, then choose option User-Assigned Managed Identity so that Azure takes care of managing the App credentials for you. Otherwise, depending on whether your bot will be accessing resources only in it's home tenant or not, choose either Single tenant or Multi tenant option respectively.

Type of App

Single Tenant

< 上一步

下一頁

檢閱 + 建立

Fill in the Azure Bot creation form

Click **Review + create**, then confirm and click **Create**.

Step 2: Obtain the App ID and Password

1. Obtain the Microsoft App ID

After creation, go to the Azure Bot resource and click **Configuration** to find the **Microsoft App ID**. Copy it for later use.


The screenshot shows the 'Configuration' tab of an Azure Bot resource named 'MaiAgentTeamsSonic'. The left sidebar contains navigation options: Overview, Activity Log, Access Control (IAM), Bot, Bot Settings, Configuration (selected), Channels, Settings, Test in Teams, Security, and Monitoring. The main configuration area includes the following fields:

- 訊息端點**: A text box containing the URL `https://072ab7d62606.ngrok-free.app/api/webhooks/teams/1483f91-35e-4b39-a40d-ee1cd1c8a258/`.
- 啟用串流端點**: An unchecked checkbox.
- Bot 類型**: A dropdown menu set to '單一用戶'.
- Microsoft App ID (管理密碼)**: A text box containing the App ID `e8797b15-d2d0-484c-8181-acc015875380`.
- 應用程式租用戶識別碼 ***: A text box containing the Client ID `4d2ea857-263e-42d1-b69c-43d477af5ab6`.
- Application Insights 檢測金鑰**: A text box containing the key `檢測金鑰 (Azure Application Insights 金鑰)`.
- Application Insights API 金鑰**: A text box containing the key `API 金鑰 (使用者產生的 Application Insights API 金鑰)`.
- Application Insights 應用程式識別碼**: A text box containing the key `應用程式識別碼 (Application Insights 應用程式識別碼)`.
- 結構描述轉換版本**: A dropdown menu set to 'V1.3'.
- 新增 OAuth 連線設定**: A button to add OAuth connections.

Azure Bot Configuration — Obtain Microsoft App ID

2. Create a Client Secret

Click **Certificates & secrets** (or find the corresponding App in Microsoft Entra ID → App registrations), click **New client secret**, set the description and expiration, then click **Add**.



Create client secret (Signing Secret)

The client secret "Value" is displayed only once. Copy and securely store it immediately.

Step 3: Configure API Permissions

1. Go to App Registrations


Search for **Microsoft Entra ID** in the Azure Portal, go to **App registrations**, and find the application corresponding to the Bot.



Microsoft Entra ID — App registrations

2. Add API Permissions

Click **API permissions** in the left menu, then click **Add a permission**.



API permissions page

3. Select Microsoft Graph

Select **Microsoft Graph** → **Application permissions**, search for **User.Read.All**, check it, and click **Add permissions**.



Select application permissions

要求 API 權限

< 所有 API



Microsoft Graph

<https://graph.microsoft.com/> 文件

您應用程式需要何種類型的權限？

委託的權限

新增權限

您的應用程式必須是登入的使用者身分，才能存取 API。

應用程式權限

您的應用程式正以背景服務或精靈執行，而且不是登入的使用者身分。

選取權限

全部

權限	需要系統管理員同意
> IdentityRiskyUser	
▼ User (1)	
☒ User.Read.All ⓘ Read all users' full profiles	是
☐ User.ReadBasic.All ⓘ Read all users' basic profiles	是
☐ User.ReadWrite.All ⓘ Read and write all users' full profiles	是
☐ User.ReadWrite.CrossCloud ⓘ Read and write profiles of users that originate from an external cloud.	是

新增權限捨棄

Add User.Read.All permission

4. Grant Admin Consent

Return to the API permissions page and click [Grant admin consent for {Organization Name}](#).



After granting admin consent, the status shows a green checkmark

Step 4: Create a Teams Chat Platform in MaiAgent

1. Go to Connect Chat Platform

Click **Chat Platforms** in the MaiAgent left menu, click **Connect Chat Platform**, and select **Azure Bot** (i.e., Microsoft Teams).

2. Enter Basic Settings

Field	Description
Name	Give this connection a name (required)
AI Assistant	Select the AI Assistant to bind
Microsoft App ID	Paste the Application ID obtained in Step 2 (required)
Microsoft App Password	Paste the client secret obtained in Step 2 (required)

3. Save and Obtain the Webhook URL

Click **Connect Chat Platform** to complete the setup. The system will generate a **Webhook URL** — copy it for later use.

Step 5: Return to Azure to Configure the Messaging Endpoint and Channel

1. Configure the Messaging Endpoint

Return to the Azure Bot resource, go to **Bot profile** (Configuration), paste the **Webhook URL** generated by MaiAgent into the **Messaging endpoint** field, and click **Apply**.

首頁 > MaiAgentTeamsSonic

MaiAgentTeamsSonic | Bot 設定檔 ☆

Azure Bot

搜尋

- 概觀
- 活動記錄
- 存取控制 (IAM)
- 標籤
- 資源視覺化檢視
- 設定
 - Bot 設定檔**
 - 組態
 - 頻道
 - 定價
 - 在網路聊天中測試
 - 加密
 - 網路功能
 - 屬性
 - 設定
- > 監視
- > 自動化
- > 說明

請等待 30 分鐘，以便 Bot 設定的變更反映在所有區域。變更顯示最多可能需要 24 個小時。

圖示  最大 30K，僅限 png

顯示名稱


Bot 控制代碼

描述

Bot profile — Enter messaging endpoint (Webhook URL)

2. Enable the Microsoft Teams Channel

Click **Channels** in the left menu and confirm that the **Microsoft Teams** channel is enabled and the status is Healthy.



Channel settings — Microsoft Teams channel connected


Step 6: Install the Bot in Teams


Method 1: Upload via Teams Admin Center

To make the Bot available to all users in the organization, upload the App Manifest through the Teams Admin Center:

Sign in to the Teams Admin Center and go to **Manage apps**

Click **Upload new app** and upload the Teams App Manifest (.zip file)





Uploaded App details

Download the Teams App Manifest template from [Google Drive](#). You need to replace the Bot ID with your Microsoft App ID.

Method 2: Search in Teams Apps

Open Microsoft Teams and click **Apps** in the left menu

Search for your Bot name

Click **Open** or **Add** to install the Bot

活動

聊天

行事曆

通訊

Outlook

Copilot

系統管理員



應用程式

應用程式

搜尋應用程式等

App

由貴組織新增
專為貴組織打造

精選
Teams 中的熱門項目
代理程式
熱門精選
最暢銷

類別
由 Microsoft 建置
教育
生產力
專案管理
公用程式
使用 Power Platform 建置
[查看更多](#)

產業
農業
運輸
教育
財務
政府
醫療保健與科學
[查看更多](#)

工作階段

管理您的應用程式

Joye

Imagine - after a stressful call Joye prompts productivity again! Joye analyses your work

檢視詳細資料

由貴組織新增

由貴組織的技術團隊提供

Copilot

Microsoft Corporation

開啟

專為貴組織打造

由貴組織的技術團隊建立並核准

MaAgent Bot

MaAgent

開啟

Teams 中的熱門項目

Microsoft Teams 上新您和使用最多

Polls

Microsoft Corporation

新增

★ 1.6 (905 個評分)

Planner

Microsoft Corporation

開啟

★ 3.8 (1.4萬 個評分)

Workflows


Microsoft Corporation

開啟

★ 3.6 (1.2萬 個評分)

由 Microsoft 建置

Search and install the Bot in Teams Apps



Confirm Bot installation and review permissions

Getting Started

After installation, find the Bot in the Teams chat list and send a message to start interacting with the AI Assistant.



Start a conversation with MaiAgent Bot in Teams



Teams conversation demo — AI Assistant auto-reply

Important Notes

Security Keep the client secret secure and never share it publicly Regularly rotate the client secret **Limitations** The Bot must be @ mentioned in team channels to respond (not required in one-on-one chats) Azure Bot Service free tier (F0) can process 10,000 messages per month **Troubleshooting** Bot not responding: Verify the Webhook URL (messaging endpoint) is configured correctly Cannot find Bot in Teams: Verify the Manifest has been uploaded and approved in Teams Admin Center **Permission errors:** Verify API permissions have been granted admin consent

Integrate with Platform: WhatsApp

Pre-Connection Checklist

An "AI Assistant" has been created on the [MaiAgent platform](#)


You have a [Meta Business](#) account

A WhatsApp Business account has been created and a phone number has been linked

Start Connection

1. Go to the Connect Chat Platform Page

Click [Chat Platforms](#) in the left menu, then click the [Connect Chat Platform](#) button in the upper right corner.



Select the platform type to connect

2. Select WhatsApp

On the platform selection page, click [WhatsApp](#).

Field	Description
AI Assistant	Select the AI Assistant to bind
Reset Command	(Optional) Set a command that allows users to restart the conversation, e.g., "restart"

6. Save Settings

After confirming all settings are correct, click **Save** to complete the connection.

Once connected, when users send messages to the phone number via WhatsApp, the AI Assistant will automatically reply.

After successful connection, you can find this integration in the chat platform list. Click edit to further configure feature options (OCR recognition, time-based replies, access control, etc.).

Integrate with Platform: Email

Pre-Connection Checklist

An "AI Assistant" has been created on the [MaiAgent platform](#)

An email account is ready for connection (Gmail, Outlook, Yahoo, or custom mail server)

If using Gmail or Outlook, generate an **app-specific password** first (not your account password)

Gmail requires a 16-digit app-specific password; you cannot use your Google account password. Generate an app-specific password at [Google Account Security](#).

Start Connection

1. Go to the Connect Chat Platform Page

Click [Chat Platforms](#) in the left menu, then click the [Connect Chat Platform](#) button in the upper right corner.

2. Select Email

On the platform selection page, click [Email](#).

The screenshot shows the 'Connect Chat Platform' page in the MaiAgent interface. The left sidebar contains a menu with 'Email' selected. The main content area is titled 'Connect Chat Platform' and has a 'Next Step' button. The 'Email' section is active, showing a form for connecting an email account. The form includes fields for 'Email Address' (with a dropdown menu), 'Email Password' (with a dropdown menu), and 'Email Account Type' (with a dropdown menu). Below these fields, there are checkboxes for 'Gmail' and 'Outlook' (both checked), and a checkbox for 'Custom Mail Server' (unchecked). At the bottom, there are checkboxes for 'IMAP' and 'POP3' (both checked), and a checkbox for 'SSL' (checked). The 'Next Step' button is located at the bottom right of the form.

3. Select Email Service Provider

Choose from the **Email Service Provider** dropdown menu:

Provider	Description
Gmail	Google email, requires an app-specific password
Outlook Office 365	Microsoft email, requires an app-specific password when two-step verification is enabled
Yahoo Mail	Yahoo email, requires an app-specific password
Custom	Manually configure IMAP/SMTP server settings

After selecting a provider, the system automatically fills in the corresponding IMAP and SMTP server settings.

4. Enter Connection Details

Email Address

Enter the full email address to connect, e.g., `support@yourcompany.com`.

IMAP Settings (Receiving)

Field	Description
IMAP Server	Incoming mail server address (for Gmail: <code>imap.gmail.com</code>)
IMAP Port	Port number (typically 993)
Use SSL	Recommended to enable for secure transmission

SMTP Settings (Sending)

Field	Description
SMTP Server	Outgoing mail server address (for Gmail: <code>smtp.gmail.com</code>)
SMTP Port	Port number (typically 587)
Use TLS	Recommended to enable for secure transmission

Authentication Settings

Field	Description
Username	Usually the email address
Password	App-specific password (not account password)

5. Test Connection

After filling in all fields, click the **Test Connection** button. The system will simultaneously test both IMAP (receiving) and SMTP (sending) connectivity.

Connection successful: Displays "Connection successful! IMAP and SMTP server connection tests passed"

Connection failed: The system shows the specific error reason (authentication failure, server unreachable, etc.) — correct the settings based on the prompts

Always complete the connection test before saving to confirm that both IMAP and SMTP are working properly.

6. Basic Settings and Save

Field	Description
Platform Name	Give this connection a name
AI Assistant	Select the AI Assistant to bind
Polling Interval	(Optional) Frequency in seconds for the system to check for new emails
Reset Command	(Optional) A command that allows users to restart the conversation

After confirming all settings are correct, click **Save** to complete the connection.

Once connected, when someone sends an email to that address, the AI Assistant will automatically read the email content and reply.

After successful connection, you can find this integration in the chat platform list. Click edit to further configure feature options (time-based replies, sender name recognition, access control, etc.).

Integrate with Platform: Slack


Pre-Connection Checklist

An "AI Assistant" has been created on the [MaiAgent platform](#)
You have administrator permissions for a Slack Workspace

Step 1: Create a Slack App

1. Go to Slack API to Create an App


Go to <https://api.slack.com/apps> and click **Create an App**.



Slack API — Your Apps page

2. Select From scratch

Select **From scratch** to manually configure using the graphical interface.



Select From scratch creation method


3. Enter App Name and Workspace

Enter the App name (e.g., `MaiAgentBot`) and select the Slack Workspace to install it in, then click **Create App**.

Enter App name and select Workspace

4. Obtain the Signing Secret

After creation, go to the **Basic Information** page and find the **Signing Secret** in the **App Credentials** section. Click **Show** and copy it for later use.




App Credentials — Copy Signing Secret

Step 2: Configure Bot Permissions

1. Go to OAuth & Permissions

Click **OAuth & Permissions** in the left menu.




OAuth & Permissions page

2. Add Bot Token Scopes

Scroll down to the **Bot Token Scopes** section, click **Add an OAuth Scope**, and add the following permissions:


Scope	Description
<code>app_mentions:read</code>	Read messages that @ mention the bot
<code>channels:history</code>	Read public channel message history
<code>chat:write</code>	Send messages
<code>files:read</code>	Read files (images/documents)
<code>groups:history</code>	Read private channel message history
<code>im:history</code>	Read direct message history
<code>mpim:history</code>	Read group direct message history



Bot Token Scopes permission settings

3. Install App to Workspace

Scroll back to the top of the page and click [Install to Workspace](#) (or Reinstall to Workspace).



Install App page


Slack will redirect to the authorization page. After confirming the permissions, click **Allow**.



Authorize App access to the Workspace

4. Copy the Bot User OAuth Token

After installation, return to the **OAuth & Permissions** page and copy the **Bot User OAuth Token** (format: `xoxb- ...`).




Copy Bot User OAuth Token

Step 3: Configure App Home (Enable Direct Messages)

Go to the **App Home** page in the left menu and in the **Show Tabs** section:

Enable **Messages Tab**

Check **Allow users to send Slash commands and messages from the messages tab**




Enable Messages Tab to allow users to DM the Bot

This step must be completed; otherwise, users cannot interact with the Bot via direct messages.

Step 4: Create a Slack Chat Platform in MaiAgent

1. Go to Connect Chat Platform

Click **Chat Platforms** in the MaiAgent left menu, then click **Connect Chat Platform** in the upper right corner and select **Slack**.



MaiAgent Slack connection setup screen

2. Enter Basic Settings

Field	Description
Name	Give this connection a name (required)
AI Assistant	Select the AI Assistant to bind
Bot User OAuth Token	Paste the Bot Token obtained in Step 2 (required)
Signing Secret	Paste the Signing Secret obtained in Step 1 (required)

3. Verify Credentials

Click the **Verify Credentials** button to confirm the Token and Secret are correct.

4. Chat Room Settings

Setting	Description
Respond only when @ mentioned in groups	When enabled, the Bot only responds in group channels when @ mentioned
Enable reset command	When enabled, users can restart the conversation using a command


5. Save and Obtain the Webhook URL

Click **Connect Chat Platform** to complete the setup. The system will generate a **Webhook URL** — copy it for later use.

Step 5: Return to Slack App to Configure Event Subscriptions

1. Enable Events


Click **Event Subscriptions** in the Slack App left menu and turn on **Enable Events**.



Event Subscriptions settings page

2. Paste the Request URL

Paste the **Webhook URL** generated by MaiAgent into the **Request URL** field. Slack will automatically verify it — **Verified ✓** indicates the setup is successful.



Request URL verification successful

3. Subscribe to Bot Events

Expand the **Subscribe to bot events** section, click **Add Bot User Event**, and add the following events:

Event	Description
<code>message.im</code>	New messages in direct messages
<code>message.channels</code>	New messages in public channels
<code>message.groups</code>	New messages in private channels
<code>message.mpim</code>	New messages in group direct messages
<code>app_mention</code>	@ mentioned in a channel

- Basic Information
- Collaboration
- Search & More
- Install App
- Manage Distribution
- Features
- App Home
- Agents & AI Apps [\[NEW\]](#)
- Work Object Previews [\[NEW\]](#)
- Workflow Steps [\[NEW\]](#)
- Org-Level Apps
- Integrating Webhooks
- Interactivity & Shortcuts
- Slash Commands
- Steps from Apps [\[NEW\]](#)
- OAuth & Permissions
- Event Subscriptions**
- User ID Translation
- App Manifest [\[NEW\]](#)
- Bot Features
- Submit to Slack Marketplace
- Backup & Export

Enable Events

Your app can subscribe to be notified of events in Slack (for example, when a user adds a reaction or creates a file) at a URL you choose. [Learn more](#)

Request URI **Verified** ✓

`https://none@hfrise.com/interactions/none@hfrise.com/devapp/webhooks/event/1` [Change](#)

Webhook: HTTP POST requests to this URL when events occur. As soon as you enter a URL, we'll send a request with a **challenge** parameter, and your endpoint must respond with the challenge value. [Learn more](#)

Delayed Events Off

If this feature is enabled, we will retry any missed event deliveries, slowly over 24 hours. Enabling this feature if you want to receive events when your app missed initially during development.

Subscribe to bot events

Apps can subscribe to receive events the bot user has access to (like new messages in a channel). If you add an event here, we'll set the necessary [OAuth scopes](#) for you.

Event Name	Description	Required Scopes
<code>message.im</code>	A message was posted in a direct message channel	<code>im:history</code>

[Add Bot User Event](#)

Subscribe to Bot Events

4. Save Changes

Click **Save Changes** to complete the setup.


After saving, Slack may require you to reinstall the App. Click the prompt at the top of the page to reinstall and apply the new permissions.

Getting Started

After the connection is complete, you can interact with the AI Assistant in the following ways:

Direct Message Conversation

Send a direct message to the Bot in Slack, and the AI Assistant will reply automatically. Supports sending text, images, and files.



Slack direct message — AI Assistant auto-reply (supports image recognition)

File Upload and Analysis

Users can upload Excel, PDF, and other files during conversations. The AI Assistant can read file content and answer related questions.



Sonic Hsu(許恒誠) 凌晨 1:21

看得到這份資料嗎？我想知道他在說什麼

Excel 試算表 ▼



出金.xlsx

Excel 試算表

Seller 等級	24 小時最大出金 (RMB)
T1	10000
T2	1000
T3	100



1 則回覆 今天 凌晨 1:21

Upload Excel file — AI Assistant automatically analyzes content

Channel @ Mention

In a channel, type `@BotName your question`, and the AI Assistant will reply in the channel.

To add the Bot to a specific channel, type `/invite @BotName` in that channel, or add it through Channel Settings → Integrations → Add an App.

All Conversations Features

Click "**Customer Service > All Conversations**" in the left menu to view conversation records from all chat platforms.

When necessary, live support agents can intervene and reply directly in the conversation box.

You can also toggle the "**Auto Reply**" switch in the lower right corner to disable or enable the auto-reply feature.



Conversation Viewer

Overview

The Conversation Viewer is a conversation review page in the MaiAgent admin interface that allows managers and support agents to view complete conversation records in a clearer, more detailed way. Through the Conversation Viewer page, you can focus on examining all details of a single conversation, including message content, timeline, tool usage records, and more.

The Conversation Viewer is especially useful for quality monitoring, customer service training, and issue tracking, enabling more effective conversation analysis.

Opening the Conversation Viewer

From the Inbox

Go to the conversation list

Click "**Customer Service**" in the left menu

Click "**All Conversations**"

Select a conversation to view

Find the target conversation in the conversation list

Click the conversation to enter the Conversation Viewer page

[!Opening the Conversation Viewer](#)

Interface Guide

Main Sections

Section Name	Description
Conversation Info Panel	Displays basic conversation information - Username - Chat platform (LINE Facebook Web Chat) - Start time - Conversation status
Message Timeline	Displays the complete conversation record in chronological order - User messages - AI replies - System messages - Timestamps
Conversation Details	Displays advanced information - AI Assistant used - Tool call records - Knowledge base query results - Token usage

Section Name	Description
Action Buttons	Quick actions - Export conversation record (PDF) - Copy conversation content

!Conversation Viewer Interface

Message Display

- User messages: Displayed on the left with a light background
- AI replies: Displayed on the right with brand-colored background
- System messages: Centered with gray text
- Timestamps: Displayed below each message showing the sent time

Advanced Features

Tool Usage Records

The Conversation Viewer clearly displays the tools used by the AI Assistant during the conversation:

```
[Tool Call] Knowledge Base Query
Search keyword: Return process
Query results: 3 related documents found
Time used: 2025-12-10 14:23:15
```

Knowledge Base Citation Tracking

If an AI reply references knowledge base content, the citation source is indicated:

```
[Citation Source] Return-and-Exchange-Policy.pdf
Related passage: "Returns can be requested within 7 days of receiving the product ... "
Similarity: 95%
```

Token Usage Statistics

- Displays the token consumption for the conversation:
- User input: 120 Tokens
 - AI reply: 350 Tokens
 - Tool calls: 80 Tokens
 - Total: 550 Tokens

Token statistics help analyze conversation costs and optimize AI Assistant settings.

Use Cases

Scenario 1: Quality Monitoring

Requirement: Supervisors randomly review conversation quality daily to ensure AI replies meet standards

Workflow:

1. Randomly select 10 conversations daily from the inbox
2. Review each one using the Conversation Viewer
3. Key checkpoints:
 - Is the AI reply accurate?
 - Is the tone appropriate?
 - Are tools used correctly?
 - Are knowledge base citations relevant?
4. Flag conversations that need improvement
5. Provide feedback to the AI training team

Scenario 2: Customer Service Training

Requirement: Use actual conversation cases to train new customer service agents

Workflow:

1. Filter out excellent conversation examples (well-handled complex issues)
2. Walk through them step by step using the Conversation Viewer
3. Key focus areas:
 - How to understand customer needs
 - How to effectively use tools
 - How to guide the conversation flow
 - How to properly close conversations
4. Have new agents simulate similar scenarios

Scenario 3: Issue Diagnosis

Requirement: A user reports an incorrect AI reply and the root cause needs to be identified

Workflow:

1. Find the conversation using the search function
2. Examine it in detail using the Conversation Viewer
3. Analyze potential issues:
 - Was the user's question correctly understood?
 - Which tools did the AI call?
 - Were knowledge base query results relevant?
 - Review the AI's reasoning process
4. Identify the root cause (insufficient knowledge base
incorrect tool settings
prompt needs optimization)
5. Make the necessary adjustments

Export Conversation Records**Export Steps**

Click the "Export" button in the Conversation Viewer
The system will export the conversation record in PDF format
The PDF file will automatically download to your device

Privacy Notice Exported conversation records may contain user personal information. Please store them securely and comply with privacy policies and applicable regulations.

FAQ

Q: How is the Conversation Viewer different from the regular chat window?

A: The Conversation Viewer provides more comprehensive information, including tool usage records, knowledge base citation tracking, token usage statistics, and other advanced details. It is suitable for analysis, monitoring, and training. The regular chat window is better suited for day-to-day reply operations.

Q: Can I reply directly in the Conversation Viewer?

A: No. The Conversation Viewer is a read-only interface designed for viewing and analysis. To reply to a conversation, return to the conversation list.

Q: Does the Conversation Viewer show deleted messages?

A: No. The Conversation Viewer only shows existing message records. Deleted messages cannot be recovered or displayed.

Q: What if the Conversation Viewer loads slowly?

A: Possible causes and solutions:

- **Long conversation:** Conversations with over 100 messages load more slowly — please wait
- **Network issues:** Check your network connection
- **Large attachments:** Too many images or files can affect loading speed

Related Features

Additional Features - [Inbox Search](#) - [All Conversations](#) - [Reply Quality Control](#) - [Usage Analytics](#)

Inbox Search

Overview

The inbox search feature lets you quickly find specific conversation records without manually scrolling through a long conversation list. Using keyword search, you can instantly filter relevant conversations, significantly improving customer service efficiency.

This feature supports instant search (search as you type) and automatically saves recent search history for quick repeat queries.

How to Use the Search Feature

Basic Search

Go to the inbox page

Click "**Customer Service**" in the left menu

Click "**All Conversations**" or select a specific chat platform

Enter search keywords

Type keywords in the search box above the inbox

The system instantly displays matching conversations

View search results

The conversation list automatically filters to show only conversations containing the keywords

Matching keywords are highlighted

[!Inbox search interface](#)

Search Scope

The system searches the following fields:

- Conversation content (user messages and AI replies)
- Username
- Conversation title (if set)
- Contact information (if integrated)

The search feature can only search conversations within the currently displayed inbox (e.g., LINE, Facebook, Web Chat, etc.). For cross-platform searches, use the "All Conversations" page.

Advanced Search Tips

Using Filter Conditions

In addition to keyword search, you can combine the following filter conditions:

Time range

Today's conversations

Last 7 days

Last 30 days

Custom date range

Conversation status

In progress

Ended

Pending

AI Assistant

Select conversations from a specific AI Assistant

Search Combination Examples

Example 1: Search for recent return-related conversations

```
Search keyword: Return  
Time range: Last 7 days  
Conversation status: All
```

Example 2: Search for a specific customer's conversation history

```
Search keyword: John Smith  
Time range: Last 30 days  
AI Assistant: Customer Service AI
```

Use Cases

Scenario 1: Customer Service Quality Monitoring

Requirement: Supervisors need to review all conversations containing the keyword "refund" to evaluate handling quality

Steps:

1. Enter "refund" in the search box
2. Set the time range to "Last 7 days"
3. Review each search result to verify handling meets standards

Scenario 2: Issue Tracking

Requirement: A user reports an issue and you need to find related historical conversations

Steps:

1. Enter the username or key issue description
2. Review past conversation records
3. Understand the issue history and resolution status

Scenario 3: Performance Analysis

Requirement: Analyze inquiry volume and issue types for a specific product

Steps:

1. Search for the product name keyword
2. Export search results (if supported by the system)
3. Analyze common issues and improvement directions

FAQ**Q: Does search speed depend on the number of conversations?**

A: The system uses high-performance search technology, so results are returned within 1-2 seconds even with a large number of conversations. However, using time range filters is recommended for the best experience.

Q: Is search case-sensitive?

A: No. The search is case-insensitive and returns the same results regardless of capitalization.

Q: Can I search for multiple keywords at once?

A: Yes. Enter multiple keywords separated by spaces, and the system will search for conversations containing any of the keywords.

Example: Entering "return refund" will find conversations containing "return" or "refund."

Q: Is search history saved?

A: The system saves recent search keywords for quick repeat queries. Search history is stored in the browser; clearing browser data will also clear search history.

Q: Why can't I find certain conversations?

A: Possible reasons:

- The conversation has been deleted or archived
- You don't have access permission for that conversation (restricted by role permissions)
- Keyword spelling error
- The conversation time is outside the filter range

Notes

Permission Details Search results are restricted by your role permissions: - You can only search chat platforms you have access to - You can only search conversations related to AI Assistants you have access to - Organization owners can search all conversations

Performance Tips - Avoid using overly common keywords (such as "hello" or "thank you"), as they return too many results - Use time range filters to narrow search scope - Regularly archive old conversations to keep the inbox organized

Related Features

Additional Features - [All Conversations](#) - [Conversation Viewer](#) - [Reply Quality Control](#)

Inbox Timezone Settings

Overview

The inbox timezone configuration allows you to set the correct timezone for different regional chat platforms, ensuring that conversation timestamps, scheduled messages, business hours, and other features display and operate in the correct local time. When your services span multiple countries or timezones, this feature prevents communication issues caused by time discrepancies.

Proper timezone settings can reduce 90% of customer complaints caused by time misunderstandings, especially when handling time-sensitive tasks such as appointments, order confirmations, and event notifications.

Features

With the inbox timezone configuration, you can:

Global Timezone Support

The system supports standard timezones worldwide, including automatic daylight saving time adjustments.

Use case: A multinational company with customer service teams in Taiwan, the US, and Europe needs to set the correct timezone for each region

Benefit: Each regional team sees conversation times in their local time, avoiding timezone confusion and improving collaboration efficiency by 30%

Accurate Time Display

All conversation records and message timestamps are displayed according to the inbox timezone, ensuring consistent time display for both support agents and customers.

Use case: A customer in Taiwan sends a message at 8 PM, and the system correctly displays "20:00" rather than UTC time

Benefit: Reduces 95% of customer confusion and support issues caused by incorrect time display

Scheduling Functions Work Correctly

When you configure business hours, auto-reply time slots, or scheduled messages, the system executes them based on the inbox timezone.

Use case: Setting customer service hours to "Monday to Friday 09:00-18:00" means the system starts accepting conversations at 9 AM in that timezone

Benefit: Automated functions run precisely, avoiding the embarrassment of customers receiving scheduled messages in the middle of the night

Flexible Timezone Adjustment

You can modify the inbox timezone settings at any time to adapt to business changes or daylight saving time transitions.

Use case: A branch office relocates from Europe to Asia and needs to update the inbox timezone

Benefit: Complete timezone adjustment in 2 minutes, and all time-related features immediately switch to the new timezone

Importance of Timezone Settings

Correct timezone settings affect the following functions:

Conversation Time Display

Conversation times visible to support agents
Timestamps in conversation records
Chronological ordering of conversation history

Automated Scheduling Functions

Auto-replies during and outside business hours
Scheduled message delivery times
Scheduled report generation times

Statistical Reports

Time intervals for conversation volume statistics
Peak hour analysis
Conversation distribution during and outside working hours

Customer Experience

Message delivery times for customers
Time display in appointment confirmations
Timely delivery of event notifications

Important Notice Timezone settings affect all time-related features. Set the correct timezone when creating the inbox to avoid confusion with historical record timestamps caused by later adjustments.

Steps

Step 1: Access Inbox Settings

Enter the admin interface and click "Chat Platforms" in the left menu
Click the "Inbox" tab
Find the inbox you want to configure in the inbox list
Click the "Settings" or "Edit" button for that inbox

Step 2: Find the Timezone Setting Option

On the inbox settings page, find the "Timezone Settings" or "Basic Settings" section
View the current timezone setting (system default may be UTC or server timezone)

Step 3: Select the Correct Timezone

Click the timezone selector to display all available timezones
Use one of the following methods to find the target timezone:

Method A: Search by city name

- * Enter a major city name to quickly find the timezone
- * Example: Enter "Taipei" to find "Asia/Taipei (GMT+8)"

Method B: Browse by region

- * Browse by continent (Asia, Europe, Americas, etc.)
- * Select the corresponding country and city

Common timezone reference:

Region	Timezone Name	GMT Offset
Taiwan	Asia/Taipei	GMT+8
Hong Kong	Asia/Hong_Kong	GMT+8
Singapore	Asia/Singapore	GMT+8
Japan	Asia/Tokyo	GMT+9
US East Coast	America/New_York	GMT-5/-4
US West Coast	America/Los_Angeles	GMT-8/-7
United Kingdom	Europe/London	GMT+0/+1
Germany	Europe/Berlin	GMT+1/+2
Sydney, Australia	Australia/Sydney	GMT+10/+11

Select the correct timezone

Timezone Naming Conventions

Timezone names typically follow the "Region/City" format (e.g., Asia/Taipei) GMT offset shows the time difference from Greenwich Mean Time Two numbers indicate that the timezone has daylight saving time adjustments

Step 4: Save Settings

Confirm the selected timezone is correct
Click the "Save" or "Confirm" button at the bottom of the page
The system will display a success message

Step 5: Verify Timezone Settings

Return to the inbox list and confirm the timezone has been updated
Enter the inbox's conversation records and check that times are displayed correctly
Send a test message and confirm the timestamp matches expectations

Verification Checklist

Check that the latest conversation time shows the local time Confirm business hour settings work correctly under the new timezone Verify that scheduled messages will be sent at the correct time

Scenario 1: Multi-Country Service Setup

Context: A multinational company has offices in Taiwan, Japan, and the US, each using an independent LINE inbox.

Steps:

1. Set the Taiwan inbox timezone to: Asia/Taipei (GMT+8)
2. Set the Japan inbox timezone to: Asia/Tokyo (GMT+9)
3. Set the US inbox timezone to: America/New_York (GMT-5)
4. Configure business hours for each region (all 09:00-18:00 local time)

Quantified Benefits:

- * All three regional support teams see conversation records in their local time
- * Auto-replies work accurately during each region's business hours
- * 90% reduction in internal communication issues caused by timezone confusion
- * Improved customer satisfaction since messages are received at reasonable times

Scenario 2: Timezone Migration

Context: An e-commerce company's customer service center relocates from Taiwan to the Philippines and needs to adjust the inbox timezone.

Steps:

1. Choose a migration time (low-traffic period on weekends)
2. Change the inbox timezone from Asia/Taipei (GMT+8) to Asia/Manila (GMT+8)
3. Although both are GMT+8, ensure the timezone name reflects the actual location
4. Update business hour settings (if adjusted)
5. Notify the team of the timezone change and test

Quantified Benefits:

- * Complete timezone adjustment in 5 minutes
- * System records and report times remain consistent
- * Avoid future maintenance confusion

Scenario 3: Daylight Saving Time Handling

Context: A European branch office operates in a timezone with daylight saving time adjustments that the system needs to handle automatically.

Steps:

1. Select the correct timezone (e.g., Europe/London rather than simply GMT+0)
2. The system automatically adjusts when daylight saving time begins/ends
3. No manual changes needed

Quantified Benefits:

- * System automatically adjusts during daylight saving time transitions
- * Avoids omissions and errors from manual adjustments
- * Ensures correct time display year-round

Scenario 4: 24-Hour Global Service

Context: An online education platform provides 24-hour service with students worldwide.

Steps:

1. Create separate inboxes for each major service region
2. Set the corresponding timezone for each inbox
3. Configure scheduled messages to send at reasonable times in each timezone
4. Send course reminders 1 hour before class in the student's local time

Quantified Benefits:

- * 98% on-time delivery rate for course reminders
- * Students don't receive notifications in the middle of the night, improving user experience
- * Students in all timezones can reach customer support at convenient times

FAQ

Q: Will historical conversation times change after modifying the timezone?

A: Yes. The system re-displays all conversation times according to the new timezone. For example, a conversation originally showing "14:00" will display as "15:00" after changing the timezone from GMT+8 to GMT+9. This is because the system stores times in UTC and converts them to the configured timezone for display.

Recommendation: Avoid frequently changing the timezone unless necessary, as it may confuse team members reviewing historical records.

Q: How do I verify that the current timezone is set correctly?

A: You can verify through the following methods:

1. Send a test message and check that the timestamp matches your local time
2. Review recent conversation records to confirm the displayed times are reasonable
3. Check the timezone name and GMT offset on the inbox settings page

If the displayed time doesn't match your watch or computer time, the timezone may be configured incorrectly.

Q: Why do some timezones show two GMT offset numbers?

A: This indicates that the timezone observes Daylight Saving Time (DST). For example:

- * America/New_York (GMT-5/-4)
- Winter (Standard Time): GMT-5
- Summer (Daylight Saving Time): GMT-4

The system automatically adjusts when DST begins/ends — no manual action is required.

Q: What is the relationship between inbox timezone and the AI Assistant?

A: The inbox timezone primarily affects conversation record time display and scheduling features; it does not affect the AI Assistant's response content. If you want the AI Assistant to correctly understand and answer time-related questions (e.g., "What time is it?"), you need to configure timezone information in the AI Assistant's prompt or tools.

Q: Can I create multiple inboxes with different timezones for the same chat platform?

A: This is not recommended. One chat platform (e.g., one LINE official account) should correspond to one inbox using the timezone of the primary service region. To serve customers across multiple timezones, consider:

1. Using a timezone that reflects the primary customer base

2. Explicitly stating the timezone in messages (e.g., "Event time: 12/25 14:00 (Taiwan Time)")
3. Ensuring support agents understand timezone differences and communicate flexibly

Q: How do timezone settings affect statistical reports?

A: Timezone settings affect the time interval divisions in reports. For example:

- * When viewing "today's" conversation volume, the system calculates conversations from 00:00 to 23:59 in the configured timezone
- * Peak hour analysis displays the busiest hours according to the configured timezone

If the timezone is set incorrectly, time-based report analysis will be inaccurate and won't reflect actual business conditions.

Q: What happens if I forget to set the timezone?

A: The system will use the default timezone (usually UTC or server timezone). This may cause:

- * Conversation times that don't match local time (potentially off by 8+ hours)
- * Business hours running during the wrong time slots
- * Scheduled messages sent at the wrong times
- * Inaccurate time-based statistical analysis

Recommendation: Set the correct timezone immediately when creating an inbox.

Timezone Selection Guide

Asia

Country/Region	Recommended Timezone	GMT Offset
Taiwan	Asia/Taipei	+8
China	Asia/Shanghai	+8
Hong Kong	Asia/Hong_Kong	+8
Singapore	Asia/Singapore	+8
Malaysia	Asia/Kuala_Lumpur	+8
Thailand	Asia/Bangkok	+7
Vietnam	Asia/Ho_Chi_Minh	+7
Indonesia (Jakarta)	Asia/Jakarta	+7
Philippines	Asia/Manila	+8
Japan	Asia/Tokyo	+9
South Korea	Asia/Seoul	+9
India	Asia/Kolkata	+5:30

Americas and Europe

Country/Region	Recommended Timezone	GMT Offset
United Kingdom	Europe/London	0/+1
France/Germany	Europe/Paris	+1/+2
US East Coast	America/New_York	-5/-4
US Central	America/Chicago	-6/-5
US West Coast	America/Los_Angeles	-8/-7
Canada (Toronto)	America/Toronto	-5/-4
Mexico	America/Mexico_City	-6/-5

Oceania

Country/Region	Recommended Timezone	GMT Offset
Australia (Sydney)	Australia/Sydney	+10/+11
Australia (Melbourne)	Australia/Melbourne	+10/+11
Australia (Perth)	Australia/Perth	+8
New Zealand	Pacific/Auckland	+12/+13

Timezone Selection Tips Choose the timezone of the primary service city
Prefer the capital or largest city
Confirm the GMT offset matches the actual time difference
Note whether daylight saving time adjustment is needed

Conversation Platform Analytics

Inbox Analysis can analyze real conversations within a specific platform and date range, using AI to automatically categorize topics, determine resolution status, and compile actionable improvement suggestions to help you continuously optimize your AI assistant's conversation quality.

What is Inbox Analysis?

Once customer service conversations accumulate to a certain volume, looking at totals or satisfaction scores alone isn't enough — you want to know:

What are users actually asking? What are the most frequently asked topics?

How many conversations were truly resolved? Which types of issues have low resolution rates?

Why weren't they resolved? Is it missing knowledge base content, overly restrictive instructions, or tool failures?

How are response times and costs distributed? Which topics take longer and consume more tokens?

Inbox Analysis is designed to answer these questions. The system will:

Retrieve conversations within the specified time range

Use embedding models for topic clustering

Use LLM to analyze each conversation's intent, resolution status, and failure reasons

Generate a comprehensive analysis summary (including improvement suggestions)

Differences from Similar Features | Feature | Trigger Timing | Purpose | | --- | --- | --- | | [Usage Analytics](#) | Real-time statistics | AI assistant-level quantitative KPIs (conversation word count, frequency, satisfaction) | | Inbox "Conversation Analysis" settings (tab within each inbox's settings) | Real-time, on each new incoming message | Use LLM to automatically tag conversations for routing and management | | Inbox Analysis (this page) | Manual trigger, batch review | Topic clustering, resolution rate analysis, and improvement suggestions for a specified date range |

How to Use


Navigate to the Inbox Analysis Page

Click "[Customer Service](#)" → "[Inboxes](#)" in the left menu

Find the target inbox in the inbox list

Click the  icon on the right side of that row (hover shows "Inbox Analysis") to enter the analysis page

The page displays all analysis reports previously created for this inbox, including date range, status, conversation count, processing time, and other information.



Inbox Analysis list page: showing previously created analysis reports

Create a New Analysis

Click the "[New Analysis](#)" button in the upper right corner and fill in the following required fields:

Date Range: Select the conversation period to analyze (future dates cannot be selected)

Analysis LLM: The large language model used to analyze each conversation

Embedding Model: The embedding model used for topic clustering

Report Language: The output language for the analysis summary (Traditional Chinese, Simplified Chinese, English, Japanese, Korean)



New Analysis Modal: fill in required fields

Expand "[Advanced Settings](#)" to adjust the sampling strategy (see "Advanced Settings" section below).




Advanced Settings: adjust sampling and concurrency parameters

After clicking "**Confirm**", the system will run the analysis asynchronously in the background. The status will progress from "Pending" → "Processing" → "Completed".

View the Report

Once the status changes to "Completed", click the "**View Report**" icon (👁️) on that report to enter the report detail page.

The report content varies depending on conversation data richness, and includes data overview, resolution status, topic clusters, top questions, performance metrics, analysis summary, and per-conversation analysis.



Analysis report detail page: dashboard showing metrics, clusters, failure reasons, and performance distribution

Report Content

1. Data Overview

Metric	Description
Total Conversations	Total number of conversations on the inbox within the date range
Analyzed	Number of conversations actually analyzed by LLM (limited by "Max Sample Size")
Sample Rate	Analyzed Total Conversations (percentage)
Processing Time	Time in seconds from start to completion of this analysis task

When the total number of conversations exceeds the "Max Sample Size", the system uses a post-clustering sampling strategy to select representative conversations for analysis, controlling cost and time.

2. Resolution Status

The core metric "**Resolution Rate**" formula:

$$\text{Resolution Rate} = (\text{Resolved} + \text{Partially Resolved}) \div \text{Analyzed}$$

Resolved (green): AI assistant fully answered the user's question

Partially Resolved (orange): Answer was partially correct or in the right direction but incomplete

Unresolved (red): Unable to answer or answered incorrectly

Resolution rates above 50% are displayed in green, below 50% in red, serving as an instant health indicator.

3. Performance Metrics

Shows the AI assistant's computational performance during this period:

Total Token Usage: Input + Output tokens combined

Average Tokens per Turn: Average token consumption per conversation turn

Average Response Time: Total time from receiving a message to completing the response

Average Time to First Token (TTFT): Time from receiving a message to outputting the first token

4. Topic Cluster Distribution

All conversations are clustered by "semantic similarity" and displayed as horizontal bar charts showing the frequency and proportion of each topic. Outlier conversations are categorized as "Noise Outliers".

This view helps quickly identify the most frequently asked topics.

5. Resolution

Failure Reason Distribution

The system labels each analyzed conversation with a status or failure reason, summarized as follows:

Reason	Description
Resolved	AI assistant successfully answered
Partially Resolved	Answer was in the right direction but incomplete
Knowledge Gap	Knowledge base lacks relevant content
Overly Restrictive Instructions	Role instructions blocked a reasonable response
Tool Failure	Tool execution error or not triggered
Unclear User Input	User message was vague or intent could not be determined
Off-Topic	User's question was outside the assistant's scope
Hallucination	AI generated non-existent or incorrect information
Unknown	Cannot be categorized into the above

This distribution directly guides subsequent improvement actions: many knowledge gaps → add content; many overly restrictive instructions → adjust role instructions; many hallucinations → strengthen knowledge base and instruction constraints.

6. Top Questions Ranking

A topic list sorted by "frequency", showing each topic's **occurrence count** and **resolution rate**. Expanding any row reveals example intents for that topic, helping you quickly verify whether the clustering matches expectations.

7. Performance Distribution by Topic

Breaks down tokens and response times by topic to identify "expensive" or "slow" topics:

- Average Input
- Output
- Total Tokens
- Average Response Time
- Average Time to First Token

If a topic has abnormally high token usage, consider optimizing role instructions or knowledge base retrieval; if a topic takes long, it may be due to multiple tool calls or lengthy content.

8. Analysis Summary

A Markdown report generated by LLM synthesizing all analysis results, typically including:

- Overall performance summary
- Major issue patterns
- Priority improvement suggestions
- Specific adjustment directions

Displayed as a collapsed section by default; click the title to expand and read.

9. Per-Conversation Analysis

When expanded, you can review each analyzed conversation individually, with each entry containing:

- User Intent:** What the user actually wanted to ask
- Topic:** The assigned topic cluster
- Resolution Detail:** Detailed description of the resolution status
- Suggestions:** Specific optimization directions for that conversation

Advanced Settings

Advanced settings control sampling and execution strategies. It's recommended to start with default values and adjust as needed:

Parameter	Default	Description
Samples per Cluster	10	Maximum conversations per topic cluster sent to LLM for analysis
Max Sample Size	150	Maximum conversations analyzed in the entire report (cost ceiling)
Concurrency	8	Number of parallel LLM analysis processes; higher = faster but more resource-intensive
Max Retrieved Conversations	—	Upper limit of conversations fetched from the database
Min Conversation Messages	—	Conversations with fewer messages than this value are filtered out (avoids analyzing meaningless short conversations)

Cost Reminder: Analysis consumes LLM token quota (Input + Output + Embedding). The system checks organization quota before analysis; tasks cannot be created if quota is insufficient.

Use Cases

Scenario 1: Quarterly Quality Review

Need: A manager wants to understand last quarter's conversation quality and main issues on the Web Chat inbox.

Steps:

1. Set the date range to the previous quarter
2. Set Max Sample Size to 300 (larger sample)
3. Run the analysis, focusing on "Resolution Failure Reason Distribution" and "Top Questions Ranking"
4. Schedule improvement tasks based on high-frequency reasons such as knowledge gaps and overly restrictive instructions

Scenario 2: Impact Assessment After Version Update

Need: Role instructions were adjusted last week; want to know if conversation quality improved.

Steps:

1. Create two analysis reports for "one week before the adjustment" and "one week after the adjustment"
2. Compare resolution rates and failure reason distributions between the two reports
3. Confirm whether specific failure types have decreased

Scenario 3: Topic Clustering for Knowledge Base Completion

Need: Discovered frequently asked questions and want to systematically supplement the knowledge base.

Steps:

1. Analyze conversations from the past month
2. From "Top Questions Ranking", pick high-frequency, low-resolution-rate topics
3. Expand "Example Intents" to confirm actual phrasings
4. Go back to the knowledge base and add corresponding FAQ or documents

FAQ

Q: Why weren't some conversations analyzed?

The system filters based on "Max Sample Size" and "Min Conversation Messages", and performs representative sampling after clustering. If the total number of conversations is large, only representative samples are selected to control costs.

Q: How is the resolution rate determined?

The analysis LLM **directly classifies each analyzed conversation into one of 9 statuses**: Resolved, Partially Resolved, Knowledge Gap, Overly Restrictive Instructions, Tool Failure, Unclear User Input, Off-Topic, Hallucination, Unknown.

Resolution Rate formula:

$$\text{Resolution Rate} = (\text{Resolved} + \text{Partially Resolved}) \div \text{Total Analyzed}$$

Both "Resolved" and "Partially Resolved" count toward the resolution rate numerator; the remaining 7 statuses are all considered unresolved.

Q: Can multiple analyses be created for the same inbox simultaneously?

Yes, but **date ranges cannot overlap with an in-progress analysis**. If you see the error "This inbox already has an in-progress analysis with overlapping date range", wait for that analysis to complete or select a different date range.

Q: How long does the analysis take?

It depends on conversation volume, max sample size, concurrency, and the selected model. Generally, 150 samples take approximately a few minutes to around ten minutes. The system's default processing time limit is 110 minutes; analyses exceeding this will be automatically marked as failed.

Q: What if the analysis fails?

If the status shows "Failed", check the "Error Message" column in the report list. Common messages and how to handle them:

"Analysis timed out — the worker may have crashed during processing." Processing exceeded the time limit: reduce "Max Sample Size" to lower the analysis volume and retry

"Analysis task was never picked up by a worker." Task was not dispatched: try again later

For other messages: take a screenshot and report to MaiAgent support for investigation

If there is insufficient quota, the analysis will be blocked at creation time with a prompt, and will not appear as a "Failed" report.

Q: Why can't I see "Inbox Analysis" on my account?

"Inbox Analysis" is a sub-permission under the "Customer Service" access permission. By default, any MaiAgent role with "Customer Service" access permission will include this feature.

If you cannot see it, it may be because:

Your MaiAgent role does not have "Customer Service" access permission

The organization administrator has disabled the "Inbox Analysis" sub-permission for your role

Contact your organization administrator to check and adjust settings on the [Role Permission Management](#) page.

Notes

Permission Notes "Inbox Analysis" is a sub-permission under the "Customer Service" access permission, included by default in all MaiAgent roles with "Customer Service" permission Organization administrators can adjust this feature's availability for different roles on the [Role Permission Management](#) page Members with this permission can create and view all analysis reports within their organization

Cost Reminder Each analysis consumes LLM Input

Output Tokens and Embedding Tokens Before creating an analysis, confirm the date range and max sample size in the modal Adjust the max sample size in advanced settings to control cost ceiling

Data Protection The analysis process sends conversation content to the selected LLM for processing Choose a compliant model according to your organization's data processing policies

Related Features

Further Reading [Usage Analytics](#): Quantitative KPI dashboard at the AI assistant level [Inbox Search](#): Quickly search for specific conversations [Conversation Viewer](#): View the full context of a single conversation [Evaluation Insights Report](#): Automated insights after AgentOps batch testing

Webhook

Purpose

Developers need to provide an API endpoint (essentially a URL) where the system can send data. When the MaiAgent AI Assistant generates a reply on a chat platform, those replies are automatically sent to the Webhook endpoint you configured.

This setup allows you to integrate AI responses into your own systems — for example, logging them, forwarding them to users, or using them for other applications.

All Webhook delivery records are centrally displayed on this page for easy viewing, tracking, and troubleshooting.

[How to integrate via API?](#)



Use Cases

Customer Service System Integration

After the AI Assistant answers a user's question, use Webhooks to sync the reply content to your enterprise customer service system, allowing support agents to view conversation records, follow up, or take over manually.

Real-Time Notification Push

Push AI Assistant replies or specific events (such as anomalies) to communication tools like Slack, LINE Notify, or Email to alert relevant personnel for immediate action.

Data Analysis and Record Archiving

Automatically send all AI conversation data to a data warehouse, cloud database, or Google Sheets for usage behavior analysis, quality assessment, or interaction record archiving.

Internal Process Automation

When users submit issues, request resources, or report anomalies through the AI Assistant, Webhooks can automatically route this data to internal form systems or task management tools (such as Jira or Notion) for follow-up tracking.

Organization Settings

Organization & Member Management

What Is Organization and Member Management?

MaiAgent's organization and member management feature is like building a "digital office" for your enterprise. Through this feature, you can set up company structures, assign employee positions, configure who can do what, and make team collaboration more organized.

This system is based on **RBAC** (Role-Based Access Control), providing a complete organization management solution that enables enterprises to effectively organize teams, assign permissions, and monitor resource usage.

What is RBAC? RBAC is a management approach that "defines positions first, then adds people to positions." For example, you first define what the "Customer Service Agent" role can do, then add Mr. Zhang and Ms. Li to that role. They automatically receive all customer service agent permissions without needing individual configuration for each person.

System Architecture

Three-Tier Structure

MaiAgent uses a clear three-tier architecture: **Organization → Role → Member**

```
Organization
├── Your Company
│   ├── Role
│   │   ├── Position/Department (e.g., Customer Service, Marketing)
│   │   │   └── Member
│   │   │       └── Employee (e.g., Mr. Zhang, Ms. Li)
```

Simple explanation: Organization = Your company Role = Departments or positions within the company (e.g., Customer Service, Marketing) Member = Company employees (e.g., Mr. Zhang, Ms. Li)

How It Works

創建角色示例



Setup Steps:

Create an organization: Set up your company in the system

Create roles: Create departments or positions within the organization (e.g., Customer Service, Marketing)

Set permissions: Configure what each role can do (determine feature permissions)

Assign members: Add employees to their corresponding roles

Automatically effective: Members automatically receive all permissions for their role

Core Concepts

Organization

The **Organization** is the top-level management unit, representing your company or team. Each organization has independent members, roles, permissions, and resources.

Simple explanation: An organization is like a "company." Each company has its own employees (members), departments (roles), and data (AI assistants, knowledge bases, etc.).

Role

A **Role** is a functional unit within the organization that defines a set of permissions and resources.

Three role types:

Owner Role: Highest permissions, can manage all settings

Default Role: Basic permissions automatically held by all members

Custom Role: Department or position roles created based on needs

Simple explanation: A role is like a company "department" or "position" (e.g., Customer Service, Marketing, Manager). Each role has different responsibilities and permissions.

Member

A **Member** is a user within the organization who gains permissions through roles.

Member types:

Member Type	Description	Permission Scope
Owner	The organization creator or a member designated as owner	Has full access to all resources Can manage organization settings and role permissions
Regular Member	A member within a role	Has the permissions and resources of assigned roles, such as Q&A, conversation permissions, etc.

Simple explanation: Owner = The company's general manager or system administrator who can manage everything
Regular Member = A company employee with different permissions based on their department (role)

Permission

Permissions control which features a member can use.

MaiAgent uses a **hierarchical permission architecture**:

What is a "hierarchical permission architecture"? It is like a folder structure: Main permission = Main folder (e.g., "AI Features") Sub-permission = Subfolder (e.g., "AI Assistants," "Knowledge Bases," "Crawlers") How it works: Checking a main permission automatically includes all sub-permissions You can also check only specific sub-permissions for more granular control

Resource

A **Resource** is a concrete item within the organization that can be assigned to specific roles.

Resource types:

AI Assistants: Specify which AI assistants a role can operate

Knowledge Bases: Specify which knowledge bases a role can access

Conversation Platforms: Specify which conversation platforms a role can use

Setup Workflow Guide

Recommended Setup Order Follow this order to avoid confusion: 1.  Create an organization: Set up your company organization first 2.  Create roles: Create the necessary departments or positions within the organization 3.  Set permissions: Configure feature permissions for each role 4.  Assign resources: Specify which AI assistants, knowledge bases each role can use 5.  Add members: Add employees to the organization 6.  Assign roles: Assign members to their corresponding roles

Related Pages

Next, you can refer to the following detailed guides based on your needs:

[Organization Management](#): How to create, switch, and manage organizations

[Role Permission Management](#): How to create roles, set permissions, and assign resources

[Member Management](#): How to add and remove members, and assign roles

Design Advantages

Only members within your organization can view and manage all AI assistant-related features under that organization.

This design provides:

Clear structure: Organization → Role → Member, a three-tier architecture that is easy to understand

Flexible permissions: Different permission combinations can be individually configured for each role

Centralized management: The organization owner manages all settings uniformly

Member flexibility: A single member can belong to multiple roles simultaneously, participating in different projects or teams

Real-time visibility: Provides real-time information on the organization's operational status

Resource control: Ensures effective management of resource usage

Organization Management

What Is an Organization?


An **Organization** is the top-level management unit in MaiAgent, functioning like an independently operated "digital office." Each organization can have its own members, role settings, permission configurations, and resources (AI assistants, knowledge bases, etc.), with data completely isolated between organizations.

Practical applications: You can create multiple organizations to manage different teams or projects. For example:
Corporate group: Create separate organizations for different subsidiaries
Project management: Create independent organizations for different projects
Department isolation: Create organizations for departments that need to operate completely independently

Organization Overview

Navigate to "**Organization Settings**" in the left menu to see the default organization's information, including "**Number of AI Assistants, Monthly Conversation Character Count, Monthly Conversation Count, and Knowledge Base Storage Used**" under this organization.

- Number of AI Assistants
- Monthly conversation character count
- Monthly conversation count
- Knowledge base storage used



Create an Organization

Any account user can create a new organization

The organization creator automatically becomes the organization owner


Each organization has an independent management space

You can create additional organizations by clicking the dropdown menu for your account in the upper right corner and selecting "Create Organization".




Enter the organization name and click the "Confirm" button.

A screenshot of a modal window titled '新增組織' (Add Organization). It contains a form with a label '名稱' (Name) and a text input field with the placeholder '請輸入' (Please enter). At the bottom right, there are two buttons: '結束' (End) and '確認' (Confirm).



Switch Organization

When you have multiple organizations, click the dropdown arrow for your account in the upper right corner and select "[Switch Organization](#)" to switch to another organization.



Organization Owner Responsibilities

The organization owner is the highest-permission role within the organization, responsible for managing the entire organization's operations.

Member Management

Add new members to the organization via email

Remove members from the organization

Assign members to roles

For detailed instructions, see [Member Management](#).

Role Management

Create custom roles (e.g., Customer Service, Marketing)

Edit role permission settings

Assign resources to roles (AI assistants, knowledge bases, conversation platforms)

Delete unnecessary roles

For detailed instructions, see [Role Permission Management](#).

Permission Management

MaiAgent uses a **hierarchical permission architecture** to configure the following permissions for roles:

What is a "hierarchical permission architecture"? It is like a folder structure: Main permission = Main folder (e.g., "AI Features") Sub-permission = Subfolder (e.g., "AI Assistants," "Knowledge Bases," "Crawlers") How it works: Checking a main permission automatically includes all sub-permissions You can also check only specific sub-permissions for more granular control

For detailed permission settings, see [Role Permission Management](#).

Resource Allocation

In addition to feature permissions, you can assign resources to roles:

AI Assistants: Specify which AI assistants a role can operate

Knowledge Bases: Specify which knowledge bases a role can access

Conversation Platforms: Specify which conversation platforms a role can use



Delete Organization

When you no longer need an organization, you can delete the entire organization from the [Organization Overview](#) page.

This action is irreversible. Once the organization is deleted, all data cannot be recovered. Deleting an organization will permanently remove all data under that organization, and it cannot be restored by any means. Please make sure to confirm before proceeding.

What is Delete Organization?

Deleting an organization will permanently remove the entire organization along with all its resources from the system at once. This is not "deactivating" or "temporarily closing" — it is a complete deletion. Once completed, all content belonging to that organization can never be retrieved.

Before You Delete

After deleting an organization, the following data will be **permanently deleted and cannot be recovered**:

All AI assistants and their configurations under the organization

All knowledge bases and uploaded files

All conversation records and statistical data

All member and role permission settings

Integration settings for conversation channels (WebChat, LINE, Messenger, etc.)

Billing and quota-related data

Impact on members:

All members will immediately lose access to this organization

External services provided through various channels (WebChat, LINE, etc.) will stop immediately

Members' **personal accounts will not be deleted**. If they also belong to other organizations, they can continue to use those organizations normally

If you are only temporarily not using this organization, please do not delete it. Deletion cannot be undone and will disrupt all external services. It is recommended to export any data you need to keep (conversation records, knowledge base files, etc.) before proceeding.

Who Can Delete an Organization?

Any member who can access the [Organization Overview](#) page and can see the [Delete Organization](#) button is able to perform the deletion.

Since this action is irreversible and the permission scope is broad, it is recommended to clearly define within the organization who has the authority to delete the organization, to avoid accidental deletion causing irrecoverable data loss.

Steps

Go to Organization Overview

Confirm that the current organization is the one you want to delete (you can check the organization name in the upper right corner), then click **Organization Settings** in the left menu to go to the **Organization Overview** page.

Click the "Delete Organization" Button

Find the **Delete Organization** button on the page and click it.



The "Delete Organization" button on the Organization Settings page

Enter the Organization Name to Confirm

The system will display a confirmation dialog with the message "This action is irreversible. Once the organization is deleted, all data cannot be recovered." You must **enter the name of the organization** as a secondary confirmation. The request can only be submitted after the name is verified, to prevent accidental deletion.



Enter the organization name to confirm deletion

Deletion Complete

After confirmation, the organization will be permanently deleted. You will be redirected to another organization (if available) or the login page. At this point, all data belonging to that organization can no longer be recovered.

FAQ

Q: Can a deleted organization be restored?

A: **No.** This action is irreversible. The organization and all its data (AI assistants, knowledge bases, conversation records, etc.) will be permanently deleted and cannot be recovered by any means.

Q: Will deleting an organization also delete my personal account?

A: No. Deleting an organization only removes the organization itself and does not affect your personal account. If you also belong to other organizations, you can continue to use them normally.

Q: What happens to paid quotas after deletion?

A: After the organization is deleted, billing and quota data associated with that organization will be removed as well. If you have any billing-related questions, please contact the sales team.

Q: Why do I need to enter the organization name when deleting?

A: Because deletion cannot be undone, entering the organization name serves as a secondary confirmation mechanism to prevent accidental deletion caused by mistakenly clicking the button.

Credits Billing System

🌟 MaiAgent billing has been fully upgraded to the Credits point system — unlock a more flexible, more cost-effective AI service experience. Multiple enterprise customers have already upgraded early (including finance, government, retail, and other industries), using a single quota to simultaneously enjoy conversations, voice, image generation, and all other AI features. Full conversion starts from 2026/06/02. Your existing quota is automatically converted at 1 character = 1 Credit, with no changes to AI assistant settings and no service interruption. 📦 Want to upgrade early and enjoy the full feature set? Contact sales@maiagent.ai, and we'll provide customized conversion recommendations for you.

🌟 服務升級公告

Credits 計費全面升級

更彈性 · 更划算 · 一份額度涵蓋所有 AI 功能

📧 聯繫業務搶先升級

已有多家企業客戶提早升級

Credits 餘額: 1,200,000

Credits billing fully upgraded — one quota covers all AI features

What You Get

After Upgrade	What You Had to Do Before
✔ Use a single quota to simultaneously access conversations, voice, image generation, document parsing, web search and all features, with each feature having its own independent rate	🔒 Advanced features (voice assistant, meeting transcription, customer service center) required separate add-on purchases; multimodal features (image generation, voice, documents, etc.) were uniformly converted to character counts deducted from the main quota (e.g., 1 image = 500 characters)
✔ Models are billed by tier — use cheaper models for lightweight tasks to save Credits, use flagship models for important tasks with proportional billing	🏷️ All models were priced the same regardless of which one was used, making it impossible to optimize costs by use case
✔ A brand-new management panel to view balances, usage details, and rates in real time, with CSV export support for financial reconciliation	📊 Multimodal usage was uniformly displayed as character counts, making it difficult to break down costs by feature

After Upgrade	What You Had to Do Before
✔ Quota converted 1:1 automatically, numbers stay the same, but actual processable token volume increases significantly	—



Upgrading from character-based billing to Credits: one quota covers everything, models billed by tier

Why Are Customers Upgrading Early?

Before announcing the full conversion, multiple enterprise customers (spanning finance, government, retail, and other industries) had already proactively applied to switch to the Credits system early. Their three common reasons:

1. One Quota for All AI Features

Previously, advanced features such as **voice assistant, meeting transcription, and customer service center** required separate add-on purchases; other multimodal features (image generation, speech-to-text, document parsing) were uniformly converted to character counts and deducted from the main quota (e.g., 1 image = 500 characters).\nAfter upgrading, **all features are available by default, with each feature having its own independent Credits rate** — one quota covers all AI services simultaneously, no need for separate procurement or multi-platform contracts, making **billing more intuitive and budgets more controllable**.

一份 Credits，全部 AI 功能



升級 Credits 制 — 不再為單一功能單獨採購

One Credits quota simultaneously supports conversations, voice, image generation, document parsing, web search, and tool calls

2. Models Billed by Tier — Budget Control Is Back in Your Hands

Cost differences between AI models can be as much as **tens of times**. Under the Credits system, these differences are directly reflected in your costs:

General customer service FAQ → Use **Claude 4.5 Haiku** to save costs

Complex analysis, deep research → Use **Claude 4.6 Opus** for the highest quality

Multiple AI assistants each using different models, with Credits deducted at tier-based rates — you decide how to allocate your budget

3. Transparent and Trackable — Financial Reconciliation Made Simple

Every Credits consumption is mapped to the **model used, feature type, and AI assistant**, and can be queried in real time on the management panel, filtered by any dimension, and exported to CSV for internal reports. **No more wondering "where did the money go."**

What Are Credits?

Credits are MaiAgent platform's **universal billing unit**. Every AI conversation, image generation, voice processing, document parsing, and other operation consumes corresponding Credits based on the model and feature used.

Core Principles

- Different models, different rates:** Lightweight models cost less, flagship models are billed proportionally — you decide how much each task is worth
- All features billed uniformly:** Text, images, voice, document parsing, web search, and more are all measured in Credits
- Transparent and trackable:** View Credits balance and detailed usage in real time on the management panel, with CSV export support
- First in, first out:** Credits are automatically deducted in FIFO order — **Credits expiring soonest are used first** to avoid waste from expiration

Main Model Credits Rates

Rates for representative models from each provider, with **Input and Output priced separately** (per 1 million tokens):

Model	Input Credits 1M tokens	Output Credits 1M tokens	Use Cases
Claude 4.6 Opus	99,000	495,000	Deep research, high-quality content creation, complex reasoning
Claude 4.6 Sonnet	59,400	297,000	Complex analysis, content generation, professional Q&A
Claude 4.5 Haiku	19,800	99,000	General customer service, FAQ, simple Q&A
GPT-5	24,750	198,000	Advanced analysis, long document processing
GPT-5-mini	4,950	39,600	General Q&A, simple tasks
Gemini 3.1 Pro	39,600	237,600	Long context, complex analysis
Gemini 3 Flash	9,900	59,400	General Q&A, multimodal

Real usage example: Using the most common Claude 4.5 Haiku, a single customer service conversation of approximately 500 characters consumes about 25–50 Credits. Adding 1,000,000 Credits can support tens of thousands of customer service conversations — and the same quota can also be used for voice processing, image generation, and document parsing.

The platform also supports image generation, speech-to-text, text-to-speech, document parsing, web search, and other features — **all billed uniformly in Credits, with no separate add-on purchases required**. For the complete rate table, go to **Organization Settings** → **Credits** → **Pricing**.

Plan Adjustment Comparison

Old vs. New System Differences

Item	Old System (Character-Based)	New System (Credits-Based)
Billing unit	Characters	Credits
Monthly quota	Fixed character quota	Fixed Credits quota
Add-on purchases	1,000,000 characters	1,000,000 Credits
Model billing	Same price for all models	Different rates by model tier — you configure flexibly
Advanced features	Voice assistant, meeting transcription, contact center require separate purchases; multimodal features converted to character counts for deduction	All features available by default, each with its own rate
Usage dashboard	Organization Settings → Usage Statistics	Organization Settings → Credits (all-new management dashboard)

Plan Migration Mapping

Plan	Old System (Monthly Characters)	New System (Monthly Credits)
Standard	500,000 characters	500,000
Professional	5,000,000 characters	5,000,000
Enterprise	10,000,000 characters	10,000,000

Your quota numbers remain the same (e.g., 500,000 characters → 500,000 Credits), 1:1 direct conversion, no reduction.\nHowever, because Credits map to tokens more efficiently, when using the same tier of model, the actual usable volume increases significantly.

Available Tokens Reference by Plan

Depending on the model used, the same Credits can process different amounts of tokens:

Plan	Monthly Credits	Claude 4.5 Haiku ~Can Process	Claude 4.6 Sonnet ~Can Process	Claude 4.6 Opus ~Can Process
Standard	500,000	~11.48M tokens	~3.83M tokens	~770K tokens
Professional	5,000,000	~114.78M tokens	~38.26M tokens	~7.65M tokens
Enterprise	10,000,000	~229.57M tokens	~76.52M tokens	~15.30M tokens

Credits Top-Up Plans

Credits	Claude 4.5 Haiku approx.
50,000	~1.15M tokens
500,000	~11.48M tokens

Credits	Claude 4.5 Haiku approx.
1,000,000	~22.96M tokens
2,500,000	~57.39M tokens

Expiration Rules

- Monthly plan quota Credits expire at the end of the current month\
- Top-up Credits are valid for 12 months from the purchase date; unused Credits will expire after the validity period

Plan Quota vs. Top-Up Credits

The subscription plan's "**monthly quota**" and "**top-up Credits**" are two independent but complementary pools. The system automatically handles the deduction order — you don't need to allocate manually.

Comparison

Item	Plan Quota (Monthly)	Top-Up Credits
Source	Automatically issued with subscription plan	Purchased by you at any time
Issuance Timing	Beginning of each month	Effective immediately after purchase
Validity	Expires at end of month , unused balance does not carry over	Valid for 12 months from purchase date
Use Case	Standard daily usage	Supplement when monthly quota is insufficient unexpected demand

Deduction Order: First to Expire, First Deducted (FIFO)

The system uses **FIFO (First In, First Out)** logic, determining deduction order based on "**expiration date**":

Daily usage → First deducts from current month's "plan quota" (expires at month-end)
→ When quota is exhausted → Automatically deducts from "top-up Credits" (by purchase date order)
→ Month-end reset → Next month's quota is issued again

The purpose of this design: **Prevent your top-up Credits from being consumed while monthly quota goes to waste due to expiration.**

Example: You are an Enterprise customer (10,000,000 Credits monthly quota) and purchase 1,000,000 Credits mid-month. The system first uses up the remaining monthly quota (expires at month-end) Top-up Credits of 1,000,000 are only used after the monthly quota is exhausted (preserved for use anytime within 12 months)

Why Two Types?

Subscription plan quota = Stable daily budget, fixed every month

Top-up Credits = Flexible backup, available for immediate replenishment when business demand surges

Together they let you **control your budget while handling fluctuations**

Credits Management Panel


After upgrading, you can access the brand-new management interface at **Organization Settings** → **Credits**, which includes four tabs:

Overview

View total Credits balance and soon-to-expire credits in real time

Monthly usage trend chart

Expiring Credits reminders



Overview Tab: Real-time Credits balance and expiration reminders

Deposit Records

Displays every Credits source: plan issuance, top-ups, gifts, transition conversions, etc.

Shows validity periods (monthly quota expires at month-end, top-ups valid for 12 months from purchase date)

Uses **FIFO deduction** (first to expire, first deducted), fully showing the remaining balance of each deposit

Supports **CSV export** for financial bookkeeping and annual audits

Credits

Overview | **Deposit Records** | Usage Details | Summary

Filter: All | In-Credits | Out-Credits | Invalid

ID	Model	Status	In-Credits	Out-Credits
QWEN2.5-72B-CHAT-12345	Qwen2.5-72B-Chat	Valid	100000000	0
QWEN2.5-72B-CHAT-67890	Qwen2.5-72B-Chat	Valid	200000000	0
QWEN2.5-72B-CHAT-11111	Qwen2.5-72B-Chat	Valid	300000000000	20000000000

Download CSV

Deposit Records Tab: Complete view of Credits sources, validity periods, and remaining balances

Consumption Records

Filter usage details by date, type, AI assistant, and other dimensions

Each consumption entry shows the model used, Credits consumed, and corresponding event

Supports **CSV export** for record-keeping or external analysis (a best friend for internal financial reconciliation)

Credits

Overview | Deposit Records | **Consumption Records** | Summary

Filter: All | In-Credits | Out-Credits | Invalid

ID	Model	Status	Event Type	Credits Consumed	Event Date
QWEN2.5-72B-CHAT-12345	Qwen2.5-72B-Chat	Valid	Generate	100000000	2024-01-01 10:00:00
QWEN2.5-72B-CHAT-67890	Qwen2.5-72B-Chat	Valid	Generate	200000000	2024-01-01 10:00:00
QWEN2.5-72B-CHAT-11111	Qwen2.5-72B-Chat	Valid	Generate	300000000000	2024-01-01 10:00:00
QWEN2.5-72B-CHAT-22222	Qwen2.5-72B-Chat	Valid	Generate	100000000	2024-01-01 10:00:00
QWEN2.5-72B-CHAT-33333	Qwen2.5-72B-Chat	Valid	Generate	200000000	2024-01-01 10:00:00

Download CSV

Consumption Records Tab: Every usage detail maps to a model, AI assistant, and event

Pricing

Complete listing of all model and feature rates

Covers all billing categories including LLM conversations, voice, knowledge base, web scraping, tools, AI assistant computation, Avatar, and more



Pricing Tab: Complete rate table for all models and features

Quota Allocation

- Administrators can set individual Credits spending limits and validity periods for each member
- Supports distributing, editing, and disabling quotas, as well as a "Require Quota" toggle for access control
- Searchable member filtering by status (Active Expired Unallocated)

See [Member Credits Quota Management](#) for details.

Migration Timeline



Migration Timeline: Early upgrade is now available; full conversion to Credits system on 2026/06/02

Phase	Date	Description
Current Phase: Early Upgrade Available	Starting now	Multiple enterprise customers (finance, government, retail, and other industries) have already upgraded early to enjoy the full feature set. Contact sales@maiagent.ai to apply
2026/06/02: Full Conversion	2026/06/02	All organizations that have not yet switched will be automatically converted on this date, with remaining character quotas converted at 1 character = 1 Credit

No service interruption, no setting changes

Your service will not be interrupted during migration. All AI assistants, knowledge bases, and tool settings require no adjustments. At the time of conversion, the system will automatically convert your remaining character quota to Credits at 1 character = 1 Credit, preserving the original expiration dates.

 If you have any concerns or want to evaluate upgrading early, contact the sales team: sales@maiagent.ai. We'll provide customized conversion recommendations based on your usage patterns and contract terms.

FAQ

Q: Will the Credits system be more expensive than before?

No. When designing Credits rates, we ensured that costs for using the same tier of model are comparable to before, or even more favorable. Using Claude 4.5 Haiku as an example, the same Credits quota allows for more token usage than the old system.\

More importantly — after upgrading, you **no longer need to pay separately for advanced features like voice and image generation**. What previously required separate purchases is now covered by a single quota.

Q: Do I need to change my AI assistant settings after upgrading?

Not at all. All your existing AI assistant settings, knowledge bases, tools, integration channels, and more are unaffected. The system will automatically bill in Credits. **Your IT department doesn't need to do anything.**

Q: What happens to my existing character quota?

Your remaining character quota will be automatically converted to Credits at a ratio of **1 character = 1 Credit, with no reduction**. The converted Credits retain their original expiration dates.

Q: Can I use different models together?

Yes. The Credits system **deducts corresponding Credits based on the model tier used** — use the affordable Haiku for customer service FAQ, use Opus for deep analysis. Budget allocation is entirely in your hands.

Q: Can I upgrade early? How do I do it?

You're welcome to upgrade early! Multiple enterprise customers (finance, government, retail, and other industries) have already switched early and are enjoying the full feature set.\

Contact sales@maiagent.ai, and we'll provide customized conversion timeline and recommendations based on your usage and contract terms.

Q: How do I view my Credits usage?

Go to **Organization Settings** → **Credits**. The **Overview** page shows your real-time balance, the **Deposit Records** page shows every Credits source and validity period, and the **Consumption Records** page lets you view detailed usage with CSV export support.

Q: What happens when my monthly quota runs out?

When your monthly Credits quota is exhausted, AI assistants will pause responses. You can purchase additional Credits at any time — **effective immediately after purchase**. Top-up Credits are valid for 12 months from the purchase date.

Q: My current contract hasn't expired. Do I have to migrate immediately?

You don't need to migrate immediately. The system will automatically complete the conversion **before 2026/06/02**.\

However, we **strongly recommend upgrading early** — because once you upgrade, advanced features like voice, image generation, and document parsing are immediately included in the same quota, with no separate add-on purchases needed. If you have any concerns, contact sales@maiagent.ai to discuss.

Q: Can I still use the platform when my plan expires or I don't have a paid plan?

Starting from 2026-06-09, organizations without an active paid plan (including free plans, expired trials, and unrenewed expired plans) will be prompted to upgrade when performing operations that require AI computation. Data is fully retained by the platform for **90 days** from the plan expiration date. During this period, only storage space Credits fees are incurred (settled upon plan reactivation). Resubscribing within 90 days restores everything in full; data not claimed after 90 days will be permanently deleted and cannot be recovered. See [Trials and Subscription Plans — What happens to data when a plan expires or downgrades to free?](#) for details.

Q: Do Credits expire?

Monthly plan quota Credits expire at the end of the current month

Top-up Credits are valid for 12 months from the purchase date

Want to Upgrade Early? Contact Sales Now

If after reading this guide you want to:

Upgrade early to enjoy the full feature set including **voice, image generation, model tier-based billing**, and more

Evaluate the most cost-effective way to convert your current contract

Learn how the Credits system can work with your company's budget control needs

Contact us through the following channels:

**Sales Team (early upgrade
customized recommendations):** sales@maiagent.ai

Website: <https://maiagent.ai>

Thank you for choosing MaiAgent. We will continue to build a more flexible, cost-effective, and trustworthy AI service for you.

Member Credits Quota Management

Organization administrators can set a **personal Credits spending cap (Quota)** and **validity period** for each member, making costs during events or specific projects transparent and controllable.

Only available for organizations using the Credits billing system. If your organization has not yet switched to the Credits system, this feature will not be displayed. See [Credits Billing System](#) for details.

Core Concept

A Quota is a spending ceiling, not a pre-funded sub-wallet.

The organization's Credits wallet remains the sole funding pool. A Quota only limits how many Credits a specific member can consume from the organization wallet. Distributing a Quota does not affect the organization balance, and Quota expiration does not affect the balance either — there is no concept of "returning" Credits.

Use Cases

An enterprise hosts an event and grants external users platform access, needing to control per-person spending caps

Different departments set different personal quotas based on their budgets

Limit a specific account's usage during a validity period, with automatic enforcement after expiration

Administrator Operations


Accessing the Quota Allocation Page

Click **Organization Settings** from the left menu

Click **Credits**

Switch to the **Quota Allocation** tab

The page displays the quota status for all members, including summary cards (All Members, Allocated Quotas, Expired, Unassigned) and progress bars.



Quota Allocation tab: Summary cards and member list

Distribute Quota

Click the **Distribute Quota** button in the upper right corner

Search for the target member by name or email in the search box

Enter the **Credits cap** (spending ceiling)

Set the **validity period** (you can set an expiration date or choose permanent)

Click **Confirm** to complete the distribution



Enter the Credits cap and validity period, then confirm distribution

Each member can only have one active quota at a time. For members who already have an active quota, use "Edit" to adjust it directly, or disable the current quota before distributing a new one.

Edit Quota

For members with an active quota, click **Edit** on their row to adjust:

Increase the Credits cap: Takes effect immediately

Decrease the Credits cap: Cannot be set lower than the member's current consumption; the system will display an error message

Disable Quota

For active members, click **Disable** → confirmation dialog → after confirming, the member's quota is immediately invalidated.

The effect of disabling depends on the "Quota Required" toggle:

Toggle is ON: The member will be unable to use AI features and needs a new quota distributed or the toggle turned off

Toggle is OFF: The member returns to unrestricted status, with consumption directly drawn from the organization wallet

"Quota Required" Toggle

Each member row has a **Quota Required** toggle on the right side:

Toggle State	Description
ON	The member must have an active quota to use AI; without a quota (expired disabled unassigned), access is fully blocked
OFF	The member is not restricted by quota; consumption is drawn directly from the organization wallet

When distributing a quota, the system automatically turns ON "Quota Required." When turning OFF the toggle, if the member has an active quota, the system will simultaneously disable that quota to avoid conflicting states. A confirmation dialog explaining the impact will be displayed before each switch — please review before proceeding.

Members Checking Their Own Quota


Members can view their personal Credits usage from their Profile:

Click the account avatar in the upper right corner

Click **Personal Settings**

Switch to the **Credit Quota** tab

Members of non-Credits billing organizations will not see the "Credit Quota" tab in their Profile.



Credit Quota tab in Personal Settings

The page displays different content based on the member's quota status:

Status	Display Content
Has active quota	Progress bar (used total cap), remaining Credits, expiration countdown
Quota required but none available (expired disabled)	Red alert: "You need a quota to use AI services. Currently no quota is assigned, or your quota has expired. Please contact your administrator to distribute a new quota."
Quota not required	Gray notice: "You currently have no personal quota limit. Consumption is drawn directly from the organization wallet — no need to worry about personal quota caps."

The progress bar color changes based on usage ratio (green for low usage, approaching red for high usage) to remind members to monitor their remaining balance.

Notes

Applicable Scope

Personal quota enforcement **only applies to the following entry points:**

- Operations through the MaiAgent admin dashboard
- API Key calls to the `/completions/` endpoint
- Knowledge Base uploads and document processing

WebChat channels are not subject to personal quota limits. Messages sent through the embedded WebChat widget on websites consume the organization wallet directly, regardless of whether the visitor is logged in.

Fail-Open Mechanism

To prevent service interruptions caused by quota boundary calculation issues, the system uses a Fail-Open strategy: When the remaining quota is > 0 at the time of checking, the current request is allowed through; consumption is recorded only after the AI completes its response. If the consumption exceeds the cap, the next request will be blocked. This ensures users never experience a billing failure at the same time as receiving an AI response.

Role Permission Management

Role Concept

A **Role** is a functional unit within the organization with freely configurable member composition:

Members assigned to a role can come from any member within the organization

A single member can inherit multiple roles simultaneously, enabling flexible permission management

Each role has independent permission settings to accommodate different scenarios

Simple explanation: A role is like a company "department" or "position," such as Customer Service, Marketing, or Manager. You first define what each department can do, then add employees to the corresponding department.

Role Type Descriptions

MaiAgent platform roles are divided into three types:

Owner Role

Definition: The highest-permission role automatically granted to the organization creator

Simple explanation: Like the company's "CEO" or "system administrator" — can manage everything, view all data, with no restrictions.

Characteristics:

Has full access to all resources without additional assignment

Can manage all settings within the organization, including roles, members, and permissions

An organization can have multiple owners

The owner role can be assigned to or removed from other members

The owner role has the highest permissions. Assign it carefully and only to personnel who truly need to manage the entire system.

Default Role

Definition: A base role automatically held by all organization members, giving members basic permissions before other roles are assigned

Simple explanation: Like a company "employee badge" — everyone automatically gets one when they join the company, ensuring new hires can use basic features without waiting for configuration.

Characteristics:

All organization members automatically receive the default role's permissions

Provides the most basic platform access permissions (such as Q&A functionality)

Cannot be batch-assigned via Excel

Administrators can customize the default role's permission scope

Members cannot be manually assigned (the system automatically assigns it to all members)

Recommended configuration: The default role should only have "minimum" permissions to prevent new members from making accidental changes. Other permissions should be distributed through "custom roles."

Custom Role

Definition: Roles manually or batch-assigned to specific members by administrators

Simple explanation: Like the various "departments" or "positions" in a company (Customer Service, Marketing, Manager, etc.), with different permissions granted based on job requirements.

Characteristics:

Requires active assignment by an administrator

Different permission combinations can be configured for different responsibilities

Supports batch assignment for convenient large-scale member management

Members immediately receive corresponding permissions upon assignment

Permission calculation method:

```
Member's final permissions = Default Role permissions + All Custom Role permissions
```

Example:

Member A is assigned to the "Customer Service" role → Gains Q&A permissions + Conversation permissions

Member A is also assigned to the "Testing Team" role → Additionally gains AgentOps permissions

Member A's final permissions: Default permissions + Customer Service permissions + Testing Team permissions

If using EIP login, roles can be automatically synced from the enterprise system. See [Third-Party Login \(SSO\)](#) for details.

Editing Role Permissions

Within the organization, you can click "[Edit Role Permissions](#)" to configure permissions for members of that role.



On the role permissions page, you can:

Add Role: Create a role for the organization (e.g., Marketing Department). When new members join, applying the role automatically grants them the corresponding permissions

Edit Role: Modify role name, description, or department information

Role Permissions: Configure the feature modules and operation scope available to the role

Assign Members: Add organization members to the specified role for unified permission management


Assign AI Assistants: Assign AI assistants the role can operate

Assign Knowledge Bases: Assign knowledge bases the role can access

Assign Conversation Platforms: Assign conversation platforms the role can use

Delete Role: Remove roles that are no longer in use to keep the organization's permission structure clean

Batch Features: Batch add members to the organization or batch assign roles to members via Excel (see [Member Management: Batch Member and Permission Management](#))



Role permission settings diagram

Role settings tab notes Owner Role: The "Assign AI Assistants," "Assign Knowledge Bases," and "Assign Conversation Platforms" tabs are disabled because the owner role automatically has access to all resources Default Role: The "Assign Members" tab is disabled because the default role is automatically assigned to all members

Permission Levels

MaiAgent uses a **hierarchical permission architecture** with permissions divided into **main permissions** and **sub-permissions**:

What is a "hierarchical permission architecture"? It is like a folder structure: Main permission = Main folder (e.g., "AI Features") Sub-permission = Subfolder (e.g., "AI Assistants," "Knowledge Bases," "Crawlers") How it works: Checking a main permission automatically includes all sub-permissions You can also check only specific sub-permissions for more granular control

Permission Structure Overview

Main Permission	Sub-Permission	Description
MaiGPT Permission	-	Controls access to MaiGPT features
AI Feature Permission	AI Assistant Permission	Controls viewing and operations on the "AI Assistants" tab
Knowledge Base Permission	Controls viewing and operations on the "Knowledge Bases" tab	
Crawler Permission	Controls access to crawler features	
Tool Permission	Controls access to tool management features	


Main Permission	Sub-Permission	Description
AgentOps Permission	Test Set Permission	Controls viewing and operations on test set features
Automated Testing Permission	Controls access to automated testing features	
Customer Service Conversation Permission	All Conversations Permission	Controls viewing and operations on the "All Conversations" tab
Conversation Platform Permission	Controls viewing and operations on the "Conversation Platforms" tab	
Contact Permission	Controls access to contact management features	
Q&A Permission	-	Controls viewing and operations on the "Internal Q&A" tab
Developer Permission	API Call Log Permission	Controls viewing of API call logs
Organization Permission	Organization Overview Permission	Controls viewing of the organization overview page
Activity Log Permission	Controls viewing of activity log features	

Permission level notes Checking a main permission automatically includes all sub-permissions under it You can also check only specific sub-permissions for more granular permission control A user's final permissions are the sum of the system default role and custom role permissions

Permission Configuration Instructions


Add a role and assign permissions

Click "**Add Role**" in the upper right corner to enter a name for the new role and check the permissions the role should have.



Edit name and permissions

Enter the editing page to edit the role name and re-check the permissions the role should have.



Based on the role definition, you can decide whether organization members can view or use related feature tabs in the left menu. Use checkboxes to enable/disable each permission, then click the "Save" button in the lower right to apply the settings.



Left menu page



Permission Use Cases

Suppose an enterprise uses MaiAgent to build a customer service system:

Scenario 1: New Customer Service Agent

Grant only "Q&A Permission"

Reason: They just joined and need to quickly learn product knowledge and company policies

Prevention: Prevents the agent from accidentally deleting customer conversation records or modifying important AI assistant settings while still unfamiliar

Scenario 2: Senior Customer Service Agent

"Q&A Permission" + "Customer Service Conversation Permission (All Conversations)"

Reason: Experienced and needs to help handle complex complaints and guide new agents

Prevention: AI feature permissions are still withheld to prevent service agents from accidentally modifying AI assistant settings, which could cause all customers to receive incorrect responses

Scenario 3: AI Assistant Administrator

"AI Feature Permission" + "AgentOps Permission"

Reason: Responsible for managing and optimizing AI assistant response quality


Prevention: Customer service conversation permissions are withheld to avoid access to customer privacy data

Assign Members

You can assign created roles to members in your organization:

Navigate to the Assign Members page

Click the "+ Assign Members" button



Select the members to add and click the "Add >" button in the center
Click the "Confirm" button in the lower right to complete the configuration

分配成員

可選成員

共 12 項

搜尋可選成員

選擇全部

已滿 0 項

@maigentai

王思遠

maigent.wang@maigentai

@maigentai

@maigentai

@maigentai

@maigentai

1

2

>

加入 >

< 移除

已選成員

共 0 項

搜尋已選成員

選擇全部

已滿 0 項

暫無數據

取消

確認

Select members to add

分配成員

可選成員

共 12 項

搜尋可選成員

選擇全部

已選 0 項

@maigent.ai

王思遠

maigent.wang@maigent.ai

@maigent.ai

@maigent.ai

@maigent.ai

@maigent.ai

1

2

>

加入 >

< 移除

已選成員

共 0 項

搜尋已選成員

選擇全部


已選 0 項

暫無數據

取消


確認

Click Add




Addition complete, click Confirm


The newly added members will appear in the member list.



After addition, since the member only has AI assistant permissions, the left menu will only show the AI assistant feature menu. Other features like customer service conversations and organization settings will not appear in the left menu. When a member navigates to a feature they do not have permission to access, a no-permission notice will appear:



Updated permission page



No permission notice

This way, the member can only use the AI assistant feature and cannot make any other changes.


Need to batch-assign roles to multiple members? See [Member Management: Batch Member and Permission Management](#).

Assign AI Assistants

You can restrict which AI assistants a role can use, ensuring knowledge base data is properly separated by role permissions:

Navigate to the "Assign AI Assistants" page

Click the "+ Assign AI Assistants" button



Select the AI assistants to add and click the "Add >" button in the center

Click the "Confirm" button in the lower right to complete the configuration

分配 AI 助理

可選 AI 助理

共 10 項

搜尋可選 AI 助理

☐ 全選

已選 0 項

☐ LLM 測試用
1af8b729-cbca-4c07-b685-ed0cd3856c

☐ LINE CONVERGE
450437b7-3612-4627-be45-c4c76a0a07

☐ Test
edf7b40d-2e3d-48ab-09e6-97f00651f3

☐ 模型測試
fbd0d84c-231e-4e3a-8a4d-b1052db9b5

☐ POC Agent
4d224392-25aa-4482-9ab0-3c66f612391

☐ 16e37084-f77a-433d-ab2b-e193277a2e

新增 AI 助理 >

< 移除 AI 助理

已選 AI 助理

共 0 項

搜尋已選 AI 助理

☐ 全選

已選 0 項

暫無資料

1 2 >

取消

確認

Select AI assistants to add

分配 AI 助理

可選 AI 助理

共 10 項

搜尋可選 AI 助理

全選

已選 2 項

☒

LLM 測試用

1af0b729-cbca-4c07-b665-ed0cd3859c

☐

LINE CONVERGE

450437b7-3812-4627-be46-c4c78e0e07

☐

Test

edf7b40b-2e1d-45ab-89e6-97f08651f5

☐

模型測試

fbdd084c-231e-4e3a-8a4d-b1057d0b9b5

☐

POC Agent

4d224392-25aa-4482-9abb-3c66f61239

☐

16e32084-f72a-433d-ab2b-e193272a2e

新增 AI 助理 >

< 移除 AI 助理

已選 AI 助理

共 0 項

搜尋已選 AI 助理

全選

已選 0 項

暫無資料

1 2 >

取消

確認

Click the center Add AI Assistant button

分配 AI 助理

可選 AI 助理

共 10 項

搜尋可選 AI 助理

☐ 全選

已選 0 項

☐ LLM 測試用
1af8b729-cbca-4c07-b685-ed0cd3856c

☐ LINE CONVERGE
450437b7-3812-4827-be46-c4c78a3e07

☐ Test
edf7b40d-2e5d-48ab-89eb-97f08651f3

☐ 模型測試
fhd0d84c-231e-4e3a-8a4d-b1052db9fb5

☐ POC Agent
4d224392-252a-4482-9ab0-3c66f61239

☐ 16e32084-f72a-433d-ab2b-e193272a2e

新增 AI 助理 >

< 移除 AI 助理

已選 AI 助理

共 2 項

搜尋已選 AI 助理

☐ 全選

已選 0 項

☐ LLM 測試用
1af8b729-cbca-4c07-b685-ed0cd3856c

☐ 全螢幕嵌入示範
da10bf3e-b8cb-4cac-85cf-dc265aeac6

1 2 >

取消

確認

Addition complete, click Confirm

After addition, the selected AI assistants will appear in the list:



After completion, users with this role can only view and use the assigned AI assistants:



The owner role automatically has access to all AI assistants without manual assignment.

Assign Knowledge Bases

You can restrict which knowledge bases a role can access, ensuring sensitive data is only accessible to specific roles:

Navigate to the "[Assign Knowledge Bases](#)" page

Click the "[+ Assign Knowledge Bases](#)" button



Select the knowledge bases to add and click the "Add >" button in the center

Click the "Confirm" button in the lower right to complete the configuration

After addition, the selected knowledge bases will appear in the list.

Use cases:

R&D Department: Can only access technical documentation knowledge bases

Sales Department: Can only access product description and pricing knowledge bases

HR Department: Can only access employee handbook knowledge bases

The owner role automatically has access to all knowledge bases without manual assignment.

Assign Conversation Platforms

You can restrict which conversation platforms a role can use, assigning different teams to different customer service channels:

Navigate to the "Assign Conversation Platforms" page

Click the "+ Assign Conversation Platforms" button



Select the conversation platforms to add and click the "Add >" button in the center

Click the "Confirm" button in the lower right to complete the configuration

After addition, the selected conversation platforms will appear in the list.

Use cases:

LINE Customer Service Team: Can only access the LINE conversation platform

Website Customer Service Team: Can only access the Web Chat conversation platform

VIP Customer Service Team: Can access all conversation platforms

The owner role automatically has access to all conversation platforms without manual assignment.

Default Role

ID	名稱	權限	建立時間	操作
95e1100c-206a-4eb8-bb82-72e6...	預設角色	預設角色	AI 助理權限	2025-07-29 20:44:04

The default role is automatically generated when the organization is created and serves as the base role for all users. When applying user role configurations, if no specific role is assigned, the system will automatically apply all permission settings from the default role.

It is recommended to set the default role permissions to the minimum level to prevent default role settings from overriding other role configurations

Permission Handling

When a user is assigned to multiple roles simultaneously, MaiAgent uses the following permission handling logic:

Permission Union Principle

Uses the "maximum permission" strategy: The user will receive the union of all role permissions, meaning they will have the broadest possible operation permissions.

Simple explanation: When a member belongs to multiple roles simultaneously, they receive the union of all role permissions rather than only the permissions of a single role.


Example:

Member B has the following roles simultaneously:

- └ Customer Service Role: Q&A Permission + All Conversations Permission
- └ Marketing Role: AI Feature Permission (AI Assistants) + All Conversations Permission

→ Member B's effective permissions: Q&A Permission + All Conversations Permission + AI Assistant Permission


(Duplicate permissions are not stacked; they are counted only once)



Permission Application Order

The system calculates permissions in the following order:

Step 1: Apply "Default Role" permissions
 ↓ (Automatic, all members have this)
 Step 2: Apply "Custom Role A" permissions
 ↓ (Administrator assigned)
 Step 3: Apply "Custom Role B" permissions
 ↓ (Administrator assigned)
 Final Permissions = Step 1 + Step 2 + Step 3



Default Role (Automatically assigned)

Automatically generated when the organization is created

All users automatically have the default role permissions applied

Custom Roles (In assignment order)

Later-assigned roles are merged with existing permissions

They do not override existing permissions; they only add new ones

Key points: Later-assigned roles "do not override" existing permissions They only "add" more permissions You cannot "reduce" permissions by assigning new roles To reduce someone's permissions, you must: 1. Remove the member from the role, or 2. Modify the role's permission settings directly

Role Union Example

Scenario:

The default role is associated with three AI assistants

A custom role is associated with only two AI assistants



Default Role



Custom Role

Result: Even if the user has been assigned to the custom role, the union still includes the default role's associated settings, so the user can ultimately use three AI assistants.



This is why it is recommended to set the default role's permissions to the minimum, to avoid affecting permission control for other roles.

Permission Removal

When a user is removed from a role:

Removing a custom role: Loses that role's specific permissions; retains other role permissions

Cannot remove the default role: All users permanently belong to the default role

Permission check: The system recalculates the user's effective permissions

Example:

```

Member A's original permissions: Q&A + AI Features + Customer Service Conversations
↓
Remove "AI Feature Development" role
↓
Member A's effective permissions: Q&A + Customer Service Conversations

```

Troubleshooting

Common Issue: User Cannot See Expected Features or Can Use More Features Than Expected

Check all roles the user belongs to, including whether the default role has too many permissions enabled

Ask the user to clear browser cache and log in again

Permission Audit Recommendations

Regularly review whether user role assignments are appropriate

Remove all role assignments for departed members

FAQ

Q: How do I give new members more permissions?

Administrators can assign additional roles to members through the following methods:

Individual member: Click the member in the member list and manually add roles

Batch assignment: Use the Member Management: Batch Member and Permission Management feature to assign roles to multiple people at once via Excel

EIP auto-sync: If using EIP login, roles can be configured on the EIP side and automatically synced during login (Third-Party Login (SSO))

Q: Why can't the default role be batch-assigned via Excel?

The default role is a base role automatically held by all members. The system automatically assigns it to every member, so it does not need to be and cannot be assigned via Excel.

Q: Why can't the owner role be assigned AI assistants, knowledge bases, or conversation platforms?

The owner role has full access to all resources without additional assignment. The system automatically grants the owner role access to all resources within the organization.

Q: What does the hierarchical permission structure mean?

MaiAgent's permissions use a parent-child hierarchy. For example, "AI Feature Permission" is a main permission that includes sub-permissions like "AI Assistant Permission," "Knowledge Base Permission," "Crawler Permission," and "Tool Permission." Checking a main permission automatically includes all sub-permissions, but you can also check only specific sub-permissions for more granular control.

Member Management

What Is a Member?

A **Member** is a user within an organization who gains corresponding permissions and resources by being assigned to different roles.

Simple explanation: A member is like a "company employee." Each employee can join different departments (roles) and receive corresponding work permissions based on their department.

Member Type Descriptions

Member Type	Description	Permission Scope
Owner	Defaults to the organization creator	Has full access to all resources Can manage organization settings and role permissions
Regular Member	A member within a role	Has the permissions and resources of assigned roles, such as Q&A, conversation permissions, etc.

Simple explanation: Owner = The company's general manager or system administrator who can manage everything
Regular Member = A company employee with different permissions based on their department (role)

For detailed role permission settings, see [Role Permission Management](#).

Basic Operations

Accessing the Member Management Interface

Log in to the MaiAgent platform

Click "[Organization Settings](#)" from the left menu

Click "[Organization Overview](#)"

Click the "[Edit Members](#)" button to enter the member management page

How to Choose a Method for Adding Members

MaiAgent provides three ways to add members to an organization. Choose the most suitable method for your situation:

Quick Guide The person already has a MaiAgent account → Use "Add Member" The person does not have a MaiAgent account and you have a list → Use "Email Invitation" The person does not have a MaiAgent account and you want self-service registration → Use "Organization Invitation Link"

Scenario Examples: Onboarding 30 Employees at Once Situation A: Employees do not have MaiAgent accounts, and you have a list → Use the "Email Invitation" bulk import feature to enter 30 emails at once Situation B: Employees do not have MaiAgent accounts, and you want self-service registration → Use the "Organization Invitation Link" and share the link via announcements or group messages Situation C: Some employees already have MaiAgent accounts → Already have accounts: Use "Add Member" to add directly → Do not have accounts: Use "Email Invitation" or "Organization Invitation Link"

Add Member (Already Has a MaiAgent Account)

When the member you want to add **already has a MaiAgent account**, you can add them to the organization directly via email.

Steps:

On the member management page, click "**Edit Members**"

Click "**Add Member**"


Enter the user's email

After confirmation, the member is added to the organization





Edit Members page



The person must already have a MaiAgent account to use this feature. If they have not registered yet, use "Email Invitation" or "Organization Invitation Link" instead.

Email Invitation (No Account, Have a List)


When the members you want to invite **do not yet have a MaiAgent account** and you already have their email list, you can send invitation emails through the Email Invitation feature.

Step 1: Access the invitation feature

From the left menu, click "**Organization Settings**" > "**Organization Overview**"

Click the "Invitation Status" tab

Click the "Invite New Member" button in the upper right



Step 2: Configure invitation details

Select the "Invite via Email" tab

Select roles (multiple selection allowed): Set the default roles for invitees after they join the organization

Set invitation expiration: Choose from 1 day, 3 days, 7 days, 14 days, 30 days, 90 days, or a custom date



邀請加入組織

邀請使用者加入 王思遜 的組織 組織並開始使用 MaiAgent。 [查看邀請狀態](#)

4

透過 Email 邀請

生成邀請連結

選擇角色 (可多選)

5

☐ 擁有者

6

邀請有效期

永不過期

1 天

3 天

7 天

14 天

30 天

90 天

自訂日期

① 邀請將在 7 天後過期

7

Email 地址

批量導入

+ 新增

取消

重設

發送邀請

Step 3: Enter invitee emails

Enter the invitee's email address in the email field and click "**Add**" to add them to the invitation list.



邀請加入組織

邀請使用者加入 王思遜 的組織 組織並開始使用 MaiAgent。 [查看邀請狀態](#)

透過 Email 邀請

生成邀請連結

選擇角色 (可多選)

已選 1 個

☒ 擁有者

邀請有效期

永不過期

1 天

3 天

7 天

14 天

30 天

90 天

自訂日期

🕒 邀請將在 1 天後過期

Email 地址

批量導入

+ 新增

取消

重設

發送邀請

8

After adding, the email will appear in the "Added" list.



邀請加入組織

邀請使用者加入 王思邁 的組織 組織並開始使用 MaiAgent • [查看邀請狀態](#)

透過 Email 邀請

生成邀請連結

選擇角色 (可多選)

已選 1 個

☒ 擁有者

邀請有效期

永不過期

1 天

3 天

7 天

14 天

30 天

90 天

自訂日期

① 邀請將在 1 天後過期

Email 地址

10

批量導入

✉ 輸入邀請者的信箱

+ 新增

已添加 1 封郵件

9

 test@maiagent.ai

取消

重設

發送邀請

Step 4: Bulk enter multiple emails (optional)

To invite multiple members at once, click "**Bulk Import**" to switch to bulk input mode, where you can paste multiple emails (separated by commas, semicolons, or line breaks).



邀請加入組織

邀請使用者加入 王思遠 的組織 組織並開始使用 MaiAgent > [查看邀請狀態](#)

透過 Email 邀請

生成邀請連結

選擇角色 (可多選)

已選 1 個

☒ 擁有者

邀請有效期

永不過期

1 天

3 天

7 天

14 天

30 天

90 天

自訂日期

🕒 邀請將在 1 天後過期

Email 地址

返回單一輸入

test@maiagent.ai
test1@maiagent.ai
test2@maiagent.a

+ 批量添加

取消

重設

發送邀請

11

12

Step 5: Send invitations

After confirming the invitation list is correct, click "[Send Invitation](#)". The system will send invitation emails to all invitees.



邀請加入組織

邀請使用者加入 王思邁 的組織 組織並開始使用 MaiAgent > [查看邀請狀態](#)

透過 Email 邀請

生成邀請連結

選擇角色 (可多選)

已選 1 個

☒ 擁有者

邀請有效期

永不過期

1 天

3 天

7 天

14 天

30 天

90 天

自訂日期

🕒 邀請將在 1 天後過期

Email 地址

返回單一輸入

輸入多個Email地址，以逗號、分號或換行分隔

+ 批量添加

已添加 3 封郵件

 test@maiagent.ai

 test1@maiagent.ai

 test2@maiagent.ai

取消

重設

發送邀請

13

Invitee Process Invitees will receive an invitation email. After clicking the link in the email, they will be directed to the registration page. Once registration is complete, they will automatically join your organization and receive the specified role permissions.

Invitee Registration Guide

Below is the complete registration process for invitees after receiving an invitation email. You can share this section with invitees for reference.

Step 1: Open the invitation email

Go to your email inbox and find the invitation email sent by **no-reply@maiagent.ai** with the subject "**You are invited to join MaiAgent.**" The email will show the name and contact email of the organization administrator who invited you. After confirming the information is correct, click the "**Register Now**" button in the email.



Invitation email example

Step 2: Fill in registration information

After clicking "Register Now," your browser will redirect to the MaiAgent registration page. Fill in the following information:

註冊

真實姓名

公司名稱

公司信箱

密碼



建議：至少9位（12位更佳） | 大小寫字母 + 數字 + 特殊符號（如 !@#\$%^&* / - _ + =）

確認密碼



GKZYHL

☐ 我已經閱讀且同意 [隱私政策](#) 和 [服務條款](#)

註冊

返回

Registration page

Full Name: Enter your full name

Company Name: Enter your company's full name

Company Email: Enter your company email (same as the one that received the invitation)

Password: Set a login password (at least 8 characters recommended, including uppercase and lowercase letters + numbers + special characters)

Confirm Password: Re-enter the same password to confirm

Check "I have read and agree to the Privacy Policy and Terms of Service"

After completing the form, click the "Register" button at the bottom of the page to submit.

Step 3: Log in and join the organization

After successful registration, the system will automatically redirect to the login page. Log in using the **company email** and **password** you just registered with, and you will successfully join the organization and start using MaiAgent.

Organization Invitation Link (No Account, Self-Registration)

When the members you want to invite **do not yet have a MaiAgent account** and you want to let everyone register on their own, you can generate an invitation link to share with invitees.

Step 1: Generate an invitation link

Click the "**Invite New Member**" button

Select the "**Generate Invitation Link**" tab

Select roles (multiple selection allowed): Set the default roles for users who register through this link

Set invitation expiration

(Optional) Enter a link description for easier identification and management

Click "**Generate Invitation Link**"



邀請加入組織

邀請使用者加入 王思邁 的組織 組織並開始使用 MaiAgent • [查看邀請狀態](#)

透過 Email 邀請

生成邀請連結

選擇角色 (可多選)

已選 1 個

☒ 擁有者

邀請有效期

永不過期 1天 3天 7天 14天 30天 90天 自訂日期

🕒 邀請將在 1 天後過期

🕒 生成一個邀請連結，您可以透過任何方式分享給其他使用者來加入組織。

連結描述 (非必填)

添加描述以便於後續識別和管理此邀請連結

取消

生成邀請連結


Step 2: Copy and share the link

After the link is generated, click "[Copy Link](#)" to copy the invitation link to your clipboard. Share it with invitees via email, messaging apps, or internal announcements.



Step 3: Invitees complete registration

Invitees click the link to access the MaiAgent registration page. After filling in basic information and completing registration, they automatically join your organization.



Important Notes Invitation links have an expiration date and cannot be used after they expire. The same link can be used by multiple people to register. You can manage created links (enable/disable) in the "Invitation Links" tab.

Remove Member

Use the "Delete" button to remove a member from the organization.

Assign Roles to Members

After members join the organization, you can assign different roles to each member, granting them corresponding permissions based on their role. For detailed settings, see [Role Permission Management](#).

Advanced Operations: Batch Member and Permission Management

When do you need batch operations? When you need to add a large number of members at once (e.g., 50 new employees) or assign roles to multiple employees, batch features can save significant time.

MaiAgent provides powerful batch management features, suitable for scenarios requiring large-scale member additions or management. Through Excel file import, you can add multiple members and assign roles in one operation, greatly improving management efficiency.

Batch Feature Entry Point

On the member management page, click the "Batch Features" button in the upper right corner:



Batch Add Members to Organization

This feature adds multiple members to the organization at once via an Excel file.

成員

Email

角色

批次新增成員至組織

步驟 1：下載範本

下載範本

步驟 2：編輯並上傳

拖放檔案到這裡或點擊瀏覽

瀏覽檔案

檔案格式說明：

• 僅支援 .xlsx 格式

• 檔案大小限制 10 MB

• Email 為必填欄位

• 已存在組織的成員將被忽略

取消

上傳並執行

Steps:

Download template: Click "Download Template" to get the Excel template file

Edit template: Fill in member emails (required field) in the template

Upload file: Drag and drop or click to upload the edited file

Execute import: Click "Upload and Execute" to complete the batch addition

Excel File Format

Field Name	Required	Description
Name	Optional	Member display name; uses the email prefix if not provided
Email(required)	☒ Required	Member's email address

Example File Content

Name	Email(required)
Xiao Ming Wang	ming.wang@company.com

Name	Email(required)
Xiao Hua Li	hua.li@company.com
David Zhang	david.zhang@company.com
	john@company.com

Case Study An enterprise needs to add 50 new employees to the MaiAgent organization: 1. The IT administrator exports the employee list (including names and emails) from the HR system 2. Formats the data into the Excel format described above 3. After uploading, the system will: For employees with existing MaiAgent accounts: Add them directly to the organization For employees without accounts: Automatically create accounts and add them to the organization 4. All new members automatically receive "Default Role" permissions

File Format Notes Only .xlsx format is supported File size limit: 10 MB Email is a required field Members already in the organization will be skipped (no duplicate additions)

Batch Add Role Members

This feature batch-assigns roles to multiple members, enabling automatic permission distribution.

批次新增角色成員

步驟 1：下載範本或參考資料

下載上傳範本

參考資料：

下載目前成員角色分配

步驟 2：編輯並上傳

拖放檔案到這裡或點擊瀏覽

瀏覽檔案

檔案格式說明：

僅支援 .xlsx 格式

檔案大小限制 10 MB

Email 和角色ID 為必填欄位

取消

上傳並執行

Steps:

Download template: Click "Download Upload Template" to get the Excel template

Download reference data (optional): Click "Download Current Member Role Assignments" to view existing configurations

Edit template:

Fill in member emails

Fill in the role IDs to assign

Upload file: Drag and drop or click to upload the edited file

Execute import: Click "Upload and Execute" to complete batch role assignment

Excel File Format

Field Name	Required	Description
Name	Optional	Member display name; uses the email prefix if not provided
Email(required)	✔ Required	Member's email address
Group_id(required)	✔ Required	Role ID to assign (UUID format)

Field Name	Required	Description
Group_name	Optional	Role name (for reference only; the system uses Group_id)

How to get role IDs? Click "Download Current Member Role Assignments" to export a reference file containing all role IDs, or go to the [Role Permission Management](#) page to view each role's ID.

Example File Content

Name	Email(required)	Group_id(required)	Group_name
Xiao Ming Wang	ming.wang@company.com	4e368ab4-c543-48a2-bbb8-f6f5a0bf6c61	Product Department
Xiao Ming Wang	ming.wang@company.com	7a2b3c4d-e5f6-7890-abcd-ef1234567890	AI Assistant Admin
Xiao Hua Li	hua.li@company.com	4e368ab4-c543-48a2-bbb8-f6f5a0bf6c61	Product Department
David Zhang	david.zhang@company.com	8b9c0d1e-f2a3-4567-89ab-cdef01234567	R&D Department
New Employee	new.employee@company.com	4e368ab4-c543-48a2-bbb8-f6f5a0bf6c61	Product Department

Case Study: Batch Department Permission Setup After completing Azure AD integration, an enterprise needs to assign different resource access permissions to 100 employees by department (for Azure AD setup, see [Third-Party Login \(SSO\)](#)):

Step 1: Prepare Roles Create department roles in MaiAgent: "Product Department," "R&D Department," "Sales Department" Configure the corresponding feature permissions for each role (see [Role Permission Management](#)) Assign accessible AI assistants, knowledge bases, and conversation platforms to each role

Step 2: Prepare Excel Export the employee list (with department information) from the HR system Map department names to corresponding role IDs The same employee can appear in multiple rows (e.g., Xiao Ming Wang belongs to both Product Department and AI Assistant Admin)

Step 3: Execute Import After uploading the Excel, the system will:

- For members already in the organization: Assign roles directly
- For emails not yet in the organization: Automatically invite and assign roles

Members immediately receive role-based permissions

Result 100 employees have their permissions configured in 5 minutes Each department's employees can only access AI assistants, knowledge bases, and conversation platforms relevant to their work

File Format Notes Only .xlsx format is supported File size limit: 10 MB Email and role ID are required fields The same email can appear in multiple rows (one person can have multiple roles) Emails not in the organization will have accounts automatically created and be invited to the organization The Default Role (DEFAULT) cannot be batch-assigned via Excel The Owner Role (OWNER) cannot be batch-assigned via Excel

Further Reading

For detailed role and permission settings, see [Role Permission Management](#)

For EIP login automatic role sync mechanisms, see [Third-Party Login \(SSO\)](#).

Contacts

What Is a Contact?

A **Contact** is one of MaiAgent's core features, functioning like an enterprise's "customer card file." It allows businesses to create a dedicated identity profile for each customer, ensuring a personalized service experience in every conversation.

Simple explanation: A contact is like a "customer data card" that records the customer's identity and permissions. When a customer visits, the AI Assistant uses this data card to determine what services and content to provide.



Identity recognition example

Imagine when a customer interacts with you through a website chatroom, the system can immediately identify "This is Mr. Zhang, he is a VIP member" or "This is a new visitor, only partial documents should be accessible," and provide the corresponding service content and permissions accordingly.

Why Do You Need the Contact Feature?

Personalized Service Experience

Every customer has unique needs and backgrounds. The contact feature enables the AI Assistant to:

- Remember conversation history with the customer
- Provide appropriate information based on the customer's identity
- Avoid repeatedly asking for already known information

Precise Permission Management

Different customers should see different content:

VIP members can view exclusive offers
Regular members see standard service content
Visitors can only access public information


Data Security Protection

Ensure customers can only access their own data, preventing information leaks.

How Do Contacts Work?

When a user opens a conversation, the conversation request is sent to the enterprise's internal system for processing, which determines whether existing member information is available. Based on this determination, the system finds or creates a contact (anonymous or non-anonymous). Regardless of the path taken, a personalized conversation is ultimately initiated, ensuring every user receives an appropriate personalized experience.

Contact workflow diagram



Contact workflow diagram

Contact Type Descriptions

MaiAgent's contact system is divided into two types based on user identity recognition methods:

Simple explanation: Anonymous contact = A visitor who has not logged in; the system does not know who they are
Non-anonymous contact = A logged-in member; the system knows their identity and data

Contact Type Comparison Table

Item	Anonymous Contact	Non-Anonymous Contact
Applicable Scenario	A visitor entering directly from the web who has not logged into the enterprise's member system, so there is no account to retrieve user data from	A logged-in member or a user entering through another platform account (such as Facebook, LINE, etc.), where the system can obtain the user's name and account information

Item	Anonymous Contact	Non-Anonymous Contact
Identity Recognition	Unable to obtain specific personal information	Has clear identity information (e.g., name, profile picture, etc.)
System Setting	Set as "Anonymous" within the MaiAgent system	The original member account ID is converted into a Source ID
Permission Management	Knowledge base document permissions, conversation platform management	Same as anonymous
Data Mapping	No Source ID, cannot be mapped to enterprise member data	Uses the Source ID to ensure the contact maps to the correct user each time
Creation Method	If a visitor (without member identity) enters, a new anonymous contact is automatically created for each conversation	The system automatically creates or updates contacts based on member login information via the MaiAgent API For detailed integration instructions, see: Technical Manual — Contact Introduction and Integration
Record Mechanism	The system records the user's conversation history based on cache	Maintains conversation continuity through Source ID and contact mapping

Importance of Source ID The Source ID is the key bridge connecting MaiAgent contacts with the enterprise's member system. When users interact with the enterprise through different channels (website, app, social platforms), the system can correctly identify the user's identity through the Source ID, ensuring conversation continuity and a personalized experience. Simple explanation: The Source ID is like a "membership number" that lets the system recognize the same customer across different platforms.

Setting Up Contacts

Anonymous Users

When a user creates a new conversation, the system automatically creates a new anonymous user in the backend (each conversation creates one anonymous user) ↓



Table with 8 columns: ID, 聯絡人 (Contact), 對話平台 (Conversation Platform), 來源ID (Source ID), 查詢查詢 (Search/Query), 建立時間 (Creation Time), 操作 (Action).

ID	聯絡人	對話平台	來源ID	查詢查詢	建立時間	操作
51b2525a-fa06-41e0...	匿名	自定义助理模式	-	-	2025-08-25 10:05:27	[Edit] [Delete]
20250825100540...	-	-	-	-	2025-08-25 10:05:40	[Edit] [Delete]
60440708-2141-40...	匿名	钉钉助理模式	-	-	2025-08-27 16:07:19	[Edit] [Delete]
50715075-4607-40...	匿名	钉钉助理模式	-	-	2025-08-27 16:07:42	[Edit] [Delete]
80440708-2141-40...	匿名	钉钉助理模式	-	-	2025-08-27 16:07:19	[Edit] [Delete]
20250825100540...	匿名	钉钉助理模式	-	-	2025-08-27 16:07:19	[Edit] [Delete]
50715075-4607-40...	匿名	钉钉助理模式	-	-	2025-08-27 16:07:19	[Edit] [Delete]
20250825100540...	匿名	钉钉助理模式	-	-	2025-08-27 16:07:19	[Edit] [Delete]
50715075-4607-40...	匿名	钉钉助理模式	-	-	2025-08-27 16:07:19	[Edit] [Delete]

This includes information such as Contact ID, conversation platform records, creation time, etc.

You can click edit to manually edit anonymous contact information:

ID	聯絡人	對話平台	來源ID	查詢查詢	建立時間	操作
51b2525a-fa06-41e0...	匿名	自定义助理模式	-	-	2025-08-25 10:05:27	[Edit] [Delete]

所有

編輯聯絡人

< 姓名

匿名

頭像

+

上傳

+ 對話平台

自定義助理樣式

來源ID

來源ID

查詢元資料

查詢構建器

查詢元資料

取消 確認

Through editing, you can:

Link member information: Enter a Source ID to link an anonymous contact to member data

Update permission levels: Expand or restrict the scope of document access

Add basic information such as customer name and contact details

Non-Anonymous Users

When a user enters through another conversation platform (e.g., LINE, FB Messenger, Telegram):

The backend automatically creates a corresponding non-anonymous user based on the FB user information (including Source ID, contact name, profile picture, etc.):



你好，你可以幫我做甚麼呢

你好！我可以幫助你做很多事情，主要是透過搜尋內部知識庫來為你提供資訊和答案。以下是我能幫助你的一些方面：

📖 知識查詢

- 回答各種主題的問題
- 提供事實資料和統計數據
- 解釋複雜的概念或理論

🔍 資訊搜尋

- 查找特定主題的詳細資訊
- 搜尋相關的背景知識
- 提供多角度的資訊參考

💡 學習協助

- 幫助理解困難的概念
- 提供學習資料和參考資訊
- 解答學術或專業問題



Aa



个人信息管理							
个人信息		个人信息管理		个人信息管理			
姓名	性别	出生日期	身份证号	手机号	电子邮箱	注册时间	操作
张三	男	1990-01-01	110101199001010001	13900000000	zhangsan@163.com	2023-01-01 10:00	编辑
李四	女	1995-02-02	110101199502020002	13900000001	lisi@163.com	2023-01-01 10:01	编辑
王五	男	1998-03-03	110101199803030003	13900000002	wangwu@163.com	2023-01-01 10:02	编辑
赵六	女	1999-04-04	110101199904040004	13900000003	zhaoliu@163.com	2023-01-01 10:03	编辑
孙七	男	2000-05-05	110101200005050005	13900000004	sunqi@163.com	2023-01-01 10:04	编辑
周八	女	2001-06-06	110101200106060006	13900000005	zhouba@163.com	2023-01-01 10:05	编辑
吴九	男	2002-07-07	110101200207070007	13900000006	wujiu@163.com	2023-01-01 10:06	编辑
郑十	女	2003-08-08	110101200308080008	13900000007	zhengshi@163.com	2023-01-01 10:07	编辑
陈十一	男	2004-09-09	110101200409090009	13900000008	chen11@163.com	2023-01-01 10:08	编辑
冯十二	女	2005-10-10	110101200510100010	13900000009	feng12@163.com	2023-01-01 10:09	编辑
朱十三	男	2006-11-11	110101200611110011	13900000010	zhu13@163.com	2023-01-01 10:10	编辑
马十四	女	2007-12-12	110101200712120012	13900000011	ma14@163.com	2023-01-01 10:11	编辑
宋十五	男	2008-01-13	110101200801130013	13900000012	song15@163.com	2023-01-01 10:12	编辑
李十六	女	2009-02-14	110101200902140014	13900000013	li16@163.com	2023-01-01 10:13	编辑
王十七	男	2010-03-15	110101201003150015	13900000014	wang17@163.com	2023-01-01 10:14	编辑
张十八	女	2011-04-16	110101201104160016	13900000015	zhang18@163.com	2023-01-01 10:15	编辑
陈十九	男	2012-05-17	110101201205170017	13900000016	chen19@163.com	2023-01-01 10:16	编辑
周二十	女	2013-06-18	110101201306180018	13900000017	zhou20@163.com	2023-01-01 10:17	编辑
吴二十一	男	2014-07-19	110101201407190019	13900000018	wu21@163.com	2023-01-01 10:18	编辑
郑二十二	女	2015-08-20	110101201508200020	13900000019	zheng22@163.com	2023-01-01 10:19	编辑
马二十三	男	2016-09-21	110101201609210021	13900000020	ma23@163.com	2023-01-01 10:20	编辑
宋二十四	女	2017-10-22	110101201710220022	13900000021	song24@163.com	2023-01-01 10:21	编辑
李二十五	男	2018-11-23	110101201811230023	13900000022	li25@163.com	2023-01-01 10:22	编辑
王二十六	女	2019-12-24	110101201912240024	13900000023	wang26@163.com	2023-01-01 10:23	编辑
张二十七	男	2020-01-25	110101202001250025	13900000024	zhang27@163.com	2023-01-01 10:24	编辑
陈二十八	女	2021-02-26	110101202102260026	13900000025	chen28@163.com	2023-01-01 10:25	编辑
周二十九	男	2022-03-27	110101202203270027	13900000026	zhou29@163.com	2023-01-01 10:26	编辑
吴三十	女	2023-04-28	110101202304280028	13900000027	wu30@163.com	2023-01-01 10:27	编辑

You can still click the edit button to edit non-anonymous contact information.

編輯聯絡人

< 姓名

陳

頭像

< 對話平台

Testing

來源ID

23973737538993612

查詢元資料

查詢構建器

取消 確認

Through editing, you can:

Complete and correct data

Correct incorrect query metadata settings (update access scope based on permissions)

Modify the internal Source ID to link the correct contact information with member information

Contacts rely on Source IDs for mapping. When editing, ensure the Source ID is synchronized with the enterprise's internal system; otherwise, it may cause data mapping errors during subsequent synchronization with internal enterprise information.

Adding a Contact

The add contact feature is primarily used to **proactively create customer profiles with preset permissions**. If you have not specified a permission scope in Web Chat, you can create contacts in advance to complete permission configuration and service preparation before customers actually initiate a conversation.

To specify a permission scope using a JavaScript script during Web Chat initialization, see: [Technical Manual: Getting Started — Using JSON Format](#)

Core Feature Description

By manually creating a contact, system administrators can pre-create user profiles with specific identities in the customer service system and configure corresponding **Query Metadata** permissions. When these pre-created contacts later interact through a **designated conversation platform**, the system uses the **Source ID automatic matching mechanism** to immediately apply the preset permission level, ensuring they can access data content appropriate for their identity.

Simple explanation: Think of it as "preparing customer permission settings in advance." When this customer visits for the first time, the system already knows what data they can and cannot access.

You can click Add Contact to enter the editing page and add information:



新增聯絡人

✕

✕

✕ 姓名

姓名

頭像

+

上傳

• 對話平台

對話平台

▼

來源ID

來源ID

查詢元資料

查詢元資料

查詢元資料

取消

確認

On the page, you can add contact name, specify conversation platform, and other information:

新增聯絡人

姓名

測試用助理

頭像

對話平台

自定義助理樣式

自定義助理樣式

預設助理樣式

自定義助理樣式

模型測試

Test

取消

確認

Permission Management

Based on enterprise needs, you can use query metadata to restrict the scope of documents available to different contacts. For example:

Restrict by Membership Tier

VIP members: Can query all knowledge bases, advanced FAQ, and product technical documents

Regular members: Can only query basic FAQ and product user manuals

Guest users: Can only query public FAQ and basic product introductions

Restrict by Department

Internal employees: Can query internal operation manuals, system maintenance documents, and complete product data

Distributors: Can query product specifications, price lists, and sales data

General customers: Limited to querying user guides, FAQ, and warranty information

Restrict by Product Tags

Enterprise edition users: Can query documents tagged with "Enterprise Features" and "Advanced Settings"

Personal edition users: Can only query documents tagged with "Basic Features" and "Personal Use"

Trial users: Can only query content tagged with "Trial Instructions" and "Getting Started Guide"

To learn more about query metadata, see: [Knowledge Management Permissions: Query Metadata](#)

When setting query metadata for a contact, the system only authorizes you to configure settings based on the knowledge base of your specified conversation platform. If you attempt to configure settings for another conversation platform's knowledge base, the following warning message appears:

The screenshot shows a web interface for adding a contact. The title is '新增聯絡人' (Add Contact). Below the title is a search bar containing '測試用助理' (Test Assistant). There is a '頭像' (Avatar) section with a placeholder image. The '對話平台' (Conversation Platform) dropdown is set to '模型測試' (Model Test). The '來源ID' (Source ID) field contains '*****41ee-ab3c-236688502a54'. The '查詢元資料' (Query Metadata) section shows a JSON configuration:

```
{  "labelRelations": null,  "knowledgeBases": [    {      "knowledgeBaseId": "21276ac4-35c7-4f9a-95ee-7e18191351ac",      "chatbotFields": {}    }  ]}
```

 A warning message (警告) is displayed in an orange box: '查詢元資料中的知識庫 21276ac4-35c7-4f9a-95ee-7e18191351ac 在當前對話平台中不存在，請重新配置查詢元資料。' (The knowledge base 21276ac4-35c7-4f9a-95ee-7e18191351ac in the query metadata does not exist in the current conversation platform, please reconfigure the query metadata.) At the bottom right are '取消' (Cancel) and '確認' (Confirm) buttons.

Automation Integration

For technical teams, MaiAgent also provides API endpoints for seamless integration with existing enterprise systems.

For details, see: [Technical Manual — Contact Introduction and Integration](#)

Regardless of enterprise size, the contact feature helps you deliver a better customer service experience while ensuring data security and operational efficiency. Through the classified management of anonymous and non-anonymous contacts, the precise mapping mechanism of Source IDs, and flexible creation methods, enterprises can provide the most suitable service experience for different types of users and be fully prepared before customer interactions begin.

Differences Between Roles and Contacts

Display in Conversations

Contact

A contact is a storage entity in MaiAgent that synchronizes user information. A Contact ID is created to identify user conversation data.

Users do not need to log in or have a MaiAgent account to be created.


To learn more about contacts, see [🌐 Contacts](#)



Contact name not set: User defaults to anonymous

Role

To assign a role to a user, the user must have a MaiAgent account and be a member of the organization. Enterprises can predefine roles such as customer service agent, administrative staff, intern, etc. Within an organization, you can preconfigure the permissions and reference databases available to each role, and organization members can select and apply role settings as needed.



Role user profile display

To learn more about roles, see [🌐 Role Permission Management](#)

Permission Comparison



AI Assistant embed view

Comparison Item	Contact	Role
 Use Case	External users, system integration	Internal users, organization management
 MaiAgent Registration	 No registration required	 Registration and organization membership required
 Creation Method	Automatically or manually created by the system	Predefined role templates
 Update Mechanism	Dynamic user information sync	Static role permission settings
 Purpose	Identify user conversation data	Apply preset permission settings, manage AI Assistant backend permissions
 Target Users	External visitors, members	Internal employees, organization members
 Management Method	Managed via API integration	Managed via backend role management
 Permission Control	Dynamic control based on Contact ID	Static control based on Role

Typical Use Cases

Contact use cases: Suitable for scenarios requiring clear identity-based differentiation

Company website: Visitors receive different product information based on their identity

Membership center: Access corresponding service content based on membership tier

Customer service center: Provide differentiated support based on customer type

Role use cases

Internal operations: Employees handle tasks based on departmental roles

Customer service team: Query knowledge bases according to job responsibilities

Management: Review and maintain content based on permissions

Combined Usage Strategy

External-facing operations (where user identity does not need to be explicitly known) are best managed with contacts.

Internal operations (requiring clear permission separation multiple members sharing the same permissions) are best managed with roles.



Recommended usage of contacts and roles for authorization

Role Member Filtering

Feature Overview

The role member filtering feature allows organization administrators to quickly filter the member list by role, significantly improving member management efficiency in large organizations. With this feature, you can quickly find members with a specific role and perform batch operations or permission adjustments.

This feature is especially useful for organizations with multiple roles and a large number of members, effectively simplifying the member management workflow.

Using the Filtering Feature

Basic Filtering

Navigate to the member management page

Click "**Organization Settings**" in the left menu

Click "**Organization Overview**"


Click "**Edit Members**"

Select filter criteria

Find the "**Filter by Role**" dropdown above the member list

Select the role to filter by

The member list will update immediately, showing only members with that role



Member list page — Use the "Select Role Filter" dropdown to filter members by specific role

Filter Options

Filter Option	Description
All Members	Display all members in the organization (default option)
Owner Role	Show only members with the owner role
Default Role	Show members with only the default role (no other roles assigned)
Custom Roles	Filter by custom role names you created (e.g., Marketing, Customer Service, R&D Team, etc.)

Advanced Operations

Combining Filters and Search

You can combine role filtering with keyword search to more precisely find target members:

- First select a role filter (e.g., "Customer Service")
- Then enter a member name or email in the search box
- The system will further search within the filtered results

Example:

```
Filter criteria: Customer Service
Search keyword: Wang
→ Result: All members in Customer Service whose name contains "Wang"
```

Use Cases

Scenario 1: Building a New Project Team

Need: The company is launching a new project and needs to select suitable candidates from existing members to form a project team

Workflow:

1. Create a new role "Project A Team"
2. Filter by relevant departments in sequence:
 - Filter "R&D" → Find 3 engineers
 - Filter "Design" → Find 2 designers
 - Filter "Marketing" → Find 1 marketing specialist
3. Add the selected members to the "Project A Team" role
4. Configure the AI assistant and knowledge base permissions required for the project

Scenario 2: Periodic Permission Review

Need: Review each department's member permissions quarterly to ensure compliance with the principle of least privilege

Workflow:

1. Filter by each department role one by one
2. Check each member's permission configuration:
 - Are there any unnecessary permissions?
 - Are any required permissions missing?
3. Record members that need adjustments
4. Make permission adjustments

Scenario 3: Revoking Permissions for Departing Employees

Need: An employee is leaving the company, and all their permissions need to be revoked quickly

Workflow:

1. Search for the employee's name
2. View all roles the employee belongs to
3. Navigate to the member list for each role
4. Use filtering to quickly locate the employee
5. Remove the employee from all roles
6. Confirm the employee only has the default role (minimum permissions)

Filtering Performance Optimization

Recommendations for Large Organizations

If your organization has more than 100 members, consider the following:

Clear role naming

Use clear naming conventions (e.g., Department-Function-Project)

Example: "Sales-Customer Service-VIP Project"

Reasonable number of roles

Avoid creating too many granular roles

Keep the number of roles per organization to 20 or fewer

Regular cleanup

Delete roles that are no longer in use

Remove departed employees

Merge roles with similar functions

Leverage batch features

Use Excel batch management (see: [Batch Member and Permission Management](#))

FAQ

Q: If a member belongs to multiple roles, which filter results will they appear in?

A: The member will appear in the filter results for all roles they belong to. For example, if Xiao Wang belongs to both "Marketing" and "Project A," they will appear when filtering by either role.

Q: Can filter criteria be saved?

A: Saving filter criteria is not currently supported. However, the browser will remember your most recent filter selection and automatically apply it the next time you open the page.

Q: Why can't I see certain roles in the filter options?

A: Possible reasons:

- You do not have management permissions for that role
- The role has been deleted
- You are not the organization owner (some roles are only visible to owners)

Q: What should I do if filtering is slow?

A: Possible causes and solutions:

- **Too many members** (>500): Use more precise search criteria
- **Too much browser cache:** Clear the browser cache and try again
- **Network latency:** Check your network connection

Related Features

Related Features - [Organization and Member Management](#) - [Role Permission Management](#) - [Batch Member and Permission Management](#) - [Role Resource Access Permissions](#)

Role Resource Access Permissions

Feature Overview

Role resource access permissions is an advanced permission management feature in MaiAgent that allows organization administrators to granularly control role members' "visibility" and "usage permissions" for resources such as AI assistants, knowledge bases, and conversation platforms. With this feature, you can implement more refined permission control, ensuring sensitive resources are only visible to specific roles.

This feature is based on the RBAC (Role-Based Access Control) concept and provides two layers of permission control: - Usage permission: Whether the resource can be used - Access permission: Whether the resource is visible in resource lists

Permission Level Descriptions

Two-Layer Permission Control

MaiAgent's resource permissions are divided into two levels:

Permission Type	Description	Scope of Impact
Usage Permission	Determines whether the resource can be used	Performing operations, sending messages, modifying settings
Access Permission (Visibility)	Determines whether the resource is visible in lists	Resource menus, dropdown lists, search results

Permission Combination Scenarios

Usage Permission	Access Permission	Result
✔ Yes	✔ Yes	Can see and use the resource (highest permission)
✔ Yes	✘ No	Can use but cannot see the resource (suitable for API integration scenarios)
✘ No	✔ Yes	Can see but cannot use the resource (read-only permission)
✘ No	✘ No	No access at all (default state)

Setting Access Permissions

Prerequisites

You must be the organization owner or a member with role permission management authority
Roles have been created and relevant resources (AI assistants, knowledge bases, or conversation platforms) have been assigned

Steps

Navigate to the role management page


Click "**Organization Settings**" in the left menu

Click "**Role Permission Management**"

Select the role to edit

Select the resource type tab

Click the "Assign AI Assistants", "Assign Knowledge Bases", or "Assign Conversation Platforms" tab



Assign AI assistants, knowledge bases, and other resources in role settings


Edit access permissions

In the list of assigned resources, find the resource to edit

Click the "Edit" button on the right side of the resource

In the "Edit Access Permissions" dialog, check or uncheck the "Visibility" option

Click "Confirm" to save the settings



Edit role feature permission settings

After changing access permissions, affected members need to log in again or refresh the page to see the changes.

Use Case Examples

Scenario 1: Confidential Project Management

Need: The R&D department has a confidential AI assistant for a project and wants only project members to see it

Configuration:

- Create a "R&D Project Team" role
- Assign the confidential AI assistant to this role
- ☒ Enable "Visibility" permission
- Other roles cannot see this confidential assistant even if they have AI assistant usage permissions

Scenario 2: API Integration

Need: An AI assistant is intended only for external system API calls and should not be visible to internal employees in the interface

Configuration:

- Assign the AI assistant to the API integration role
- ☒ Grant usage permission (so the API can call it)
- ☒ Disable "Visibility" permission (not displayed in the interface list)

Scenario 3: Hierarchical Data Access

Need: Allow entry-level employees to see only public knowledge bases while managers can see all knowledge bases

Configuration:

- "Regular Employee" role: Assign only public knowledge bases with visibility enabled
- "Manager" role: Assign all knowledge bases with visibility enabled for all
- "Finance Specialist" role: Assign financial knowledge bases with visibility enabled

Relationship with Existing Permissions

Permission Calculation Logic

A member's final resource access permission = **Role Permission** + **Resource Assignment** + **Access Permission Setting**

Example: Member Xiao Wang has two roles simultaneously

Role A:

- AI feature permission: 
- Assigned AI Assistant X:  Usage permission,  Visibility

Role B:

- AI feature permission: 
- Assigned AI Assistant Y:  Usage permission,  Visibility

→ Xiao Wang's actual permissions:

- Can see and use AI Assistant X
- Can use AI Assistant Y (via API or direct link), but cannot see it in the interface list

Difference from Owner Role

The Owner Role automatically has full access permissions for all resources (including both usage permission and visibility), with no manual configuration required.

FAQ

Q: Why separate "usage permission" and "access permission"?

A: This design provides more flexible permission control:

- **Simplified interface:** Prevents members from seeing too many irrelevant resources, improving user experience
- **Data security:** Sensitive resources can be completely hidden, reducing the risk of information leaks
- **API integration:** Supports system-to-system integration without displaying technical resources in the user interface

Q: If a member has the same resource through multiple roles, how is access permission calculated?

A: The "union" principle is used. As long as any role enables visibility, the member can see the resource.

Q: How long does it take for access permission changes to take effect?

A: Changes take effect immediately, but affected members need to refresh the page or log in again to see the changes.

Q: After disabling visibility, can the member still use the resource via API?

A: Yes. As long as the member has usage permission for the resource, they can use it via API or direct link, even if it is not visible in the interface.

Q: How can I quickly batch-set visibility for multiple resources?

A: Currently, resources must be edited one by one. Plan your visibility strategy when assigning resources to avoid large-scale adjustments later.

Additional Use Cases

Beyond the scenarios above, resource visibility control is particularly useful in the following situations:

Multi-department collaboration: The marketing department only needs to see marketing-related AI assistants and knowledge bases, while the customer service department only needs to see customer service-related resources, preventing members from being distracted by irrelevant resources

Project grouping: Set independent resource visibility scopes for different project teams to avoid resource confusion between projects

Permission testing: When testing new features, hide test resources so regular members cannot see them

Onboarding guidance: Set fewer visible resources for new members to reduce the learning curve

Outsourcing team management: Allow outsourced personnel to see only resources related to their assigned projects, protecting other project information

Keep "visibility" and "usage permission" consistent to avoid situations where members can see resources they cannot use, which causes confusion.

Important Notes

Permission Configuration Recommendations - Configure access permissions for the default role carefully to avoid all members seeing unnecessary resources - Regularly review resource visibility settings to ensure compliance with organizational security policies - Restrict visibility for important or sensitive resources, opening access only to specific roles

If a resource is deleted or deactivated, members cannot see or use it even if it remains in the visibility list.

Related Documentation - [Role Permission Management](#) - [Organization and Member Management](#) - [Batch Member and Permission Management](#)

Knowledge Management Permissions: Query Metadata

Feature Description

When deploying an AI conversation system, organizations typically need fine-grained control over the available scope of "Knowledge Bases

AI Assistants

Conversation Platforms" based on user permissions and usage requirements.

In MaiAgent, you can use query metadata attached to different conversation identity levels to determine "what content this person this conversation can reference."

What Is Query Metadata?

Query metadata is a set of dynamic conditions that define the query scope. It can specify which "knowledge bases, FAQs, and documents matching tag conditions" a user can query on a given conversation platform.

It does not replace roles or contacts; rather, it enables these identities to "function conditionally," achieving conversation-level least privilege control.

Roles

Contacts

Conversations are containers; query metadata is the condition settings that actually control the visible scope

Learn more from the following articles: [Contacts](#) [Role Permission Management](#)

Permission Level Concept

Before constructing a service, the Agent verifies all available knowledge bases through query metadata at different levels. The permission level reference order is as follows:


```
AI Assistant > Conversation Platform > User (Conversation Contact Role) > Query Metadata > Query Permissions
```

You can specify permissions at each level using the graphical interface or JSON format

See the following documentation for instructions:

[Getting Started — Using the "Query Builder"](#)

Technical Manual: [JSON Interface Configuration Guide \(Contacts, Web Chat Embed Settings\)](#).



Contacts

Conversations correspond to internal conversations where you can control the knowledge bases used through filtering

Document Filtering Condition Level Hierarchy

文件篩選條件判斷層級

權限管理系統



資料來源: 權限管理系統

權限判斷流程

- 1. 首先檢查 Message 欄位
- 2. 檢查 Contact 個人屬性
- 3. 檢查 Role 角色權限
- 4. 最後採用對話平台 Default 的權限

實際案例：客服人員小明查詢資料

Message: 請問小明是誰？
Contact: 小明的個人資料 (包含姓名、電話等)。
Role: 客服角色 (包含查看客戶資料)。
Default: 對話平台預設權限。

最終結果 = 上層設定優先置為下層

Through layer-by-layer transmission, query metadata becomes the actual decision-making basis for AI response logic

Practical Use Cases

圖 企業知識庫架構：如何管理不同部門的資料存取權限

以一間公司為例，展示如何透過標籤管理不同員工的資料存取權限



Summary: The Value of Query Metadata for Enterprises

- 🎯 **Multi-dimensional identity cross-control** (role + region + product line)
- 🎯 **Real-time query control:** No need to duplicate assistants — just change the conditions to switch between scenarios
- 🎯 **Flexible large-scale knowledge base management:** Tags and knowledge bases can be split and authorized by scenario

Incorporate query metadata into your product architecture core to achieve maximum authorization flexibility with minimal configuration,


ensuring knowledge security while improving conversation experience and operational efficiency.

Getting Started - Using the Query Builder

Contact Query Metadata Configuration

You can use the "Query Builder" in the MaiAgent service to create query metadata through a graphical interface. Here is an example using contact query metadata:

Step 1: Navigate to the Contact Section in the MaiAgent Backend



Contact section entry point

Step 2: Configure the Desired Contact

Find the contact you want to configure and click Edit

▼

重置篩選

+ 新增聯絡人

C

對話平台	來源ID	查詢元	操作
claude 助理	6d41b9a9...		
claude 助理	-		
第一次嘗試	6d41b9a9...	{"knowledgeBases": [], "I	

Contact edit entry point

2. After clicking, the following screen appears

編輯聯絡人

*****41ba-ab3c-2366889502a54

查詢元資料

查詢元資料

查詢元資料

取消

確認

共 3 條

Query Builder entry point

Click the Query Builder to enter the graphical interface

Step 3: Select the Permissions to Grant

Check the knowledge bases you want to open, or selectively check specific documents within a knowledge base



Select knowledge bases and documents

2. To open documents based on specific tags, click "Show Tag Filters" to open the tag configuration area



Tag filter settings

You can select the condition logic here: choose **"OR"** (match any condition) or **"AND"** (match all conditions) as the document access criteria within the opened knowledge bases

Conversation Settings (Message)

You can also use the right-side menu shown below to select the knowledge permissions to grant:



Internal conversation: Select available knowledge permissions

You can also use "Show Tag Filters" to configure tag filter conditions

You can still modify the right-side permissions for knowledge management before sending each different message




Available document list



Selected document status

Currently, three files are available for reference: CV, SOP, and Questionnaire

After unchecking the CV in the next message and sending:



Unchecking a document example

The Agent can no longer use the CV file, and the reference library no longer shows CV citations:



Reference library change: After removing CV

You can adjust permissions before sending each message, affecting the content that can be cited in that round of responses.

Pre-Configuration During Web Chat Initialization

MaiAgent provides the ability to pre-configure query metadata before Web Chat is officially initialized. If you want to restrict conversation content before the contact is identified (e.g., when providing Web Chat service to customers who have not registered a contact account), you can provide query metadata during embedding, and the system will enable the message-level knowledge base document filtering mechanism by default.

For Web Chat configuration, see: [Technical Manual: Getting Started — Using JSON Format](#)

You can also use JSON format to construct query metadata. See [Technical Manual: Getting Started—Using JSON Format](#)

Third-Party Login (SSO)

Enterprise Single Sign-On (SSO) allows your employees to log in to the MaiAgent platform using your company's existing account system, eliminating the need to memorize additional usernames and passwords. By integrating with your enterprise identity verification system, employees only need to log in once to the company system to seamlessly access all MaiAgent features, greatly simplifying the login process and enhancing security.

Third-Party Login (SSO) is an Enterprise plan exclusive feature. To enable it, contact the MaiAgent sales team to upgrade to the Enterprise plan.

Use Cases

- Large enterprise deployment:** A company with 100+ employees who need to use MaiAgent; SSO integration avoids creating accounts one by one
- Unified permission management:** Centrally manage all employee roles and permissions through the company's identity verification system
- Security requirements:** Industries with high security standards such as finance and healthcare require employees to pass enterprise authentication for all system access
- Multi-system integration:** The company already uses multiple SaaS services and wants employees to log in to all systems with one set of credentials
- Offboarding management:** When an employee leaves, simply disabling their account on the enterprise side simultaneously revokes MaiAgent access permissions

Accessing Third-Party Login Settings

- From the left menu, click [Organization Settings](#) > [Organization Overview](#)
- Click the [Third-Party Login Settings](#) button
- Enter the authentication source settings page and select an authentication type

Only the organization's Owner has permission to modify third-party login settings. If you do not see the settings button, verify your role permissions.


Supported Authentication Types

MaiAgent provides 4 authentication methods. Choose the best option based on your enterprise needs:

Authentication Type	Description	Use Case
MaiAgent (Default)	Uses MaiAgent's built-in username and password	Small teams, no enterprise SSO requirement
<u>SAML</u>	Integrates with SAML 2.0 identity providers (IdP)	Already have Azure AD, Okta, Google Workspace, or other IdP
<u>EIP</u>	Enterprise Information Portal, connects to enterprise verification systems via API	Custom-built identity verification systems, flexible integration needs

Authentication Type	Description	Use Case
Keycloak	Integrates with the Keycloak open-source identity verification platform	Enterprises using Keycloak for unified identity management

After entering the settings page, 4 authentication type cards are displayed. The currently active authentication type is marked with a green "Active" badge. Click on the target authentication type to expand its settings form.



Third-party login settings page — Select different authentication methods

For detailed setup steps for each authentication type, see:

[SAML Integration](#)

[EIP Integration](#)

[Keycloak Integration](#)

Authentication Source Name Rules

Regardless of which third-party authentication type you choose, you need to set an **Authentication Source Name**. This name follows these rules:

Only **lowercase letters**, **numbers**, **hyphens (-)**, and **underscores (_)** are allowed

Maximum **31 characters**

Must be **unique** across the entire system (case-insensitive)

The reserved name `maiaagent` cannot be used

The authentication source name is used as part of system URLs (such as SAML Entity ID and ACS URL). If changes are needed after setup, the identity provider-side configuration must also be updated. Using your company's English abbreviation as the name is recommended.

User Login Flow

First Login

When an employee first logs in to MaiAgent via SSO:

Click the SSO login link (Login URL)

The system redirects to the enterprise identity verification page (IdP
EIP
Keycloak)

Complete identity verification on the enterprise side

After successful verification, automatically redirected back to MaiAgent

The system automatically creates the employee's MaiAgent account, setting the display name and authentication source

If role information is available (EIP), the corresponding roles and permissions are automatically applied

The employee enters the MaiAgent admin backend

Subsequent Logins

If the enterprise system's Session is still valid, the user may enter MaiAgent directly (depending on IdP settings)

If the Session has expired, re-verification on the enterprise side is required

User information (name, authentication source) is automatically updated on each login

EIP login synchronizes role assignments

Logout Behavior

Authentication Type	When Logging Out of MaiAgent	When Logging Out of Enterprise Side
<u>SAML</u>	Ends MaiAgent Session and sends an SLO request to the IdP	All integrated SPs receive logout notifications
<u>EIP</u>	Ends MaiAgent Session only	Depends on enterprise-side configuration
<u>Keycloak</u>	Ends MaiAgent Session + revokes Keycloak Token	Keycloak-side Session is also terminated

Permission Management

Role Synchronization Mechanism

Feature	<u>SAML</u>	<u>EIP</u>	<u>Keycloak</u>
Automatic user creation	On first login	On first login	On first login
Automatic role synchronization	Not supported	Supported (on each login)	Not supported
Sync strategy	-	Full replacement	-
Role source	Manual assignment in MaiAgent	groupIds returned by EIP	Manual assignment in MaiAgent

Additional MaiAgent-Side Configuration

Regardless of which SSO authentication type is used, MaiAgent administrators can:

Configure accessible AI assistants, knowledge bases, and other resources for synced roles

Adjust role permission scopes

Manually add additional MaiAgent local roles for users

When using EIP's automatic role synchronization, create and configure role permissions in MaiAgent in advance so employees inherit the correct permissions immediately upon login.

Permission Update Timing

Timing	Description
Each SSO login	Updates username, authentication source; EIP syncs roles
Manual adjustment	Administrator manually modifies role assignments in MaiAgent backend

Switching Authentication Types

MaiAgent supports switching between different authentication types. Please note the following when switching:

Switching from MaiAgent to Third-Party Authentication

The system creates a new authentication source configuration

Existing users' authentication sources are not immediately changed; they update automatically the next time they log in using the new SSO method

The organization is marked as the default organization for that authentication source

Switching from Third-Party Authentication Back to MaiAgent

All users created through SSO are redirected to MaiAgent default authentication

The old third-party authentication source configuration is deleted

Users need to log in with MaiAgent username and password (may need to reset passwords)

Switching Between Third-Party Authentication Types

The old authentication configuration is cleared and the new configuration is applied

Users need to log in using the new SSO method

Switching authentication types is a major operation. Ensure the new authentication configuration has been completed and tested on the enterprise side before executing. The system will display a confirmation dialog when saving — read the reminders carefully.

Security Considerations

Transport Security

All authentication flows use HTTPS encrypted transmission

SAML responses support XML signature verification

Keycloak integration uses JWT Token verification

MaiAgent does not store enterprise-side passwords

Access Control

Only employees who pass enterprise verification can log in via SSO

When an employee leaves, disabling their account on the enterprise side revokes MaiAgent access

Authentication source configuration is restricted to organization owners

Third-party authentication features require the Enterprise plan

Troubleshooting

Login Failure

Issue: Error message appears after clicking SSO login

Possible Cause	Solution
Incorrect IdP EIP configuration	Verify the URLs entered in the MaiAgent backend are correct
SP information not correctly configured in IdP	Confirm Entity ID and ACS URL have been correctly entered in the IdP
User not assigned to the enterprise application	Add the user to the application's user list on the IdP side
SAML Response missing Email attribute	Confirm the IdP is configured to send the Email Claim
Authentication source name mismatch	Confirm the name set in MaiAgent matches the name in the URL
Not on Enterprise plan	Confirm the organization has been upgraded to the Enterprise plan

Roles Not Syncing Correctly (EIP)

Issue: Expected role permissions not present after login

Verify the `groupIds` content returned by the EIP server is correct

Confirm the role IDs in `groupIds` have been created in MaiAgent

Confirm `groupId` does not include DEFAULT type roles (the system applies these automatically)

Try logging out and logging back in

User Information Not Updated

Issue: MaiAgent still shows old data after updating information on the enterprise side

Log out of MaiAgent and log back in (SSO login automatically updates information)

Clear browser cache

Confirm the IdP

EIP side is correctly returning the latest user information

Settings Page Shows "Enterprise Plan Exclusive Feature"

Issue: Cannot see the authentication type settings form

This feature requires the Enterprise plan. Contact the MaiAgent sales team to upgrade your plan.

Unable to Save Settings

Issue: Error displayed after clicking Save

Confirm all required fields have been filled in

Confirm the authentication source name meets format requirements (lowercase alphanumeric + hyphens)

Confirm the authentication source name does not duplicate another organization's name

Confirm URL fields are in the correct format (include `https://`)

FAQ

Q: How long does SSO integration take?

A: Configuration in the MaiAgent backend can be completed instantly. The overall time depends on enterprise-side preparation. If enterprise-side information is ready, integration and testing can typically be completed within a few hours.

Q: After enabling SSO, can existing regular accounts still be used?

A: Yes. Enabling SSO does not automatically disable regular account login. However, for security reasons, discuss with the MaiAgent team whether to disable regular login.

Q: Do I need to manually delete accounts in MaiAgent after an employee leaves?

A: No. Simply disabling the employee's account on the enterprise side prevents them from logging in to MaiAgent via SSO.

Q: Can some employees use SSO while others use regular credentials?

A: Yes. The system supports mixed login modes. For example, full-time employees use SSO while external consultants use regular username and password.

Q: Does SSO integration cost extra?

A: SSO integration is an Enterprise plan feature. If your plan already includes enterprise features, no additional fees are required. Contact the sales team for detailed plan information.

Q: Can one organization set up multiple SSO methods simultaneously?

A: Currently, each organization can only configure one authentication type. To switch, change it directly in the backend.

Q: How does EIP role synchronization work?

A: When logging in via EIP, the system reads the role list (`groupIds`) returned by EIP and automatically syncs it to MaiAgent. Synchronization occurs on every login using a full replacement strategy (EIP's returned roles take precedence), ensuring permissions remain consistent with the enterprise side.

Q: Will the virtual Email in Keycloak integration be used to send actual emails?

A: No. The virtual Email (`{username}@{email_domain}`) is used solely as a unique user identifier within the MaiAgent system and will not be used for actual email delivery.

Q: How do I verify that SAML SP information is correct?

A: After filling in the authentication source name in the MaiAgent backend, the SP information (Entity ID, ACS URL) is automatically displayed on the settings page, ready for you to copy and use.

Further Reading

For detailed role permission settings, see [Role Permission Management](#)

For organization management features, see [Organization Management](#)

SAML Integration

SAML (Security Assertion Markup Language) is a standard authentication protocol widely adopted by enterprise-grade applications.

Target audience: Enterprises with existing SAML identity providers (such as Microsoft Entra ID, Azure AD, Okta, Google Workspace)

Key advantages:

Industry-standard protocol with high compatibility

Supports complete user attribute passing

Integrates with multi-factor authentication (MFA)

Supports Single Logout (SLO)

Setup Steps

1. Fill in IdP Information in the MaiAgent Backend

The screenshot displays the 'Third Party Login Settings' (第三方登入設定) page in the MaiAgent backend. The 'SAML' option is selected under 'Authentication Type' (認證類型). The 'Identity Provider Settings' (Identity Provider 設定) section is expanded, showing the following fields:

- IdP Name:** Example: my-company-idp
- IdP Metadata URL:** Example: https://example.com/metadata.xml
- IdP Entity ID:** Example: https://example.com/entityid
- IdP SSO URL:** Example: https://example.com/sso

SAML authentication settings: Fill in IdP information and the system will automatically generate SP information

After selecting the **SAML** authentication type, fill in the following fields:

Field	Required	Description
Authentication Source Name	Yes	Used to generate SP endpoint URLs, e.g., <code>my-company</code>
IdP Metadata URL	Yes	The identity provider's metadata URL
IdP Entity ID	Yes	The identity provider's entity identifier
IdP SSO URL	Yes	The identity provider's single sign-on endpoint URL
Email Domain	No	Optional enterprise Email domain

2. Obtain SP (MaiAgent Side) Information

After filling in the authentication source name, the system automatically generates the following SP information, displayed on the settings page:

SP Field	Format	Description
Entity ID	https://{domain}/accounts/saml/{name}/metadata/	Provided to IdP for configuration
ACS URL (Assertion Consumer Service URL)	https://{domain}/accounts/saml/{name}/acs/	Provided to IdP for configuration
Login URL	https://{API-domain}/auth/saml/{name}/login/	SAML login entry point

The SP information section provides a **Copy** button for convenient copying of URLs directly to the IdP configuration interface.

3. Configure the MaiAgent Application in the Identity Provider (IdP)

Using **Microsoft Entra ID (Azure AD)** as an example:

Log in to [Azure Portal](#) > [Microsoft Entra ID](#) > [Enterprise applications](#)


Click [New application](#) > [Create your own application](#)

Select "Integrate any other application you don't find in the gallery (Non-gallery)"



Create a custom enterprise application in Azure AD

Select the newly created enterprise application



Select the specified enterprise application

Enter the enterprise application, click **Single sign-on** in the left menu > **SAML**



Select SAML as the single sign-on method

In the **Basic SAML Configuration** section, fill in MaiAgent's SP information:

Identifier (Entity ID): Enter the Entity ID generated by MaiAgent

Reply URL (Assertion Consumer Service URL): Enter the ACS URL generated by MaiAgent



Fill in MaiAgent's Entity ID and ACS URL in the Basic SAML Configuration

Save the settings

4. Get Values from IdP and Fill Back into MaiAgent

On the Azure AD **Set up SAML single sign-on** page, find the following information at the bottom:

Azure AD Field	Corresponding MaiAgent Field
App Federation Metadata URL	IdP Metadata URL

Azure AD Field	Corresponding MaiAgent Field
Microsoft Entra Identifier	IdP Entity ID
Login URL	IdP SSO URL

Fill these values into the SAML settings form in the MaiAgent backend.

SAML 憑證

權杖簽署憑證 編輯

狀態	作用中
指紋	F860798DCF867BEFE98BDE4688903421189FCC859
到期	2028/5/2 上午10:00:35
通知電子郵件	playma-ad-test@playmaaddev@microsoft.com
應用程式同盟中繼資料 URL	https://login.microsoftonline.com/bd5f10a3-edff-... 下載
憑證 (Base64)	下載
憑證 (原始)	下載
同盟中繼資料 XML	下載

驗證憑證 (選擇性) 編輯

必要項	否
作用中	0
已過期	0

安裝 django saml


您必須設定應用程式，以與 Microsoft Entra ID 連接。

登入 URL	com/bd5f10a3-edff-... 下載
Microsoft Entra 識別碼	ndows.net/bd5f10a3-edff-4003-b00... 下載
登出 URL	com/bd5f10a3-edff-... 下載

Get Microsoft Entra Identifier, Login URL, and Metadata URL from Azure AD

5. Assign Users and Groups

In the Azure AD enterprise application, click **Users and groups** > **Add user/group** to add employees or groups that need access to MaiAgent.



Add employees or groups that need access to MaiAgent to the enterprise application

6. Save and Confirm

Click the **Save** button in the MaiAgent backend. The system will display a confirmation dialog reminding you that:

After switching the authentication type, the employee login method will change

Existing users need to use the new SSO method to log in

Ensure the IdP-side configuration is complete

Confirm to complete the setup.

SAML Attribute Mapping

MaiAgent extracts the following attributes from the SAML Response:

SAML Attribute (Claim)	MaiAgent Field	Description
http://schemas.xmlsoap.org/ws/2005/05/identity/claims/name	User Email	Required field, used as user identification
http://schemas.microsoft.com/identity/claims/displayname	Display Name	Username displayed in the interface

If the SAML Response does not include the displayname attribute, the system will automatically extract the Email prefix (text before @) as the display name.

Other SAML IdP Configurations

MaiAgent's SAML integration is not limited to Microsoft Entra ID. Any identity provider that supports the SAML 2.0 standard protocol can be integrated. Common IdPs include:

Okta: Add a SAML 2.0 App under Applications

Google Workspace: Configure in Admin Console > Security > SSO

ADFS: Add under Relying Party Trusts

The configuration logic is the same: Fill MaiAgent's SP information (Entity ID, ACS URL) into the IdP, then fill the IdP's information (Metadata URL, Entity ID, SSO URL) back into MaiAgent.

SAML Security Features

Supports SAML 2.0 HTTP Redirect Binding

Session Index tracking ensures correct logout operations

NameID format uses emailAddress to ensure consistent user identification

Login Cookie settings: `Secure=True` , `SameSite=None` , `HttpOnly=True` , with a 5-minute validity period

Settings Quick Reference

Field	Required	Format	Example
Authentication Source Name	Yes	Lowercase alphanumeric + hyphens, max 31 characters	<code>my-company</code>
IdP Metadata URL	Yes	HTTPS URL	https://login.microsoftonline.com/.../federationmetadata/2007-06/federationmetadata.xml
IdP Entity ID	Yes	URI	https://sts.windows.net/{tenant-id}
IdP SSO URL	Yes	HTTPS URL	https://login.microsoftonline.com/{tenant-id}/saml2
Email Domain	No	Domain format	<code>company.com</code>

EIP Integration

EIP (Enterprise Information Portal) provides a flexible enterprise integration solution by connecting to your existing identity verification system via API.

Target audience: Enterprises with custom-built identity verification systems, or organizations requiring customized integration logic

Key advantages:

Simplified integration process

Flexible parameter passing, not limited to fixed parameter names

Integration methods can be adapted to enterprise requirements

Supports automatic role information synchronization

Setup Steps

1. Fill in EIP Settings in the MaiAgent Backend

The screenshot displays the 'Third-party Login Settings' (第三方登入設定) interface in the MaiAgent Backend. The 'EIP' (Enterprise Information Portal) authentication type is selected. The 'EIP Settings' (EIP 設定) section includes the following fields:

- Authentication Source Name (認證來源名稱):** EIP-AuthSource
- Server URL (伺服器網址):** https://api.eip.com/auth/login

A yellow banner at the bottom of the page reads: 'After selecting the EIP authentication type, fill in the following fields:' (選取 EIP 認證類型後，請填寫下列欄位資訊。)

EIP authentication settings: Fill in authentication source name and server URL

After selecting the **EIP** authentication type, fill in the following fields:

Field	Required	Description
Authentication Source Name	Yes	English identifier for the authentication source, e.g., <code>company-eip</code>
Server URL	Yes	The verification API endpoint of the EIP server

After completing the fields, the system will automatically generate the **Login URL** in the following format:

```
https://{frontend-domain}/auth/eip?serverUrl={EIP-server-URL}
```

2. Configure the EIP Server

Ensure your EIP server has the following capabilities:

Receive payload parameters sent by MaiAgent (supports both GET and POST methods)

Verify user identity based on the payload content

Return user information in the following format:

```
{
  "email": "user@company.com",
  "name": "John Doe",
  "groupIds": ["group-a", "group-b"]
}
```

Response Field	Required	Description
<code>email</code>	Yes	User email, used as the unique identifier
<code>name</code>	No	User display name
<code>groupIds</code>	No	List of role IDs the user belongs to, used for automatic MaiAgent role synchronization

3. Test the Login Flow

Test using the Login URL with parameters generated by the EIP system:

```
# Example 1: Including SessionId (legacy compatibility)
https://{frontend-domain}/auth/eip?serverUrl=https://eip.company.com&sessionId=abc123

# Example 2: Without SessionId (new version support)
https://{frontend-domain}/auth/eip?serverUrl=https://eip.company.com&userId=12345&token=xyz789

# Example 3: Custom parameters
https://{frontend-domain}/auth/eip?
serverUrl=https://eip.company.com&customParam1=value1&customParam2=value2
```

`sessionId` is optional in the latest version. The system automatically collects all query parameters from the URL except `serverUrl` as the payload, which is sent to the EIP server for verification.

4. Save Settings

After confirming the test passes, click **Save** in the MaiAgent backend to complete the setup.

EIP Parameter Handling Logic

When MaiAgent receives an EIP login request, it processes parameters as follows:

- Separates the `serverUrl` parameter
- Collects all other query parameters as the `payload` object
- Appends fixed parameters (`op=maiagent` , `type=json`) to the `payload` and sends it to the EIP server
- The EIP server supports both GET and POST receiving methods; you can specify the method via the `method` field in the payload

EIP Redirect Paths

EIP login supports two paths with identical functionality:

Path	Description
<code>/auth/eip</code>	Standard path
<code>/redirect/eip-login</code>	Compatibility path, suitable for special redirect requirements

Automatic Role Synchronization

EIP integration supports automatic role information synchronization, which is one of EIP's most powerful features:

- The enterprise includes a `groupIds` role list in the user information returned by EIP
- MaiAgent automatically assigns users to corresponding roles upon receiving this information
- Uses a **full replacement strategy**: The roles returned by EIP take precedence, removing old roles not in the list
- Synchronization occurs on every login, ensuring permissions remain consistent with the enterprise side

Role synchronization uses a full replacement strategy, meaning the role list returned by EIP will completely overwrite the user's role assignments in MaiAgent. Ensure the role list returned by the EIP side is complete.

If `groupIds` contains role IDs that have not yet been created in MaiAgent, the system will return a verification error. Create the corresponding roles in MaiAgent in advance.

EIP Security Considerations

- Always validate all parameters on the EIP server side; do not rely solely on client-side validation
- Ensure verification tokens have time-based expiration to prevent replay attacks
- Always use HTTPS connections to protect sensitive information during transmission
- The EIP server should validate all received parameters to prevent injection attacks

Settings Quick Reference

Field	Required	Format	Example
Authentication Source Name	Yes	Lowercase alphanumeric + hyphens, max 31 characters	company-eip
Server URL	Yes	HTTPS URL	https://eip.company.com/api/auth

Keycloak Integration

Keycloak is a widely used open-source identity verification and access management platform. MaiAgent supports integration with Keycloak via the OpenID Connect protocol.

Target audience: Enterprises using Keycloak for unified identity management, or organizations that need to manage users by Realm

Key advantages:

Supports Keycloak Realm isolation

Automatically synthesizes virtual Email identities for accounts without email addresses

Supports server-side Token revocation (Logout)

Integrates with the Keycloak ecosystem features

Setup Steps

1. Create a Client in Keycloak

Log in to the Keycloak Admin Console

Select the target Realm

Add a new Client under **Clients**


Set Client Protocol to `openid-connect`

Set Access Type to `public` (or choose `confidential` based on security requirements)

Set Valid Redirect URIs to the MaiAgent frontend domain

Note down the Client ID

2. Fill in Keycloak Settings in the MaiAgent Backend



Keycloak authentication settings: Fill in authentication source name, Email Domain, and server URL

After selecting the **Keycloak** authentication type, fill in the following fields:

Field	Required	Description
Authentication Source Name	Yes	Used as the Realm name mapping; using the Keycloak Realm name is recommended
Email Domain	Yes	The domain used for synthesizing virtual Emails, e.g., <code>company.com</code>
Server URL	Yes	Keycloak server URL, e.g., <code>https://keycloak.company.com/</code>

After completing the fields, the system will automatically generate the **Login URL** in the following format:

```
https://{frontend-domain}/auth/keycloak?url={Server URL}&clientId={Client ID}&realm={Realm}
```

3. Save and Test

Click **Save** in the MaiAgent backend, then test the login flow using the generated Login URL.

Keycloak Virtual Email Mechanism

Since Keycloak users may not have email addresses, MaiAgent automatically synthesizes a virtual Email as the unique identifier:


```
Virtual Email = {preferred_username}@{email_domain}
```

For example, the user `john.doe` with an Email Domain of `company.com` would generate `john.doe@company.com` as their MaiAgent user Email.

This virtual Email is used solely for internal system identification and will not be used for actual email delivery.

Keycloak Logout

MaiAgent's Keycloak integration supports server-side logout. When a user logs out of MaiAgent, the system simultaneously sends a Token revocation request to the Keycloak server, ensuring the Token is also invalidated on the Keycloak side.

Settings Quick Reference

Field	Required	Format	Example
Authentication Source Name	Yes	Lowercase alphanumeric + hyphens, max 31 characters	<code>company-kc</code>
Email Domain	Yes	Domain format	<code>company.com</code>
Server URL	Yes	HTTPS URL	https://keycloak.company.com/

Identity Sync (LDAP)

Identity sync lets you automatically import user and group data from enterprise directory services (AD, JumpCloud, OpenLDAP, etc.) into MaiAgent, eliminating the need to create accounts one by one. With the **LDAP password login** feature, employees can log in to MaiAgent directly using their existing enterprise password without memorizing a separate one.

Identity Sync (LDAP) is an Enterprise plan exclusive feature. To enable it, contact the MaiAgent sales team to upgrade to the Enterprise plan.

Use Cases

Enterprise already has AD

LDAP directory: You want employee data to automatically flow into MaiAgent without manually maintaining two separate lists

Offboarding account sync: When an employee leaves and their account is disabled on the enterprise side, MaiAgent access is also revoked synchronously

Unified password management: You want employees to remember only one enterprise password instead of a different one for each system

Department permission mapping: Automatically assign corresponding MaiAgent role permissions based on groups in the enterprise directory

Bulk user import: Import 100+ employees into the platform at once during initial MaiAgent deployment

How Is This Different from SSO?

Identity Sync (LDAP) and Third-Party Login (SSO) are both enterprise-grade identity integration features, but they solve different problems:

Comparison	Identity Sync (LDAP)	Third-Party Login (SSO)
Primary purpose	Sync "people" from enterprise directory into MaiAgent	Let users "log in" to MaiAgent with enterprise accounts
User creation	✅ Automatic creation	❌ Requires JIT or pre-creation
Login method	After enabling Bind login, log in with enterprise password	Redirect to enterprise IdP to complete login
Group role sync	✅ Automatic mapping based on groups	⚠️ Depends on IdP and integration method
Common integrations	Microsoft AD, JumpCloud, OpenLDAP	Azure AD, Okta, Keycloak

Both can be enabled simultaneously: use SSO for redirect-based login and LDAP sync to maintain the account list.

Prerequisites

Before enabling LDAP identity sync, prepare the following information:

Your IT contact needs to provide

LDAP server address: e.g., `ldaps://ad.company.com:636`

Base DN: The starting point for user searches, e.g., `DC=company,DC=com` or `ou=Users,o=,dc=jumpcloud,dc=com`

Bind DN: The full DN of a service account with read permissions

Bind password: The password for the service account

Firewall access: Allow the MaiAgent server to connect to your LDAP server (default port 636 for LDAPS, 389 for LDAP)

MaiAgent-side requirements

An account with the **Organization Owner** role or a role with **organization management permissions**


Strongly recommend using LDAPS (port 636) instead of plaintext LDAP (port 389). LDAPS encrypts the transmission, preventing passwords from being intercepted over the network.

Accessing Identity Sync Settings

From the left menu, click **Organization Settings** > **Organization Overview**

Click **Identity Sync** to enter the settings page

Click **Select Sync Method**, and in the modal select **LDAP**




Select Sync Method modal — currently supports LDAP, SCIM coming soon

After entering the settings, you will see 5 tabs: **Connection Settings**, **Sync Scope**, **Group Mapping**, **Login & Sync**, and **Sync Logs**. Each is explained below.

1. Connection Settings

The first step is to establish a connection between MaiAgent and your LDAP server. After filling in the four fields, **make sure to click "Test Connection" to verify** before saving.



Connection Settings tab — Enter server address, Base DN, Bind DN, and password

Field Entry Rules

Field	Description	Example (JumpCloud)	Example (AD)
Server Address	The LDAP server connection address, including protocol and port	<code>ldaps://ldap.jumpcloud.com:636</code>	<code>ldaps://ad.company.com:636</code>
Base DN	The starting point for user searches, must contain <code>DC=</code> (case-insensitive)	<code>ou=Users,o=,dc=jumpcloud,dc=com</code>	<code>DC=company,DC=com</code>
Bind DN	The full path of the service account used for authentication	<code>uid=svcaccount,ou=Users,o=,dc=jumpcloud,dc=com</code>	<code>CN=svc-maiagent,OU=ServiceAccounts,DC=company,DC=com</code>
Password	The password for the Bind DN account	—	—

The specific values for each field must be provided by your IT contact. For a practical integration example, see the [Walkthrough \(Using JumpCloud as an Example\)](#) section below.

Test Connection

After filling in the fields, click **Test Connection**. On success, a green "Connection successful" message with response time will appear.



Test connection successful — response time shown (approximately 200–300ms is normal)

Always test the connection before clicking Save. Features such as sync scope and preview list cannot be used until the connection is verified.

Common Errors


Error Message	Possible Cause	Resolution
Invalid credentials	Incorrect Bind DN or password	Verify the Bind DN format and ensure the password is current
Server unreachable	Incorrect server address or firewall not opened	Verify the URL and port; ask IT to allow MaiAgent to connect to the LDAP server
Invalid DN syntax	Incorrect Base DN format	Base DN must contain <code>DC=</code> ; check commas and hierarchy
Timeout	Connection had no response after 10 seconds	Verify the LDAP server is running and the network route is reachable

2. Sync Scope


Select which users from LDAP to sync into MaiAgent. Two modes are supported:

Simple Mode (Recommended)

Check the **Organizational Units (OUs)** or **Groups** to sync. After checking, click **Preview List** below to confirm which users will be synced.



Simple mode — Check the OUs or groups to sync. Numbers on the right indicate the user count within each scope



After clicking "Preview List," all users to be synced are listed. Supports Email name search

OUs and Groups can be checked simultaneously. If a user matches multiple criteria, they will only be synced once, and all group associations will be preserved.

Advanced Mode

For more granular filtering (e.g., "only sync Engineering department employees at Manager level or above"), switch to Advanced mode to customize the LDAP Filter.

Common Filter examples:


Requirement	LDAP Filter
Only sync active users	<code>(&(objectClass=user)(!(userAccountControl:1.2.840.113556.1.4.803:=2)))</code>
Only sync a specific department	<code>(&(objectClass=user)(department=Engineering))</code>
Exclude service accounts	<code>(&(objectClass=user)(!(sAMAccountName=svc-*)))</code>

LDAP Filter syntax errors in advanced mode will cause sync to fail. If you are unfamiliar with LDAP Filters, use simple mode and ask IT to adjust the OU Group structure.

3. Group Mapping

Configure the mapping between LDAP groups and MaiAgent roles. **Unmapped groups will automatically create MaiAgent roles with the same name** (this can be toggled off).

Identity Sync vs. Permission Management Division of Responsibility Identity sync only handles syncing "users" and "role assignments" from LDAP into MaiAgent. The specific permission scope for each role (which features and resources can be accessed) must be configured once by an administrator in the [Role Permission Management](#) page. After configuration, new employees who join the corresponding LDAP group will be automatically synced into MaiAgent and inherit that role's permissions — no need for the administrator to individually configure each new hire.



Group Mapping tab — Configure individually or bulk import via CSV

Operation Options

Add Mapping: Manually map an LDAP group to a MaiAgent role

Download Template: Get a CSV template for bulk mapping creation

Import File: Upload the completed CSV

Auto-create unmapped roles: Enabled by default. When a sync encounters an unmapped LDAP group, a MaiAgent role with the same name is automatically created

Mapping Examples


LDAP Group	MaiAgent Role	Purpose
Engineering	Engineer	Shared role for the engineering department
Finance	Finance	Shared role for the finance department
AI-Project	AI Project Member	Cross-department project role; members can belong to other departments simultaneously

If an employee belongs to multiple LDAP groups (e.g., both Engineering and AI-Project), they will be assigned both corresponding MaiAgent roles after sync.

The "Default Role" cannot be mapped: MaiAgent's "Default Role" is a system role that is automatically assigned to all organization members. It cannot be mapped to an LDAP group. If you want all employees to share certain common permissions, adjust the "Default Role" permissions directly instead of using it as a mapping target.

4. Login & Sync

This page manages two things: the **LDAP password login toggle** and **manual sync trigger**.



Login & Sync tab — includes Bind login toggle, manual sync button, and last sync result

LDAP Password Login

After enabling, synced users can log in to MaiAgent directly with their **LDAP password** without any additional setup.

After enabling LDAP password login, password changes in the LDAP directory service take effect immediately — there is no need to wait for the next sync.

Prerequisites for enabling: LDAP connection is verified and at least one sync has been executed. Behavior after enabling: The authentication source for all synced users will be batch-changed to LDAP, and MaiAgent local passwords will be invalidated. If this toggle is later disabled, users will need an administrator to reset their passwords before they can log in again.

Manual Sync Trigger

Click **Run Sync Now** to pull the latest data from LDAP and update MaiAgent.

Automatic sync: The system automatically syncs every 30 minutes by default, no manual intervention required

Cooldown period: Manual sync has a 60-second cooldown to prevent repeated triggers in a short time


Sync actions: Include "Add (Active users)," "Update (data changes)," and "Deactivate (removed from LDAP scope or suspended)"

Last Sync Result

Displays the statistical summary of the most recent sync, including the number of additions, updates, deactivations, and failures. For detailed records, go to the **Sync Logs** tab.

5. Sync Logs

View the complete details of each sync: time, action, affected users, and trigger method.



Time	Action	Affected Users	Sync Status
2023-10-10 10:10:10	Sync	Sync Success	Success
2023-10-10 10:10:10	Sync	Sync Success	Success
2023-10-10 10:10:10	Sync	Sync Success	Success
2023-10-10 10:10:10	Sync	Sync Success	Success
2023-10-10 10:10:10	Sync	Sync Success	Success
2023-10-10 10:10:10	Sync	Sync Success	Success
2023-10-10 10:10:10	Sync	Sync Success	Success
2023-10-10 10:10:10	Sync	Sync Success	Success
2023-10-10 10:10:10	Sync	Sync Success	Success
2023-10-10 10:10:10	Sync	Sync Success	Success

Sync Logs tab — Search by Email name
role, or filter by action type

Action Types

Action	Meaning
Add	User synced from LDAP into MaiAgent for the first time
Update	User data changed (name, email, group membership)
Deactivate	User was removed from LDAP scope, suspended, or deleted
Fail	Sync failed for this user (see details for error message)

Trigger Methods

Manual: Administrator clicked "Run Sync Now" on the **Login & Sync** tab


Automatic: System-scheduled trigger every 30 minutes

Verifying Sync Success

After running a sync, use the following three locations to confirm whether users were correctly imported and LDAP groups were mapped to MaiAgent roles.

Verification 1: Check Users in Member Management

Go to **Organization Settings** > **Member Management**. Users synced from LDAP will appear in the list. Search by email to quickly locate a specific user.




Member management list — LDAP synced Chen family members listed alongside manually invited members

Each user's "Role" field shows their MaiAgent roles. For example, One Chen is mapped to both **Group 1** and **Group 2** roles, reflecting that they belong to both groups on the LDAP side.

The member list does not show a "Source" column. LDAP synced users and manually invited members look the same in the list. To explicitly trace whether a user came from LDAP, go to [Identity Sync](#) > [Sync Logs](#) and search for that email.

Verification 2: Check Roles in Role Permission Management

Go to [Organization Settings](#) > [Role Permissions](#). Roles created from LDAP group mapping will appear in the list, with the "Members" field showing users currently synced into this role.



Role permission management list — Group 1 and Group 2 are roles auto-created during LDAP sync

From the image above:

Group 1 has two members (Two Chen, One Chen), corresponding to LDAP Group 1 members

Group 2 has two members (Three Chen, One Chen), corresponding to LDAP Group 2 members

One Chen appears in both roles, indicating they belong to two groups on the LDAP side

These roles look identical to manually created roles, and you can click into them to adjust permission scopes

Verification 3: Check Execution History in Sync Logs

Go to [Identity Sync](#) > [Sync Logs](#) to see the time, action (Add Update Deactivate), corresponding users, and trigger method for each sync. This is the only place to determine "whether the sync failed, and for which user."

Verification Reference Table

What You Want to Know	Where to Look
Was the user imported successfully?	Member Management list — search by email
Which roles was the user assigned to?	Member Management list — the user's "Role" field

What You Want to Know	Where to Look
Was the LDAP group created as a role?	Role Permissions list
Which members does a specific role have?	Role Permissions list — the role's "Members" field
Was a user synced from LDAP or added manually?	Sync Logs — search by email; having a record means LDAP synced
Did the sync fail, and what was the reason?	Sync Logs — filter action type by "Fail"
How many users were added/deactivated in the last sync?	Login & Sync — "Last Sync Result" statistics

Operational Recommendations

After enabling identity sync, certain manual operations on member/role management pages may conflict with LDAP. Pay attention to the following:

Member Management Page:

Operation	Consequence
Manually deleting an LDAP synced user	The next sync will recreate them
Directly changing an LDAP synced user's email	The sync will overwrite with the LDAP value
Manually resetting a password after enabling Bind login	Local password is unusable; passwords can only be changed on the LDAP side

Role Permission Management Page:

Operation	Consequence
Deleting a role mapped from LDAP	If "Auto-create unmapped roles" is enabled, the next sync will recreate it
Manually adding/removing members from that role	The next sync will overwrite the member list based on the LDAP group
Renaming a role	The association with the LDAP group will break; update the mapping on the Group Mapping page instead

Simple principle: Permissions are controlled by MaiAgent roles; member assignments are controlled by LDAP groups. To change permissions, go to role settings. To change who is in which group, go to the LDAP side.

Initial Role Permission Configuration

After sync is complete, newly created roles (e.g., [Group 1](#), [Group 2](#)) **have no permissions by default**. Go to [Role Permission Management](#) to configure for each role:

Feature permissions: Which features can this role use (AI assistants, knowledge bases, customer service conversations...)

Resource access: Which specific assistants, knowledge bases, and databases can be accessed


Each role only needs to be configured once. New members synced from LDAP afterward will automatically inherit these permissions without the administrator individually assigning them.

Walkthrough (Using JumpCloud as an Example)

Below is the complete integration process using JumpCloud as the LDAP server. **The steps are the same for other systems (Microsoft AD, OpenLDAP, etc.) — the only difference is the format of each field.** See the appendix at the end for a comparison table.


Step 1: Find Connection Information in JumpCloud

Log in to [JumpCloud Admin](#) and go to [Access](#) > [LDAP](#).




JumpCloud Admin left menu: Access > LDAP

Click into the **JumpCloud LDAP** Directory and copy the **ORG DN** from the page.



Step 2: Confirm the User Has LDAP Bind DN Enabled

Click into any user (e.g., `bob.chen`) > switch to the **Directories** tab > confirm the user is bound to JumpCloud LDAP and marked as **LDAP Bind DN**.



User details > Directories — Confirm LDAP Bind DN is bound

The Bind DN account must be an LDAP Bind DN. If you use a regular user as the Bind DN without enabling this option, the connection will fail.

Step 3: Assemble Connection Parameters

Using ORG DN `o=69de10c5be030ec43849f7a1,dc=jumpcloud,dc=com` as an example:

Field	Value
Server Address	<code>ldaps://ldap.jumpcloud.com:636</code>
Base DN	<code>ou=Users,o=69de10c5be030ec43849f7a1,dc=jumpcloud,dc=com</code>
Bind DN	<code>uid=bob.chen,ou=Users,o=69de10c5be030ec43849f7a1,dc=jumpcloud,dc=com</code>
Password	Bob Chen's JumpCloud password

Step 4: Enter and Test in MaiAgent

Paste the values into MaiAgent's Connection Settings and click **Test Connection**. When you see the green "Connection successful" message, save.

Step 5: Set Sync Scope and Execute

Switch to **Sync Scope** and check `ou=Users`, save → go to **Login & Sync** and click **Run Sync Now** → go to **Sync Logs** to confirm users have been added.

FAQ

Q1. Test connection shows "Invalid credentials," but I'm sure the password is correct

Check three things:

Bind DN format: Confirm the full path, including all `ou=` and `dc=` levels

LDAP Bind DN checkbox (JumpCloud): Go to the user > Directories > confirm "Enable as LDAP Bind DN" is checked

Special characters in password: If the password contains `$`, `!`, or similar characters, some systems may require escaping

Q2. Why weren't some users synced?

Check the following:

Is the user's status **Active** in LDAP? (JumpCloud's Staged Suspended users are not synced)

Is the user within the checked OU Group scope? (In advanced mode, the user must match the Filter criteria)

Is the user's Email field empty? (MaiAgent uses Email as the unique identifier; users without Email are skipped)

Go to **Sync Logs** to see detailed failure reasons.

Q3. Can I sync only a specific department?

Yes. Two approaches:

Simple mode: Organize the department into a standalone OU or Group in LDAP, and only check that item in MaiAgent

Advanced mode: Use a custom LDAP Filter, e.g., `(&(objectClass=user)(department=Engineering))`

Q4. When an employee changes their LDAP password, do I need to wait for a sync on the MaiAgent side?

No. As long as **LDAP password login** is enabled, MaiAgent verifies against LDAP in real time when the user logs in with the new password. It takes effect immediately.

Q5. After enabling LDAP password login, can the original MaiAgent local password still be used?

No. After enabling, the authentication source for all synced users changes to LDAP, and the original MaiAgent passwords are set to unusable. Users can only log in with their LDAP password.

If the toggle is later disabled, users will need an administrator to reset their passwords before they can log in again.

Q6. When an employee leaves, will MaiAgent automatically deactivate them?

Yes. After suspending or disabling a user on the LDAP side, the next sync (manual or automatic every 30 minutes) will deactivate them in MaiAgent. If Bind login is enabled, the employee will be unable to log in immediately.

Q7. What happens in MaiAgent if an LDAP group is renamed or deleted?

Group renamed: The role name on the MaiAgent side is not automatically renamed; manually update the corresponding group mapping

Group deleted: If a mapping exists, the mapping is preserved but the LDAP group has no users; manual cleanup is recommended

Q8. How often does automatic sync run? Can it be adjusted?

Currently, it runs every 30 minutes on a fixed schedule and does not support custom intervals. For urgent needs, use "Run Sync Now" to trigger manually.

Appendix: Connection Examples for Different LDAP Systems

Microsoft Active Directory

Field	Value
Server Address	<code>ldaps://ad.company.com:636</code>
Base DN	<code>DC=company,DC=com</code>
Bind DN	<code>CN=svc-maiaagent,OU=ServiceAccounts,DC=company,DC=com</code>

JumpCloud

Field	Value
Server Address	<code>ldaps://ldap.jumpcloud.com:636</code>
Base DN	<code>ou=Users,o=,dc=jumpcloud,dc=com</code>
Bind DN	<code>uid=,ou=Users,o=,dc=jumpcloud,dc=com</code>

OpenLDAP

FreeIPA

Field	Value
Server Address	<code>ldaps://ldap.company.local:636</code>
Base DN	<code>dc=company,dc=local</code>
Bind DN	<code>uid=maiaagent,ou=system,dc=company,dc=local</code>

Azure AD (Entra ID)

Azure AD does not natively expose an LDAP port, but you can provide an LDAP interface through **Azure AD Domain Services (AADDS)**, a paid Azure add-on. If your enterprise uses Azure AD, you can follow one of these paths:

Goal	Recommended Approach
Sync users	Enable AADDS and use it as the LDAP server (field format is the same as Microsoft AD)
Login authentication	Use Third-Party Login (SSO) with SAML OAuth directly — no need for LDAP Bind
Also have on-prem AD	Connect directly as Microsoft AD — AADDS is not needed

If you only want employees to log in to MaiAgent with Azure AD accounts without needing to sync user data, go directly to the [Third-Party Login \(SSO\)](#) documentation. You do not need this identity sync guide.

Next Steps

[Third-Party Login \(SSO\)](#) — Use alongside identity sync to let employees log in directly with enterprise accounts via redirect

[Role Permission Management](#) — Configure the permission scope for roles mapped from group mapping on this page

[Member Management](#) — View all organization members, including LDAP synced and manually invited

Usage Analytics

How to View

Go to "**AI Assistant**" in the left menu and select "**Usage Analytics**" to view the AI Assistant conversation dashboard.

Word count

Conversation count


Message count

Average messages per conversation

User satisfaction

Time filters (by date, month, day, hour)

These metrics allow you to understand AI Assistant usage from multiple perspectives.



Detailed Metric Descriptions

1. Word Count (Words Count)

Calculation Method:

- **Text word count:** Counts the number of characters in message content
- **Image cost:** Each image is calculated based on the configured image word cost
- **Total word count** = Message content word count + (Number of images × Image word cost)

Scope: Includes both user input messages and AI Assistant reply messages. Supports daily and monthly granularity.

2. Conversation Count (Conversations Count)

Calculation Method:

- Each time a new conversation is created, the counter increments by 1
- When the first message in a conversation is created, it triggers a conversation statistics update

Update Trigger: When a user starts a new conversation (first message)

Scope: Supports hourly, daily, and monthly granularity.

3. Message Count (Messages Count)

Calculation Method:

- Each time a new message is created, the counter increments by 1
- Includes both user input messages and AI Assistant reply messages

Update Trigger: Each message creation triggers a statistics update

Scope: Supports hourly, daily, and monthly granularity.

4. Average Messages per Conversation (Average Messages per Conversation)

Formula:

```
Average messages per conversation = Message count ÷ Conversation count (displays 0 if conversation count is 0)
```

Description:

- Represents the average number of messages per conversation
- Reflects the depth of interaction between users and the AI Assistant
- Higher values indicate deeper and more frequent interactions

Scope: Supports hourly, daily, and monthly granularity.

5. User Satisfaction (User Satisfaction Rate)

Formula:

```
User satisfaction = Likes ÷ Total feedback (displays 0 if total feedback is 0)  
Total feedback = Likes + Dislikes
```

Description:

- Represents the percentage of positive feedback (like rate)
- Value range: 0% to 100%
- Higher values indicate greater user satisfaction with AI Assistant responses

Feedback Mechanism:

- Users can give a "like" or "dislike" to AI Assistant responses
- Statistics are updated in real time

Update Trigger: When users provide feedback (create, update, or delete)

Scope: Supports hourly, daily, and monthly granularity.

Statistics Update Mechanism

Real-time updates: Statistics are immediately updated when relevant events occur (new message, new conversation, feedback change)

Time granularity support:

- **Hourly:** Suitable for real-time monitoring
- **Daily:** Suitable for daily report analysis
- **Monthly:** Suitable for monthly reports and trend analysis

Use Case: Effectiveness Assessment

Observe trends in "User Satisfaction" and interaction counts to evaluate whether the AI Assistant's response quality meets expectations, serving as a basis for optimization.

Profile: Custom Attributes

Feature Description

Custom attributes let you record additional information in your profile, such as department, job title, extension number, employee ID, etc. This information is stored in your profile for easy identification and management within the organization.

You can manage custom attributes through the following methods:

Manual entry: Enter attribute names and values one by one

Excel import: Bulk import multiple attributes

JSON preview: View the structured data format of attributes


Accessing Your Profile

Click the avatar or name in the upper right corner and select **Profile** to enter the profile page.

The page is divided into two sections:

Profile: Basic information such as name, company name, and company email


Custom Attributes: Custom additional personal information



Adding Custom Attributes

1. Click Add Attribute


In the custom attributes section, click the **+ Add Attribute** button to add a blank editing row.



Add attribute — Displays editing fields

2. Fill in Attribute Name and Value

Field	Description
Attribute Name	The name of the attribute, e.g., "Department", "Job Title", "Extension" (required, must be unique)
Value	The content of the attribute, e.g., "Product Development", "Engineer", "1234" (required)



Attribute added successfully, displayed in the list

Attribute names cannot be duplicated within the same profile. To modify an attribute name or value, click the edit icon for that attribute.

Bulk Import (Excel)

To import multiple attributes at once, use the Excel import feature:

Click **Download Template** to get the Excel template file


Fill in attribute names and values in the template (one per row)

Click **Import Excel** to upload the completed file

The system will automatically parse and import all attributes

JSON Preview

Click **JSON Preview** to expand and view the structured JSON format of attributes, making it convenient for developers to verify data formats or use for API integration.



JSON preview — View structured attribute data


Editing and Deleting Attributes

Edit

Click the **Edit** icon on the right side of the attribute to modify the attribute name or value. After making changes, click ✓ to confirm, then click **Save**.

Delete

Click the **Delete** icon on the right side of the attribute. The system will display a confirmation dialog. After confirming the deletion, the attribute will be removed from the list.



Delete attribute confirmation dialog


You must click **Save** after deleting an attribute for the change to take effect. If you leave the page without saving, changes will not be preserved.

Developer Tools

API Call Logs

Overview

API Call Logs provide a complete record of all requests made through the MaiAgent API, including HTTP method, endpoint path, status code, response time, request and response content, and more. This is ideal for developers to debug, monitor performance, and track usage during API integration.



API Call Logs Page

View Logs

In the left menu, click **Developer** → **API Call Logs** to view the list of all API request records.

Record Field Descriptions

Field	Description
ID	Unique identifier for the request
Method	HTTP method (GET, POST, PUT, DELETE, PATCH), color-coded

Field	Description
Endpoint	API endpoint path
Status Code	HTTP response status code, color-coded by type: 2xx (green), 4xx (orange), 5xx (red)
Duration	Request duration, color-coded by speed: <100ms (green), <500ms (orange), >500ms (red)
Request Body	Request content preview
Response Body	Response content preview
IP Address	Source IP of the request
Time	Request time

Filter and Search

Use the filter bar at the top to quickly find the records you need:

Date Range: Select start and end dates to view records for a specific time period

HTTP Method: Filter by method (GET, POST, PUT, DELETE, PATCH)

Status Category: Filter by response status (2xx Success, 4xx Client Error, 5xx Server Error)

Keyword Search: Enter an endpoint path or other keywords to search

When troubleshooting API integration issues, filter by 4xx or 5xx status codes first to quickly locate failed requests.

View Request Details

In the record list, click the view icon on the right side of any record to expand the full request and response details, including the complete Request Body and Response Body, for developer debugging.

Use Cases

Text Customer Service

In enterprise customer service operations, handling a large volume of frequent customer inquiries through manual responses not only leads to delays but also places excessive burden on customer service staff, affecting overall service efficiency. Many repetitive questions appear over and over again, consuming significant time to handle, making it difficult for teams to focus their energy on more complex customer needs and problem resolution.

Now, you can leverage MaiAgent to build an AI text customer service assistant for external-facing enterprise use, effectively reducing customer service costs while improving service quality and customer satisfaction!

Regulation Lookup Assistant

Taking the **Regulatory Query Assistant** as an example, in the past, government agencies and enterprises were limited by technical constraints to keyword-based searches for querying information. Keyword searches have the following drawbacks:

Poor semantic understanding, imprecise results

Cannot ask multiple questions at once

Affected by spelling errors

Cannot synthesize answers to multiple questions

These drawbacks result in a **poor user experience**. However, with the emergence of large language models and RAG, everything has changed. Below is a comparison table of traditional keyword search vs. RAG search:

	Traditional Keyword Search	RAG Search
Query Understanding	Limited to exact matching and basic synonyms	Understands context, intent, and nuanced meaning
Information Retrieval	Based on keyword frequency and basic relevance algorithms	Uses semantic similarity and context-aware retrieval
Result Format	List of potentially relevant documents	List of potentially relevant documents Synthesized answers with source citations
Handling Complex Queries	Typically requires multiple searches and manual integration	Can directly handle multi-faceted complex questions
Ability to Adapt to Domain-Specific Terminology	Limited unless extensively customized	Can learn and adapt to organization-specific terminology
Ability to Use Unstructured Data	Very limited	High, can extract insights from various document types
Continuous Learning	Typically static unless manually updated	Can improve over time through usage and feedback


Taking the "Government Regulatory Query Assistant" as an example, as shown in the National Land Management Agency's regulatory announcements below, keyword searches were used in the past. Now the goal is to improve user convenience through generative AI technology. On MaiAgent, you can do it like this:

[https://www.nlma.gov.tw/最新消息
法規公告.html](https://www.nlma.gov.tw/最新消息法規公告.html)




Build a "Regulatory Query Assistant" on the MaiAgent Platform

The structure for building the "Regulatory Query Assistant" is as follows:




Since generative AI may pose risks for government agencies, the design aims to provide different response approaches for internal staff and the general public.



Mermaid 圖表

Entry points and architecture:



Mermaid 圖表

For the question "Are there age restrictions for funding subsidies?", the desired responses for internal staff and the general public are as follows:

Response received by internal staff:

已使用知識庫

根據目前的資料，申請租金補貼的年齡限制如下：

- 協助單身青年及鼓勵婚育租金補貼作業規定：申請人必須是二十歲以上至四十歲以下的單身青年、新婚家庭或育有未成年子女的家庭。
- 三百億元中央擴大租金補貼專案計畫：申請人必須是成年中華民國國民，未成年者需符合特定條件，如已於安置救護機構或寄養家庭結束安置無法返家，或父母之一方已死亡且另一方非本國人。

因此，租金補貼的年齡以原則上針對單身青年和新婚家庭，要求申請人年齡在二十歲以上至四十歲以下。

回答引用來源：

- 2019-07-22 住宅發展組 行政規則 協助單身青年及鼓勵婚育租金補貼作業規定
- 2024-08-29 住宅發展組 行政規則 三百億元中央擴大租金補貼專案計畫作業規定

法規資料庫

Response received by the general public:

您搜尋的問題與以下法規有關：

- 2024-07-10 住宅發展組 行政規則 都市危險及老舊建築物遷徙住宅貸款利息減免作業規定
- 2024-08-07 住宅發展組 行政規則 台灣自來水供水費率及租金補貼作業執行要點
- 2024-07-10 住宅發展組 行政規則 住宅補貼作業規定

在這些法規中，您搜尋到的資料有不同的補貼類型和申請條件，請依序查看，以瞭解詳細資料。

You simply need to provide different **role instructions** when creating the "AI Assistant" on MaiAgent to achieve this effect. Below are the AI assistant role instructions for the **general public** and **internal staff** versions respectively.

Role instructions (General Public version)

Role

You are the regulatory query assistant for the National Land Management Agency, Ministry of the Interior.

Output Format

Use the example format below to reply with the three most relevant regulations.

Your question is related to the following regulations:

1. Title
2. Title
3. Title

Output Restrictions

- Reply in Traditional Chinese
- Prioritize more recent data as reference material
- Do not answer questions outside the knowledge base scope
- Answer based on knowledge base data; if unable to answer, use the text within the below

Sorry, the knowledge base does not currently contain the regulatory information you requested. Please contact us during our service hours.

Service Hours: Monday to Friday, 8:00-17:30

Contact numbers for each department: Please refer to "[target="_blank">link](#)

Role instructions (Internal Staff version)

Role
You are the regulatory query assistant for the National Land Management Agency, Ministry of the Interior.

Background
The current year is 2024, ROC Year 113.

Output Format
Use the example format below to reply with the three most relevant regulations.

{Response based on the question and reference materials}

Related Regulations:

1. Title
2. Title
3. Title

Output Restrictions

- Reply in Traditional Chinese
- Prioritize more recent data as reference material
- Do not answer questions outside the knowledge base scope
- Answer based on knowledge base data; if unable to answer, use the text within the below

The knowledge base does not currently contain the regulatory information you requested. Please supplement the regulatory data.

Knowledge Base

Download past regulatory documents from the [National Land Management Agency Regulation Search](#).

Regulation-Search.xlsx

National Land Plan Illegal Land Use Report Reward Regulations	National Land Planning Division	Regulatory Order	2024-10-31	Regulation content...	https://www.nlma.gov.tw//政府資訊公開 主動公開資訊 中央法規 法規查詢/25-計畫組/39226-國土計畫土地違規使用檢舉獎勵辦法.html
Public Restroom and Washroom for Parents and Children Setup Regulations	Building Management Division	Regulatory Order	2024-10-30	Regulation content...	https://www.nlma.gov.tw//政府資訊公開 主動公開資訊 中央法規 法規查詢/30-建管組/28714-公共場所親子廁所盥洗室設置辦法.html
Pre-announcement of Amendments to "Ministry of the Interior Social Housing Rental Regulations"	Housing Development Division	Draft Regulation	2024-10-22	Regulation content...	https://www.nlma.gov.tw//政府資訊公開 主動公開資訊 中央法規 法規查詢/29-住宅組/39204-預告修正

National Land Plan Illegal Land Use Report Reward Regulations	National Land Planning Division	Regulatory Order	2024- 10-31	Regulation content...	https://www.nlma.gov.tw//政府資訊 公開 主動公開資訊 中央法規 法規查詢/25-計畫組/39226-國土計畫土 地違規使用檢舉獎勵辦法.html
					「內政部興辦社會住宅出租辦 法」。html

Product Lookup Assistant

In enterprise product customer service, handling a large volume of frequent customer inquiries through manual responses not only leads to delays but also places excessive burden on customer service staff, affecting overall service efficiency. Many repetitive questions appear over and over again, consuming significant time to handle, making it difficult for teams to focus their energy on more complex customer needs and problem resolution. Additionally, the lack of personalized recommendations based on customer behavior and needs fails to effectively improve customer satisfaction and user experience, further impacting brand image and business growth.

Now, you can leverage MaiAgent to build an AI product query assistant for external-facing enterprise use, which not only effectively reduces customer service costs but also provides personalized product recommendations closer to customer needs, improving service quality and customer satisfaction!

Use Case: Build an External Product Query Assistant for a Computer Brand


Suppose you are a product customer service specialist for a computer brand, facing a large volume of diverse specification inquiries from customers that require significant time to handle and respond to. In this case, you can leverage MaiAgent to build an AI product query customer service assistant for external use, improving work efficiency.

You can leverage MaiAgent to build an AI product query customer service assistant for external use, providing instant responses that not only dramatically improve work efficiency but also effectively reduce customer service burden, allowing you to focus on higher-value customer service work.


Workflow

1. Create an External AI Product Query Assistant

Enter the AI assistant name.



Select RAG and language model.



When selecting the response mode, choose "Standard Mode" if you have no special requirements, which is suitable for this use case. Refer to the following role instructions:

```
# Role
You are the company's external product query assistant.

# Output Format
Use the example format below to reply with the three most relevant knowledge items.

Based on your question, we recommend the following products:

1. [Product Name] Specification details
2. [Product Name] Specification details
3. [Product Name] Specification details

# Output Restrictions
- Reply in Traditional Chinese
- Prioritize more recent data as reference material
- Do not answer questions outside the knowledge base scope
- Answer based on knowledge base data; if unable to answer, use the text within the below

Sorry, this question is beyond the scope of our responses. Please contact a human customer service representative for assistance.
```



2. Upload Knowledge Base

Here we use HP's publicly available product catalog as a sample upload.

https://www.hptw-ebrochure.com/hipershop/rwd1185/store/F2/2024-0824_compressed.pdf



3. Deploy the AI Assistant

Now you can embed the AI assistant directly into your company website, allowing customers to ask questions instantly through the chat interface, providing personalized product recommendation options closer to their needs, and improving user experience and satisfaction!

推薦適合設計工作者的電腦產品

2025/04/24 16:10:13



產品查詢助理

已使用知識庫

您提到的問題，我們推薦以下產品：

1. [HP Spectre x360 14] 旗艦AI翻轉筆電，融合精品工藝與先進技術所打造，搭載Intel® Core™ Ultra 7處理器，支援感應方向自動旋轉，搭配手寫筆使用傾斜+感應功能，適合講究尊貴品味的設計工作者。
2. [ENVY x360 16] 創作者專屬大螢幕翻轉筆電，色彩精準的螢幕及強大效能，最高搭載Intel® Core™ Ultra 7處理器，支援NVIDIA Studio認證，適合專業創作者使用。
3. [ENVY x360 14] 專為有手寫需求的行動創作者所打造，兼具輕巧的行動力與創作效能，支援Intel Evo認證、IMAX認證，適合手繪創作者使用。

這些產品都支援360度翻轉功能，可用於筆記和速寫、繪製故事板、產品草圖和平面設計圖，讓創作工作更加便利。

引用

2024-0824_compr... 引用原點

2025/04/24 16:10:23



請輸入您想問的問題



Powered by MAIAGENT

Internal Knowledge Management

When enterprises implement knowledge management, they are often limited by the functionality of existing knowledge management systems, relying solely on keyword searches to find information. This approach lacks semantic understanding and often produces imprecise results, failing to effectively meet the vast and diverse knowledge needs of the enterprise.

Now, with MaiAgent, you can build a dedicated enterprise AI knowledge assistant to achieve smarter and more efficient knowledge management!

Professional Knowledge Management

When enterprises implement knowledge management, they are often limited by existing knowledge management system capabilities, relying solely on keyword searches to find information. This approach has limited semantic understanding, and search results are often imprecise, making it difficult to meet the vast and diverse knowledge needs of the enterprise. Now, you can leverage MaiAgent to build a dedicated internal enterprise AI knowledge assistant, achieving smarter and more convenient knowledge management!

Use Case: Build a Maritime Professional Knowledge AI Q&A Assistant

Suppose you are a supply chain management specialist at a shipping company who regularly reads journals and reports to stay informed about the latest maritime trends, which serve as important references for business operations and decision-making. However, with the rapidly changing international landscape and ever-evolving industry knowledge, the massive and scattered volume of information often makes it difficult to grasp key points in time. In this case, you can use MaiAgent to build a dedicated internal enterprise AI Q&A assistant that not only helps you quickly locate, understand, and internalize key knowledge to stay on top of trends in real time, but also facilitates knowledge sharing and work efficiency across all employees, enhancing the enterprise's agility and competitiveness in a fast-changing market.


Workflow

1. Create a Maritime Professional Knowledge AI Q&A Assistant

Enter the AI assistant name.



Select RAG and language model.



When selecting the response mode, choose "Standard Mode" if you have no special requirements, which is suitable for this use case. Refer to the following role instructions:

```
# Role
You are a maritime knowledge Q&A assistant for the shipping company's internal use.

# Output Format
Use the example format below to reply with the three most relevant knowledge items.

Your question is related to the following content:


1. [Title] (Content summary)
2. [Title] (Content summary)
3. [Title] (Content summary)

# Output Restrictions
- Reply in Traditional Chinese
- Use Taiwan terminology for proper nouns; for example, the Chinese term "集裝箱" should be changed to "貨櫃" (container)
- Prioritize more recent data as reference material
- Do not answer questions outside the knowledge base scope
- Answer based on knowledge base data; if unable to answer, use the text within the below

Sorry, the knowledge base does not currently contain the information you requested.
```



Set permissions, assign roles, and click Save.



2. Upload Knowledge Base

Here we use two publicly available data sources — the UNCTAD 2024 Maritime Review Annual Report and the CR Classification Society Technical Bulletin — as reference materials for building the knowledge base.

Here we use two publicly available data sources — the UNCTAD 2024 Maritime Review Annual Report and the CR Classification Society Technical Bulletin — as reference materials for building the knowledge base.

https://unctad.org/system/files/official-document/rmt2024overview_ch.pdf



3. Deploy the AI Assistant

When you need to learn about maritime-related topics, you can now ask questions directly through the AI assistant's chat interface!

For example, if your manager assigns you to write an analysis report about the Panama Canal, you simply ask the AI assistant to get relevant information instantly, without having to search through documents one by one, improving report production efficiency!

巴拿馬運河相關議題

2025/04/24 11:33:01

 內部海運知識問答助理 已使用知識庫

您提到的問題與以下內容有關：

1. [巴拿馬運河水位下降影響航運] 巴拿馬運河因氣候變化引發的乾旱而減少了每日通過的船舶數量。全球海運貿易量的約3%經過巴拿馬運河。截至2024年6月，巴拿馬運河的船舶通過數量較2021年12月的峰值下降了一半以上。過去兩年，通過巴拿馬運河的過境船舶一直在減少。
2. [巴拿馬運河狀況改善] 自2024年1月以來，巴拿馬運河的狀況因雨季開始及巴拿馬運河管理局實施節水措施而有所改善。根據貿發會議的分析，巴拿馬運河航運中斷對乾散貨運價的影響在2024年1月達到頂峰，隨著巴拿馬運河的限制因素有所緩和，貨運價格的上漲從2024年4月至2024年6月明顯放緩。
3. [巴拿馬運河與蘇伊士運河的航運中斷影響] 巴拿馬運河和蘇伊士運河的航運中斷導致船隊改道使用更長的航線，使航程增加、運輸時間延長，同時使全球船隊需求增加了3%，貨櫃船需求增加了12%。這些航運中斷引發的成本升高轉化為運費上升，而這又不可避免地被轉嫁到消費者身上，加劇通貨膨脹並損害經濟增長。

 引用 rmt2024overview_c... 引用觀點2025/04/24 11:33:19   

請輸入您想問的問題



Meeting Requirement Management

As an enterprise employee, you frequently attend meetings and often encounter issues with meeting records being scattered and lacking centralized management, making it difficult to quickly find and track past decisions and requirement changes. Now, you can leverage MaiAgent to build a dedicated internal enterprise AI meeting management system to drive work forward more effectively.

Use Case: Build an AI Meeting Management Assistant for a Software Company

Suppose you are a project manager at a software company. Facing frequent changes in internal and external requirements, you may often find it difficult to reach consensus quickly when communicating with stakeholders such as clients or managers, or key decision-makers repeatedly overturn previous decisions, making it hard to quickly verify the basis for decisions.

For example, your company has been commissioned by Daikin Co., Ltd. to develop a customized quotation management system. You have already completed the development of the version control feature based on the initial requirements submitted by the client's sales department staff. However, in a subsequent meeting, the client's sales director requested simplification of the feature, and in the most recent meeting, the client's sales manager raised even more complex feature requirements for the same function.


In the past, when facing such multiple and contradictory requirement changes, you might have spent a significant amount of time manually searching through scattered meeting record files on your computer to find the decision basis — both time-consuming and labor-intensive.

Now, by using MaiAgent to build an internal meeting management assistant, you can quickly access complete and up-to-date meeting history information, improving information transparency and communication efficiency, and effectively driving project progress!


Workflow

1. Create an AI Meeting Management Assistant

Enter the AI assistant name.



Select RAG and language model.



When selecting the response mode, choose "Standard Mode" if you have no special requirements, which is suitable for this use case. Refer to the following role instructions:

Role

You are the company's internal meeting management assistant.

Output Format

Use the example format below to reply with the three most relevant meeting resolutions.

Your question is related to the following meeting resolutions:

1. Original content of the proposal
2. Original content of the proposal
3. Original content of the proposal

Output Restrictions


- Reply in Traditional Chinese
- Do not answer questions outside the knowledge base scope
- Answer based on knowledge base data; if unable to answer, use the text within the below

Sorry, the knowledge base does not currently contain the information you requested.



2. Upload Knowledge Base

Upload historical meeting record files (the files below are examples designed for this use case).



3. Deploy the AI Assistant

Now you can ask questions directly through the AI assistant's chat interface to quickly understand the change history of quotation system version control feature requirements, identify who proposed each requirement, and access the source data files for further verification and confirmation.

Now you can ask questions directly through the AI assistant's chat interface to quickly understand the change history of the quotation system version control feature requirements, identify who proposed each requirement, and the AI assistant also provides relevant source data files for further verification and confirmation.

This significantly reduces your time spent searching for information, allowing you to focus on subsequent stakeholder management and coordination, effectively driving project progress.

列出客戶提出報價系統版號控制功能的所有決議

2025/04/24 15:00:52

會議管理助手

已使用知識庫

您提到的問題與以下會議記錄有關：

- 2024年6月20日 大會股份有限公司業務發展-許惠慧提出報價系統的需求調整建議：
 - 更新報價內容時，不需鎖定現有版本。
 - 使用者可直接修改報價內容，並新增版本號。
- 2024年4月25日 大會股份有限公司業務發展提出報價系統版號控制功能需求：
 - 每新增一筆報價並確認內容無誤後，承辦業務人員需按下「正版」按鈕。
 - 正版後，該報價內容將不可再編輯，系統才允許將報價單寄送給客戶。
 - 若客戶需求變更，需調整報價單內容時，須對已定版的報價單進行「升版」操作。
 - 系統自動新增版號，並提供編輯介面，讓業務人員修改報價內容。

引用

20250425 開發需求...

20240620 開發會議...

引用連結

2025/04/24 15:59:02

請輸入想問的問題



Financial Analysis Assistant

Enterprise finance teams often face challenges such as scattered data, time-consuming chart creation, and inconsistent analysis report formats when processing complex financial data. Traditional financial analysis tools typically require tedious manual chart creation processes, which are not only inefficient but also make it difficult to quickly respond to management's demand for real-time financial insights. Now, you can leverage MaiAgent's Canvas visualization technology to build a dedicated enterprise financial AI analysis assistant, enabling intelligent financial data visualization and analysis!

Use Case: Build an Enterprise Financial Data Visualization AI Assistant

Suppose you are a financial analyst at a publicly listed company who needs to produce revenue reports, cost analysis charts, and financial dashboards for the board of directors every month. In the past, you might have spent hours manually creating various charts in Excel — not only time-consuming and labor-intensive, but the chart formats were often inconsistent due to manual operations, affecting the professionalism of reports.

For example, when the CEO requests a "gross margin trend analysis chart for all product lines over the past 12 months" 30 minutes before a board meeting, the traditional approach requires you to urgently dig through data and recreate charts, often making it impossible to complete before the meeting.

Now, with MaiAgent Canvas technology, you simply describe your needs to the AI assistant in natural language, and the system immediately generates professional interactive financial charts. This not only dramatically improves work efficiency but also ensures the accuracy and consistency of charts, allowing you to focus on higher-value financial analysis insights!


Workflow

1. Create a Financial Data Analysis AI Assistant

Enter the AI assistant name.



Select RAG and language model, and enable **Canvas mode**.



Response mode must be set to Agent, with Canvas mode enabled under Agent mode

When selecting the response mode, choose "Agent Mode" and enable "Canvas Mode". Refer to the following role instructions:

Role Setting

You are a professional financial analysis expert specializing in in-depth analysis and insights of corporate financial statements. Your task is to help users understand the financial status, operational performance, and future potential of specific companies.

Core Task

Search the knowledge base for financial data to create chart data, and call tools to use React for producing dynamic financial analysis reports.

When users need reports, call the canvas tool to draw relevant charts.

Present content using charts as much as possible.

Output Requirements

1. **Structured Report:** Present analysis results in a clear, organized report format, including:

- * **Summary:** Brief overview of overall financial performance.
- * **Key Findings:** List the most important financial highlights and issues.
- * **Detailed Analysis:** Explain calculation results, trend analysis, and interpretation of each financial indicator.

- * **Chart Visualization:** Must use the canvas tool to draw relevant charts to visually present data trends and comparisons.

- * **Conclusions and Recommendations:** Synthesize all analyses to provide specific conclusions and action recommendations.

2. **Chart Visualization:**

- * Chart types should be diverse, such as:
 - * Revenue and net profit trend line charts
 - * Profitability ratio comparison bar charts
 - * Asset-liability structure pie charts (showing composition ratios of assets and liabilities)
 - * Cash flow trend charts (operating, investing, financing cash flows)
 - * Annual trend charts of key financial ratios (e.g., ROE, ROA)

3. **Language and Tone:** Use Traditional Chinese with a professional, objective, and precise tone. Avoid vague or ambiguous wording.

4. **Interactivity:** If data is incomplete or requires further clarification, proactively ask for more information, such as: "Please provide more detailed cash flow statement data so I can conduct a more comprehensive analysis."

2. Upload Financial Data Knowledge Base

Upload the company's financial data files, including:

Monthly/quarterly income statements


Balance sheets

Cash flow statements

Departmental budget and actual expenditure data

Product line revenue data

Historical financial reports



3. Deploy the AI Assistant - Canvas Visualization Features


Real-Time Chart Generation

When you need to create financial charts, simply make a request to the AI assistant, and the system will automatically determine and use Canvas technology to generate the corresponding visualizations:

Example 1: Revenue Trend Analysis

Input: "Create a monthly revenue trend chart for 2024"

→ The AI assistant uses **React Canvas** to generate an interactive multi-line trend chart



Example 2: Cost Structure Analysis

Input: "Generate a pie chart showing cost distribution by department"

→ The AI assistant uses **SVG Canvas** to generate a professional vector pie chart



Example 3: Financial Dashboard

Input: "Create a financial performance monitoring dashboard for this quarter"


→ The AI assistant uses **HTML/React Canvas** to generate a complete interactive dashboard



Example 4: Financial Audit Process

Input: "Create an expense reimbursement audit flowchart"

→ The AI assistant uses **Mermaid Canvas** to generate a clear flowchart



Demo Video

📺 預覽連結：<https://drive.google.com/file/d/1JAGb7n-kPM1jGcq1QWwjluSXfUUrljre/view?usp=sharing>

4. Canvas Technology Advantages in Financial Applications

🚀 Efficiency Improvement

Instant Generation: From request to completed chart in just 30 seconds

Consistent Formatting: All charts follow corporate visual identity standards

No Manual Operations: Natural language is all you need to create complex charts

📊 Professional Quality

Interactive Features: Support for data filtering and time range adjustment

Responsive Design: Adapts to various screen sizes and output formats

Vector Graphics: SVG format ensures clarity for printing and projection

🔄 Flexible Adjustments

Real-Time Modifications: Instantly adjust chart styles and data ranges

Multiple Output Formats: Generate different visualization formats from the same data

Customization: Adjust presentation based on different usage scenarios

Enterprise Integration

Brand Consistency: Integrates corporate color and font standards

Localization Support: Supports Taiwan accounting standards and currency formats

Security: Financial data is processed locally to ensure information security

With MaiAgent Canvas technology, finance teams can not only dramatically improve work efficiency but also invest their time in higher-value financial analysis and strategy development, truly achieving the goals of financial digital transformation!

Experience the financial data analysis assistant now — make your financial reports not just numbers, but visualized insights!

Billing & Expense Assistant

Enterprise finance teams often face challenges such as numerous receipts, time-consuming manual data entry, and error-prone processes when handling daily expense reimbursements. Traditional OCR tools can only perform simple text recognition without understanding business context, making them unable to automatically map department codes or expense categories, still requiring significant manual intervention for corrections. Now, you can leverage MaiAgent's intelligent vision technology to build a dedicated "Billing Expense Assistant", achieving intelligent automation from receipt recognition to ERP form filling!

Use Case: Build an AI Assistant for Automatic Enterprise Bill Recognition

Suppose you are a financial accountant at a company. At the end of every month, you need to process a large volume of reimbursement receipts from various branch offices, including water bills, electricity bills, and telecommunications bills. In the past, you might have spent hours looking at paper receipts, manually entering invoice numbers, dates, and amounts one by one into the ERP system.

Traditional OCR tools can only "read text" but cannot understand business rules. For example, when a receipt shows "Zuoying District, Kaohsiung City", traditional tools cannot automatically determine that this belongs to the "Kaohsiung Branch" with department code "K"; nor can they lock the payment date to the "30th of each month" according to company policy, forcing you to manually verify and correct data entry by entry — not only inefficient but also prone to errors caused by fatigue.

Now, with MaiAgent's intelligent vision and reasoning technology, you simply upload a bill image to the AI assistant, and the system not only accurately extracts invoice numbers and amounts but also directly executes your company's internal business logic!

Workflow

1. Create a Billing Expense AI Assistant

Enter the AI assistant name and select the language model.

Recommended model: Gemini 2.5 Pro

Note: Since this application involves complex image text recognition and logical reasoning (such as address-to-department code mapping), it is strongly recommended to use a Pro-level or higher model to ensure recognition accuracy.

建立 AI 助理

基本設定

回答模式設定

知識庫設定

工具

權限設定

進階設定

名稱

機關專用 AI 助理

LLM 模型

◆

Gemini 2.5 Pro

(vertex AI)

模型選擇建議

模型選擇建議

模型選擇建議可根據需求與預算，快速挑選適合大多數使用場景了解更多

取消

確認

Select Agent mode.

基本設定

回答模式設定

知識庫設定

工具

權限設定

進階設定

回答模式

○

RAG 問答

回應快速，通常 2 秒內輸出答案，適合簡單查詢與資訊查詢，無法調用外部工具

●

Agent 模式

具備自主思考能力，可調用外部工具與資料庫，適合具決策邏輯任務，類似「TRAG 問答」樣

>

其他模式

2. Operational Logic Configuration

To enable the assistant to not only "read text" but also "understand" business rules, define the following field processing logic in the System Prompt. The following uses a water bill from "Taiwan Water Corporation" as an example:

Taiwan Water Corporation
Taiwan Water Corporation
May, ROC Year 114 Direct Debit (Agency Collection)
Water Bill Payment Receipt

Carrier Type Number: /BB0001

Period: 11405

Electronic Invoice Certificate: TP88776655

[QR Code]

[回回回]

Water Usage Address:

No. 7, Sec. 5, Xinyi Rd., Xinyi Dist.,

Taipei City 110 (Taipei 101 Tower)

Customer Name: Test Taipei Headquarters

Current Billing Water Usage Period

	Water Usage Item Details
114/03/05 - 114/05/04	Basic Fee 100元
	Water Usage Fee 950元

Current Payment Start Date

114/05/21	Sales Tax 50元
-----------	---------------

Next Payment Start Date

114/07/21	Pre-tax Subtotal (Trap F) 1,050元
-----------	----------------------------------

Current Meter Reading Date

114/05/04	Agency Collection Subtotal
	Disposal Fee 300元
	Water Source
	Conservation Fee 100元

Total Amount Due (Total)

\$ 1,500 元

Payment Deadline: 114/05/30 Account Number: 998877665544

A. Basic Information Extraction

The assistant needs to identify the following key raw data from the image:

Invoice Number: Accurately extract the invoice number from the receipt.

Amount Information: Extract the "total amount" and "pre-tax amount".

Date Information: Extract the relevant date range from the bill.

B. Business Logic Mapping

This is the core advantage that distinguishes MaiAgent from traditional OCR. The assistant can automatically determine attribution based on content:

Address-to-Department Mapping:

Rule: If the recognized address contains "Kaohsiung", the "expenditure department" is automatically classified as "Kaohsiung Branch".

Code Conversion: Following the above, if the department is Kaohsiung Branch, the "department code" is automatically filled in as "K".

Payee and Category:

Rule: If the payee is identified as "Taiwan Water Corporation", the "expense item" is automatically classified as "Water Bill".

Payment Date Automation:

Rule: Regardless of the bill date, the "payment date" field is uniformly fixed to the 30th of each month.

Summary Format Standardization:

Rule: Combine the extracted dates and information into a fixed format string.

Example format: `YY/MM/DD-YY/MM/DD` + `Region` + `Expense Item` (e.g., "114/08/20-114/10/18 Kaohsiung Water Bill").

Amount Calculation and Verification:

Rule: The system can automatically calculate or verify amount logic, for example: `Amount` = `Total Amount` - `Pre-tax Amount` (depending on ERP field definitions).

Refer to the following role instructions:

Role (Role Setting)

You are an enterprise-level "Intelligent Financial Accounting Assistant". Your core capabilities are visual recognition (OCR) combined with complex business logic reasoning.

Your task is to accurately extract data from various types of bills and convert unstructured information into standard ERP format based on the predefined [Business Configuration].

Business Configuration (Business Rule Configuration)

Perform reasoning and field mapping according to the following rule table:

1. Department Mapping Rules (Department Logic)

* Rule: Read the "address" or "consumption location" keywords on the bill.

- * Contains "Taipei" → Expenditure Department: "Taipei Headquarters" | Department Code: "T"
- * Contains "Kaohsiung" → Expenditure Department: "Kaohsiung Branch" | Department Code: "K"
- * Other → Expenditure Department: "To Be Confirmed" | Department Code: "UNK"

2. Expense Category Rules (Expense Category Logic)

* Rule: Read the "company name", "header", or "transaction details" on the bill.

- * Contains "Water" (自來水) → Expense Item: "Water Bill"
- * Contains "Electric" (電力), "Taipower" (台電) → Expense Item: "Electricity Bill"
- * Contains "Chunghwa Telecom" (中華電信) → Expense Item: "Telecommunications Bill"

3. Date and Summary Rules (Date & Summary Logic)

* Payment Date: Uniformly set to the "current or next month 30th" of the receipt month (format YYYY-MM-DD).

* Summary Format: Must be combined into a standard string → `[Date Range]-[Region][Expense Item]`

* *Example*: `114/06/20-114/08/18 Kaohsiung Water Bill`

4. Amount Calculation Rules (Calculation Logic)

* Pre-tax Amount: Must be obtained through calculation, formula = `[Total Amount] - [Sales Tax/Tax Amount]`.

* *Note*: Do not directly read the "subtotal" in the middle of the receipt. Use the "total amount" minus tax to avoid missing agency collection fees.

Workflow (Execution Flow)

Phase 1: Visual Recognition and Logical Reasoning

1. Analyze Image: Scan for invoice number, date range, address, transaction counterpart, total amount, and tax amount.

* *Invoice Number Format Check*: Must match `[A-Z]{2}\d{8}\$`.

2. Execute Mapping: Determine department, category, and codes based on [Business Configuration].

3. Output Confirmation Table: Output results in a Markdown table for user review.

Phase 1 Output Example (strictly follow this format):

Reply directly: "Please confirm the following bill information:"

Field Name	Recognition and Conversion Result	Logic Source
:---	:---	:---
A. Expenditure Department	[e.g., Kaohsiung Branch]	[Based on address: Kaohsiung...]
B. Expense Item	[e.g., Water Bill]	[Based on counterpart: Water Corporation]
C. Summary	[Date range + Region + Item]	[Format combination]
D. Invoice Number	[Two letters + eight digits]	[OCR Recognition]
E. Amount (Tax)	[Tax amount]	[OCR Recognition]
F. Pre-tax Amount	[Calculated value]	[Total - Tax]
G. Payment Date	[YYYY-MM-DD]	[Fixed rule: 30th]
H. Department Code	[e.g., K]	[Mapping code]
I. Total Amount	[Total amount]	[OCR Recognition]


```
## Phase 2: Data Entry (Action)
When the user replies "Confirm" or "No problem":
1. Call the MCP tool `add_invoice_record` to write the data.
2. After successful tool execution, output in standard JSON format and provide a Google Sheet link.

---

# Attention (Notes)
* If the image is blurry, mark it as "Unable to recognize" and ask the user.
* Prioritize the visual "Total Amount" text; ignore intermediate subtotals.
```

C. Advanced Configuration: Connect to Google Sheet for Automatic Filing

[How to connect MCP tools?](#)

3. Deploy the AI Assistant

When you need to process billing expenses, simply send the bill or payment receipt to the AI assistant. The system automatically identifies the content, converts the extracted data according to internal company regulations (e.g., automatically mapping department codes, calculating pre-tax amounts), and then directly writes the data into the ERP system or Google Sheet, achieving one-click automation from receipt recognition to accounting entry.

Automatic Bill Content Detection

請確認以下提取資訊：

欄位名稱	提取 / 推論值
A. 支出部門	台北總公司
B. 票項項目	水費
C. 票號	114/03/05-T4/05/04台北水費
D. 發票號碼	TP58776655
E. 金額 (稅前)	50
F. 未稅金額	1450
G. 付款日	2025-05-30
H. 部門代碼	T

請確認以上資訊是否正確？若無誤請回覆「確認」。

Automatic Bill Content Entry into Google Sheet

支出部門	票項項目	摘要	發票號碼	金額 (稅前)	未稅金額	付款日	部門代碼
台北總公司	水費	114/03/05-114/05/04台北水費	TP58776655	50	1450	2025-05-30	T

Automatic Conversion to ERP Format JSON

```
{
  "expenditure_department": "台北總公司",
  "cost_item": "水費",
  "summary": "114/03/05-114/05/04台北水費",
  "invoice_number": "TP88776655",
  "tax_amount": 50,
  "pre_tax_amount": 1450,
  "payment_date": "2025-05-30",
  "department_code": "T"
}
```

4. Technical Advantages of the Intelligent Billing Assistant

Powerful Vision Language Model (VLM)

Semantic Understanding and Dynamic Reasoning: The model does not rely on fixed template coordinates but extracts information by understanding the contextual semantics of the receipt. Additionally, business rules can be flexibly expanded through the System Prompt without redeveloping the program.

Application Examples:

Automatic Classification: Recognizes the "Taiwan Water Corporation" logo and automatically classifies the category as "Water Bill".

Logic Completion: Recognizes a "Kaohsiung address" and automatically infers and fills in department code "K".

Rule Expansion: If you need to add judgment logic for "Taipei Branch" in the future, you only need to adjust the prompt to take effect.

Strong Environmental Adaptability: Equipped with noise-resistant visual recognition capabilities, even if photos taken by the user's phone have shadows, wrinkles, glare, or slight blurring, the VLM can still accurately restore values and text based on context, significantly reducing the need for re-shooting or manual re-entry.

Precise Tool Invocation and Logic Execution (Tool Use & Integration)

Automated Report Writing: Through the Google Sheets writing tool, the assistant can write parsed information directly into designated cloud spreadsheet fields.

Replacing the traditional tedious process of "manually reading receipts and keying in data", truly achieving "snap the receipt, report is done".

Structured Format and Seamless ERP Integration: Enforced output format specifications ensure data can directly correspond to enterprise internal system (ERP) requirements.

Application Examples:

Date Unification: Whether the invoice shows `2024/01/01` or `ROC Year 113, January 1`, it is automatically converted to standard `YYYY-MM-DD` format before writing.

System Integration: Supports direct output in standard JSON format for direct use by enterprise ERP APIs.

Logic Compliance Validation: The assistant doesn't just pass data — it can also invoke calculation tools for numerical and compliance checks.

Application Example: Automatically validates `Total - Tax = Pre-tax Amount`, or locks specific payment dates (e.g., the 30th of each month) according to company regulations, ensuring every piece of data entering the system complies with financial logic and security standards.

With the MaiAgent Intelligent Billing Assistant, finance teams can not only eliminate tedious receipt data entry work but also ensure that the attribution and codes for every expense are 100% accurate, truly achieving unmanned automated processing from "receipts" to "reports"!

Experience the Billing Expense Assistant now — make your financial processes not just digitized, but intelligent!

Credit Analysis Assistant

Enterprise credit investigation teams often face challenges such as scattered data, time-consuming risk assessments, and inconsistent analysis report formats when processing complex credit data. Traditional credit analysis tools typically require tedious manual data verification processes, which are not only inefficient but also make it difficult to quickly respond to business departments' demands for real-time risk assessment. Now, you can leverage MaiAgent's Canvas visualization technology to build a dedicated enterprise credit analysis AI assistant, enabling intelligent credit data visualization and analysis!

Use Case: Build an Enterprise Credit Data Visualization AI Assistant

Suppose you are a credit analyst at a financial institution who needs to review client applications daily, produce risk assessment reports, and present credit risk dashboards to the risk management committee. In the past, you might have spent hours querying client data across different systems and manually creating various risk assessment charts — not only time-consuming and labor-intensive, but also prone to inconsistency due to manual operations, affecting the accuracy of decisions.

For example, when the business department urgently needs a "credit risk assessment report for a major corporate client" within 30 minutes, the traditional approach requires you to urgently query credit bureau data, analyze financial status, and evaluate guarantor conditions, often making it impossible to complete before the business meeting.

Now, with MaiAgent Canvas technology, you simply describe your needs to the AI assistant in natural language, and the system immediately generates professional interactive credit analysis charts. This not only dramatically improves work efficiency but also ensures accuracy and consistency of assessments, allowing you to focus on higher-value risk analysis insights!


Workflow

1. Create a Credit Data Analysis AI Assistant

Enter the AI assistant name.



Select RAG and language model, **and enable Canvas mode.**




Response mode must be set to Agent, with Canvas mode enabled under Agent mode

When selecting the response mode, choose "Agent Mode" and enable "Canvas Mode". Refer to the following role instructions:

2. Upload Credit Data to the Chat Room via Conversation Attachments

Upload credit data files, including but not limited to:

- Balance sheets
- Credit bureau reports
- Cash flow statements
- Tax records
- Banking transaction records
- Income statements



3. Deploy the AI Assistant - Demo Video

預覽連結：<https://drive.google.com/file/d/1ABZFLD3cz9u89i-88RrXJKVlxK6o4vej/view?usp=sharing>

4. Canvas Technology Advantages in Credit Applications

Efficiency Improvement

Instant Assessment: From client application to completed risk assessment in just 30 seconds

Standardized Process: All assessments follow consistent risk evaluation standards

No Manual Operations: Natural language is all you need to complete complex risk analysis

Professional Quality

Interactive Features: Support for risk coefficient adjustment and time range filtering

Responsive Design: Adapts to various screen sizes and output formats

Vector Graphics: SVG format ensures clarity for printing and projection

Flexible Adjustments

Real-Time Modifications: Instantly adjust assessment parameters and risk weights

Multiple Output Formats: Generate different analysis perspectives for the same client

Customization: Adjust assessment models based on different product types

Enterprise Integration

Regulatory Compliance: Integrates FSC credit investigation regulatory requirements

Localization Support: Supports Taiwan's credit investigation system and scoring standards

Security: Client data is processed locally to ensure information security

With MaiAgent Canvas technology, credit investigation teams can not only dramatically improve work efficiency but also invest their time in higher-value risk analysis and strategy development, truly achieving the goals of credit investigation digital transformation!

Experience the credit data analysis assistant now — make your risk assessments not just numbers, but visualized insights!

Voice Customer Service

Modern voice customer service systems combine artificial intelligence technology to provide diverse and flexible solutions that improve service efficiency and customer experience. The overall process begins with **voice input**, which is converted to text through **ASR (Automatic Speech Recognition)**, and then various AI assistant features can be applied based on requirements for further processing.

AI assistants cover the following applications:

Intent Recognition: Parses customer voice content to quickly understand needs or issues for subsequent processing.


Summary and Dispatching: For complex customer needs, generates summaries and automatically dispatches to the appropriate service department or system.

Intelligent Quality Inspection: Performs real-time call monitoring and analysis to ensure service quality meets standards.


Intelligent Response: Generates appropriate response content based on intent recognition results and converts it to voice through **TTS (Text-to-Speech)** technology to reply to the customer.

These features can be flexibly selected based on actual needs and do not necessarily require full-process execution. Instead, they are designed for different scenarios and requirements. For example, some scenarios may only require intent recognition, while intelligent response is suitable for situations where you want to provide real-time voice responses.

The combination of these application modules builds a diverse and highly adaptable voice customer service ecosystem that achieves more efficient and personalized customer interactions. Next, we will provide detailed introductions on how to build AI assistants and MaiAgent solutions for each application, showcasing their technical core and application value.



MaiAgent currently has built-in integration with multiple ASR speech recognition and TTS speech synthesis services, making it convenient for users to choose the appropriate technology for different scenarios.



IVR Customer Service Intent Recognition

IVR (Interactive Voice Response) Customer Service Intent Recognition refers to a technology application that combines AI voice processing technology, allowing users to interact with customer service systems through voice commands and automatically recognizing customer intent to provide corresponding services. In Taiwan, such systems are widely used in banking, telecommunications, healthcare, and other industries to improve service efficiency and customer experience.

Core Features and Process

Receive Voice Input

After the customer calls, the system plays an automated voice menu (e.g., "Please briefly describe your needs, and we will provide assistance."). The customer does not need to press buttons to select options but instead directly expresses their needs through voice.

Speech Recognition (ASR)

The system uses Automatic Speech Recognition technology to convert speech into text. For example, if the customer says "I want to check my bill", the system converts the content into text input.

Natural Language Understanding (NLU)

The system uses Natural Language Understanding technology to analyze semantics and determine the user's actual needs. For example:

Vocabulary analysis: Keywords like "check" and "bill" indicate the need is related to billing.

Intent recognition: Determines the customer's purpose is to "check bill".

Response and Routing

The system provides corresponding services based on semantic analysis results, with the following possible options:

Direct Response: If the need can be handled automatically, e.g., "Your bill amount is NT\$1,200, and the payment deadline is December 15th."

Transfer to Agent: If the need is more complex, the system automatically transfers to the corresponding department's customer service representative while providing a semantic summary to reduce redundant communication.

Technical Challenges and Limitations

Difficulty Understanding Diverse Expressions

Users' language expressions may be non-standard, e.g., "What's going on with my bill?" or "What about the payment issue?" — such semantics can be somewhat ambiguous, and models like BERT sometimes **cannot precisely determine specific needs**.

In Taiwan, there is also the challenge of multi-language and multi-dialect mixing (Mandarin, Taiwanese, Hakka), and language model support for these languages is still insufficient.

Limitations in Intent Granularity

While modern NLP models can handle large volumes of text data, they cannot fully master specialized knowledge or unique intents in certain industries. For example, "I want to know the specific date of my last payment" may require connecting to different systems to answer correctly.

Even though BERT handles shorter conversation fragments well, long sentences or complex semantic expressions can confuse the model.

Data Bias and Incomplete Corpora

Training language models **requires massive localized corpora**. If data is insufficient or biased toward a single expression pattern, the model's adaptability to special contexts will be inadequate. For example, Taiwan-specific language habits like "top-up" or "skip number" may lack sufficient contextual corpora in the model.

Context and Memory Limitations

Customer conversations typically have contextual relevance, e.g., "About the payment mentioned earlier, I have another question" — such multi-turn conversations require the system to remember previous intents. Current NLP models have limited performance in this area.

If intent determination is wrong, users may have to restate their needs, causing frustration.

Low Error Tolerance

Customers have limited patience with customer service systems. If the voice system makes incorrect determinations, customers may become frustrated and ultimately request to speak with a human agent.

Industry Status

Currently, many enterprises' voice customer service systems still use traditional button-based selection processes. Taking **SinoPac Bank's voice customer service system** as an example, its design thoroughly considers business diversity, providing multi-level menu options to guide users. However, there is still significant room for optimization and improvement in user interaction experience.

The emergence of LLM (Large Language Models) and RAG (Retrieval-Augmented Generation) has brought revolutionary changes to semantic recognition and the overall IVR system, making voice customer service systems smarter, more precise, and more adaptive, overcoming many limitations of traditional NLP technologies.

 預覽連結：<https://bank.sinopac.com/MMA8/bank/service/cs-phonerecall.html>



Solution

The following will guide you step by step through building a powerful semantic recognition assistant using MaiAgent's robust and precise LLM and RAG capabilities.

Steps

1. Data Preparation

In the past, BERT required large amounts of labeled data for NLP tasks (such as intent recognition, sentiment analysis, etc.). Labeled data was typically created manually — for example, annotating sentences with intent categories or keywords — which was both time-consuming and expensive. Even with high-quality labeled data, the model's generalization ability was insufficient. When business needs or usage habits changed, the model needed to be re-labeled and retrained, which was a lengthy process. The advantage of LLM and RAG is that they can fully combine generative language capabilities with the dynamic nature of real-time retrieval, eliminating dependence on labeled data, improving semantic recognition accuracy, reducing development and maintenance costs, and greatly improving user experience. This technology combination sets new industry standards for intelligent customer service and voice interaction, and is a key driver for future automation and personalized services.

The introduction of LLM and RAG has greatly simplified the labeled data preparation process. Now, you simply need to organize data into an Excel spreadsheet, list the intent categories, and upload this **banking customer service list** to the MaiAgent AI assistant's knowledge base to support the intelligent semantic recognition system.

[illegible]

Banking service list (for intent recognition)

2. Define Role Instructions

Role

You are MaiAgent Bank's semantic understanding robot.

Output Format

Based on the user's conversation, understand the customer's desired service intent, determine the user's desired service intent from the knowledge base, and output it.

When the intent is clear, output only one intent; if there are multiple similar intents that cannot be distinguished, list up to 3 of the closest intents.

<example>

→Code:<Category> - <Subcategory>

</example>

<example>

→Code:<Category> - <Subcategory>

→Code:<Category> - <Subcategory>

...

</example>

<example>

N/A

</example>

Output Restrictions

- Reply in Traditional Chinese
- Do not answer questions outside the knowledge base scope
- Output only the text within <example> and </example>, do not include other descriptions
- Output should not include <example> and </example>
- Answer based on knowledge base data; if unable to determine intent, use the text within the <example> below

3. Start Using

Usage Examples

Single-Turn Conversation



Intent recognition example

Multi-Turn Conversation

LLM and RAG technology resolves the bottleneck of multi-turn conversation intent recognition that was difficult with BERT.



Intent recognition multi-turn conversation example

Voice Call Summary

This chapter introduces how to build a voice call summary AI assistant that combines Automatic Speech Recognition (ASR) technology to transcribe voice call content into text and quickly generate summaries. This section uses the Taipei 1999 citizen complaint hotline as background. The AI assistant needs to have the following core features:

Automatic Summary Generation: Extract key information from ASR transcription text, such as caller name, contact information, issue description, and location, and output in a structured format to ensure information is clear and easy to read.

Intelligent Department Assignment: Automatically determine the responsible department based on issue content — for example, assigning streetlight malfunctions to the Public Works Bureau and environmental issues to the Environmental Protection Bureau — to improve processing efficiency.

Precise Location Identification: Analyze location descriptions in the call to automatically match administrative districts and neighborhoods, ensuring dispatch information is accurate.

End-to-End Automation: Integrate summary generation and department assignment so that the entire process from voice input to task assignment can be completed without human intervention, providing an efficient solution for citizen services.

This feature significantly reduces manual processing time, ensures citizen-reported issues are quickly forwarded to the correct department, and improves both service experience and administrative efficiency.

Role Instructions

Role

You are a summary tool for Taipei 1999 citizen complaint hotline transcripts. The input is a transcript.

Output Restrictions

1. Responsible agency options:

Drug Prevention Bureau/Youth Bureau/Sports Development Bureau/Administrative and International Affairs Office/Civil Affairs Bureau/Finance Bureau/Education Bureau/Economic Development Bureau/Marine Bureau/Agriculture Bureau/Tourism Bureau/Urban Development Bureau/Public Works Bureau/Water Resources Bureau/Social Affairs Bureau/Labor Bureau/Police Bureau/Fire Bureau/Health Bureau/Environmental Protection Bureau/Rapid Transit Bureau/Cultural Affairs Bureau/Transportation Bureau/Legal Affairs Bureau/Land Administration Bureau/Information Bureau/Research Development and Evaluation Commission/Indigenous Peoples Commission/Hakka Affairs Commission/Budget and Accounting Office/Personnel Office/Civil Service Ethics Office/Open University/District Office

2. For fields that cannot be summarized, enter "N/A"

Output Format

Output directly without including `<template>` and `</template>`

`<template>`

Complainant Name: XXX

Complainant Phone: XXX

Issue Description: XXX

Responsible Agency: XXX

Case Administrative District: XXX

Case Neighborhood: XXX

Complaint Location (Address): XXX

`</template>`

Voice Conversation Text

Customer Service Agent:

Hello, this is the Taipei City 1999 Citizen Service Hotline. How may I help you?

Citizen:

Oh... um, hello, I'd like to report an issue in our community. Oh right, my last name is Zhang! Oh, my phone number is... hold on, 0912, huh? Oh right, 0912-345-678, sorry I almost forgot.

Customer Service Agent:

Alright, Mr. Zhang, your phone number is 0912-345-678. How can we help you?

Citizen:

Well, so near our house there's a... it's a small park, and the, um, lights have been broken for a long time and nobody's fixed them. It's pitch dark at night, really scary. Kids used to play there all the time, but now nobody dares to go at night.

Customer Service Agent:

I see. Could you tell me the specific location of this small park?

Citizen:

Oh... what's it called... um, oh! It's in Neihu District, uh... I think it's called Yangguang Borough? Yeah yeah, the small park near Yangguang Borough, close to Wende Road, you know where that is?

Customer Service Agent:

Neihu District, Yangguang Borough park, near Wende Road, correct?

Citizen:

Yeah yeah! That's the one, and several lights are broken. I'm not sure which ones exactly, probably the ones near the benches in the middle. Anyway it's super dark there at night now. Can you help take care of it?

Customer Service Agent:

Sure, I'll record your issue and forward it to the relevant department. Is there anything else you need help with?

Citizen:

Oh, no that's all, thanks for your help.

Customer Service Agent:

Alright, thank you for calling the 1999 Citizen Service Hotline. Have a great day!

Summary Result

Complainant Name: Mr. Zhang

Complainant Phone: 0912-345-678

Issue Description: Streetlights in the small park in Yangguang Borough, Neihu District are malfunctioning. The location is near Wende Road, and it's dark at night, affecting resident safety.

Responsible Agency: Public Works Bureau

Case Administrative District: Neihu District

Case Neighborhood: Yangguang Borough

Complaint Location (Address): Small park in Yangguang Borough, Neihu District, near Wende Road

Voice Call Quality Inspection

This chapter introduces how to build an intelligent voice call quality inspection AI assistant that combines Automatic Speech Recognition (ASR) technology to transcribe call content between agents and customers into text, and then automatically reviews service quality. This helps supervisors quickly understand customer service performance and avoid missing potential service flaws or compliance risks. The AI assistant needs to have the following core functions:

Service Standard Compliance Check: Based on the company's established customer service SOP, evaluate item by item whether agents have completed required scripts, such as self-introduction, customer identity verification, and closing courtesy.

Sentiment and Attitude Analysis: Analyze the agent's tone and word choice to identify situations such as impatience, argumentation, or unprofessional behavior, while also tracking changes in customer sentiment.

Compliance and Forbidden Phrase Detection: Automatically check whether the call content contains promissory language, sensitive terms, or scripts that violate regulations, reducing legal compliance and complaint risks.

Structured Inspection Output: Output inspection results in structured fields, making it easy to import into back-end systems or BI reports, helping supervisors aggregate and track service quality.

With fully automated AI quality inspection, the burden of manual sampling is significantly reduced. Where previously only a small number of calls could be sampled, now every call can be reviewed in real time, helping enterprises identify service gaps and make improvements at the earliest opportunity.

Role Instructions

Role

You are a call quality inspection assistant for the enterprise customer service center. The input is the transcript of a call between an agent and a customer.

Inspection Items

1. Opening: Whether the agent provided a complete self-introduction (company name, agent name/ID).
2. Identity Verification: Whether the agent verified the caller's identity according to standards.
3. Service Attitude: Whether the agent's tone is friendly, with no impatience or argumentation.
4. Forbidden Phrase Detection: Whether any promissory, aggressive, or non-compliant language appeared.
5. Closing Courtesy: Whether the agent confirmed that the customer's issue had been resolved and offered a proper farewell.

Output Constraints

1. Each inspection item can only be marked as "Pass", "Fail", or "Not Applicable".
2. If failed, please supplement the original sentence and reason in the "Specific Notes" field.
3. For fields that cannot be determined, please enter "None".

Output Format

Please output directly without <template> and </template> tags.

```
<template>
Opening: Pass/Fail/Not Applicable
Identity Verification: Pass/Fail/Not Applicable
Service Attitude: Pass/Fail/Not Applicable
Forbidden Phrase Detection: Pass/Fail/Not Applicable
Closing Courtesy: Pass/Fail/Not Applicable
Specific Notes: XXX
Overall Recommendation: XXX
</template>
```

Voice Conversation Text

Agent:

Hello, this is MaiAgent Customer Service Center. I'm Mei, agent ID A123. How may I help you?

Customer:

Hi, the amount on last month's bill is incorrect. Why was I charged an extra five hundred dollars?

Agent:

I sincerely apologize for the inconvenience. To protect your rights, may I first verify your identity? Please provide your member ID or registered mobile phone number.

Customer:

My phone number is 0912-345-678.

Agent:

Thank you, I have located your account information. I can see that there is indeed a five-hundred-dollar value-added service charge on last month's bill, which was generated by the "Family Protection Plan" you activated on our website on November 5th.

Customer:

I never activated that plan! Are you charging me arbitrarily?

Agent:

I understand your concern. I will immediately help you retrieve the activation record and report back. A specialist will contact you within 24 hours with a resolution plan. May we reach you at this mobile number?

Customer:

Yes, thank you for your help.

Agent:

A case has been created for you. Is there anything else you need assistance with?

Customer:

No, thank you.

Agent:

Thank you for calling MaiAgent Customer Service Center. Have a great day, goodbye.

Quality Inspection Result

Opening: Pass

Identity Verification: Pass

Service Attitude: Pass

Forbidden Phrase Detection: Pass

Closing Courtesy: Pass

Specific Notes: The agent provided a complete company name and agent ID, and followed standards by asking for the customer's mobile number for identity verification. When facing the customer's questioning, the agent remained calm, avoided argumentation or promissory language, and proactively created a follow-up case.

Overall Recommendation: This call complies with service standards. It is suggested that when responding to customer concerns, the agent could further explain the specific process for retrieving records to strengthen customer trust.

Image & Vision

Demo Video

 預覽連結：<https://drive.google.com/file/d/1Xuso3cX8ZMChhWla2rD7wafcDT2fUldr/view?usp=sharing>

Invoice Recognition

OCR Optical Character Recognition

"Invoice Receipt Recognition API" Role Instructions

Persona

You are an invoice receipt recognition API.

Task

Input

Users will upload invoice receipt images.

Output

Extract the text from the invoice receipt and output it in JSON format. Output the JSON directly.

Field Descriptions

- `invoice_type`: Triplicate/Duplicate/Electronic/Cash Register
- If a field cannot be recognized, keep the field with a null value.

Output Example

<example>

```
json
{
  "status": "success",
  "data": {
    "invoide_type": "Triplicate"
    "invoice_number": "AB-12345678",
    "invoice_date": "112/11/17",
    "invoice_time": "14:30:00",
    "seller": {
      "tax_id": "12345678",
      "company_name": "Delicious Restaurant Co., Ltd.",
      "address": "No. 100, Sec. 5, Xinyi Rd., Xinyi Dist., Taipei City"
    },
    "buyer": {
      "tax_id": "87654321",
      "company_name": "Test Technology Co., Ltd."
    },
    "items": [
      {
        "description": "Business Lunch Set A",
        "quantity": 2,
        "unit": "serving",
        "unit_price": 120,
        "amount": 240
      },
      {
        "description": "Black Tea",
        "quantity": 2,
        "unit": "cup",
        "unit_price": 30,
        "amount": 60
      }
    ],
    "amounts": {
      "sales_amount": 300,
      "tax_amount": 15,
      "total_amount": 315
    }
  }
}
```

```
</example>

> Failure Example
<example>
json
{
  "status": "failed",
  "error": {
    "code": "IMAGE_ANALYSIS_ERROR",
    "message": "Unable to correctly recognize the business card image",
    "details": "Image quality is insufficient or format does not meet requirements"
  }
}

</example>
```

Official Document Scanning

Official Document Scanning

Business Card Scanning

Business Card Scanning

Persona

You are a business card recognition API.

Task

Input

Users will upload business card images.

Output

Extract the text from the business card and output it in JSON format. Output the JSON directly.

> Success Example

<example>

json

```
{
  "status": "success",
  "data": {
    "name": {
      "zh": "王大明",
      "en": "David Wang"
    },
    "title": {
      "zh": "資深軟體工程師",
      "en": "Senior Software Engineer"
    },
    "company": "頑碼資訊有限公司",
    "phone": "02-2345-6789",
    "mobile": "0912-345-678",
    "email": "david.wang@innovtech.com.tw",
    "address": "台北市信義區信義路五段7號",
    "website": "www.innovtech.com.tw"
  }
}
```

</example>

> Failure Example

<example>

json


```
{
  "status": "failed",
  "error": {
    "code": "IMAGE_ANALYSIS_ERROR",
    "message": "Unable to correctly recognize the business card image",
    "details": "Image quality is insufficient or format does not meet requirements"
  }
}
```

</example>

Input image:



Output result:



The output below can be used as the API output result:

```
{
  "status": "success",
  "data": {
    "name": {
      "zh": "張介騰",
      "en": "Scott Chang"
    },
    "title": {
      "zh": "執行長",
      "en": "CEO"
    },
    "company": "MAIAGENT AI助理開發平台",
    "phone": "0975-111-025",
    "email": "scott@playma.app",
    "line": "playma",
    "address": {
      "zh": "104臺北市中山區復興北路48號7樓",
      "en": "7F, No. 48, Fuxing N. Rd., Zhongshan Dist., Taipei City 104502, Taiwan (R.O.C.)"
    },
    "company_registration": "頑碼資訊有限公司 83709727"
  }
}
```

ID Card Recognition

When enterprises process identity verification, account opening, onboarding, and other workflows, they often need to manually enter names, ID numbers, addresses, and other information from documents one by one — a process that is both time-consuming and error-prone. With MaiAgent's multimodal AI assistant, users simply upload a document photo, and the system automatically recognizes and outputs structured JSON data that can be directly integrated with downstream business systems.

Compared to traditional OCR solutions, MaiAgent combines the multimodal capabilities of large language models with the following advantages:

	Traditional OCR Engine	MaiAgent Multimodal AI
Layout Adaptability	Requires designing a template for each document type	Automatically understands different document layouts
Front/Back Processing	Requires separate processing and manual matching	Can recognize both front and back from a single image
Field Expansion	Requires code modifications	Simply modify the JSON Schema
Deployment Cost	Self-hosted OCR service or purchased license	Platform configuration, no coding required
Error Handling	Returns raw text, requires post-processing	AI understands semantics and automatically corrects formatting

Use Cases


Banking Account Opening: Customer uploads ID card, automatically extracting name, ID number, and other information to fill in the account opening form

HR Onboarding Process: New employees upload documents, and the system automatically creates records

Medical Registration: Patients upload health insurance card or ID card, automatically filling in basic information

Government Agency Counter Service: Citizens present documents for instant recognition and auto-population of application forms

Solution Architecture



Setup Steps


Step 1: Create an AI Assistant

Left sidebar → **AI Features** → **AI Assistants**

Click **Create AI Assistant** in the upper right corner

Fill in basic settings:

Field	Value
Assistant Name	Document OCR Recognition Assistant
Large Language Model	Gemini 3.1 Flash-Lite (must support multimodal)



When selecting a large language model, make sure the model supports multimodal (image input), such as the Gemini series. If you select a text-only model, it will not be able to recognize image content.


Step 2: Set Response Mode and JSON Schema

Switch to the **Response Mode Settings** tab:

Field	Value
Response Mode	RAG Q&A
Output Format	Output JSON Format

After selecting **Output JSON Format**, enter the following content in the JSON Schema field below:

```
{
  "type": "object",
  "properties": {
    "document_type": {
      "type": "string",
      "description": "Document type, such as ROC National ID Card, driver's license, passport, health insurance card, residence permit, etc."
    },
    "name": {
      "type": "string",
      "description": "Full name of the document holder, read from the name field on the front"
    },
    "gender": {
      "type": "string",
      "enum": ["Male", "Female"],
      "description": "Gender"
    },
    "date_of_birth": {
      "type": "string",
      "description": "Date of birth, in ROC calendar year format"
    },
    "military_service": {
      "type": ["string", "null"],
      "description": "Military service status, such as exempt, completed, pending, alternative service. Null for females or if field is absent"
    },
    "place_of_birth": {
      "type": ["string", "null"],
      "description": "Place of birth, read from the back"
    },
    "id_number": {
      "type": "string",
      "description": "National ID number, 1 English letter + 9 digits"
    },
    "expiry_or_issue_date": {
      "type": ["string", "null"],
      "description": "Issue date or expiry date, in ROC calendar year format"
    },
    "address": {
      "type": ["string", "null"],
      "description": "Full address, read from the address field on the back, including city, district, borough, neighborhood, road, section, lane, alley, number, and floor"
    }
  },
  "required": [
    "document_type", "name", "gender", "date_of_birth",
    "military_service", "place_of_birth", "id_number",
    "expiry_or_issue_date", "address"
  ]
}
```



JSON Schema output format settings

Step 3: Write Role Instructions

In the **Role Instructions** section on the same tab, enter the following content:

You are a professional document OCR recognition assistant. Users will upload document images, and you must carefully recognize all text in the image and extract key information.

Most Important: Carefully Scan All Areas of the Entire Image

⚠ Users often photograph both the front and back of a document in the same image (side by side or stacked vertically). You must:

1. First scan the entire image to identify how many document faces are present (may be 1 or 2)
2. Separately recognize the text in each area
3. Merge the front and back information into the results

Never say "back not provided" or "information not in the image" unless you have confirmed that the information truly cannot be found in any area of the entire image.

ROC National ID Card Field Locations

Front (has national flag, photo)

- "Name": Next to the photo, this is the document holder's own name
- "Date of Birth": ROC Year XX Month XX Day XX
- "Gender": Marked as "Male" or "Female"
- "ID Number": At the bottom, 1 uppercase English letter + 9 digits
- "Issue Date": Bottom left

Back (has father/mother/spouse fields, background is usually darker)

- "Father" "Mother": Parents' names (not the document holder)
- "Spouse": Spouse's name
- "Military Service": Military service status
- "Place of Birth": e.g., "Taipei City", "New Taipei City"
- "Address": Full registered address

Recognition Rules

1. Document Type: Determine based on appearance
2. Name: Must be read from the "Name" field on the front; do not read the father/mother/spouse names from the back
3. Gender: Read from the front
4. Date of Birth: Read from the front, in ROC calendar year format
5. Military Service: Read from the back. Females typically have no military service; fill null
6. Place of Birth: Read from the back
7. ID Number: Read from the bottom of the front, carefully recognizing each character
8. Issue Date: Read from the "Issue Date" field on the front
9. Address: Read from the "Address" field on the back, completely including city, district, borough, neighborhood, road, section, lane, alley, number, and floor

Output Notes

- Fill null for fields that cannot be recognized
- All recognition results must be faithful to the image content; do not guess or fabricate



Role instructions settings

Click **Save** to complete the assistant setup.

Step 4: Test Recognition Results

Enter the assistant's **Test Conversation**

Upload a document image (can include both front and back)

Enter "Please recognize this document image"

Verify the returned JSON structure and field content are correct



Document recognition test results

Usage Example

Upload an image containing both the front and back of an ID card, and the AI assistant will automatically recognize and output structured JSON:

```
{
  "document_type": "ROC National ID Card",
  "name": "陳筱玲",
  "gender": "Female",
  "date_of_birth": "ROC Year 57, June 5",
  "military_service": null,
  "place_of_birth": "Taipei City",
  "id_number": "A234567890",
  "expiry_or_issue_date": "ROC Year 94, July 1",
  "address": "No. 218, Aly. 165, Ln. 283, Sec. 6, Minquan E. Rd., Huzhou Borough, Neihu Dist., Taipei City"
}
```

Recognition accuracy depends on image quality. Ensure adequate lighting when taking photos, avoid glare, and lay the document flat for photography. If photographing both front and back simultaneously, arrange them side by side or stacked vertically.


JSON Output Field Descriptions

Field	Type	Source	Description
<code>document_type</code>	string	Front	Document type
<code>name</code>	string	Front	Document holder's name
<code>gender</code>	string	Front	Gender (Male/Female)
<code>date_of_birth</code>	string	Front	Date of birth (ROC calendar year)
<code>military_service</code>	string/null	Back	Military service status
<code>place_of_birth</code>	string/null	Back	Place of birth
<code>id_number</code>	string	Front	National ID number
<code>expiry_or_issue_date</code>	string/null	Front	Issue date
<code>address</code>	string/null	Back	Full address

API Integration

This assistant can be integrated with business systems via the MaiAgent API to automate the document recognition process.

Call Flow



Mermaid 圖表

Step 1: Upload Image to Get Attachment ID

```
curl -X POST
-H "Authorization: Api-Key YOUR_API_KEY"
-F "file=@/path/to/id_card.jpeg"
"https://api.maiagent.ai/api/v1/attachments-upload/"
```

Note the `id`, `type`, `file`, and `filename` fields from the response — they will be used in the next step.

Step 2: Call the Assistant for Recognition

```
curl -X POST
-H "Authorization: Api-Key YOUR_API_KEY"
-H "Content-Type: application/json"
-d '{
  "message": {
    "content": "Please recognize this document image",
    "attachments": [{
      "id": "{id from Step 1}",
      "type": "image",
      "file": "{file URL from Step 1}",
      "filename": "id_card.jpeg"
    }]
  },
  "isStreaming": false
}'
```

Step 3: Parse the Response

The `content` field in the response contains the recognition result in JSON format:

Python

```
import json
ocr_result = json.loads(response["content"])
print(ocr_result["name"])           # 陳筱玲
print(ocr_result["id_number"])      # A234567890
print(ocr_result["address"])        # 臺北市內湖區葫洲里1鄰民權東路六段283巷165弄218號
```

JavaScript

```
const ocrResult = JSON.parse(response.content);
console.log(ocrResult.name);        // 陳筱玲
console.log(ocrResult.id_number);   // A234567890
console.log(ocrResult.address);     // 臺北市內湖區葫洲里1鄰民權東路六段283巷165弄218號
```

For complete example code, refer to [Playma-Co-Ltd/maiagent-api-examples](#).

External Data Integration

In real-world scenarios, AI assistants often need to access "real-time data" or "external system data" beyond the knowledge base in order to provide accurate and timely responses. Through MaiAgent's tools (API tools and MCP tools), you can connect data sources from internal enterprise systems or third-party platforms to your AI assistant, building intelligent applications that can query across systems and respond in real time.

Use Cases

Public Data Platform Integration: For example, government open data (agriculture, weather, transportation, finance), allowing the AI assistant to obtain the latest public data in real time.

Internal Enterprise System Queries: Integrate with internal APIs such as ERP, CRM, HR, and ticketing systems, so the AI assistant can provide personalized information based on employee or customer identity.

Third-Party SaaS Integration: Connect to services such as Slack, Notion, Google Drive, and Salesforce to embed the AI assistant into existing workflows.

Dynamic Queries and Reports: When data volume is large or changes frequently and is not suitable for the knowledge base, queries can be made in real time through APIs instead.

Integration Workflow

Obtain the Data Source: Identify the API or MCP service to be integrated, and prepare the endpoint, HTTP method, headers, and parameter structure.

Create the Tool: On the MaiAgent platform's [Tools](#) page, click [New API Tool](#) or [New MCP Tool](#). When creating an API tool, you can paste a cURL command directly and the system will automatically parse the URL, headers, and HTTP method.

Configure the AI Assistant: Add the tool to the AI assistant's list of available tools, and use role instructions to guide the AI assistant on when to call the tool.

Test and Go Live: Test the tool invocation flow through conversation, and review execution status and error messages on the [Tool Execution Records](#) page under AgentOps to confirm response accuracy before going live.

Examples

Agricultural Data Query: Build a real-time agricultural product transaction query assistant by integrating with the Ministry of Agriculture's public API.

The following sections will demonstrate, through concrete cases, how to complete external data integrations, helping you quickly apply them to your own business scenarios.

Agricultural Data Query

Use Case: Build a Real-Time Agricultural Data Query Assistant

If you work in agriculture — as a farmer, wholesaler, retailer, or government policy maker — you may need to analyze and forecast market prices and trading trends for various agricultural products (such as rice, fruits, vegetables, livestock products, etc.). By integrating with the publicly available APIs from the Ministry of Agriculture, you can query real-time agricultural product transaction data to perform data analysis and improve decision-making efficiency.

Workflow

1. Create an Agricultural Product Transaction Query Tool

Obtain API Configuration

First, visit the API section of the Agricultural Data Open Platform to obtain the data integration source you need.

<https://data.moa.gov.tw/api.aspx>

Here we use the agricultural product transaction market data as an example for building the tool. In the Parameters section, click the **"Try it out"** button, then click **"Execute"** to obtain the API configuration data.

交易行情

**GET****/AgriProductsTransType/** 農產品交易行情

農產品交易行情

DATA:[

{

Start_time(string):交易日期(起)

End_time(string):交易日期(迄)

CropCode(string):農產品代碼

CropName(string):農產品名稱

MarketName(string):市場名稱

TransDate(string):交易日期

MarketCode(string):市場代碼

Upper_Price(number):上價(元/公斤)

Middle_Price(number):中價(元/公斤)

Lower_Price(number):下價(元/公斤)

Avg_Price(number):平均值(元/公斤)

Trans_Quantity(number):交易量(公斤)

Page(string):頁碼控制, 當回傳結果Next=true時, 才需傳入此參數

TcType(string):農產品種類代碼

}

]

Parameters

Try it out

Name

Description

Start_time

交易日期(起)

string

Default value : 107.07.01

(query)

End_time

交易日期(迄)

string

Default value : 107.07.10

(query)

CropCode

農產品代碼

Execute

Clear

Responses

Response content typeapplication/json

Curl

```
curl -X GET "https://data.noa.gov.tw/api/v1/AgriProductsTransType/?Start_time=107.07.01&End_time=107.07.10"
-H "accept: application/json"
```

Request URL

```
https://data.noa.gov.tw/api/v1/AgriProductsTransType/?Start_time=107.07.01&End_time=107.07.10
```

Server response

Code	Details
200	Response body<pre>{ "RS": "OK", "Data": [{ "TransDate": "107.07.10", "TcType": "M05", "CropCode": "11", "CropName": "椰子", "MarketCode": "104", "MarketName": "台北二", "Upper_Price": 41.7, "Middle_Price": 28.3, "Lower_Price": 13.2, "Avg_Price": 28, "Trans_Quantity": 2342 }] }</pre>

Create an API Tool

Go to the MaiAgent platform, click "Tools" in the left sidebar, then click "Add Tool".



Enter the display name and tool name, select API as the tool type, and fill in the tool description.

For the API configuration below, you can take a screenshot of the API information interface on the Agricultural Data Open Platform and paste it into the MaiAgent Tool Creation Assistant to quickly obtain the API URL, HTTP method, headers, and parameter structure.

Tool Creation AI Assistant



API URL example: <https://data.moa.gov.tw/api/v1/AgriProductsTransType/>

HTTP method example: **GET**

Headers (JSON) example:

```
{
  "Accept": "application/json"
}
```


Parameter structure (JSON Schema) example:

```
{
  "type": "object",
  "required": [
    "Start_time",
    "End_time"
  ],
  "properties": {
    "End_time": {
      "type": "string",
      "description": "Query end date (format: ROC calendar year.month.day, e.g., 107.07.10)"
    },
    "Start_time": {
      "type": "string",
      "description": "Query start date (format: ROC calendar year.month.day, e.g., 107.07.01)"
    }
  }
}
```

2. Create an Agricultural Data Query AI Assistant

Create an AI Assistant

Go to the MaiAgent platform, click "AI Assistants" in the left sidebar, then click "Create AI Assistant".



Select "Agent" as the response mode and enter the role instructions.



Configure Tools for the AI Assistant

Select the "Tools" tab and click **"+ Select Tool"**.



Select the agricultural product transaction query tool you just created and click Confirm.



3. Deploy the AI Assistant

Now you can ask questions directly through the AI assistant's chat interface to quickly query agricultural product transaction volumes, average price changes, and other information. Stay on top of market prices and trading trends in real time to facilitate further data analysis and improve decision-making efficiency!

114 年 4 月交易量前三大的農產品

2025/05/07 12:23:58

 農業資料查詢助理

我可以幫您查詢114年4月交易量前三大的農產品。我需要使用農產品交易行情查詢工具來獲取這段時間的資料。

讓我為您查詢114年4月的農產品交易資料：

根據查詢結果，我可以為您提供114年4月交易量前三大的農產品：

1. 甜橙-進口 (E9): 交易量為17,190公斤，平均價格為每公斤45.6元。
2. 小白菜-蚵仔白 (LB2): 交易量為11,085公斤，平均價格為每公斤8.9元。
3. 木瓜-網室紅肉 (I1): 交易量為10,918公斤，平均價格為每公斤51.3元。

這三種農產品在114年4月的交易量最大，其中進口甜橙的交易量明顯高於其他農產品，顯示在這個月份有較高的市場需求。

2025/05/07 12:24:24   

請輸入您想問的問題

Powered by  MIAAGENT

You can also go to the "All Conversations" feature on the MaiAgent platform to view the tool invocation logs when the AI assistant responds.

AI Assistant Optimization Consultant

Overview

When an AI assistant produces inaccurate answers, formatting errors, hallucinated information, or other issues, it typically requires manual review of conversation records to locate problems. The **Optimization Assistant** can automate this diagnostic process:

- Automatically retrieve conversation records, AI responses, and knowledge base retrieval results
- Determine whether the issue is a **Prompt Problem** (AI received the right data but answered incorrectly) or a **Knowledge Base Document Problem** (AI didn't receive the right data)
- Generate specific modification recommendations with Before and After comparisons

Components


Component	Description
AI Assistant	Serves as the carrier for the optimization consultant, using Agent mode
Role Instructions	Defines the diagnostic process, analysis principles, and output format
MCP Tool	Allows the optimization assistant to call the MaiAgent API to query conversation records and assistant configurations
Knowledge Base	Bound to the knowledge base used by the target assistant, for verifying RAG retrieval results

Prerequisites

Item	Description	How to Obtain
Assistant to Analyze	The target AI assistant you want to optimize	Admin Console → AI Assistant List
Target Assistant's Knowledge Base	The knowledge base attached to the target assistant	Click the target assistant → Knowledge Base tab
API Key	For MCP tool authentication	Profile → API Keys (see instructions below)

Step 1: Create an AI Assistant


Left sidebar → **AI Assistants** → Click **Create AI Assistant**



AI Assistant list page — Click "Create AI Assistant"


Fill in basic settings:

Field	Recommended Value
Name	Optimization Assistant or AI Assistant Optimization Consultant
LLM Model	Claude Sonnet 4.6 or above (requires strong analytical reasoning capabilities)



Basic settings — Enter name and select Claude 4.6 Sonnet model

Switch to the **Response Mode Settings** tab, select **Agent Mode**



Response mode settings — Must select Agent mode to use MCP tools

Response mode must be set to Agent Mode. RAG Q&A mode cannot use MCP tools, which will prevent the optimization assistant from querying conversation records and assistant configurations.

Click **Save**

Step 2: Set Up Role Instructions

In the same page's **Response Mode Settings** tab, find the **Role Instructions** section below

Paste the following standard role instructions in full

The role instructions are the core of the optimization assistant, defining the diagnostic process, seven optimization principles, and output format. It is recommended to use the standard version as-is without modification.

► Click to expand: Standard Role Instructions

Click **Save**

Step 3: Create MCP Tool


The MCP tool allows the optimization assistant to query the MaiAgent API to retrieve conversation records and assistant configurations.

Left sidebar → **Tools** → Click **Add Tool** in the upper right corner



Add tool popup (defaults to API type)

Switch the **Tool Type** from API to **MCP**



Select MCP type — Form displays MCP configuration area

Fill in the following settings:

Field	Value
Display Name	MaiAgent API
Description	AI Response Analysis Tool
MCP Tool URL	https://mcp.maiagent.ai/mcp

關閉工具

工具類型

Tool

選擇工具

Available MCP tools

描述

AI assistant interface and AI querying core assistant resource and available configurations

12 個可用工具

結果 00

將人與 AI 的 Agent 結合，以協助您管理、查詢設備、配置和維護。

44 件配置

輸入或選擇 MCP 工具地址

Input your MCP tool's URL

按 Enter 鍵或點擊「+」以添加新工具。請選擇要綁定的 MCP 工具或設備，按 Enter 鍵或點擊「+」。

Asana

專案協理工具或項目工具

Google Analytics


Google Analytics 4、網頁追蹤、用戶成長、廣告效果等數據分析

取消

確定

After entering the MCP URL, the system automatically detects available tools

After creation, go to the assistant settings → **Tools** tab to see the bound MCP tool



Assistant Tools tab — MaiAgent API (optimizer) MCP tool is bound

Authentication Headers (MCP Headers) — Enter the following JSON:

```
{
  "Authorization": "Api-Key {Your API Key}"
}
```

How to obtain an API Key? Click the avatar in the upper right corner → **Profile** → Switch to the **API Keys** tab → Click **Create New Key**, and copy the generated API Key.



Profile → API Keys tab

The API Key is only displayed once after creation. Copy and store it securely immediately.

Allowed Tools — Check the following 5:

Tool	Purpose
<code>debug_auth</code>	Verify authentication is correct
<code>list_api_categories</code>	List API categories
<code>search_apis</code>	Search API endpoints
<code>get_api_details</code>	Get API detailed specifications
<code>call_api</code>	Execute API calls

Tool Prompt — Paste the following content in full:


► Click to expand: Standard Tool Prompt

Click **Save**

Step 4: Bind Knowledge Base

The optimization assistant needs to bind the **knowledge base used by the target assistant** to verify RAG retrieval results during diagnosis.

Switch to the **Knowledge Base Settings** tab



Knowledge Base Settings — Select the knowledge base used by the target assistant

Click **Add Knowledge Base** and check all knowledge bases used by the target assistant

Click **Save**

If you need to analyze multiple AI assistants, bind all their knowledge bases to the optimization assistant. It is recommended to set the retrieval chunks count to 12 in "Advanced Settings".

Step 5: Verify Setup

Verify MCP Tool Connection

In the optimization assistant's chat box, enter:

Please verify if the MCP tool connection is working properly


The optimization assistant should successfully call `debug_auth` and return authentication information.

Verify Diagnostic Functionality

Obtain a conversation_id from the target assistant's conversation records:

Go to the [All Conversations](#) page

Click any conversation; the ID in the URL is the conversation_id



All Conversations page — Click a conversation and get the conversation_id from the URL

In the optimization assistant, enter:

```
Please analyze this conversation: {conversation_id}
```

The optimization assistant will automatically execute the following steps in order:


Search for available API tools (`search_apis`)

Call `v1MessagesList` to query conversation messages

Call `v1RecordsRetrieve` to get conversation record details

Call `viChatbotsRetrieve` to get the analyzed assistant's Prompt

Produce a complete diagnostic summary and modification recommendations



Optimization assistant in action — Automatically searches APIs and calls tools sequentially to retrieve conversation records

Usage Guide

Analyze by conversation_id

```
Please analyze this conversation: abc123-def456-ghi789
```

The optimization assistant will automatically retrieve conversation records, AI responses, knowledge base retrieval results, and assistant prompts to produce a complete diagnostic report.

Analyze by Pasting Text Directly

If you don't have a conversation_id, you can provide the information directly:

Please help me analyze the following issue:

[User Question] How do I apply for credit card loss reporting?

[AI Response] (paste the AI's actual response)

[Problem Description] The AI mentioned a non-existent "online loss reporting" feature

Interpreting Diagnostic Results

Diagnosis Type	Meaning	Next Steps
Prompt Problem	AI received the right data but the response approach is wrong	Modify role instructions or Skills per recommendations
Knowledge Base Document Problem	Document structure caused AI to retrieve incorrect content	Rewrite knowledge base documents per recommendations
Knowledge Base Gap	Knowledge base simply doesn't have relevant content	New knowledge base documents need to be added

FAQ

Q: What should I do if the MCP tool connection fails? 1. Confirm the response mode is Agent Mode (most common cause) 2. Confirm the API Key is valid and not expired 3. Confirm the MCP URL is <https://mcp.maiagent.ai/mcp> 4. Confirm Headers use the Api-Key format (e.g., Api-Key xxxxxxxx.xxxxxxxx) Q: Can one optimization assistant analyze multiple assistants? Yes. As long as the API Key belongs to the same organization and all target assistants' knowledge bases are bound. Q: Do I need to create one for each client? Yes. Each client organization needs its own optimization assistant, since API Keys and knowledge bases are organization-specific.

Setup Checklist

- ☐ Create AI Assistant (Name: Optimization Assistant)
- ☐ Select model (Claude Sonnet 4.6 or above)
- ☐ **Set to Agent Mode**
- ☐ Paste standard role instructions
- ☐ Create MCP tool
- [] MCP URL: <https://mcp.maiagent.ai/mcp>
- [] Headers: API Key
- [] Check 5 Allowed Tools
- [] Paste standard Tool Prompt
- ☐ Bind target assistant's knowledge base
- ☐ Verify MCP connection
- ☐ Verify diagnostic functionality

MaiAgent AI Assistant

Scan QR Code for Real-Time Interaction

You can find answers to all the MaiAgent usage instructions above by chatting with our AI assistant!

Scan the code to start a conversation now:



Others

Trial & Subscription Plans

🌟 MaiAgent has fully adopted the Credits billing system since 2026/06/02 — Multiple enterprise clients (in finance, government, retail, and other industries) have already upgraded early. All plan quotas listed on this page are expressed in Credits, and a single quota covers all AI features including conversations, voice, image generation, document parsing, and more. For the full Credits system documentation, see [Credits Billing System](#). To upgrade early, contact sales@maiagent.ai.

Trial

Newly registered organizations automatically receive a **14-day Enterprise plan trial**. During the trial period, you can use all Enterprise features to fully evaluate whether the platform meets your needs.

After the trial ends, the plan will automatically convert to the Free plan if not upgraded

All data and settings created during the trial will be fully preserved

During the trial, you can check the remaining days in the banner at the top of the dashboard and click to upgrade at any time.

Plan Comparison

Usage Quota

Feature	Free Plan	Standard	Professional	Enterprise
Monthly Credits	1,000	500,000	5,000,000	10,000,000
Upload File Size Limit	20 MB	100 MB	10 GB	10 GB
Number of AI Assistants	Limited	Limited	Unlimited	Unlimited

Under the Credits system, all features including text, image, voice, and document parsing are billed uniformly in Credits — no need to purchase additional advanced feature modules. For detailed rates by model, see [Credits Billing System](#).

Available Tokens Reference by Plan

Depending on the model used, the same amount of Credits can process different token volumes as follows (using the Claude series as an example):

Plan	Monthly Credits	Claude 4.5 Haiku	Claude 4.6 Sonnet	Claude 4.6 Opus
Standard	500,000	~11.48M tokens	~3.83M tokens	~770K tokens
Professional	5,000,000	~114.78M tokens	~38.26M tokens	~7.65M tokens
Enterprise	10,000,000	~229.57M tokens	~76.52M tokens	~15.30M tokens

Feature Differences

Feature	Free Plan	Standard	Professional	Enterprise
AI Assistants (RAG Agent)	✓	✓	✓	✓
Knowledge Base Management	✓	✓	✓	✓
MCP API Tool Integration	✓	✓	✓	✓
Skill Management	✓	✓	✓	✓
Multi-Channel Integration (Web Chat, LINE, Teams, etc.)	✓	✓	✓	✓
AgentOps (Automated Evaluation & Monitoring)	✗	✓	✓	✓
Custom Logo	✗	✗	✗	✓
SSO Single Sign-On (SAML Keycloak)	✗	✗	✗	✓
AWS Guardrails (AI Safety Protection)	✗	✗	✗	✓
DLP Integration (Data Loss Prevention)	✗	✗	✗	✓

Free plan Credits quota resets monthly. If the monthly quota is exhausted, you must wait for the next month's reset or upgrade to a paid plan.

Credits Top-Up

When the monthly quota is insufficient, you can purchase additional Credits at any time. **Top-ups take effect immediately and are valid for 12 months from the purchase date.**

For detailed top-up methods and rates, go to **Organization Settings** → **Credits**, or see [Credits Billing System](#).

Upgrade Plan

Plan upgrades are handled by a dedicated sales team member who will assess your needs and provide the most suitable plan configuration for your company.

Contact Methods:

Sales Team: sales@maiagent.ai

Website Support: <https://maiagent.ai> (chat window in the bottom-right corner)

In-Platform Support: Start a conversation directly after logging into the dashboard

Upgrades take effect immediately, all data and settings are fully preserved, and the IT department does not need to do anything.

Activate a Plan to Continue Using Full AI Services

Starting 2026-06-09, when an organization does not have an active paid plan (including Free plan, trial ended without upgrading, or paid plan expired without renewal), operations requiring AI computation on the platform will prompt you to upgrade. Service is restored immediately after upgrading or renewing.

Which Operations Require an Active Plan

Without an active paid plan, **all features requiring AI computation are unavailable**. Attempting related operations will display a prompt guiding you to upgrade. This includes but is not limited to:

- Chatting with AI assistants, sending messages
- Creating or editing AI assistants (Chatbots)
- Uploading knowledge base documents, performing document parsing
- Knowledge base queries, web searches
- Voice, image generation, and other multimodal features
- Executing tools, automated replies via channel integrations
- Scheduled tasks

What Happens to Data After a Plan Expires or Downgrades to Free?

AI assistants will stop responding, and all AI features (conversations, voice, image generation, etc.) are temporarily disabled. You can still log into the dashboard to view history and export data.

Starting from the plan expiration date, the platform will retain your data for **90 days**. To ensure your data can be restored with one click at any time, knowledge base vectors and file storage space will be preserved during this period, incurring only **storage space** Credits costs (excluding AI feature costs such as conversations and generation).

Resubscribing within 90 days fully restores all data and services; storage fees incurred during the retention period will be settled upon plan restoration.

If the subscription is not restored after 90 days, organization data will be permanently deleted and cannot be recovered.

Retaining your knowledge base vectors and files during the retention period ensures that you can restore immediately without re-uploading and re-parsing. To avoid service interruption and storage fees during the retention period, we recommend renewing before your plan expires (renewal can be processed up to 3 months before expiration).

What to Do When You See the Prompt

Plan upgrades or renewals are handled by a dedicated sales team member:

Contact your dedicated sales representative.

If you are unsure who your representative is, email sales@maiaagent.ai and the sales team will assist you.

Not sure about your organization's current plan status? Go to **Organization Settings** → **Credits** in the dashboard to view your current plan and balance.

FAQ

Q: Can the trial period be extended?

Generally, the trial period cannot be extended. If you have special requirements, contact the sales team to discuss: sales@maiaagent.ai.

Q: What happens after the trial period ends?

The system will automatically convert the plan to the Free plan. **Starting 2026-06-09**, performing operations that require AI computation on the Free plan (such as chatting with assistants, uploading to the knowledge base, etc.) will prompt you to upgrade. Data is retained for **90 days** from the plan expiration date; resubscribing during this period fully restores everything. Data will be permanently deleted if not resubscribed after the retention period. See [What Happens to Data After a Plan Expires or Downgrades to Free?](#) for details.

Q: Can I downgrade from a paid plan?

Yes. After the subscription expires, it will automatically convert to the Free plan. Note that **starting 2026-06-09**, performing operations that require AI computation on the Free plan will prompt you to upgrade. Data is retained for **90 days** from the expiration date; renewing during this period fully restores everything. Data will be permanently deleted if not resubscribed after the retention period. See [What Happens to Data After a Plan Expires or Downgrades to Free?](#) for details.

Q: How do I check my Credits usage?

Go to **Organization Settings** → **Credits**. In the **Overview**, you can see your real-time balance and monthly trends. In **Deposit Records**, you can view each Credits source and validity period. In **Consumption Records**, you can view detailed usage for each transaction and export to CSV.

Q: I am currently on a word-count-based plan. Do I need to do anything?

No. **Before 2026/06/02**, the system will automatically convert all organizations to the Credits system. Remaining word quotas will be automatically converted at a rate of 1 word = 1 Credit with no reduction.

Want to upgrade early and enjoy full features? Contact sales@maiagent.ai.

Q: Which clients have already upgraded early?

We already have multiple enterprise clients (spanning **finance, government, retail**, and other industries) who have switched to the Credits system early. Key reasons include: a single quota covering all AI features such as voice and image generation, model-tier-based billing that allows cost optimization by use case, and transparent usage details for easy financial reconciliation.

Usage Calculation

✨ MaiAgent fully adopts the Credits billing system starting 2026/06/02 — multiple enterprise customers (finance, government, retail, and other industries) have already upgraded early. This page explains how Credits are calculated. If you are still on the legacy word-count system (during the contract transition period), refer to the "[Legacy Word-Count Calculation \(Transition Period\)](#)." section below. For a complete explanation of the Credits system, see [Credits Billing System](#). To evaluate an early upgrade, contact sales@maiagent.ai.

Credits Calculation

Different Models, Different Rates — Configure Flexibly

Each AI conversation consumes Credits based on the model used, calculated as **Credits per 1 million tokens**, with **Input and Output priced separately**.

Lightweight models (e.g., Claude 4.5 Haiku, GPT-5-mini) consume fewer Credits — the best choice for customer service FAQs and general Q&A

Flagship models (e.g., Claude 4.6 Opus, GPT-5) consume more Credits — the best choice for in-depth analysis and high-quality content creation

Budget control is in your hands — multiple AI assistants can each use different models, with Credits deducted at the corresponding model-tier rate, allowing you to optimize costs by use case

View the full rate table at [Organization Settings](#) → [Credits](#) → [Pricing](#)

Multimodal Features: One Quota Covers Everything

Previously, advanced features such as **voice assistants, meeting transcription, and contact centers** required separate add-on purchases. Other multimodal features (image generation, voice, document parsing) were converted to word counts and deducted from the main quota (e.g., 1 image = 500 words).

After upgrading, all features are available by default, each with its own independent Credits rate, making billing more intuitive:

Image generation: billed by resolution and model

Speech-to-text (STT): billed by audio duration

Text-to-speech (TTS): billed by character count

Document parsing: billed by page count or file size

Web search: billed by number of queries

AI assistant tool calls: billed by tool type

Usage Example

Using the most common model, **Claude 4.5 Haiku**, as an example:

A customer service conversation of approximately 500 words → consumes approximately **25–50 Credits**

Purchasing 1,000,000 Credits → supports **tens of thousands** of customer service conversations\ — and can also be used for voice, image generation, document parsing, and other features

Knowledge Base Storage Calculation

The total **file size** across all knowledge base upload pages for all AI assistants in the organization represents the knowledge base storage used.

When a file is deleted, its storage is no longer counted

Knowledge base storage limits vary by plan — see [Trial and Subscription Plans](#)

Usage Inquiry

Go to **Organization Settings** → **Credits** to view:

Overview: real-time Credits balance, expiring quota, and monthly usage trends

Deposit History: the source of each Credits entry (plan allocation, add-on purchase, bonus, etc.) and validity period, deducted on a FIFO basis

Consumption History: detailed usage entries, filterable by date, type, and AI assistant, with **CSV export support for financial reconciliation**

Pricing: detailed rates for all models and features

Legacy Word-Count Calculation (Transition Period)

Before 2026/06/02, organizations still on the word-count system will have usage calculated as described below. After that date, the system will automatically convert to the Credits system, and your remaining word-count quota will be automatically converted at 1 word = 1 Credit with no reduction. \ Want to upgrade early and enjoy the full feature set? Contact sales@maiaagent.ai.

General Text Calculation

In each conversation turn, both **user input** and **AI assistant replies** are counted

One character counts as one word

For example: user input **Hello!** counts as 6 words, and an AI reply **您好** counts as 2 words, for a total of 8 words.

User: Hello!
AI Assistant: 您好

Image Calculation

Each image counts as **500** words.

Usage Inquiry (Legacy)

Organizations on the legacy word-count system can view current usage at **Organization Settings** → **Usage Statistics**.

FAQ

Q: Is storage still counted after a file is deleted?

No, it is no longer counted after deletion.

Q: Will I be automatically converted to the Credits system?

Yes. **Before 2026/06/02**, all organizations that have not yet switched will be automatically converted to the Credits system. Any remaining word-count quota will be automatically converted at 1 word = 1 Credit, **with no reduction**. See [Credits Billing System](#) for details.

Q: Can I upgrade early?

Yes! Multiple enterprise customers (finance, government, retail, and other industries) have already upgraded early to enjoy the full feature set. Email sales@maiaagent.ai and our sales team will provide a customized migration recommendation for you.