
Weblock – User manual

Table of contents:


A.Software interface	1
Conventions and explain	2
- Area 1: Address processing area	2
- Area 2: Support area	3
- Area 3: IP address display area	3
- Area 4: Area displaying access history	3
- Area 5: Extension area	4
B. Software functions	5
I. Login to the software	5
II. Access control	5
III. Block IP addresses	6
☐ Block from user-entered IP	6
☐ Block through access history:	6
IV. Unblock one or more websites	8
V. Change the interface.	0
VI. Refresh	0
VIII. Change language	0
IX. Set up extension settings	0
1. Change password	0
2. Connect to the server	0
3. Get IP address	0
3.1. Get IP address from software	0
3.2. Get IP address from web server / cloud file	0
3.2.1 From the publisher	0
3.2.2. From a certain address.	0
3.2.3. From files saved on the computer	0
4. View the IP address in the data	0
5. Hide access history	0
XX. Use search to unblock easily	0
XXI. Help	0

A.Software interface


• English interface (default)



Vietnamese interface



Conventions and explain



- Area 1: Address processing area



Area 2: Support area




- Area 3: IP address display area



- Area 4: Area displaying access history




- Area 5: Extension area



B. Software functions

I. Login to the software

Step 1: When starting the software, a dialog box will appear asking the user to enter a password




Step 2: Enter the password in the Enter password field. The default password is admin when logging in for the first time, displayed as "*" signs.



Step 3: Click the Ok button to log in

II. Access control

Once logged in successfully, the software interface will automatically display previous web access history in the access history display area.



III. Block IP addresses

Block from user-entered IP

Step 1: After logging in, place the cursor in the IP address input area:




Step 2:Enter the address in the form: www.{page}.com or {page}.com




Step 3: Click the button

Then a success message will be displayed as follows:



Blocked website information will be displayed below the IP address display area




☐ Block through access history:

Step 1: Click to select one or more addresses in the access history display area.



Step 2: Click the Block IP button to block.
A successful blocking message will then display as follows:



IV. Unblock one or more websites



Step 1: Select the IP address in the block address display area

• Click on an address line to select a website

No.	IP	Website	Description
1	127.0.0.1	www.google.com	
2	127.0.0.1	www.youtubecom	
3	127.0.0.1	www.facebook.com	

• Hold down the Crtl button and select more lines to select multiple IP addresses




• Select the first address line and hold Shift to select the last address line to select multiple consecutive IP addresses at the same time



Step 2: Click the button to remove the IP address from the block list.


A dialog box will then display a successful unblocking message as follows:



Command button can be used in the expansion bar to remove all IP addresses from the block list.

V. Change the interface

Step 1: Click on the interface change button




Step 2: Choose an interface




An interface with a new Theme appears


Some Themes:




Theme morph




Theme darkly



Circle theme



Theme pulse



Theme superhero

Default theme: superhero And some other themes

Google filter
On


Off
Youtube filter
On

Off

Bing filter
On
Off

VI. Refresh

Click on the button to refresh the software. That is, unblocking all previously blocked websites, the software restores the original state.



VII. Use Google / Youtube / Bing filter to filter bad content when searching through search engines:

Click the On button to turn on the filter


Click the Off button to turn off the filter

When selecting On, the software adds filter addresses to the hosts file

VIII. Change language


Click on the flag button to change the display language on the interface from English to Vietnamese.

At that time, the flag button will switch and vice versa.



IX. Set up extension settings


- Implementation: Click on the button . The SETTINGS dialog box appears as follows:



In this dialog box, users can perform the following operations:

1. Change password

Step 1: Enter a new password in the New Password and Retype sections (same)



Step 2: Click the Apply button to complete the password change

2. Connect to the server

Step 1: Enter the server address in the IP Server section

Connect to Server								
IP Server	Connect							
Current Server : None [ld]: 0								

Step 2: Click the Connect button to connect to the server

3. Get IP address

Current database : Inprogramme									
IP Get Database Online		https://raw.githubuserconte			Get				
	Show Database	Use Database		Import Database	Expo	rt Database			

3.1. Get IP address from software

When opening the software, the IP address is already integrated in the IP Get Database Online section


Click the Use Database button to use available data from the software.

3.2. Get IP address from web server / cloud file

3.2.1 From the publisher




Step 1: The address has already been recorded, so just click the Get button, then the Information dialog box will display notifying you that the address has been obtained, click the OK button.



Step 2: Click the Use Database button to use

3.2.2. From a certain address


Step 1: Enter the address in the input field



- Step 2: Click the Get button to let the software receive the address
- Step 3: Click the Use Database button to use the newly received IP list


3.2.3. From files saved on the computer

- Step 1: Click the Import Database button, the Open dialog box appears
- Step 2: Click to select the file and then click the Open button




Step 3: Click the Use database button

4. View the IP address in the data



- Click the Show Database button to display the Database Show window



Here users can perform operations


- Select one or more addresses in the data to block
 - + Step 1: Select 1 or more addresses in the table
 - + Step 2: Click the Block IP button
- Delete one or more addresses in the data
 - + Step 1: Select one or more addresses in the table
 - + Step 2: Click the Delete IP button
- Block all IP addresses contained in the data
 - + Click the Block All IP button

5. Hide access history

In the Settings dialog box, click the on/off button to display access history or turn off display of access history.




When you choose to turn off, the main interface of the software changes to the following:



XX. Use search to unblock easily

Enter the search address in the Search section in the Ip Block dialog box



XXI. Help

Click the button ?

The software will automatically open the help.pdf file containing instructions for using the software. Through the main reading software of the operating system contains the entire content of the software's report file

Developer contact information:

Github: https://github.com/PlaymakerVN/KHKT-2023-1

Discord: PlaymakerVN#3199

Software written by Vietnamese people is developed for the community, for everyone