

A






B

C

D

E

F



Table

Designator	Function
P1	JTAG Port for CC2650
P3	Haptic Motor
J2	Native USB Port
J3	Programming USB Port
P2	JTAG Port for SAM3
P4	ISP Port for AVR
P5	Battery Connector
P7	External Button Connector
P11	External Power Supply

## Note:

- 1 Text element with square border.
- 2 Text element with no border
- 3 Text element with circle border

THE INFORMATION CONTAINED IN  
THIS DRAWING IS THE SOLE  
PROPERTY OF  
ANY REPRODUCTION IN PART OR  
AS A WHOLE WITHOUT THE  
WRITTEN PERMISSION OF IS  
PROPRIETARY AND CONFIDENTIAL

		UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES	NAME	DATE	TITLE
		TOLERANCES: FRACTIONAL ± ANGULAR: MACH ± BEND ± TWO PLACE DECIMAL ± THREE PLACE DECIMAL ±	DRAWN	11/29/2017	
			CHECKED		
			ENG APPR.		
			MFG APPR.		
		INTERPRET GEOMETRIC TOLERANCING PER:	Q.A.		COMMENTS:
		MATERIAL			
		NEXT ASSY	USED ON		
		FINISH			
		APPLICATION	DO NOT SCALE DRAWING		SIZE DWG NO.
					SCALE: 1:1 WEIGHT: SHEET 1 OF 1

A

B

C

D

E

F