

2016.0 RANGE ROVER (LG), 501-03

BODY CLOSURES

FUEL FILLER DOOR ASSEMBLY (G1509217)

REMOVAL AND INSTALLATION

REMOVAL

NOTE:

Removal steps in this procedure may contain installation details.



All vehicles

1.

WARNING:

Make sure to support the vehicle with axle stands.

Raise and support the vehicle.

2. Refer to: [Petrol and Petrol-Ethanol Fuel Systems Health and Safety Precautions](#) (100-00 General Information, Description and Operation).

Refer to: [Diesel Fuel System Health and Safety Precautions](#) (100-00

General Information, Description and Operation).



Vehicles with petrol engine

3. Refer to: [Fuel System Pressure Release - GTDi 2.0L Petrol/V6 S/C 3.0L Petrol /V8 N/A 5.0L Petrol/V8 S/C 5.0L Petrol](#) (310-00 Fuel System - General Information, General Procedures).




All vehicles


4. Remove the RH rear wheel arch liner.
Refer to: [Rear Wheel Arch Liner](#) (501-08 Exterior Trim and Ornamentation, Removal and Installation).

5. **NOTE:**

Some variation in the illustrations may occur, but the essential information is always correct.




6.




E142609

7.



E147325

8.




E147322

9.

CAUTION:

Make sure to protect the paintwork.



E147323


10.

CAUTION:

Make sure to protect the paintwork.

NOTE:

Do not disassemble further if the component is removed for access only.



E147321

INSTALLATION

1. To install, reverse the removal procedure.