

2016.0 RANGE ROVER (LG), 501-03

BODY CLOSURES

LIFTGATE (G1509219)

REMOVAL AND INSTALLATION


REMOVAL

CAUTION:

Make sure to protect the paintwork.

1. Disconnect the battery ground cable.
Refer to: [Specifications](#) (414-00 Battery and Charging System - General Information, Specifications).
2. Refer to: [Liftgate Window Glass](#) (501-11 Glass, Frames and Mechanisms, Removal and Installation).
3. Refer to: [Power Liftgate Switch](#) (501-03 Body Closures, Removal and Installation).
4. Refer to: [Headliner](#) (501-05 Interior Trim and Ornamentation, Removal and Installation).

5.




E146794

6.




E145984

7.



E146800



8.




E146799

Torque: 2.5 Nm

9.




10.



11.


NOTE:

Repeat for both sides.




Torque: 24 Nm


12.




13.




14.




15.



16.



17.




INSTALLATION


1.

CAUTION:

Do not tighten at this stage.




2.




E146802

3.



E149872

4.




Torque: 25 Nm

5.

NOTES:

- Make sure that the tailgate is flush with the fender at point 1.
- Make sure that the tailgate is recessed by 1.5 mm in relation to the fender, at point 2.



1. Tighten the liftgate hinge bolts.

Torque: 24 Nm

6.

NOTE:


The following steps should be completed if installing a new tailgate

Clean the area prior to installation of the new Tailgate Badge.

7.

NOTE:

The new Tailgate Badge is supplied on a cassette which is highlighted in blue on the illustration.



E188516

Install the Tailgate Badges to the dimensions shown in the illustration.

8.

NOTE:

The new Tailgate Badge is supplied on a cassette which is highlighted in blue on the illustration.



E198120


Install the Tailgate Badges to the dimensions shown in the

illustration.

9.

NOTE:

The new Tailgate Badge is supplied on a cassette which is highlighted in blue on the illustration.



Install the Tailgate Badges to the dimensions shown in the illustration.

10. To install, reverse the removal procedure.