

2016.0 RANGE ROVER (LG), 501-12

INSTRUMENT PANEL AND CONSOLE - LONG WHEEL BASE

OVERHEAD CONSOLE (G1551614)

REMOVAL AND INSTALLATION

REMOVAL

NOTES:

- Some variation in the illustrations may occur, but the essential information is always correct.
- Removal steps in this procedure may contain installation details.




All vehicles

1.

CAUTION:

Make sure that the protective tape does not leave adhesive marks on the headliner.




E169824

Apply protective tape to the headliner in the areas illustrated.

2.

NOTE:

Right illustration shown, Left is similar.



E169829


Position a suitable ruler inline with the sun visor, mark the tape as illustrated. Make another mark on the tape 15mm away from the

original mark.

3.

CAUTION:

Apply heatshrink or protective tape to the end of a suitable tool to protect the interior components.




Vehicles without telematics

4.

CAUTION:

Care must be taken during this operation. Do not use excessive force or the headliner may distort and a new component will need to be installed.




Using a suitable tool, release the overhead console in the locations previously marked as illustrated.

5.

CAUTION:


Take extra care not to damage the surrounding components.



6.

NOTE:

Do not disassemble further if the component is removed for access only.




Vehicles with telematics

7.

CAUTION:

Care must be taken during this operation. Do not use excessive force or the headliner may distort and a new component will need to be installed.




Using a suitable tool, release the overhead console in the locations previously marked as illustrated.

8.

CAUTION:


Take extra care not to damage the surrounding components.




9.

NOTE:

Do not disassemble further if the component is removed for access only.



10.



1.

CAUTION:

Make sure the protective tape is removed from the headliner.



E170058

To install, reverse the removal procedure.