

2016.0 RANGE ROVER (LG), 501-12

INSTRUMENT PANEL AND CONSOLE - STANDARD WHEEL BASE

REAR FLOOR CONSOLE (G1557262)

REMOVAL AND INSTALLATION

REMOVAL


NOTE:

Removal steps in this procedure may contain installation details.

1.

NOTE:

Repeat the procedure for the other side.



2.

NOTE:


Repeat the procedure for the other side.



3.

NOTE:

Repeat the procedure for the other side.




Torque: 50 Nm

4.

NOTE:

Repeat the procedure for the other side.



5.

NOTE:

Repeat the procedure for the other side.




Torque: 50 Nm

6.


NOTE:

Repeat the procedure for the other side.



7. Disconnect the battery ground cable.
Refer to: [Specifications](#) (414-00 Battery and Charging System - General Information, Specifications).

8.




Torque: 10 Nm


9.

NOTE:

Repeat the procedure for the other side.




10.




11.

NOTE:

Repeat the procedure for the other side.




12.



Torque: 9 Nm


13.



14.

NOTES:

- Repeat the procedure for the other side.
- Some variation in the illustrations may occur, but the essential information is always correct.
- Do not disassemble further if the component is removed for access only.




E147740

15.


NOTE:

Some variation in the illustrations may occur, but the essential information is always correct.



E147755

16.




E148320

17.

NOTE:

Repeat the procedure for the other side.




E148323


18.

NOTE:

Repeat the procedure for the other side.




19.



E148324


20.




21.

NOTE:

Some variation in the illustrations may occur, but the essential information is always correct.





22.



E148328

23.



E148326

INSTALLATION

1.

NOTE:

Install the trim retaining clips in the moulding prior to installing the components.



E149095

2. To install, reverse the removal procedure.