

2016.0 RANGE ROVER (LG), 205-02

REAR DRIVE AXLE/DIFFERENTIAL

DIFFERENTIAL REAR BUSHING

(G1508999)

REMOVAL AND INSTALLATION

51.15.44	BUSHING - DIFFERENTIAL MOUNTING - REAR - EACH - RENEW	3000 CC, TDV6, DIESEL, WITH PARTICULATE FILTER, WITH DIESEL EXHAUST FLUID	6.8	USED WITHINS	+
----------	---	--	-----	-----------------	---

SPECIAL TOOL(S)



204-598

Hydraulic Cylinder
10t



JLR-502-013

Remover, Bush



JLR-502-014

Remover/Installer
Support, Bush



JLR-502-015

Installer, Bush


REMOVAL

1. Refer to: Differential Case - TDV6 3.0L Diesel /TDV8 4.4L Diesel/V6 S/C 3.0L Petrol /V8 5.0L Petrol/V8 S/C 5.0L Petrol (205-02, Removal and Installation).

2.

CAUTIONS:

- Make sure that the special tool is correctly located.
- Note the orientation of the bushing before removal.




Special Tool(s): [204-598](#), [JLR-502-013](#), [JLR-502-014](#)

INSTALLATION

1.

NOTE:

Make sure the new bushes are installed in the correct orientation.




E154891

2.

CAUTIONS:

- Make sure the correct special tool is used to install the bushings to the correct depth.
- Make sure that the special tool is correctly located.



E148419

Special Tool(s): [204-598](#), [JLR-502-014](#), [JLR-502-015](#)

3. Refer to: Differential Case - TDV6 3.0L Diesel /TDV8 4.4L Diesel/V6 S/C 3.0L Petrol /V8 5.0L Petrol/V8 S/C 5.0L Petrol (205-02, Removal and Installation).