

2016.0 RANGE ROVER (LG), 204-06

RIDE AND HANDLING OPTIMIZATION

VALVE BLOCK (G1700216)

REMOVAL AND INSTALLATION

	VALVE BLOCK -				
	ACTIVE				
60.60.20	CORNERING	ALL	2.7	USED	+
	ENHANCEMENT	DERIVATIVES		WITHINS	
	(ACE) - RENEW				

REMOVAL

CAUTIONS:

- Dynamic Response system components are manufactured to very precise tolerances. It is therefore essential that absolute cleanliness is observed when working with these components. Always install blanking plugs to any open orifices or lines. Failure to follow this instruction may result in foreign matter ingress to the dynamic response system.
- Make sure that all openings are sealed. Use new blanking caps.

NOTE:

Removal steps in this procedure may contain installation details.



All vehicles

1. Disconnect the battery ground cable.

2.

WARNING:

Make sure to support the vehicle with axle stands.


Raise and support the vehicle.

3. Refer to: [Rear Rocker Panel Moulding - Standard Wheel Base](#) (501-08 Exterior Trim and Ornamentation, Removal and Installation).
Refer to: [Rear Rocker Panel Moulding - Long Wheel Base](#) (501-08 Exterior Trim and Ornamentation, Removal and Installation).



Short wheelbase

4.




Long wheelbase

5.

NOTE:

RH illustration show, LH similar.



E160300




All vehicles

6.


CAUTION:

Be prepared to collect escaping fluids.




Torque: 22 Nm

7.



8.



E149238

9.


NOTE:

Do not disassemble further if the component is removed for access only.

10.


NOTE:

Note the orientation of the electrical connectors and wiring harness.



E149239


11.



E149240

Torque: 10 Nm

12.




E150759

Torque: 10 Nm

13.

NOTE:

Install new O-ring seals.



E58627

- A: Backing rings (white)
- B: Outer clamping ring
- C: O-ring seals
- D: Outer backing ring (Black)

INSTALLATION

1. To install, reverse the removal procedure.
2. Refer to: [Active Stabilization System Bleeding](#) (204-06 Ride and Handling Optimization, General Procedures).