

PUBLISHED: 07-JUN-2017
2015.0 RANGE ROVER (LG), 303-14

ELECTRONIC ENGINE CONTROLS - TDV8 4.4L DIESEL

CAMSHAFT POSITION SENSOR (G1509570)

REMOVAL AND INSTALLATION

18.30.24	SENSOR - CAMSHAFT POSITION (CMP) - RENEW	4400 CC, TDV8	0.7	USED WITHINS	
----------	--	------------------	-----	-----------------	--

REMOVAL



CAUTION:

Before disconnecting any components, make sure the area is clean and free from foreign material. When disconnected all openings must be sealed.



NOTE:

Removal steps in this procedure may contain installation details.


1.

Refer to: [Engine Cover - 4.4L V8 - TdV8](#) (501-05 Interior Trim and Ornamentation, Removal and Installation).

2.

Refer to: [Secondary Bulkhead Centre Panel - TDV8 4.4L Diesel](#) (501-02 Front End Body Panels, Removal and Installation).

3.




Torque: 10 Nm

4.

⚠ CAUTION:

Be prepared to collect escaping oil.



INSTALLATION

1.



CAUTION:

Make sure the protection shield is correctly aligned onto the camshaft position sensor.

To install, reverse the removal procedure.