

2016.0 RANGE ROVER (LG), 303-14

ELECTRONIC ENGINE CONTROLS - TDV6 3.0L DIESEL

POST SELECTIVE CATALYST REDUCTION NOX SENSOR

[G 1 8 7 9 6 2 4]

REMOVAL AND INSTALLATION

17.50.46	SENSOR - NOX - POST SELECTIVE CATALYST REDUCTION - RENEW	3000 CC, TDV6	1.1	USED WITHINS	+
17.50.46	SENSOR - NOX - POST SELECTIVE CATALYST REDUCTION - RENEW	3000 CC, TDV6, WITH PARTICULATE FILTER, WITH DIESEL EXHAUST FLUID	1.1	USED WITHINS	

SPECIAL TOOL(S)



310-121

Wrench, H02S

REMOVAL

WARNING:

Observe due care when working near a hot exhaust system.

NOTE:

Removal steps in this procedure may contain installation details.

1.

WARNING:

Make sure to support the vehicle with axle stands.


Raise and support the vehicle.

2. Refer to: [Rear Rocker Panel Moulding - Standard Wheel Base](#) (501-

3.


CAUTION:

Left illustration shown, Right is similar.



E143121


4.



E178882


Torque: 12 Nm

5.




Torque: 10 Nm

6.



7.



E179021

Special Tool(s): [310-121](#)

Torque: **48 Nm**

INSTALLATION

1. To install reverse the removal procedure.