

2016.0 RANGE ROVER (LG), 303-14

ELECTRONIC ENGINE CONTROLS - TDV6 3.0L DIESEL

RIGHT EXHAUST GAS TEMPERATURE SENSOR (G1509559)

REMOVAL AND INSTALLATION

18.31.52	EXHAUST GAS TEMPERATURE SENSOR - RH - RENEW	3000 CC, TDV6, DIESEL, WITH PARTICULATE FILTER, WITH DIESEL EXHAUST FLUID	1.1	USED WITHINS	+
18.31.52	EXHAUST GAS TEMPERATURE SENSOR - RH - RENEW	3000 CC, TDV6, WITH PARTICULATE FILTER	0.6	USED WITHINS	+

REMOVAL

NOTE:

Removal steps in this procedure may contain installation details.

1.

WARNING:

Make sure to support the vehicle with axle stands.


Raise and support the vehicle.

2. Refer to: [Exhaust System - Vehicles With: Diesel Particulate Filter \(DPF\)](#) (309-00A Exhaust System - TDV6 3.0L Diesel, Removal and Installation).

3.

CAUTION:

Make sure that the mating faces are clean and free of foreign material.



E121853

Torque: 35 Nm

INSTALLATION

1.

CAUTION:

If accidentally dropped or knocked install a new sensor.

NOTE:

If the original sensor is to be installed, apply lubricant meeting specification ESE-M12A4-A to the thread of the sensor.

To install, reverse the removal procedure.