

PUBLISHED: 31-AUG-2017
2015.0 RANGE ROVER (LG), 303-01

ENGINE - TDV8 4.4L DIESEL

OIL FILTER ELEMENT (G1509177)

REMOVAL AND INSTALLATION


12.60.02	ELEMENT - OIL FILTER - RENEW	4400 CC, TDV8	0.1	USED WITHINS	
----------	---------------------------------------	------------------	-----	-----------------	--

PART(S)

STEP	REPLACE PART / RENEW PART	PART NAME	
Installation Step 1	Renew Part	Oil filter	1
Installation Step 1	Renew Part	Oil filter O-ring seal	1

REMOVAL


1. Refer to: [Engine Cover - 4.4L V8 - TdV8](#) (501-05 Interior Trim and Ornamentation, Removal and Installation).




- Loosen the oil filter cover 3 turns and allow the engine oil to drain.

3.  **NOTE:**

Position cloth to collect fluid spillage.




4.



- Remove and discard the oil filter element.
- Remove and discard the oil filter cover O-ring seal.


INSTALLATION

1.



- Clean the components.
- Install a new oil filter element to the oil filter cover.
*Renew Part: **Oil filter** : 1 .*
- Lubricate the oil filter element O-ring seal with clean engine oil.
- Install a new oil filter cover O-ring seal.
*Renew Part: **Oil filter O-ring seal** : 1 .*
- Lubricate the O-ring seal with clean engine oil.

2.



Torque: 27 Nm

3.

Check and top-up the engine oil.

4.

Refer to: [Engine Cover - 4.4L V8 - TdV8](#) (501-05 Interior Trim and Ornamentation, Removal and Installation).