

PUBLISHED: 07-JUN-2017
2015.0 RANGE ROVER (LG), 303-01

ENGINE - TDV8 4.4L DIESEL

RIGHT EXHAUST MANIFOLD (G1509173)

REMOVAL AND INSTALLATION

30.15.11	MANIFOLD - EXHAUST - RH /REAR - RENEW	LEFT HAND DRIVE, 4400 CC, TDV8, WITH PARTICULATE FILTER	6.5	USED WITHINS	
----------	--	--	-----	-----------------	--

REMOVAL



CAUTION:

Before disconnecting any components, make sure the area is clean and free from foreign material. When disconnected all openings must be sealed.



NOTES:

- Some variation in the illustrations may occur, but the essential information is always correct.
- Removal steps in this procedure may contain installation details.

1.


Disconnect the battery ground cable.

Refer to: [Specifications](#) (414-00 Battery and Charging System - General Information, Specifications).

2.


Refer to: [Right Turbocharger](#) (303-04G Fuel Charging and Controls - Turbocharger - TDV8 4.4L Diesel, Removal and Installation).

3.



INSTALLATION

1.



Torque: 23 Nm

2.

Refer to: [Right Turbocharger](#) (303-04G Fuel Charging and Controls - Turbocharger - TDV8 4.4L Diesel, Removal and Installation).

3.

Connect the battery ground cable.

Refer to: [Specifications](#) (414-00 Battery and Charging System - General Information, Specifications).