

2016.0 RANGE ROVER (LG), 303-03

ENGINE COOLING - TDV6 3.0L DIESEL - GEN 2/TDV6 3.0L DIESEL

COOLANT PUMP - TDV6 3.0L DIESEL - GEN 2 (G1780455)

REMOVAL AND INSTALLATION

26.50.01	PUMP - WATER - RENEW	3000 CC, TDV6, DIESEL	0.8	USED WITHINS	+
----------	----------------------------	-----------------------------	-----	-----------------	---

REMOVAL

NOTE:


Removal steps in this procedure may contain installation details.

1. Disconnect the battery ground cable.
Refer to: [Specifications](#) (414-00 Battery and Charging System - General Information, Specifications).
2. Refer to: [Cooling System Partial Draining and Vacuum Filling](#) (303-03C Engine Cooling - V8 N/A 5.0L Petrol/V8 S/C 5.0L Petrol, General Procedures).


3.

NOTES:

- Note the fitted position of the accessory drive belt.
- Engine shown removed for clarity.




4.



- Using a suitable 6mm bar, retain the coolant pump pulley.
- **Torque: 25 Nm**

5.




Torque: 10 Nm

6.

CAUTIONS:

- A new O-ring seal is to be installed.
- Make sure that the mating faces are clean and free of corrosion and foreign material.



E167284

INSTALLATION

1. To install, reverse the removal procedure.