

2016.0 RANGE ROVER (LG), 303-03

ENGINE COOLING - TDV6 3.0L DIESEL - GEN 2/TDV6 3.0L DIESEL

COOLING FAN (G1509369)

REMOVAL AND INSTALLATION

26.25.39	FAN AND MOTOR - ASSEMBLY - ENGINE COMPARTMENT - RENEW	3000 CC, TDV6, DIESEL	1.5	USED WITHINS	+
----------	--	-----------------------------	-----	-----------------	---

REMOVAL

NOTES:

- Removal steps in this procedure may contain installation details.
- Some variation in the illustrations may occur, but the essential information is always correct.
- Some components shown removed for clarity.



All vehicles


1. Refer to: [Specifications](#) (501-03 Body Closures, Specifications).
2. Refer to: [Engine Undershield](#) (501-02 Front End Body Panels, Removal and Installation).

3. Refer to: [Cooling System Partial Draining and Vacuum Filling](#) (303-03F Engine Cooling - TDV8 4.4L Diesel, General Procedures).
4. Refer to: [Coolant Expansion Tank](#) (303-03F Engine Cooling - TDV8 4.4L Diesel, Removal and Installation).



Cold climate vehicles

5.




E142859



Cold climate vehicles

6.




Torque: 7 Nm




All vehicles

7.




Torque: 8 Nm


8.



9.




10.




Torque: 7 Nm


11.




12.



13.




14.




Torque: 5 Nm

15.




16.



E147490

Torque: 7 Nm


17.




E144210

Torque: 10 Nm

18.



19.



Torque: 7 Nm


20.

CAUTION:

Protect the radiator during this operation.

NOTE:

With assistance remove the component.



- Release both locking tangs.

INSTALLATION

1. To install, reverse the removal procedure.