

2016.0 RANGE ROVER (LG), 303-08

ENGINE EMISSION CONTROL - TDV6 3.0L DIESEL - GEN 2/TDV6 3.0L DIESEL

DIESEL EXHAUST FLUID TANK (G1875979)

REMOVAL AND INSTALLATION

17.50.36	TANK - DIESEL EXHAUST FLUID - RENEW	ALL DERIVATIVES	1.6	USED WITHINS
----------	---	--------------------	-----	--------------

REMOVAL

1.

WARNING:

Make sure to support the vehicle with axle stands.


Raise and support the vehicle.

2. Refer to: [Diesel Exhaust Fluid Tank Drain and Refill](#) (303-08A Engine Emission Control - TDV6 3.0L Diesel - Gen 2/TDV6 3.0L Diesel, General Procedures).
3. Refer to: [Rear Rocker Panel Moulding - Standard Wheel Base](#) (501-08 Exterior Trim and Ornamentation, Removal and Installation).

4.

CAUTION:


Left illustration shown, Right is similar.



5.

CAUTION:

Make sure that all disconnected electrical connectors and sockets are sealed.




6.

WARNING:

Be prepared to catch escaping fluid.

CAUTION:

Make sure that all openings are sealed. Use new blanking caps.



The quick connector is pushed in an axial direction onto the SAE spigot, until you hear a audible click.

7.

WARNING:

Be prepared to catch escaping fluid.


CAUTION:

Make sure that all openings are sealed. Use new blanking caps.

8.


NOTE:

Do not disassemble further if the component is removed for access only.




Torque: 26 Nm

9.



Torque: 10 Nm

10.



E179023

INSTALLATION

1. To install reverse the removal procedure.