

2016.0 RANGE ROVER (LG), 309-00

EXHAUST SYSTEM - TDV6 3.0L DIESEL

EXHAUST SYSTEM - VEHICLES WITH: DIESEL PARTICULATE FILTER (DPF)

[G1875429]

REMOVAL AND INSTALLATION

SPECIAL TOOL(S)



310-121

Wrench, H02S

REMOVAL

WARNING:

Observe due care when working near a hot exhaust system.

NOTE:

Removal steps in this procedure may contain installation details.

1.


WARNING:

Make sure to support the vehicle with axle stands.


Raise and support the vehicle.

2. Refer to: [Front Driveshaft - TDV6 3.0L Diesel](#) (205-01 Driveshaft, Removal and Installation).


3.




4.



5.




6.



7.

CAUTION:


Take extra care not to damage the component.



8.

NOTE:

Discard the gasket.




Torque: 9 Nm

9.

NOTE:

Discard the gasket.




Torque: 28 Nm

10.

NOTE:

Discard the gasket.




Vehicles with twin turbo system:

Torque: 28 Nm


11.

CAUTION:

Make sure that the exhaust system is supported with suitable retaining straps.




12.



Vehicles with mono turbo system:

13.




Vehicles with twin turbo system:

14.


NOTE:

Do not disassemble further if the component is removed for access only.



Torque: 35 Nm


15.



Special Tool(s): 310-121

Torque: 48 Nm

16.



E179546

Torque: 22 Nm

INSTALLATION

1. To install, reverse the removal procedure.