

2016.0 RANGE ROVER (LG), 309-00

EXHAUST SYSTEM - TDV6 3.0L DIESEL

DIESEL PARTICULATE FILTER - VEHICLES WITHOUT: DIESEL EXHAUST FLUID (G1875941)

REMOVAL AND INSTALLATION

SPECIAL TOOL(S)



310-121

Wrench, H02S

REMOVAL

WARNING:

Observe due care when working near a hot exhaust system.

CAUTION:

Removal steps in this procedure contains installation details.

1.


WARNING:

Make sure to support the vehicle with axle stands.


Raise and support the vehicle.

2. Refer to: [Front Driveshaft - TDV6 3.0L Diesel](#) (205-01 Driveshaft, Removal and Installation).


3.




4.



5.




6.



7.

CAUTION:


Take extra care not to damage the component.



8.

CAUTION:


Make sure to support the rear muffler assembly with a suitable stand.



Remove the DPF from the rear muffler.


Torque: 55 Nm

9.




Torque: 9 Nm

10.



Torque: 28 Nm


11.



Vehicles with twin turbo system:


Torque: 28 Nm

12.



Vehicles with mono turbo system:

13.




Vehicles with twin turbo system:

14.


NOTE:

Do not disassemble further if the component is removed for access only.



Torque: 35 Nm


15.



Special Tool(s): [310-121](#)

Torque: 48 Nm

16.



E179546

Torque: 22 Nm

INSTALLATION

1. To install, reverse the removal procedure.