

PUBLISHED: 11-JAN-2017

2015.0 RANGE ROVER (LG), 309-00

EXHAUST SYSTEM - TDV8 4.4L DIESEL

PRINCIPLES OF OPERATION

For a detailed description of the Exhaust System, refer to the relevant Description and Operation section in the workshop manual. REFER to: [Exhaust System](#) (309-00D Exhaust System - TDV8 4.4L Diesel, Description and Operation).

INSPECTION AND VERIFICATION



CAUTION:

Diagnosis by substitution from a donor vehicle is **NOT** acceptable. Substitution of control modules does not guarantee confirmation of a fault, and may also cause additional faults in the vehicle being tested and/or the donor vehicle.



NOTES:

- If a control module or a component is suspect and the vehicle remains under manufacturer warranty, refer to the Warranty Policy and Procedures manual, or determine if any prior approval programme is in operation, prior to the installation of a new module/component.
- When performing voltage or resistance tests, always use a digital multimeter accurate to three decimal places, and with an up-to-date calibration certificate. When testing resistance always take the resistance of the digital multimeter leads into account.
- Check and rectify basic faults before beginning diagnostic routines involving pinpoint tests.

1. Verify the customer concern

1. Visually inspect for obvious signs of damage and system integrity

Visual Inspection

MECHANICAL

- Exhaust system

- Catalytic converter
- Silencers
- Exhaust leaks
- Hanger brackets
- Mounting rubbers
- Heatshields

1. If an obvious cause for an observed or reported concern is found, correct the cause (if possible) before proceeding to the next step

1. If the cause is not visually evident, verify the symptom and refer to the Symptom Chart, alternatively check for Diagnostic Trouble Codes (DTCs) and refer to the DTC Index

1. Check DDW for open campaigns. Refer to the corresponding bulletins and SSMS which may be valid for the specific customer complaint and carry out the recommendations as required

SYMPTOM CHART

SYMPTOM	POSSIBLE CAUSES	ACTION
Exhaust leaking	▪ Exhaust system leaking	▪ Check the integrity of the exhaust system. Rectify as necessary
Exhaust excessively noisy	▪ Exhaust system leaking ▪ Exhaust system fouling the body, transmission, etc	▪ Check the integrity of the exhaust system. Rectify as necessary ▪ Check the exhaust system for foul conditions
Engine performance reduced	▪ Exhaust system restricted /blocked ▪ Catalytic converter restricted /blocked ▪ Engine system fault	▪ Check the exhaust system for restrictions and blockages. Rectify as necessary ▪ Check the catalytic converter for restrictions and blockages. Rectify as necessary ▪ Using the Jaguar Land Rover approved diagnostic equipment, check the powertrain control module for related DTCs and refer to the relevant DTC index

DTC INDEX

For a list of Diagnostic Trouble Codes (DTCs) that could be logged on this vehicle, please refer to Section 100-00. REFER to: Diagnostic Trouble Code (DTC) Index - V6 S /C 3.0L Petrol , DTC: Engine Control Module (ECM) (100-00 General Information, Description and Operation).