

PUBLISHED: 24-AUG-2012
2015.0 RANGE ROVER (LG), 309-00

EXHAUST SYSTEM - TDV8 4.4L DIESEL

EXHAUST SYSTEM - VEHICLES WITH: DIESEL PARTICULATE FILTER (DPF)

(G1509417)

REMOVAL AND INSTALLATION

30.10.01

EXHAUST
SYSTEM -
RENEW

4400 CC,
TDV8, WITH
PARTICULATE
FILTER

1

USED
WITHINS

REMOVAL



WARNING:

Observe due care when working near a hot exhaust system.



NOTES:

- Removal steps in this procedure may contain installation details.
- Some variation in the illustrations may occur, but the essential information is always correct.

1.



WARNING:


Make sure to support the vehicle with axle stands.

Raise and support the vehicle.

2.


Refer to: [Engine Undershield](#) (501-02 Front End Body Panels, Removal and Installation).

3.




Torque: 60 Nm

4.




Torque: 10 Nm


5.



6.




7.



8.

⚠ CAUTION:

Make sure that the exhaust system is supported with suitable retaining straps.




Torque: 47 Nm

9.

⚠ CAUTION:

Make sure that the exhaust system is supported with suitable retaining straps.




Torque: 47 Nm


10.

⚠ **CAUTION:**

Make sure that the exhaust system is supported with suitable retaining straps.



11.




With assistance, remove the exhaust system.

12.

**NOTE:**

Do not disassemble further if the component is removed for access only.



Torque: 35 Nm

INSTALLATION

1. To install, reverse the removal procedure.