

PUBLISHED: 04-DEC-2012

2015.0 RANGE ROVER (LG), 310-01

FUEL TANK AND LINES - TDV8 4.4L DIESEL

SPECIFICATIONS

Capacities

	LITERS
Fuel tank capacity	105 (usable)

General Specifications

ITEM	SPECIFICATION
Fuel system	Mechanical - recirculating
Fuel tank	Multi layer plastic
High pressure fuel pump	Located at the front of left cylinder head, gear driven from the camshaft
Low pressure fuel pump	Dual stage electric - submersible - located in fuel tank
Auxiliary low pressure fuel pump	Located on the left front wheelhouse panel
Fuel cooler	Located on the left front suspension top mount assembly
Fuel filter	Remotely located on the left front suspension top mount assembly - fitted with a renewable element
Fuel tank sender units	Two - active and passive - passive sender unit is attached to the removable retaining bracket and the active sender unit is attached to the fuel pump swirl pot
High pressure fuel pump maximum operating pressure	1650 bar - 23931.2 lbf/in ²
Low pressure fuel pump operating pressure	0.5 bar - 7.25 lbf/in ²
Auxiliary low pressure fuel pump	5.5 - bar

Torque Specifications

DESCRIPTION	NM	LB-FT	LB-IN
Air conditioning (A/C) refrigerant lines retaining bolts	10	7	-
Fuel cooler retaining bolts	9	-	80
Fuel tank internal bracket retaining bolt	7	-	62
Fuel tank filler pipe retaining nuts	9	-	80

Fuel tank filler pipe hose clamp	3.5	-	31
Fuel tank shield retaining bolts	45	33	-
Fuel tank shield to fuel tank bolt	10	7	-