


PUBLISHED: 21-MAY-2015

2015.0 RANGE ROVER (LG), 303-05

ACCESSORY DRIVE - TDV8 4.4L DIESEL

DESCRIPTION AND OPERATION

COMPONENT LOCATION



ITEM	DESCRIPTION
1	Accessory drive belt
2	Coolant pump
3	Idler pulley
4	Idler pulley
5	Dynamic response hydraulic pump
6	Air Conditioning (A/C) compressor
7	Belt tensioner
8	Crankshaft pulley/mass damper
9	Idler pulley
10	Generator

OVERVIEW

The accessory drive is a belt system powered by a pulley attached to the front of the crankshaft. The crankshaft pulley, which incorporates a mass damper, drives a single drive belt. An automatic belt tensioner maintains the drive belt at the correct tension. Together with idler pulleys, the belt tensioner also guides the drive belt clear of obstructions and sets the correct 'wrap-around' of the accessory component drive pulleys to ensure a slip-free drive.

The drive belt is a six-ribbed poly-V belt that drives the:

- Coolant pump
- Dynamic response hydraulic pump
- Air Conditioning (A/C) compressor
- Generator

The belt tensioner consists of an idler pulley on the end of a spring loaded pivot arm. The pivot arm can be turned manually for removal and installation of the drive belt. The belt tensioner is calibrated to automatically maintain the correct tension in the drive belt.