

Constrained body mass evolution and decoupled morphological rates in plesiosaurs: references for data

Ruizhe Jackevan Zhao Chi Zhang

This file contains the references of the datasets used in this study.

body mass data

trunk length

Archaeonectrus rostratus [1]
Attenborosaurus conybeari [2]
Atychodracon megacephalus [3]
Avalonnectes arturi [2]
Brachauchenius lucasi [4]
Callawayasaurus colombiensis [5]
Colymbosaurus megadeirus [6]
Eoplesiosaurus antiquior [2]
Eretmosaurus rugosus [1]
Hauffiosaurus longirostris [2]
Hauffiosaurus zanoni [7]
Kaiwhekea katiki [8]
Lindwurmia thiuda [9]
Microcleidus brachypterygius [2]
Microcleidus homalospondylus [2]
Plesiosaurus dolichodeirus [10]
Rhomaleosaurus zetlandicus [2]
Styxosaurus rezaci [11]
Thalassiodracon hawkinsii [3]
Trinacromerum bentonianum [12]
Wapuskanectes betsynichollsae [13]
Rhomaleosaurus cramptoni [3]
Libonectes morgani [14]
Rhomaleosaurus thorntoni [15]

dorsal vertebral data

Dolichorhynchops herschelensis [16]
Eopolycotylus rankini [17]
Fluvionectes sagecrensis [18]
Futabasaurus suzukii [19]
Jucha squalea [20]
Leptocleidus superstes [21]
Makhaira rossica [22]
Muraenosaurus leedsii [23]
Nakonanectes bradti [24]
Ophthalmothule cryostea [25]
Palmulasaurus quadratus [17]
Pantosaurus striatus [26]
Picrocleidus beloclis [23]
“*Pliosaurus*” *andrewsi* [27]
Scalamagnus tropicensis [28]
Thililua longicollis [29]
Tricleidus seeleyi [23]
Westphaliasaurus simonsensii [30]
Kawanectes lafquenianum [31]
Styxosaurus browni [32]
Tatenectes laramiensis [33]
Leptocleidus capensis [34]
Morenosaurus stocki [35]
Plesiosaurus mansellii [36]
Luskhan itilensis [37]
Gronausaurus wegneri [38]
Elasmosaurus platyurus [39]

model

Macroplata tenuiceps [40]
Meyerasaurus victor [40]
Peloneustes philarchus [40]
Pliosaurus funkei [40]
Liopleurodon ferox [40]
Kronosaurus queenslandicus [40]
Sachicasaurus vitae [40]
Seeleyosaurus guilelmiimperatoris [40]
Microcleidus tournemirensis [40]
Plesiopterys wildi [40]

Cryptoclidus eurymerus [40]
Abyssosaurus nataliae [40]
Polycotylus latipinnis [40]
Dolichorhynchops osborni [40]
Dolichorhynchops bonneri [40]
Aristonectes quiriquinensis [40]
Albertonectes vanderveldei [40]
Vegasaurus molyi [40]
Hydrotherosaurus alexandrae [40]
Thalassomedon haningtoni [40]
Styxosaurus SDSM 451 [40]

limb & girdle elements

Terminonatator ponteixensis [41]
Marmornectes candrewi [42]
Euryleidus arcuatus [3]
Umoonasaurus demoscyllus [43]
Simolestes vorax [27]
Zarafasaura oceanis [44]
Pahasapasaurus haasi [45]
Cardiocrax mukulu [46]
Aphrosaurus furlongi [35, 47]
Pliosaurus irgisensis [48]
Traskasaura sandrae [49]

skull and neck

Thaumatodracon wiedenrothi [50]
Edgarosaurus muddi [51]

other thalassophoneans

Stenorhynchosaurus munozi [52, 40]
Pliosaurus westburyensis [53, 40]
Pliosaurus almanzaensis [54, 40]
Pliosaurus rossicus [55, 40]
Brachauchenius MNA V9433 [56, 40]

neck length data

"*Monquirasaurus*" *boyacensis* [57]
Serpentisuchops pfisterae [58]
Plesionectes longicollum [59]
Abyssosaurus nataliae [60, 40]
Albertonectes vanderveldei [61, 62]
Archaeonectrus rostratus [1, 2]
Aristonectes quiriquinensis [63, 40]
Attenborosaurus conybeari [2]
Atychodracon megacephalus [64]
Brachauchenius lucasi [4]
Brancaesaurus brancai [65, 40]
Callawayasaurus colombiensis [5]
Cryptoclidus eurymerus [66, 40]
Martinectes bonneri [67, 40]
Dolichorhynchops osborni [68, 69, 40]
Edgarosaurus muddi [51]
Eopleiosaurus antiquior [2]
Hauffiosaurus tomistomimus [70]
Hydrotherosaurus alexandrae [35, 40]
Kaiweheka katiki [8]
Kronosaurus queenslandicus [4, 40]
Libonectes morgani [71]
Liopleurodon ferox [72, 40]
Luskhan itilensis [37]
Macroplata tenuiceps [73]
Manemergus anguirostris [74]
Vegasaurus molyi [75, 40]
Mauriciosaurus fernandezi [76]
Meyerasaurus victor [77]
Microcleidus brachypterygius [78, 79]
Microcleidus homalospondylus [2]
Microcleidus tournemirensis [80, 40]
Muraenosaurus leedsii [81, 14]
Nakonanectes bradti [24]
Nichollssaura borealis [82]
Ophthalmothule cryostea [25]
Peloneustes philarchus [27]
Plesiopterys wildi [83, 40]
Plesiosaurus dolichodeirus [10, 84]
Polycotylus latipinnis [40]

Rhomaleosaurus cramptoni [81]
Rhomaleosaurus zetlandicus [85]
Sachicasaurus vitae [86]
Seeleyosaurus guilelmiimperatoris [87, 40]
Simolestes vorax [81]
Colymbosaurus megadeirus [6]
Stenorhynchosaurus munozi [88, 40]
Styxosaurus SDSM 451 [89, 40]
Styxosaurus browni [90]
Styxosaurus rezaci [11]
Thalassiodracon hawkinsii [84]
Thalassomedon haningtoni [35, 40]
Thaumatodracon wiedenrothi [50]
Thililua longicollis [29]
Tricleidus seeleyi [81]
Trinacromerum bentonianum [12]

References

- [1] Richard Owen. Monograph of the fossil reptilia of the Liassic formations. part first. Sauropterygia. *Monographs of the Palaeontographical Society*, 17(75):1–40, 1865.
- [2] Roger B. J. Benson, Mark Evans, and Patrick S. Druckenmiller. High diversity, low disparity and small body size in plesiosaurs (Reptilia, Sauropterygia) from the Triassic-Jurassic boundary. *PLOS ONE*, 7(3):e31838, mar 2012.
- [3] Adam Stuart Smith. *Anatomy and systematics of the Rhomaleosauridae (Sauropterygia: Plesiosauria)*. PhD thesis, National University of Ireland, University College Dublin, 2007.
- [4] Colin Richard McHenry. *Devourer of gods: the palaeoecology of the Cretaceous pliosaur Kronosaurus queenslandicus*. PhD thesis, University of Newcastle, 2009.
- [5] Samuel Paul Welles. A new species of elasmosaur from the Aptian of Colombia and a review of the Cretaceous plesiosaurs. *University of California publications in the Geological sciences*, 44:1–96, 1962.
- [6] Roger B. J. Benson and Timothy Bowdler. Anatomy of *Colymbosaurus megadeirus* (Reptilia, Plesiosauria) from the Kimmeridge Clay Formation of the U.K., and high diversity among Late Jurassic plesiosauroids. *Journal of Vertebrate Paleontology*, 34(5):1053–1071, July 2014.
- [7] Peggy Vincent. A re-examination of *Hauffiosaurus zanoni*, a pliosauroid from the Toarcian (Early Jurassic) of Germany. *Journal of Vertebrate Paleontology*, 31(2):340–351, mar 2011.
- [8] Arthur R. I. Cruickshank and R. Ewan Fordyce. A new marine reptile (Sauropterygia) from New

- Zealand: further evidence for a Late Cretaceous austral radiation of cryptoclidid plesiosaurs. *Palaeontology*, 45(3):557–575, 2002.
- [9] Peggy Vincent and Glenn W. Storrs. *Lindwurmia*, a new genus of Plesiosauria (Reptilia: Sauropterygia) from the earliest Jurassic of Halberstadt, northwest Germany. *The Science of Nature*, 106:5, jan 2019.
 - [10] Glenn W. Storrs. Morphological and taxonomic clarification of the genus *Plesiosaurus*. In *Ancient marine reptiles*, pages 145–190. Elsevier, 1997.
 - [11] S. P. Welles. The longest neck in the ocean. *University of Nebraska News, Museum Notes*, 43:1–2, 1970.
 - [12] John T. Thurmond. A new polycotyloid plesiosaur from the Lake Waco Formation (Cenomanian) of Texas. *Journal of Paleontology*, pages 1289–1296, 1968.
 - [13] Donald M. Henderson. Lost, hidden, broken, cut-estimating and interpreting the shapes and masses of damaged assemblages of plesiosaur gastroliths. *PeerJ*, 12:e17925, August 2024.
 - [14] Susana Gutarra, Thomas L. Stubbs, Benjamin C. Moon, Colin Palmer, and Michael J. Benton. Large size in aquatic tetrapods compensates for high drag caused by extreme body proportions. *Communications Biology*, 5:380, apr 2022.
 - [15] Adam S. Smith and Roger B. J. Benson. Osteology of *Rhomaleosaurus thorntoni* (Sauropterygia: Rhomaleosauridae) from the Lower Jurassic (Toarcian) of Northamptonshire, England. *Monographs of the Palaeontographical Society*, 168(642):1–40, oct 2014.
 - [16] Tamaki Sato. A new polycotyloid plesiosaur (Reptilia: sauropterygia) from the Upper Cretaceous Bearpaw Formation in Saskatchewan, Canada. *Journal of Paleontology*, 79(5):969–980, 2005.
 - [17] L. Barry Albright III, David D. Gillette, and Alan L. Titus. Plesiosaurs from the Upper Cretaceous (Cenomanian-Turonian) tropic shale of southern Utah, part 2: Polycotyliidae. *Journal of Vertebrate Paleontology*, 27(1):41–58, 2007.
 - [18] James A. Campbell, Mark T. Mitchell, Michael J. Ryan, and Jason S. Anderson. A new elasmosaurid (Sauropterygia: Plesiosauria) from the non-marine to parallic Dinosaur Park Formation of southern Alberta, Canada. *PeerJ*, 9:e10720, feb 2021.
 - [19] Tamaki Sato, Yoshikazu Hasegawa, and Makoto Manabe. A new elasmosaurid plesiosaur from the Upper Cretaceous of Fukushima, Japan. *Palaeontology*, 49(3):467–484, 2006.
 - [20] Valentin Fischer, Nikolay G. Zverkov, Maxim S. Arkhangelsky, Ilya M. Stenshin, Ivan V. Blagovetshensky, and Gleb N. Uspensky. A new elasmosaurid plesiosaurian from the Early Cretaceous of Russia marks an early attempt at neck elongation. *Zoological Journal of the Linnean Society*, 192(4):1167–1194, October 2020.

- [21] Benjamin P. Kear and Paul M. Barrett. Reassessment of the Lower Cretaceous (Barremian) pliosauroid *Leptocleidus superstes* Andrews, 1922 and other plesiosaur remains from the non-marine Wealden succession of southern England. *Zoological Journal of the Linnean Society*, 161(3):663–691, Jan 2011.
- [22] Valentin Fischer, Maxim S. Arkhangelsky, Ilya M. Stenshin, Gleb N. Uspensky, Nikolay G. Zverkov, and Roger B. J. Benson. Peculiar macrophagous adaptations in a new Cretaceous pliosaurid. *Royal Society Open Science*, 2(12):150552, December 2015.
- [23] Charles William Andrews. *A descriptive catalogue of the marine reptiles of the Oxford Clay: based on the Leeds Collection in the British Museum (Natural History), London, Part I.* British Museum (Natural History), 1910.
- [24] Danielle J. Serratos, Patrick Druckenmiller, and Roger B. J. Benson. A new elasmosaurid (Sauropterygia, Plesiosauria) from the Bearpaw Shale (Late Cretaceous, Maastrichtian) of Montana demonstrates multiple evolutionary reductions of neck length within Elasmosauridae. *Journal of Vertebrate Paleontology*, 37(2):e1278608, April 2017.
- [25] Aubrey Jane Roberts, Patrick S. Druckenmiller, Benoit Cordonnier, Lene L. Delsett, and Jørn H. Hurum. A new plesiosaurian from the Jurassic-Cretaceous transitional interval of the Slottsmøya Member (Volgian), with insights into the cranial anatomy of cryptocleidids using computed tomography. *PeerJ*, 8:e8652, March 2020.
- [26] Benjamin C. Wilhelm and F. Robin O’Keefe. A new partial skeleton of a cryptocleidoid plesiosaur from the Upper Jurassic Sundance Formation of Wyoming. *Journal of Vertebrate Paleontology*, 30(6):1736–1742, Dec 2010.
- [27] Charles William Andrews. *A descriptive catalogue of the marine reptiles of the Oxford Clay: based on the Leeds Collection in the British Museum (Natural History), London, Part II.* British Museum (Natural History), London, UK, 1913.
- [28] Rebecca Schmeisser McKean. A new species of polycotyloid plesiosaur (Reptilia: Sauropterygia) from the Lower Turonian of Utah: extending the stratigraphic range of Dolichorhynchops. *Cretaceous Research*, 34:184–199, April 2012.
- [29] Nathalie Bardet, Xavier Pereda Suberbiola, and Nour-Eddine Jalil. A new polycotyloid plesiosaur from the Late Cretaceous (Turonian) of Morocco. *Comptes Rendus Palevol*, 2(5):307–315, 2003.
- [30] Leonie Schwermann and P. Martin Sander. Osteologie und Phylogenie von *Westphaliasaurus simonsensii*: Ein neuer Plesiosauride (Sauropterygia) aus dem Unteren Jura (Pliensbachium) von Sommersell (Kreis Höxter), Nordrhein-Westfalen, Deutschland. *Geol. Paläont. Westf.*, 79:5–60, 2011.
- [31] José P. O’Gorman. The most complete specimen of *Kawanectes lafquenianum* (Sauropterygia, Plesiosauria): new data on basicranial anatomy and possible sexual dimorphism in elasmosaurids. *Cretaceous Research*, 125:104836, Sep 2021.

- [32] Rodrigo A. Otero. Taxonomic reassessment of *Hydralmosaurus* as *Styxosaurus*: new insights on the elasmosaurid neck evolution throughout the Cretaceous. *PeerJ*, 4:e1777, mar 2016.
- [33] Courtney D. Richards. Plesiosaur body shape and its impact on hydrodynamic properties, 2011.
- [34] Arthur R. I. Cruickshank and John A. Long. A new species of pliosaurid reptile from the Early Cretaceous Birdrong Sandstone of Western Australia. *Records of the Western Australian Museum*, 18:263–276, 1997.
- [35] Samuel Paul Welles. Elasmosaurid plesiosaurs with description of new material from California and Colorado. *University of California Publications in Geological Sciences*, 13:125–254, 1943.
- [36] J. W. Hulke. Note on some plesiosaurian remains obtained by JC Mansel, Esq., FGS, in Kimmeridge Bay, Dorset. *Quarterly Journal of the Geological Society*, 26(1-2):611–622, 1870.
- [37] Valentin Fischer, Roger B. J. Benson, Nikolay G. Zverkov, Maxim S. Arkhangel'sky, Ilya M. Stenshin, Gleb N. Uspensky, and Natalya E. Prilepskaya. Anatomy and relationships of the bizarre Early Cretaceous pliosaurid *Luskhan itilensis*. *Zoological Journal of the Linnean Society*, 198(1):220–256, 2023.
- [38] Oliver Hampe. The forgotten remains of a leptocleidid plesiosaur (Sauropterygia: Plesiosauroidea) from the Early Cretaceous of Gronau (Münsterland, Westphalia, Germany). *Paläontologische Zeitschrift*, 87(4):473–491, March 2013.
- [39] Sven Sachs. Redescription of *Elasmosaurus platyurus* Cope, 1868 (Plesiosauria: Elasmosauridae) from the Upper Cretaceous (Lower Campanian) of Kansas, U.S.A. *Paludicola*, 5:92–106, 11 2005.
- [40] Ruizhe Jackevan Zhao. Body reconstruction and size estimation of plesiosaurs. *PeerJ*, 14:e21146, April 2026.
- [41] Tamaki Sato. *Terminonatator ponteixensis*, a new elasmosaur (Reptilia; Sauropterygia) from the Upper Cretaceous of Saskatchewan. *Journal of Vertebrate Paleontology*, 23(1):89–103, 2003.
- [42] Hilary F. Ketchum and Roger B. J. Benson. A new pliosaurid (Sauropterygia, Plesiosauria) from the Oxford Clay Formation (Middle Jurassic, Callovian) of England: evidence for a gracile, longirostrine grade of Early–Middle Jurassic pliosaurids. *BARRETT, P.M. and MILNER, A.R. (eds.) Studies on Fossil Tetrapods. Special Papers in Palaeontology*, 86:109–129, 2011.
- [43] Benjamin P. Kear, Natalie I. Schroeder, and Michael S.Y. Lee. An archaic crested plesiosaur in opal from the Lower Cretaceous high-latitude deposits of Australia. *Biology Letters*, 2(4):615–619, June 2006.
- [44] Dean Lomax and William Wahl. A new specimen of the elasmosaurid plesiosaur *Zarafasaura oceanis* from the Upper Cretaceous (Maastrichtian) of Morocco. *Paludicola*, 9:97–109, 10 2013.
- [45] Bruce A. Schumacher. A new polycotyloid plesiosaur (Reptilia; Sauropterygia) from the Greenhorn Limestone (Upper Cretaceous; lower upper Cenomanian), Black Hills, South Dakota. In James E.

- Martin and David C. Parris, editors, *The Geology and Paleontology of the Late Cretaceous Marine Deposits of the Dakotas*. Geological Society of America, 2007.
- [46] R. Araújo, M. J. Polcyn, A. S. Schulp, O. Mateus, L. L. Jacobs, A. Olímpio Gonçalves, and M.-L. Morais. A new elasmosaurid from the early Maastrichtian of Angola and the implications of girdle morphology on swimming style in plesiosaurs. *Netherlands Journal of Geosciences - Geologie en Mijnbouw*, 94(1):109–120, 2015.
 - [47] Jose P. O’Gorman. Elasmosaurid phylogeny and paleobiogeography, with a reappraisal of *aphrosaurus furlongi* from the Maastrichtian of the Moreno Formation. *Journal of Vertebrate Paleontology*, 39(5):e1692025, 2020.
 - [48] Glenn Storrs, Maxim Arkhangelsky, and Vladimir Efimov. Mesozoic marine reptiles of Russia and other former Soviet republics. In *The Age of Dinosaurs in Russia and Mongolia*, pages 187–210. Cambridge University Press, 01 2000.
 - [49] F. Robin O’Keefe, Elliott Armour Smith, Robert O. Clark, Rodrigo A. Otero, Anna Perella, and Patrick Trask. A name for the Provincial Fossil of British Columbia: a strange new elasmosaur taxon from the Santonian of Vancouver Island. *Journal of Systematic Palaeontology*, 23(1):2489938, May 2025.
 - [50] Adam S. Smith and Ricardo Araújo. *Thaumatodracon wiedenrothi*, a morphometrically and stratigraphically intermediate new rhomaleosaurid plesiosaurian from the Lower Jurassic (Sinemurian) of Lyme Regis. *Palaeontographica Abteilung A*, 308(4-6):89–125, jul 2017.
 - [51] Pat. S. Druckenmiller. Osteology of a new plesiosaur from the Lower Cretaceous (Albian) Thermopolis Shale of Montana. *Journal of Vertebrate Paleontology*, 22(1):29–42, 2002.
 - [52] María E. Páramo-Fonseca, Cristian D. Benavides-Cabra, and Ingry E. Gutiérrez. A new specimen of *Stenorhynchosaurus munozi* Páramo-Fonseca et al., 2016 (Plesiosauria, Pliosauridae), from the Barremian of Colombia: new morphological features and ontogenetic implications. *Journal of Vertebrate Paleontology*, 39(4):e1663426, July 2019.
 - [53] Judyth Sassoon, Leslie F. Noè, and Micheal J. Benton. Cranial anatomy, taxonomic implications and palaeopathology of an Upper Jurassic pliosaur (Reptilia: Sauropterygia) from Westbury, Wiltshire, UK. *Palaeontology*, 55(4):743–773, may 2012.
 - [54] José P. O’Gorman, Zulma Gasparini, and Luis A. Spalletti. A new *Pliosaurus* species (Sauropterygia, Plesiosauria) from the Upper Jurassic of Patagonia: new insights on the Tithonian morphological disparity of mandibular symphyseal morphology. *Journal of Paleontology*, 92(2):240–253, feb 2018.
 - [55] L. Beverly Halstead. *Liopleurodon rossicus* (Novozhilov)-a pliosaur from the Lower Volgian of the Moscow basin. *Palaeontology*, 14(4):566–570, 1971.
 - [56] L. Barry Albright III, David D. Gillette, and Alan L. Titus. Plesiosaurs from the Upper Cretaceous (Cenomanian-Turonian) Tropic Shale of southern Utah, part 1: new records of the pliosaur *Brachauchenius lucasi*. *Journal of Vertebrate Paleontology*, 27(1):31–40, 2007.

- [57] Leslie F. Noè and Marcela Gómez-Pérez. Giant pliosaurids (Sauropterygia; Plesiosauria) from the Lower Cretaceous peri-Gondwanan seas of Colombia and Australia. *Cretaceous Research*, 132:105122, apr 2022.
- [58] Walter Scott Persons, Hallie P. Street, and Amanda Kelley. A long-snouted and long-necked polycotyloid plesiosaur from the Late Cretaceous of North America. *iScience*, 25(10):105033, October 2022.
- [59] Sven Sachs and Daniel Madzia. An unusual early-diverging plesiosauroid from the Lower Jurassic Posidonia Shale of Holzmaden, Germany. *PeerJ*, 13:e19665, August 2025.
- [60] A. Yu. Berezin. A new plesiosaur of the family Aristonectidae from the Early Cretaceous of the center of the Russian platform. *Paleontological Journal*, 45(6):648–660, November 2011.
- [61] Tai Kubo, Mark T. Mitchell, and Donald M. Henderson. *Albertonectes vanderveldei*, a new elasmosaur (Reptilia, Sauropterygia) from the Upper Cretaceous of Alberta. *Journal of Vertebrate Paleontology*, 32(3):557–572, may 2012.
- [62] Sven Sachs, Benjamin P. Kear, and Michael J. Everhart. Revised vertebral count in the “longest-necked vertebrate” *Elasmosaurus platyrus* Cope 1868, and clarification of the cervical-dorsal transition in Plesiosauria. *PLOS ONE*, 8(8):e70877, 2013.
- [63] Rodrigo A. Otero, Sergio Soto-Acuña, Frank Robin O’Keefe, José P. O’Gorman, Wolfgang Stinnesbeck, Mario E. Suárez, David Rubilar-Rogers, Christian Salazar, and Luis Arturo Quinzio-Sinn. *Aristonectes quiriquinensis*, sp. nov., a new highly derived elasmosaurid from the upper Maastichtian of central Chile. *Journal of Vertebrate Paleontology*, 34(1):100–125, jan 2014.
- [64] Adam S. Smith. Reassessment of ‘*Plesiosaurus*’ *megacephalus* (Sauropterygia: Plesiosauria) from the Triassic-Jurassic boundary, UK. *Palaeontologia Electronica*, 2015.
- [65] Sven Sachs, Jahn J. Hornung, and Benjamin P. Kear. Reappraisal of Europe’s most complete Early Cretaceous plesiosaurian: *Brancasaurus brancai* Wegner, 1914 from the “Wealden facies” of Germany. *PeerJ*, 4:e2813, dec 2016.
- [66] David Seymour Brown. The English Upper Jurassic Plesiosauroidea (Reptilia) and a review of the phylogeny and classification of the Plesiosauria. *Bulletin of the British Museum (Natural History), Geology*, 35(4):253–347, 1981.
- [67] Dawn A. Adams. *Trinacromerum bonneri*, new species, last and fastest pliosaur of the Western Interior Seaway. *Texas Journal of Science*, 49(3):179, 1997.
- [68] Kenneth Carpenter. A review of short-necked plesiosaurs from the Cretaceous of the Western Interior, North America. *Neues Jahrbuch für Geologie und Paläontologie-Abhandlungen*, pages 259–287, 1996.
- [69] Orville Bonner. An osteological study of *Nyctosaurus* and *Trinacromerum* with a description of a new species of *Nyctosaurus*. Master’s thesis, Fort Hays State University, 1964.

- [70] Roger B. J. Benson, Hilary F. Ketchum, Leslie F. Noè, and Marcela Gómez-Pérez. New information on *Hauffiosaurus* (Reptilia, Plesiosauria) based on a new species from the Alum Shale Member (Lower Toarcian: Lower Jurassic) of Yorkshire, UK. *Palaeontology*, 54(3):547–571, may 2011.
- [71] Samuel Paul Welles. A new elasmosaur from the Eagle Ford Shale of Texas: systematic description. *Fondren Science Series*, 1, 1949.
- [72] Hermann Linder. Beiträge zur Kenntnis der Plesiosaurier-Gattungen *Peloneustes* und *Pliosaurus*. *Geologische und Palaeontologische Abhandlungen*, 1913.
- [73] Hilary F. Ketchum and Adam S. Smith. The anatomy and taxonomy of *Macroplata tenuiceps* (Sauropterygia, Plesiosauria) from the Hettangian (Lower Jurassic) of Warwickshire, United Kingdom. *Journal of Vertebrate Paleontology*, 30(4):1069–1081, jul 2010.
- [74] Marie-Céline Buchy, Franck Métayer, and Eberhard Frey. Osteology of *Manemergus anguirostris* n. gen. et sp., a new plesiosaur (Reptilia, Sauropterygia) from the Upper Cretaceous of Morocco. *Palaeontographica, Abteilung A: Paläozoologie - Stratigraphie*, 272:97–120, 05 2005.
- [75] José P. O’Gorman, Leonardo Salgado, Eduardo B. Olivero, and Sergio A. Marensi. *Vegasaurus molyi*, gen. et sp. nov. (Plesiosauria, Elasmosauridae), from the Cape Lamb Member (lower maastrichtian) of the Snow Hill Island Formation, Vega Island, Antarctica, and remarks on Wedellian Elasmosauridae. *Journal of Vertebrate Paleontology*, 35(3), May 2015.
- [76] Eberhard Frey, Eric W. A. Mulder, Wolfgang Stinnesbeck, Héctor E. Rivera-Sylva, José Manuel Padilla-Gutiérrez, and Arturo Homero González-González. A new polycotyloid plesiosaur with extensive soft tissue preservation from the early Late Cretaceous of northeast Mexico. *Boletín de la Sociedad Geológica Mexicana*, 69(1):87–134, 2017.
- [77] Adam S. Smith and Peggy Vincent. A new genus of pliosaur (Reptilia: Sauropterygia) from the Lower Jurassic of Holzmaden, Germany. *Palaeontology*, 53(5):1049–1063, 2010.
- [78] F. R. von Huene. Ein neuer Plesiosaurier aus dem oberen Lias Württembergs. *Jahreshefte vaterländ. Naturkunde Württemberg*, 79:1–23, 1923.
- [79] M. W. Maisch and M. Rücklin. Cranial osteology of the sauropterygian *Plesiosaurus brachypterygius* from the Lower Toarcian of Germany. *Palaeontology*, 43:29–40, 2000.
- [80] Nathalie Bardet, Pascal Godefroit, and Jacques Sciau. A new elasmosaurid plesiosaur from the Lower Jurassic of southern France. *Palaeontology*, 42(5):927–952, October 1999.
- [81] F. Robin O’Keefe. The evolution of plesiosaur and pliosaur morphotypes in the Plesiosauria (Reptilia: Sauropterygia). *Paleobiology*, 28(1):101–112, 2002.
- [82] Ramon Nagesan. Neck mobility of the plesiosaur *Nichollsaura borealis*. Master’s thesis, University of Calgary, 2017.
- [83] Miguel Marx, Sven Sachs, Benjamin P. Kear, Mats E. Eriksson, Klaus Nilkens, and Johan Lindgren. A new specimen of *Plesiopterys wildi* reveals the diversification of cryptoclidian precursors and

- possible endemism within European Early Jurassic plesiosaur assemblages. *PeerJ*, 13:e18960, March 2025.
- [84] F. Robin O’Keefe. Preliminary description and phylogenetic position of a new plesiosaur (Reptilia: Sauropterygia) from the Toarcian of Holzmaden, Germany. *Journal of Paleontology*, 78(5):973–988, 2004.
- [85] P. Vincent and A. S. Smith. A redescription of *Plesiosaurus propinquus* Tate & Blake, 1876 (Reptilia, Plesiosauria), from the Lower Jurassic (Toarcian) of Yorkshire, England. *Proceedings of the Yorkshire Geological Society*, 57(3-4):133–142, nov 2009.
- [86] María Eurídice Páramo-Fonseca, Cristian David Benavides-Cabra, and Ingry Esmirna Gutiérrez. A new large pliosaurid from the Barremian (Lower Cretaceous) of Sáchica, Boyacá, Colombia. *Earth Sciences Research Journal*, 22(4):223–238, 2018.
- [87] Sven Sachs, Daniel Madzia, Miguel Marx, Aubrey J. Roberts, Oliver Hampe, and Benjamin P. Kear. The osteology, taxonomy, and phylogenetic placement of *Seeleyosaurus guilelmiimperatoris* (Plesiosauroidea, Microcleididae) from the Lower Jurassic Posidonia Shale of Germany. *The Anatomical Record*, February 2025.
- [88] María Eurídice Páramo-Fonseca, Marcela Gómez-Pérez, Leslie F. Noè, and Fernando Etayo-Serna. *Stenorhynchosaurus munozi*, gen. et sp. nov. a new pliosaurid from the Upper Barremian (Lower Cretaceous) of Villa de Leiva, Colombia, South America. *Revista de la Academia Colombiana de Ciencias Exactas, Físicas y Naturales*, 40(154):84, March 2016.
- [89] S. P. Welles and James D. Bump. *Alzadasaurus pembertoni*, a new elasmosaur from the Upper Cretaceous of South Dakota. *Journal of Paleontology*, pages 521–535, 1949.
- [90] Samuel Paul Welles. A review of the North American Cretaceous elasmosaurs. *University of California Publications in Geological Sciences*, 29:47–144, 1952.