






Plum Job

DEMO PROJEKTU

Inżynieria Oprogramowania 2024/2025





Nasz team



Kinga

Project Manager
Software Engineer



Dominik

Software Tester



Martyna

Software Engineer



Wojciech

Database Engineer
Documentation Lead



Piotr

Software Engineer





Nasz team



Kinga

Project Manager
Software Engineer



Dominik

Software Tester



Martyna

Software Engineer



Wojciech

Database Engineer
Documentation Lead




Piotr

Software Engineer



Problem statement

JOB HUNT IS STRESSFUL



Analiza narzędzi na rynku

	GROMADZENIE DANYCH	RADY EKSPERTÓW	POWIADOMIENIA
TABELA EXCEL	✓	✗	✗
BLOG	✗	✓	✗
KALENDARZ	✗	✗	✓

Nasze rozwiązanie



GROMADZENIE DANYCH

RADY EKSPERTÓW

POWIADOMIENIA

Plum Job	✓	✓	✓
----------	---	---	---

i więcej!



← → ↺

www.reddit.com/r/csMajors/comments/18qr5g9/finally_got_an_internship/

☆

🔒

📄

👤

📧

☰

reddit

🔍 r/csMajors Wyszukaj w r/csMajors

Pobierz aplikację Zaloguj się

🔗 Popularne

OSTATNIO

r/

r/csMajors

TEMATY

🗨️

Kultura internetowa (viral)

🎮

Gry

❓

Pytania i odpowiedzi

🖥️

Technologia

★

Popkultura

📺

Filmy i programy TV

Zobacz więcej

🔍 r/ r/csMajors • 1 rok temu ParfaitSignificant16

FINALLY GOT AN INTERNSHIP

Applications: 895

Rejected: 361

Interview: 37

2nd Interview: 6

Offer: 4

Accepted: 1

Declined: 3

No Offer: 28

Ghosted: 2

...

Jesteś nowym użytkownikiem serwisu Reddit?

Utwórz konto i połącz się z całym światem społeczności.

🌐

Kontynuuj przy użyciu konta Google

✉️

Kontynuuj przy użyciu adresu e-mail

📞

Kontynuuj z numerem telefonu

Kontynuując, wyrażasz zgodę na nasze dokumenty [Umowa użytkownika](#) i potwierdz, że rozumiesz [Zasady ochrony prywatności](#).

r/

r/csMajors • 22 dni temu

How should I deal with this internship?

93 upvoty · 30 komentarzy


r/

r/csMajors • 1 mies. temu

NEED AN INTERNSHIP!!!

305 upvotów · 83 komentarze


preview.reddit.it/finally-got-an-internship-v0-pclv6tlgai8c1.png?width=1400&format=png&auto=webp&s=dad7c05e84679efdfc15f874c40cfb4e05f23563



Znaczenie nazwy

Plum Job – highly desirable job or position,
often characterised by excellent pay,
benefits, working conditions, and
opportunities for advancement.

(according to multiple dictionaries)



Znaczenie nazwy

Definition of 'plum'


plum

(plʌm  )


adjective [ADJECTIVE noun]

A **plum** job, contract, or role is a very good one that a lot of people would like.

[journalism]



User story



To jest Kasia.

Wiek: 25 lat

Wykształcenie: Informatyka, UJ

Doświadczenie zawodowe: 2 lata jako SWE
w małym software housie

Cel: Przejście na bardziej ambitne projekty w
międzynarodowej firmie

Problemy: Brak wiedzy o standardach
rekrutacji do firm typu FAANG, przytłoczenie i
dezorganizacja w ilości i etapie złożonych
aplikacji, mała ilość odpowiedzi.



Kasia i PlumJob


Zorganizowana i zorientowana, *nie musi pamiętać, co niej wymagane na każdym etapie rekrutacji i otrzymuje przypomnienia o rozmowach i innych terminach.*


Rozchwytywana kandydatka z *przyciągającym uwagę CV, pozytywnie rozpatrywanym przez systemy ATS oraz ludzkich rekruterów.*

Spokojna o swój sukces w rozmowach i nowym miejscu pracy, *dzięki licznym poradom ekspertów.*




Stack technologiczny





Live Demo



Organizacja pracy

The screenshot displays a Jira project page for 'PlumJob Workflow'. The top navigation bar includes the project name and a search bar. Below the navigation bar, there are tabs for 'Backlog', 'Team capacity', 'Current iteration', 'Roadmap', 'My items', and 'My current iteration'. A search bar is also present, showing the filter 'iteration: "Stage 3"'. The main content area is divided into three columns: 'Todo' (0 items), 'In Progress' (0 items), and 'Done' (11 items). The 'Done' column contains a list of tasks, including 'PlumJob #25: Create Active recruitments sequence diagram', 'PlumJob #18: Write tests for the database', and 'PlumJob #24: Create Archive sequence diagram'. A task titled 'Implement "This many people found a job with us" counter (*)' is highlighted in the 'In Progress' column. A detailed view of this task is shown on the left, including acceptance criteria, suggested placement, and assignees. A blue callout bubble with the text 'Taki jest plan robimy' is overlaid on the 'Done' column. A purple callout bubble with the text '+ zadanie bojowe' is overlaid on the 'In Progress' column.

PlumDevs / Projects / PlumJob Workflow

PlumJob Workflow

Backlog Team capacity Current iteration Roadmap My items My current iteration

iteration: "Stage 3"

PlumJob Public

Find the job. Ditch the stress.

Java • MIT License • 0 • 1 • 26 • 0 • Updated 3 days ago

PlumJob-Database Public

SQL • 0 • 0 • 0 • 0 • Updated last week

Todo 0

This item hasn't been started

In Progress 0

This is actively being worked on

Done 11

This has been completed

PlumJob #25

Create Active recruitments sequence diagram

PlumJob #18

Write tests for the database

PlumJob #24

Create Archive sequence diagram

PlumJob #22

+ Add item

Implement "This many people found a job with us" counter (*)

#33

Closed Task PlumDevs/PlumJob Public

kingazm opened on Apr 21 · edited by kingazm

Acceptance criteria

- Pull request with the functionality integrated with the rest of the app.

Suggested placement of the frontend portion in the MainLayout, so that ads are visible on most pages on the app. Also, be sure to analyse best placements compatible with pages - if unable to determine best global placement, create a reusable component(s) that can be put in different views in best places in the layout.

Create sub-issue

Assignees

PiterParker32

Labels

No label

Type

Task

+ zadanie bojowe

Taki jest plan robimy

Organizacja pracy

Thumbs up 👍

+

Cotygodniowe spotkania i progress ++
👍 0 🗨 0

Testy wytestowały i ulepszyły projekt 🥳
👍 0 🗨 0

rozpisane taski wszystko wiadomo co robić
👍 0 🗨 0

nie zaczęliśmy na ostatnią chwilę
👍 0 🗨 0

komunikacja i wspieranie osoby w teamie na których można polegać 🥰
👍 0 🗨 0

juz bylo ale rozlozenie pracy na dluzszy okres totalnie na plus, dzięki czemu nie trzeba wszystkiego robic na ostania chwile i nie ma stresu
👍 0 🗨 0

Thumbs down 🙄

+

git merge
👍 0 🗨 1

Taki ktoś kto spóźniał się z robieniem tasków...
👍 0 🗨 0

czekanie na dokonczenie innych taskow (glownych) by moc dzialac dalej
👍 0 🗨 0

Recognition 🏆

+

Dominik ogarnął testy GOAT
👍 0 🗨 0

Kinga totalny szef i lider naszej grupy, znakomicie sie sprawuje!
👍 0 🗨 0

 IO 2025



**ioioioio**
Aktywny teraz

 You
Następne spotkanie: 15.05.2025 15:00 WMil

@wszyscy słyszymy się za godzinę!
<https://meet.google.com/myc-kkst-fda>

meet.google.com

Projekt

Plum Job

Plum Job

About
Home

Active recruitments

Title

Recruiter ABC from XYZ

Sed ut perspiciatis unde omnis iste natus error
laudantium, totam rem aperiam, eaque ipsa quae
architecto beatae vitae dicta sunt explicabo. Nam
aspernatur aut odit aut fugit, eos qui ratione

Quis autem vel eum iure reprehenderit qui in
consequatur, vel illum qui dolorem eum fugiat

Lorem ipsum dolor sit amet, consectetur

Roadmap

Stage 1 ☒

14.04 - 21.04

- Set up GitHub organization and repo for the app.
- Set up the app base structure for development.
- Prepare the current task board.
- Write functional and non-functional requirements.
- Create use case, class and sequence diagrams.
- Prepare the database model.

for the app.

15:00

the project.

base.

Google Fonts

Search fonts

Specimen

Type tester

About

License

Glyphs & language

Plum Job

About

Home

Active recruitments

Archive

Tips

Resume maker

John Doe

Archive

Offer


Rejection

Ghosted

From

To

Generate Sample



Implementacja

```
IN p_description VARCHAR(200),  
T...ended BOOLEAN
```

- > config
- > controller
- > entity
- > repository
- > service
- > UI

```
END //
```

Akurat mam talent do puszcia takich rzeczy

```
@PageTitle("Add new position - Plum Job")  
@PermitAll  
@Route(value="addPosition", layout = MainLayout.class)  
public class AddPositionView extends VerticalLayout {
```

🕒 107 Commits

```
no usages kingazm
```

```
AddPositionView(UserInfoRepository userInfoRepository, PositionsR
```

```
H2 title = new H2( text: "Add new position");  
Paragraph paragraph = new Paragraph( text: "Enter information about the
```

```
final TextField positionField = new TextField( label: "Position");  
final TextField companyField = new TextField( label: "Company");
```


```
1 usage kingazm  
@Transactional  
@Modifying  
@Query(value = "CALL sp_updateStatus(:history_id, :stage);", nativeQuery = true)  
void updateStatus(  
    @Param("history_id") int history_id,  
    @Param("stage") String stage
```

where commit

aws Search

Aurora and RDS Dashboard

Zabawa z terminalem nie skończyła się dobrze



Reserved instances
Proxies

Resources

You are using the following Amazon RDS resources in the Europe (Stockholm) Region:

DB Instances (1/40)

Allocated storage (0.02 TB/100 TB)

Instances and storage include Neptune and DocumentDB.

[Increase DB instances limit](#)

DB Clusters (0/40)

Reserved instances (0/40)

Snapshots (4)

Manual

DB Cluster (0/100)

DB Instance (1/100)

[Merge pull request #66 from PlumDevs/master](#)

#67 by kingazm was merged 3 weeks ago

Testy

Counter - corrections bug

#78 · kingazm opened 3 days ago

tylko testów

@Test

@DisplayName("Should add new position successfully")

void shouldAddNewPosition_WhenValidDataProvided() {

// Given

String username = "testuser";

String position = "Backend Developer";

String company = "Test Company";

LocalDate startDate = LocalDate.of(2024, 5, 15);

String startDateStr = "2024-05-15";

String endDateStr = "2024-05-15";

String email = "test@example.com";

String phone = "1234567890";

String address = "123 Test Street, Test City, Test Country";

String bio = "Test bio";

String avatar = "test-avatar.png";

String password = "TestPassword123!";

String confirmPassword = "TestPassword123!";

String termsAccepted = "true";

String captchaToken = "test-captcha-token";

String userAgent = "TestUserAgent";

String referrer = "https://test.com";

String ipAddress = "192.168.1.1";

String sessionId = "test-session-id";

String deviceId = "test-device-id";

String platform = "web";

String browser = "Chrome";

String os = "Windows";

String language = "en";

String timezone = "UTC+01:00";

String locale = "en-US";

String currency = "USD";

String units = "metric";

String dateFormat = "dd-MM-yyyy";

String timeFormat = "HH:mm:ss";

String dateTimeFormat = "dd-MM-yyyy HH:mm:ss";

String colorScheme = "light";

String fontScale = "1.0";

String animationDuration = "0.3s";

String borderRadius = "10px";

String boxShadow = "0px 0px 0px #000";

String textShadow = "0px 0px 0px #000";

String filter = "none";

String opacity = "1.0";

String visibility = "visible";

String pointerEvents = "auto";

String userSelect = "text";

String cursor = "default";

String touchAction = "auto";

String scrollBehavior = "smooth";

String overflow = "hidden";

String whiteSpace = "pre-wrap";

String textOverflow = "ellipsis";

String wordBreak = "break-spaces";

String lineBreak = "normal";

String hyphens = "auto";

String textDecor = "underline";

String textAlign = "left";

String textOrientation = "mixed";

String textIndent = "0px";

String textStrokeWidth = "1px";

String textStrokeColor = "black";

String textStrokeDash = "5 5";

String textStrokeLinecap = "square";

String textStrokeMiterLimit = "10";

String textStrokeJoinStyle = "miter-clip";

String textStrokeDasharray = "5 5";

String textStrokeWidthUnits = "px";

String textStrokeColorUnits = "hex";

String textStrokeDashUnits = "px";

String textStrokeLinecapUnits = "square";

String textStrokeMiterLimitUnits = "number";

String textStrokeJoinStyleUnits = "miter-clip";

String textStrokeDasharrayUnits = "px";

String textStrokeWidthUnits2 = "px";

String textStrokeColorUnits2 = "hex";

String textStrokeDashUnits2 = "px";

String textStrokeLinecapUnits2 = "square";

String textStrokeMiterLimitUnits2 = "number";

String textStrokeJoinStyleUnits2 = "miter-clip";

String textStrokeDasharrayUnits2 = "px";

String textStrokeWidthUnits3 = "px";

String textStrokeColorUnits3 = "hex";

String textStrokeDashUnits3 = "px";

String textStrokeLinecapUnits3 = "square";

String textStrokeMiterLimitUnits3 = "number";

String textStrokeJoinStyleUnits3 = "miter-clip";

String textStrokeDasharrayUnits3 = "px";

String textStrokeWidthUnits4 = "px";

String textStrokeColorUnits4 = "hex";

String textStrokeDashUnits4 = "px";

String textStrokeLinecapUnits4 = "square";

String textStrokeMiterLimitUnits4 = "number";

String textStrokeJoinStyleUnits4 = "miter-clip";

String textStrokeDasharrayUnits4 = "px";

String textStrokeWidthUnits5 = "px";

String textStrokeColorUnits5 = "hex";

String textStrokeDashUnits5 = "px";

String textStrokeLinecapUnits5 = "square";

String textStrokeMiterLimitUnits5 = "number";

String textStrokeJoinStyleUnits5 = "miter-clip";

String textStrokeDasharrayUnits5 = "px";

String textStrokeWidthUnits6 = "px";

String textStrokeColorUnits6 = "hex";

String textStrokeDashUnits6 = "px";

String textStrokeLinecapUnits6 = "square";

String textStrokeMiterLimitUnits6 = "number";

String textStrokeJoinStyleUnits6 = "miter-clip";

String textStrokeDasharrayUnits6 = "px";

String textStrokeWidthUnits7 = "px";

String textStrokeColorUnits7 = "hex";

String textStrokeDashUnits7 = "px";

String textStrokeLinecapUnits7 = "square";

String textStrokeMiterLimitUnits7 = "number";

String textStrokeJoinStyleUnits7 = "miter-clip";

String textStrokeDasharrayUnits7 = "px";

String textStrokeWidthUnits8 = "px";

String textStrokeColorUnits8 = "hex";

String textStrokeDashUnits8 = "px";

String textStrokeLinecapUnits8 = "square";

String textStrokeMiterLimitUnits8 = "number";

String textStrokeJoinStyleUnits8 = "miter-clip";

String textStrokeDasharrayUnits8 = "px";

String textStrokeWidthUnits9 = "px";

String textStrokeColorUnits9 = "hex";

String textStrokeDashUnits9 = "px";

String textStrokeLinecapUnits9 = "square";

String textStrokeMiterLimitUnits9 = "number";

String textStrokeJoinStyleUnits9 = "miter-clip";

String textStrokeDasharrayUnits9 = "px";

String textStrokeWidthUnits10 = "px";

String textStrokeColorUnits10 = "hex";

String textStrokeDashUnits10 = "px";

String textStrokeLinecapUnits10 = "square";

String textStrokeMiterLimitUnits10 = "number";

String textStrokeJoinStyleUnits10 = "miter-clip";

String textStrokeDasharrayUnits10 = "px";

String textStrokeWidthUnits11 = "px";

String textStrokeColorUnits11 = "hex";

String textStrokeDashUnits11 = "px";

String textStrokeLinecapUnits11 = "square";

String textStrokeMiterLimitUnits11 = "number";

String textStrokeJoinStyleUnits11 = "miter-clip";

String textStrokeDasharrayUnits11 = "px";

String textStrokeWidthUnits12 = "px";

String textStrokeColorUnits12 = "hex";

String textStrokeDashUnits12 = "px";

String textStrokeLinecapUnits12 = "square";

String textStrokeMiterLimitUnits12 = "number";

String textStrokeJoinStyleUnits12 = "miter-clip";

String textStrokeDasharrayUnits12 = "px";

String textStrokeWidthUnits13 = "px";

String textStrokeColorUnits13 = "hex";

String textStrokeDashUnits13 = "px";

String textStrokeLinecapUnits13 = "square";

String textStrokeMiterLimitUnits13 = "number";

String textStrokeJoinStyleUnits13 = "miter-clip";

String textStrokeDasharrayUnits13 = "px";

String textStrokeWidthUnits14 = "px";

String textStrokeColorUnits14 = "hex";

String textStrokeDashUnits14 = "px";

String textStrokeLinecapUnits14 = "square";

String textStrokeMiterLimitUnits14 = "number";

String textStrokeJoinStyleUnits14 = "miter-clip";

String textStrokeDasharrayUnits14 = "px";

String textStrokeWidthUnits15 = "px";

String textStrokeColorUnits15 = "hex";

String textStrokeDashUnits15 = "px";

String textStrokeLinecapUnits15 = "square";

String textStrokeMiterLimitUnits15 = "number";

String textStrokeJoinStyleUnits15 = "miter-clip";

String textStrokeDasharrayUnits15 = "px";

String textStrokeWidthUnits16 = "px";

String textStrokeColorUnits16 = "hex";

String textStrokeDashUnits16 = "px";

String textStrokeLinecapUnits16 = "square";

String textStrokeMiterLimitUnits16 = "number";

String textStrokeJoinStyleUnits16 = "miter-clip";

String textStrokeDasharrayUnits16 = "px";

String textStrokeWidthUnits17 = "px";

String textStrokeColorUnits17 = "hex";

String textStrokeDashUnits17 = "px";

String textStrokeLinecapUnits17 = "square";

String textStrokeMiterLimitUnits17 = "number";

String textStrokeJoinStyleUnits17 = "miter-clip";

String textStrokeDasharrayUnits17 = "px";

String textStrokeWidthUnits18 = "px";

String textStrokeColorUnits18 = "hex";

String textStrokeDashUnits18 = "px";

String textStrokeLinecapUnits18 = "square";

String textStrokeMiterLimitUnits18 = "number";

String textStrokeJoinStyleUnits18 = "miter-clip";

String textStrokeDasharrayUnits18 = "px";

String textStrokeWidthUnits19 = "px";

String textStrokeColorUnits19 = "hex";

String textStrokeDashUnits19 = "px";

String textStrokeLinecapUnits19 = "square";

String textStrokeMiterLimitUnits19 = "number";

String textStrokeJoinStyleUnits19 = "miter-clip";

String textStrokeDasharrayUnits19 = "px";

String textStrokeWidthUnits20 = "px";

String textStrokeColorUnits20 = "hex";

String textStrokeDashUnits20 = "px";

String textStrokeLinecapUnits20 = "square";

String textStrokeMiterLimitUnits20 = "number";

String textStrokeJoinStyleUnits20 = "miter-clip";

String textStrokeDasharrayUnits20 = "px";

String textStrokeWidthUnits21 = "px";

String textStrokeColorUnits21 = "hex";

String textStrokeDashUnits21 = "px";

String textStrokeLinecapUnits21 = "square";

String textStrokeMiterLimitUnits21 = "number";

String textStrokeJoinStyleUnits21 = "miter-clip";

String textStrokeDasharrayUnits21 = "px";

String textStrokeWidthUnits22 = "px";

String textStrokeColorUnits22 = "hex";

String textStrokeDashUnits22 = "px";

String textStrokeLinecapUnits22 = "square";

String textStrokeMiterLimitUnits22 = "number";

String textStrokeJoinStyleUnits22 = "miter-clip";

String textStrokeDasharrayUnits22 = "px";

String textStrokeWidthUnits23 = "px";

String textStrokeColorUnits23 = "hex";

String textStrokeDashUnits23 = "px";

String textStrokeLinecapUnits23 = "square";

String textStrokeMiterLimitUnits23 = "number";

String textStrokeJoinStyleUnits23 = "miter-clip";

String textStrokeDasharrayUnits23 = "px";

String textStrokeWidthUnits24 = "px";

String textStrokeColorUnits24 = "hex";

String textStrokeDashUnits24 = "px";

String textStrokeLinecapUnits24 = "square";

String textStrokeMiterLimitUnits24 = "number";

String textStrokeJoinStyleUnits24 = "miter-clip";

String textStrokeDasharrayUnits24 = "px";

String textStrokeWidthUnits25 = "px";

String textStrokeColorUnits25 = "hex";

String textStrokeDashUnits25 = "px";

String textStrokeLinecapUnits25 = "square";

String textStrokeMiterLimitUnits25 = "number";

String textStrokeJoinStyleUnits25 = "miter-clip";

String textStrokeDasharrayUnits25 = "px";

String textStrokeWidthUnits26 = "px";

String textStrokeColorUnits26 = "hex";

String textStrokeDashUnits26 = "px";

String textStrokeLinecapUnits26 = "square";

String textStrokeMiterLimitUnits26 = "number";

String textStrokeJoinStyleUnits26 = "miter-clip";

String textStrokeDasharrayUnits26 = "px";

String textStrokeWidthUnits27 = "px";

String textStrokeColorUnits27 = "hex";

String textStrokeDashUnits27 = "px";

String textStrokeLinecapUnits27 = "square";

String textStrokeMiterLimitUnits27 = "number";

String textStrokeJoinStyleUnits27 = "miter-clip";

String textStrokeDasharrayUnits27 = "px";

String textStrokeWidthUnits28 = "px";

String textStrokeColorUnits28 = "hex";

String textStrokeDashUnits28 = "px";

String textStrokeLinecapUnits28 = "square";

String textStrokeMiterLimitUnits28 = "number";

String textStrokeJoinStyleUnits28 = "miter-clip";

String textStrokeDasharrayUnits28 = "px";

String textStrokeWidthUnits29 = "px";

String textStrokeColorUnits29 = "hex";

String textStrokeDashUnits29 = "px";


String textStrokeLinecapUnits29 = "square";

Dokumentacja

3 Functional Requirements

- Users can register and log in to their accounts. Their data is securely stored in a connected database.
- Users can save and retrieve their job applications. Applications are displayed in two tabs: active applications and archive.
- Users can search through applications using filters. They can view both active and archived applications, display only selected application statuses, and sort results in ascending or descending order by application name, date added, or end date.
- The system selects and displays advertisements with job offers relevant to the user.
- Users can browse recruitment tips and articles in a separate "tips" tab.

Login Sequence Diagram



2.1 Target Audience

The project is intended for individuals currently seeking employment who want to better manage the entire process, as well as for employers looking for a platform to advertise themselves to potential candidates.

2.2 Operating Environment

The application is designed for the Microsoft Windows operating system, part of the operating environment, a database to run.

How to add new article for the Tips module?

Every article is parsed from a .txt file in this directory by the ArticleService, responsible for both creating a thumbnail ArticleView to display the chosen article in full.

Format of the .txt file

1st line: Title
2nd line: First and last name of the author
3rd line: Subtitle

Next lines are according to the following pattern (k is an integer greater than 1):

(2k)th line: Pointed paragraph title, ie. 1. Do your best
(2k + 1)th line: Paragraph of text
...
Last line of the article: Summary

Examples of articles written according to this template can be found in behavioural.txt, interviews.txt, jobhunt

Placing the article on website

2.4 Technologies Used

Technologies used in the application include:


Backend: Java and Spring Boot

Backend: MySQL and Apache Web Services

Potencjał rozwojowy


MONETYZACJA

Płatne reklamy ofert pracy z portali i firm



1

2



**NOWE TEMPLATKI CV I
ARTYKUŁY**


GŁĘBSZA, INTELIGENTNA

ANALIZA DANYCH




3

4





SZKOLENIA I WARSZTATY

Skoncentrowane na rozmowach rekrutacyjnych czy efektywnym szukaniu pracy (na żywo i online)



Pytania?





Dziękujemy za uwagę!

