NAME

      CURLMOPT_CHUNK_LENGTH_PENALTY_SIZE − chunk length threshold for pipelining

SYNOPSIS

      #include <curl/curl.h>

      CURLMcode curl_multi_setopt(CURLM *handle, CURLMOPT_CHUNK_LENGTH_PENALTY_SIZE, long size);

DESCRIPTION

      Pass a long with a **size** in bytes. If a pipelined connection is currently processing a chunked (Transfer-encoding: chunked) request with a current chunk length larger than *CURLMOPT_CHUNK_LENGTH_PENALTY_SIZE(3)*, that pipeline will not be considered for additional requests, even if it is shorter than *CURLMOPT_MAX_PIPELINE_LENGTH(3)*.

DEFAULT

      The default value is 0, which means that the penalization is inactive.

PROTOCOLS

      HTTP(S)

EXAMPLE

      TODO

AVAILABILITY

      Added in 7.30.0

RETURN VALUE

      Returns CURLM_OK if the option is supported, and CURLM_UNKNOWN_OPTION if not.

SEE ALSO

      CURLMOPT_PIPELINING(3), **CURLMOPT_CONTENT_LENGTH_PENALTY_SIZE**(3), **CURLMOPT_MAX_PIPELINE_LENGTH**(3),