Module Interface Specification for Plutos

Team #10, Plutos
Payton Chan
Eric Chen
Fondson Lu
Jason Tan
Angela Wang

January 14, 2025

1 Revision History

| Date | Version | Notes |
|------------|---------|--------------|
| 01/13/2024 | 0.1 | Sections 2–5 |
| • • • | • • • | ••• |

2 Symbols, Abbreviations and Acronyms

See Section 1.3 of the SRS Documentation.

Contents

| 1 | Revision History | | | | | | | | | |
|------------------------|-------------------------------------|--------|--------------------------|-----|--|--|--|--|--|--|
| 2 | Symbols, Abbreviations and Acronyms | | | | | | | | | |
| 3 | | | | | | | | | | |
| 4 | | | | | | | | | | |
| 5 Module Decomposition | | | | | | | | | | |
| 6 | MIS of [Module Name —SS] | | | | | | | | | |
| | 6.1 | Modu | le | . 2 | | | | | | |
| | 6.2 | Uses | | . 2 | | | | | | |
| | 6.3 | Syntax | x | . 2 | | | | | | |
| | | 6.3.1 | Exported Constants | | | | | | | |
| | | 6.3.2 | Exported Access Programs | . 2 | | | | | | |
| | 6.4 | Semar | ntics | | | | | | | |
| | | 6.4.1 | State Variables | | | | | | | |
| | | 6.4.2 | Environment Variables | | | | | | | |
| | | 6.4.3 | Assumptions | | | | | | | |
| | | 6.4.4 | Access Routine Semantics | | | | | | | |
| | | 6.4.5 | Local Functions | | | | | | | |
| 7 | Apı | nendix | | 5 | | | | | | |

3 Introduction

The following document details the Module Interface Specifications (MIS) for the Plutos project.

Complementary documents include the System Requirement Specifications (SRS) and Module Guide (MG). The full documentation and implementation for the project can be found in the Plutos repository.

4 Notation

The structure of the MIS for modules comes from Hoffman and Strooper (1995), with the addition that template modules have been adapted from Ghezzi et al. (2003). The mathematical notation comes from Chapter 3 of Hoffman and Strooper (1995). For instance, the symbol := is used for a multiple assignment statement and conditional rules follow the form $(c_1 \Rightarrow r_1|c_2 \Rightarrow r_2|...|c_n \Rightarrow r_n)$.

The following table summarizes the primitive data types used by Plutos.

| Data Type | Notation | Description |
|----------------|--------------|--|
| character | char | a single symbol or digit |
| integer | \mathbb{Z} | a number without a fractional component in $(-\infty, \infty)$ |
| natural number | N | a number without a fractional component in $[1, \infty)$ |
| real | \mathbb{R} | any number in $(-\infty, \infty)$ |

The specification of Plutos uses some derived data types: sequences, strings, and tuples. Sequences are lists filled with elements of the same data type. Strings are sequences of characters. Tuples contain a list of values, potentially of different types. In addition, Plutos uses functions, which are defined by the data types of their inputs and outputs. Local functions are described by giving their type signature followed by their specification.

5 Module Decomposition

An overview of the module decomposition can be found in Section 5 of the Module Guide document.

6 MIS of [Module Name —SS]

[Use labels for cross-referencing —SS]
[You can reference SRS labels, such as R??. —SS]
[It is also possible to use LATEX for hypperlinks to external documents. —SS]

6.1 Module

[Short name for the module —SS]

- 6.2 Uses
- 6.3 Syntax
- 6.3.1 Exported Constants
- 6.3.2 Exported Access Programs

| Name | In | Out | Exceptions |
|-------------|----|-----|------------|
| [accessProg | - | - | - |
| —SS] | | | |

6.4 Semantics

6.4.1 State Variables

[Not all modules will have state variables. State variables give the module a memory. —SS]

6.4.2 Environment Variables

[This section is not necessary for all modules. Its purpose is to capture when the module has external interaction with the environment, such as for a device driver, screen interface, keyboard, file, etc. —SS]

6.4.3 Assumptions

[Try to minimize assumptions and anticipate programmer errors via exceptions, but for practical purposes assumptions are sometimes appropriate. —SS]

6.4.4 Access Routine Semantics

[accessProg —SS]():

- transition: [if appropriate —SS]
- output: [if appropriate —SS]

• exception: [if appropriate —SS]

[A module without environment variables or state variables is unlikely to have a state transition. In this case a state transition can only occur if the module is changing the state of another module. —SS]

[Modules rarely have both a transition and an output. In most cases you will have one or the other. —SS]

6.4.5 Local Functions

[As appropriate—SS] [These functions are for the purpose of specification. They are not necessarily something that is going to be implemented explicitly. Even if they are implemented, they are not exported; they only have local scope. —SS]

References

Carlo Ghezzi, Mehdi Jazayeri, and Dino Mandrioli. Fundamentals of Software Engineering. Prentice Hall, Upper Saddle River, NJ, USA, 2nd edition, 2003.

Daniel M. Hoffman and Paul A. Strooper. Software Design, Automated Testing, and Maintenance: A Practical Approach. International Thomson Computer Press, New York, NY, USA, 1995. URL http://citeseer.ist.psu.edu/428727.html.

7 Appendix

 $[{\bf Extra~information~if~required~-\!SS}]$

Appendix — Reflection

[Not required for CAS 741 projects—SS]

The information in this section will be used to evaluate the team members on the graduate attribute of Problem Analysis and Design.

The purpose of reflection questions is to give you a chance to assess your own learning and that of your group as a whole, and to find ways to improve in the future. Reflection is an important part of the learning process. Reflection is also an essential component of a successful software development process.

Reflections are most interesting and useful when they're honest, even if the stories they tell are imperfect. You will be marked based on your depth of thought and analysis, and not based on the content of the reflections themselves. Thus, for full marks we encourage you to answer openly and honestly and to avoid simply writing "what you think the evaluator wants to hear."

Please answer the following questions. Some questions can be answered on the team level, but where appropriate, each team member should write their own response:

- 1. What went well while writing this deliverable?
- 2. What pain points did you experience during this deliverable, and how did you resolve them?
- 3. Which of your design decisions stemmed from speaking to your client(s) or a proxy (e.g. your peers, stakeholders, potential users)? For those that were not, why, and where did they come from?
- 4. While creating the design doc, what parts of your other documents (e.g. requirements, hazard analysis, etc), it any, needed to be changed, and why?
- 5. What are the limitations of your solution? Put another way, given unlimited resources, what could you do to make the project better? (LO_ProbSolutions)
- 6. Give a brief overview of other design solutions you considered. What are the benefits and tradeoffs of those other designs compared with the chosen design? From all the potential options, why did you select the documented design? (LO_Explores)