ML Optimisation Progress Documentation

ML Optimisation Progress Documentation 1
Model Performance on Training Data 1
Model Performance on User Uploaded PCAP (Changes + Tests) 5

Model Performance on Training Data

Model Testing 1 (21/2/26)

```
--- Core performance metrics ---

[Test 1] Accuracy: 79.34%

[Test 2] Weighted F1-score: 79.27%

[Test 3] Classification Report:
              precision    recall  f1-score   support

     Comment       1.00      0.94      0.97        17
        Like       0.60      0.61      0.61        49
        Play       0.90      0.94      0.92        50
      Search       1.00      1.00      1.00        47
   Subscribe       0.60      0.58      0.59        50

    accuracy                           0.79       213
   macro avg       0.82      0.81      0.82       213
weighted avg       0.79      0.79      0.79       213

[Test 4] Confusion Matrix:
[[16  0  1  0  0]
 [ 0 30  2  0 17]
 [ 0  1 47  0  2]
 [ 0  0  0 47  0]
 [ 0 19  2  0 29]]

[Test 5] ROC-AUC Score:
ROC-AUC Score (multi-class, OVR): 0.9557

[Test 6] Per-class accuracy:
Comment: 94.12%
Like: 61.22%
Play: 94.00%
Search: 100.00%
Subscribe: 58.00%
```

```
[Test 8] Permutation Importance:
duration              2.638498e-01
std_iat               5.164319e-02
avg_outbound_size     1.408451e-02
avg_iat               7.042254e-03
pk_count              2.816901e-03
avg_inbound_size      1.110223e-17
total_bytes          -1.408451e-03
outbound_ratio       -4.694836e-03
std_pkt_size         -5.164319e-03
avg_pkt_size         -5.164319e-03
max_pkt_size         -7.981221e-03
dtype: float64

[Test 9] Feature ablation results:
Baseline accuracy: 79.34%
Without pk_count: 79.34%
Without total_bytes: 75.12%
Without avg_pkt_size: 78.40%
Without std_pkt_size: 76.53%
Without max_pkt_size: 78.40%
Without avg_iat: 78.87%
Without std_iat: 77.46%
Without duration: 77.93%
```

```
[Test 11] Class distribution:
Total samples: 645
action
Like         150
Play         150
Subscribe    150
Search       143
Comment       52
Name: count, dtype: int64

[Test 12]Prediction confidence (first 10 rows):
Sample 0: 0.910
Sample 1: 0.605
Sample 2: 0.970
Sample 3: 0.940
Sample 4: 0.670
Sample 5: 1.000
Sample 6: 0.495
Sample 7: 0.600
Sample 8: 0.835
Sample 9: 1.000

[Test 13] Noise sensitivity test:
Noise 0.5% -> Accuracy: 81.22%
Noise 1.0% -> Accuracy: 77.46%
Noise 5.0% -> Accuracy: 78.87%
```

```
[Test 14] Stability test:

Stability scores: [0.8169014084507042, 0.82629
10798122066, 0.8262910798122066, 0.81690140845
07042, 0.784037558685446]
Mean stability: 0.8140845070422535
```

```
--- Model robustness & reliability ---

[Test 10] Overfitting check:

Training Accuracy: 100.00%
Testing Accuracy:  79.34%
```

```
--- Error & unseen label analysis ---

[Test 15] Error analysis:

Misclassified samples:
     pk_count  total_bytes  ...       true       pred
380      2079      2275493  ...  Subscribe       Like
86       4981      5571646  ...       Like  Subscribe
429      2322      2512597  ...  Subscribe       Like
372      1839      1949806  ...  Subscribe       Like
129      3728      4117888  ...       Like  Subscribe
416      2576      2786165  ...  Subscribe       Like
395      5168      5824475  ...  Subscribe       Like
432      6049      6915035  ...  Subscribe       Like
83       5571      6361361  ...       Like  Subscribe
366      7274      8205666  ...  Subscribe       Like
402      2084      2161600  ...  Subscribe       Like
220      1572      6319154  ...       Play  Subscribe
373      3021      3204798  ...  Subscribe       Like
61       4129      4476640  ...       Like       Play
87       2644      2916359  ...       Like  Subscribe
8         872      1900734  ...       Like  Subscribe
149      1465      1552587  ...       Like  Subscribe
110      2866      3123472  ...       Like  Subscribe
423      6349      7213319  ...  Subscribe       Like
70       1727      1775297  ...       Like  Subscribe

[20 rows x 13 columns]
Total misclassified: 44

[Test 16] Testing model handling of unseen labels:

Unknown label handling test passed.
Model correctly raises error for unseen class:
Error: y contains previously unseen labels: 'new_action'

[test 17] General Sanity check (first 5 rows of features):
     pk_count  total_bytes  ...  avg_outbound_size  avg_inbound_size
485      7342      8039065  ...         235.863911       1229.147717
449      4782      5405458  ...         188.973638       1257.520057
460     10287     11589139  ...         158.495955       1258.782234
488      4328      4424436  ...         332.895161       1165.391183
345       741      1907284  ...         634.190476       3573.554192

[5 rows x 11 columns]
```







Model Testing 2 (9/3/26)

```
--- Running Model Evaluation ---

--- Core performance metrics ---

[Test 1] Accuracy: 67.84%

[Test 2] Weighted F1-score: 67.22%

[Test 3] Classification Report:
              precision    recall  f1-score   support

  Background       0.68      0.53      0.60        43
     Comment       0.88      0.83      0.86        18
        Like       0.60      0.60      0.60        52
        Play       0.95      0.91      0.93        57
      Search       0.53      0.88      0.66        41
   Subscribe       0.55      0.36      0.44        44

    accuracy                           0.68       255
   macro avg       0.70      0.69      0.68       255
weighted avg       0.69      0.68      0.67       255

[Test 4] Confusion Matrix:
[[23  1  2  3 14  0]
 [ 0 15  2  0  1  0]
 [ 3  0 31  0  7 11]
 [ 2  1  0 52  0  2]
 [ 5  0  0  0 36  0]
 [ 1  0 17  0 10 16]]

[Test 5] ROC-AUC Score:
ROC-AUC Score (multi-class, OVR): 0.9235

[Test 6] Per-class accuracy:
Background: 53.49%
Comment: 83.33%
Like: 59.62%
Play: 91.23%
Search: 87.80%
Subscribe: 36.36%


--- Feature analysis ---

[Test 7] Top Feature Importances:
duration             0.254155
pk_count             0.202493
avg_inbound_size     0.160064
avg_outbound_size    0.148323
avg_iat              0.122425
std_iat              0.112540
dtype: float64
```

```
[Test 8] Permutation Importance:
pk_count             0.175686
avg_inbound_size     0.088235
duration             0.063137
avg_outbound_size    0.050980
avg_iat              0.003137
std_iat             -0.006275
dtype: float64

[Test 9] Feature ablation results:
Baseline accuracy: 67.84%
Without duration: 67.06%
Without std_iat: 69.02%
Without avg_iat: 67.06%
Without pk_count: 65.88%
Without avg_inbound_size: 67.84%
Without avg_outbound_size: 67.84%


--- Model robustness & reliability ---

[Test 10] Overfitting check:

Training Accuracy: 77.38%
Testing Accuracy:  67.84%

[Test 11] Class distribution:
Total samples: 790
action
Like          150
Play          150
Subscribe     150
Background    150
Search        138
Comment        52
Name: count, dtype: int64

[Test 12]Prediction confidence (first 10 rows):
Sample 0: 0.676
Sample 1: 0.667
Sample 2: 0.530
Sample 3: 0.779
Sample 4: 0.450
Sample 5: 0.475
Sample 6: 0.688
Sample 7: 0.288
Sample 8: 0.450
Sample 9: 0.283

[Test 13] Noise sensitivity test:
Noise 0.5% -> Accuracy: 68.24%
Noise 1.0% -> Accuracy: 68.24%
Noise 5.0% -> Accuracy: 68.63%
```

```
[Test 14] Stability test:

Stability scores: [0.7241379310344828, 0.7164750957854407, 0.7279693486590039, 0.7394636015325671, 0.7126436781609196]
Mean stability: 0.7241379310344828


--- Error & unseen label analysis ---

[Test 15] Error analysis:

Misclassified samples:
      duration   std_iat   avg_iat  ...  avg_outbound_size  true        pred
202   1.402640  0.122197  0.035066  ...         128.375000  Like  Background
265   0.000000  0.000000  0.000000  ...          66.000000  Like      Search
489   2.632032  0.138046  0.039879  ...         775.848485  Like   Subscribe
630   0.000000  0.000000  0.000000  ...          66.000000  Like      Search
764   4.100947  0.188961  0.048246  ...         705.047059  Like   Subscribe
860   0.000000  0.000000  0.000000  ...          66.000000  Like      Search
892   0.013041  0.004767  0.002608  ...         110.400000  Like      Search
1154  1.495321  0.583267  0.249220  ...         145.000000  Like  Background
1338  0.000000  0.000000  0.000000  ...          66.000000  Like      Search
1432  0.000000  0.000000  0.000000  ...          66.000000  Like      Search
1544  2.278423  0.126649  0.052987  ...        2656.372093  Like   Subscribe
1594  2.332916  0.126422  0.044017  ...        1927.886792  Like   Subscribe
1653  2.297378  0.103865  0.028717  ...         679.475000  Like   Subscribe
1743  2.985846  0.122321  0.040902  ...         782.232877  Like   Subscribe
1934  1.617230  0.129754  0.041467  ...         118.179487  Like  Background
2114  2.841430  0.099818  0.033040  ...         710.290698  Like   Subscribe
2221  3.127080  0.102260  0.039089  ...         720.462500  Like   Subscribe
2267  0.000000  0.000000  0.000000  ...          66.000000  Like      Search
2322  3.250708  0.186127  0.056047  ...        2236.655172  Like   Subscribe
2354  2.341362  0.236726  0.055747  ...        2138.880952  Like   Subscribe

[20 rows x 8 columns]
Total samples: 255
Total misclassified: 82
```

```
[Test 16] Testing model handling of unseen labels:

Unknown label handling test passed.
Model correctly raises error for unseen class:
Error: y contains previously unseen labels: 'new_action'

[test 17] General Sanity check (first 5 rows of features):
     duration   std_iat   avg_iat  pk_count  avg_inbound_size  avg_outbound_size
94   1.918529  0.116340  0.042634        45               0.0        2373.488889
163  1.970391  0.118672  0.042835        46               0.0        2303.956522
202  1.402640  0.122197  0.035066        40               0.0         128.375000
239  2.449518  0.116469  0.035500        69               0.0         682.898551
265  0.000000  0.000000  0.000000         1               0.0          66.000000

--- Testing complete ---
```



Model Testing 3 (13/3/26)

Added features

1. Max packet size
2. Packet burst standard deviation
3. Packet count ratio

Adjusted all constraints on how the system recognises action flows

```
[Test 1] Accuracy: 45.29%

[Test 2] Weighted F1-score: 46.42%

[Test 3] Classification Report:
              precision    recall  f1-score   support

  Background       0.32      0.50      0.39       204
     Comment       0.55      0.53      0.54       571
        Like       0.28      0.54      0.37       243
        Play       0.78      0.34      0.48       882
      Search       0.39      0.85      0.53        27
   Subscribe       0.31      0.51      0.39       228

    accuracy                           0.45      2155
   macro avg       0.44      0.54      0.45      2155
weighted avg       0.56      0.45      0.46      2155

[Test 4] Confusion Matrix:
[[102  39   1  61   1   0]
 [  0 300 136  26  16  93]
 [  1  21 131   0   6  84]
 [217 166 116 304   4  75]
 [  0   1   0   1  23   2]
 [  0  14  89   0   9 116]]

[Test 5] ROC-AUC Score:
ROC-AUC Score (multi-class, OVR): 0.8566

[Test 6] Per-class accuracy:
Background: 50.00%
Comment: 52.54%
Like: 53.91%
Play: 34.47%
Search: 85.19%
Subscribe: 50.88%
```

```
[Test 7] Top Feature Importances:
avg_outbound_size    0.171824
pkt_burst_std        0.129585
pk_count_ratio       0.125298
total_bytes          0.094104
duration             0.089256
max_pkt_size         0.076989
outbound_ratio       0.071257
pk_count             0.063393
std_iat              0.062527
avg_inbound_size     0.059279
avg_iat              0.056488
dtype: float64

[Test 8] Permutation Importance:
duration             0.011879
pkt_burst_std        0.011415
pk_count_ratio       0.009745
std_iat              0.008074
avg_iat              0.007100
outbound_ratio      -0.003712
avg_inbound_size    -0.004084
max_pkt_size        -0.005476
avg_outbound_size   -0.005986
total_bytes         -0.012529
pk_count            -0.014756
dtype: float64

[Test 9] Feature ablation results:
Baseline accuracy: 45.29%
Without duration: 45.29%
Without std_iat: 45.52%
Without avg_iat: 45.10%
Without pk_count: 45.20%
Without max_pkt_size: 45.06%
Without pkt_burst_std: 45.20%
Without pk_count_ratio: 44.97%
Without avg_inbound_size: 45.71%
Without avg_outbound_size: 45.48%
Without total_bytes: 44.97%
Without outbound_ratio: 45.71%
```

```
[Test 10] Overfitting check:

Training Accuracy: 58.35%
Testing Accuracy:  45.29%

[Test 11] Class distribution:
Total samples: 6618
action
Play          2892
Comment       1491
Subscribe      780
Like           769
Background     600
Search          86
Name: count, dtype: int64

[Test 12]Prediction confidence (first 10 rows):
Sample 0: 0.483
Sample 1: 0.577
Sample 2: 0.455
Sample 3: 0.577
Sample 4: 0.494
Sample 5: 0.375
Sample 6: 0.407
Sample 7: 0.387
Sample 8: 0.512
Sample 9: 0.498

[Test 13] Noise sensitivity test:
Noise 0.5% -> Accuracy: 45.15%
Noise 1.0% -> Accuracy: 45.15%
Noise 5.0% -> Accuracy: 44.32%
```

```
[Test 14] Stability test:

Stability scores: [0.5842490842490843, 0.5938644688644689, 0.603021978021978, 0.5856227106227107, 0.5975274725274725]
Mean stability: 0.5928571428571429
```

```
[Test 15] Error analysis:

Misclassified samples:
     duration   std_iat   avg_iat  pk_count  ...  total_bytes  outbound_ratio  true       pred
117  0.083948  0.022603  0.016790         5  ...         1043             1.0  Like  Subscribe
120  0.105001  0.012162  0.007580        14  ...         4271             1.0  Like     Search
127  0.012967  0.004336  0.002161         6  ...          566             1.0  Like  Subscribe
128  0.901520  0.287676  0.225380         4  ...         5168             1.0  Like  Subscribe
129  0.022035  0.007775  0.003673         6  ...          676             1.0  Like  Subscribe
181  0.030293  0.008610  0.006059         5  ...         2356             1.0  Like    Comment
183  1.807620  0.380704  0.180762        10  ...         3304             1.0  Like  Subscribe
187  2.102936  0.577448  0.420587         5  ...         6460             1.0  Like  Subscribe
188  0.038458  0.014358  0.006410         6  ...          797             1.0  Like  Subscribe
190  0.019089  0.004486  0.003818         5  ...          602             1.0  Like  Subscribe
290  0.077196  0.012403  0.008577         9  ...         3672             1.0  Like    Comment
308  2.101237  0.502203  0.420247         5  ...         6460             1.0  Like  Subscribe
309  1.253631  0.068993  0.025073        50  ...         5815             1.0  Like  Subscribe
311  0.112448  0.022455  0.016064         7  ...         3642             1.0  Like    Comment
317  0.021028  0.010138  0.005257         4  ...          414             1.0  Like  Subscribe
325  0.024692  0.009941  0.004938         5  ...          534             1.0  Like  Subscribe
502  3.091692  0.359157  0.154585        20  ...         2929             1.0  Like  Subscribe
503  2.026491  0.104948  0.025331        80  ...        10183             1.0  Like  Subscribe
508  0.049667  0.025707  0.016556         3  ...         1430             1.0  Like    Comment
510  0.086923  0.012499  0.007902        11  ...         5870             1.0  Like    Comment

[20 rows x 13 columns]
Total samples: 2155
Total misclassified: 1179
```

```
[Test 16] Testing model handling of unseen labels:

Unknown label handling test passed.
Model correctly raises error for unseen class:
Error: y contains previously unseen labels: 'new_action'

[test 17] General Sanity check (first 5 rows of features):
     duration   std_iat   avg_iat  pk_count  ...  avg_inbound_size  avg_outbound_size  total_bytes  outbound_ratio
107  1.749035  0.516872  0.159003        11  ...               0.0         127.818182         1406             1.0
113  2.102404  0.502391  0.420481         5  ...               0.0        1292.000000         6460             1.0
134  1.033926  0.072411  0.010883        52  ...               0.0         114.500000         5954             1.0
116  2.101976  0.502487  0.420395         5  ...               0.0        1292.000000         6460             1.0
117  0.083948  0.022603  0.016790         5  ...               0.0         208.600000         1043             1.0

[5 rows x 11 columns]
```



Model Testing 4 (16/3/26)

Updates

1. Model filters out insignificant (< 1000kb) flows from main.py pipeline
2. Reworked training data extraction (generate_dataset.py) to determine the correct flow based on the known action type, rather than purely guessing based on features
3. Reworked predict.py to factor in probability and overrule the prediction if a large background flow looks like another flow (targeting incorrect Play predictions)
4. Removed features with negative permutation importance



```
[Test 1] Accuracy: 89.81%

[Test 2] Weighted F1-score: 89.62%

[Test 3] Classification Report:
              precision    recall  f1-score   support

  Background       0.94      0.98      0.96       188
     Comment       0.93      0.98      0.96        57
        Like       0.74      0.74      0.74        47
        Play       0.98      0.96      0.97        53
      Search       0.86      0.74      0.79        42
   Subscribe       0.74      0.69      0.71        45

    accuracy                           0.90       432
   macro avg       0.87      0.85      0.86       432
weighted avg       0.90      0.90      0.90       432

[Test 4] Confusion Matrix:
[[184   0   0   0   4   0]
 [  0  56   0   1   0   0]
 [  0   2  35   0   0  10]
 [  0   1   0  51   0   1]
 [ 11   0   0   0  31   0]
 [  0   1  12   0   1  31]]

[Test 5] ROC-AUC Score:
ROC-AUC Score (multi-class, OVR): 0.9854

[Test 6] Per-class accuracy:
Background: 97.87%
Comment: 98.25%
Like: 74.47%
Play: 96.23%
Search: 73.81%
Subscribe: 68.89%



--- Feature analysis ---

[Test 7] Top Feature Importances:
total_bytes       0.151878
duration          0.143769
pk_count          0.140241
```

```
[Test 15] Error analysis:

Misclassified samples:
    duration   std_iat   avg_iat  pk_count ...
outbound_ratio   throughput     true
pred
111   2.341362  0.236726  0.055747
42 ...         1.0  38367.831084     Like
Comment
345   4.328902  0.174894  0.053443
81 ...         1.0  13715.488698     Like
Comment
371   2.310093  0.116771  0.038502
60 ...         1.0  50974.139903     Like
Subscribe
640   2.099038  0.099656  0.026911
78 ...         1.0  27220.560148     Like
Subscribe
840   2.154121  0.092549  0.026927
80 ...         1.0  27478.961810     Like
Subscribe
871   3.947246  0.154344  0.042444
93 ...         1.0  15837.877552     Like
Subscribe
925   2.260625  0.090013  0.027236
83 ...         1.0  25348.743335     Like
Subscribe
1044  2.012162  0.069694  0.021636
93 ...         1.0  30842.944515     Like
Subscribe
1089  2.519098  0.113847  0.031489
80 ...         1.0  21752.624895     Like
Subscribe
1171  2.297378  0.103865  0.028717
80 ...         1.0  23660.890714     Like
Subscribe
1326  2.689472  0.107642  0.035860
75 ...         1.0  20794.414618     Like
Subscribe
1883  2.872550  0.102463  0.036361
79 ...         1.0  19007.157007     Like
Subscribe
```

```
pk_count_ratio      0.115897
avg_outbound_size   0.109473
avg_iat             0.100227
std_iat             0.073629
throughput          0.051989
outbound_ratio      0.044766
pkt_burst_std       0.036755
max_pkt_size        0.031376
dtype: float64

[Test 8] Permutation Importance:
avg_outbound_size   0.059028
total_bytes         0.038657
pk_count_ratio      0.018981
duration            0.015972
avg_iat             0.010880
std_iat             0.009722
pkt_burst_std       0.007639
throughput          0.006944
max_pkt_size        0.004630
pk_count            0.004398
outbound_ratio      0.000231
dtype: float64

[Test 9] Feature ablation results:
Baseline accuracy: 89.81%
Without duration: 88.89%
Without std_iat: 89.81%
Without avg_iat: 89.35%
Without pk_count: 89.58%
Without max_pkt_size: 89.58%
Without pkt_burst_std: 89.58%
Without pk_count_ratio: 89.81%
Without avg_outbound_size: 89.35%
Without total_bytes: 89.12%
Without outbound_ratio: 89.35%
Without throughput: 89.35%


--- Model robustness & reliability ---

[Test 10] Overfitting check:

Training Accuracy: 92.49%
```

```
2865  2.469094  0.097368  0.047483
52 ...          1.0  46824.066053      Play
Subscribe
3014  3.652052  0.315503  0.084931
43 ...          1.0  25942.676043      Play
Comment
4722  2.077290  0.115802  0.048309
43 ...          1.0  50518.714841  Subscribe
Like
4847  2.125711  0.116192  0.034848
61 ...          1.0  64103.251576  Subscribe
Like
5033  2.021286  0.083402  0.035461
57 ...          1.0  61588.011125  Subscribe
Like
5132  2.350036  0.148667  0.069119
34 ...          1.0  35755.194747  Subscribe
Search
5201  2.074384  0.124716  0.038415
54 ...          1.0  57607.932776  Subscribe
Like
5251  1.711909  0.102017  0.028064
61 ...          1.0  27288.256264  Subscribe
Like

[20 rows x 13 columns]
Total samples: 432
Total misclassified: 44

[Test 16] Testing model handling of unseen
labels:

Unknown label handling test passed.
Model correctly raises error for unseen
class:
Error: y contains previously unseen labels:
'new_action'

[test 17] General Sanity check (first 5 rows
of features):
   duration  std_iat  avg_iat  pk_count  ...
avg_outbound_size  total_bytes
outbound_ratio   throughput
```

```
Testing Accuracy:  89.81%

[Test 11] Class distribution:
Total samples: 1338
action
Background   600
Like        150
Play        150
Subscribe    150
Comment      150
Search       138
Name: count, dtype: int64

[Test 12]Prediction confidence (first 10 rows):
Sample 0: 0.520
Sample 1: 0.353
Sample 2: 0.675
Sample 3: 0.770
Sample 4: 0.808
Sample 5: 0.423
Sample 6: 0.575
Sample 7: 0.681
Sample 8: 0.675
Sample 9: 0.597

[Test 13] Noise sensitivity test:
Noise 0.5% -> Accuracy: 89.81%
Noise 1.0% -> Accuracy: 89.35%
Noise 5.0% -> Accuracy: 88.19%

[Test 14] Stability test:

Stability scores: [0.9321266968325792, 0.9411764705882353, 0.916289592760181, 0.9253393665158371, 0.9276018099547512]
Mean stability: 0.9285067873303168


--- Error & unseen label analysis ---
```

```
71  1.947889  0.128629  0.041444      47  ...
2403.531915     112966          1.0
57994.061676
111  2.341362  0.236726  0.055747
42  ...      2138.880952      89833          1.0
38367.831084
193  2.412124  0.106027  0.034958
69  ...       747.594203      51584          1.0
21385.304753
205  1.970391  0.118672  0.042835
46  ...      2303.956522     105982          1.0
53787.306053
215  1.949752  0.093918  0.038995
50  ...      2163.700000     108185          1.0
55486.548086

[5 rows x 11 columns]
```

Model Performance on User Uploaded PCAP (Changes + Tests)

Automated testing results

Modified: 12/03/2026

```
==================================================================
SUMMARY
==================================================================
Action        Pass  Fail   Pass Rate
------------------------------------------
Comment        113    37         75%
Like            94    56         63%
Play             1   149          1%
Search          32   118         21%
Subscribe       78    72         52%
------------------------------------------
TOTAL          318   432         42%
==================================================================
```

Results

For all results in this section, the PCAP file from the dataset with the numbers 0 and 10 havebeen uploaded onto the dashboard and the background action has been hidden from the pie chart for better visibility (modified: 12/03/2026).

Comment:


Activity Analysis
Traffic Composition (Data Transferred per Action)
Activity Timeline (When Action Occured)
Background
Comment
Subscribe
Like
15.5%
3.17%
81.4%
150k
100k
50k
0
Byte Count
0
2000
4000
Time (Packet Index)
Action
Background
Comment
Like
Subscribe


Activity Analysis
Traffic Composition (Data Transferred per Action)
Activity Timeline (When Action Occured)
Background
Comment
Like
Search
31.7%
38.9%
29.4%
140k
120k
100k
80k
60k
40k
20k
0
Byte Count
0
1000
2000
3000
Time (Packet Index)
Action
Background
Comment
Like
Search

Like:


Activity Analysis
Traffic Composition (Data Transferred per Action)
Activity Timeline (When Action Occured)
Background
Like
Search
Subscribe
31.2%
60.9%
7.84%
Byte Count
600k
500k
400k
300k
200k
100k
0
0
500
1000
Time (Packet Index)
Action
Background
Like
Search
Subscribe


Activity Analysis
Traffic Composition (Data Transferred per Action)
Activity Timeline (When Action Occured)
1.24%
0.173%
2.38%
96.2%
Background
Play
Subscribe
Search
Comment
Byte Count
5M
4M
3M
2M
1M
0
0
2000
4000
Time (Packet Index)
Action
Background
Comment
Play
Search
Subscribe

Play:


Activity Analysis
Traffic Composition (Data Transferred per Action)
Activity Timeline (When Action Occured)
Background
Subscribe
Comment
Like
38.1%
49.5%
12.4%
200k
150k
100k
50k
0
Byte Count
0
500
1000
1500
2000
Time (Packet Index)
Action
Background
Comment
Like
Subscribe


Activity Analysis
Traffic Composition (Data Transferred per Action)
Activity Timeline (When Action Occured)
Background
Comment
Subscribe
Like
30.9%
42.4%
26.7%
150k
100k
50k
0
Byte Count
0
500
1000
Time (Packet Index)
Action
Background
Comment
Like
Subscribe

Search:

- very little flows for each Search PCAP in datasets
- exception error for some PCAPs





Subscribe:


Activity Analysis
Traffic Composition (Data Transferred per Action)
Activity Timeline (When Action Occured)
1.82%
2.06%
4.37%
91.8%
Background
Play
Subscribe
Like
Comment
Byte Count
3.5M
3M
2.5M
2M
1.5M
1M
0.5M
0
0
1000
2000
3000
Time (Packet Index)
Action
Background
Comment
Like
Play
Subscribe


Activity Analysis
Traffic Composition (Data Transferred per Action)
Activity Timeline (When Action Occured)
18.9%
9.71%
71.4%
Background
Like
Subscribe
Comment
Byte Count
4M
3M
2M
1M
0
0
1000
2000
3000
4000
Time (Packet Index)
Action
Background
Comment
Like
Subscribe