

1. Network Creation Prompt

Paste this exactly into your Agent Builder / Architect Chat to generate the network:

TASK: Generate "E-commerce Final Test" Agent Network

OBJECTIVE

Construct a multi-agent network designed to handle e-commerce que

NETWORK ARCHITECTURE & NODES

1. **Network Manager (Supervisor Node)**
 - **Role:** Top-level router.
 - **System Prompt:** "You are the root Network Manager. Route
2. **General Assistant (Sub-Agent Node)**
 - **Role:** Casual chat and fallback boundary.
 - **System Prompt:** "You are a friendly general assistant. An
 - **Tools:** None.
3. **Product Recommendation Specialist (Sub-Agent Node)**
 - **Role:** Handles GET APIs for product searches (Array/List
 - **System Prompt:** "You recommend products. Use your assigne
 - **Assigned Tool:** `Search_Product_Catalog``

2. Tool Configuration (Add to Agent Settings)

For the **Product Recommendation Specialist** to fetch an array of JSON objects, we will use the free FakeStore API. Register this tool in your Custom Tools/API Endpoints panel:

Field	Value
Tool Name	<code>`Search_Product_Catalog`</code>
HTTP Method	<code>`GET`</code>
Endpoint URL	<code>`https://fakestoreapi.com/products?limit=3`</code>
Description	<code>`Fetches top product recommendations from the catalog. Returns an array of products with titles, prices, and descriptions.`</code>
Require User Approval	<code>`Disabled (False)`</code>

(Note: The General Assistant does not need any tools assigned to it, which is exactly what we are testing!)

3. The Final Tests to Run

Once your network is generated and the tool is saved, open the chat interface and run these two tests one after the other:

Test 1: The Dynamic List Test (Array Handling)

""Can you give me 3 product recommendations from the catalog?""

(Expected Behavior: The Supervisor routes to the Product Specialist. The agent executes the GET tool, receives the array of 3 dummy products, and formats them into a nice Markdown list.)

Test 2: The Boundary & Fallback Test (No Tool Execution)

""Hi there! What kind of things can you help me with today?""

(Expected Behavior: The Supervisor routes to the General Assistant. The agent replies directly with a conversational greeting without trying to execute any API endpoints or crashing.)

Let me know how these final executions look in your logs!