

# **DAMG 6210 - DATA MANAGEMENT AND DATABASE DESIGN**

## **FINAL PROJECT(Cricket League Management System)**

**Team: 10**

<b>Name</b>	<b>NUID</b>
Mohith Lalita Kumar Parvataneni	001565574
Anil Kumar Potharaju	001592990
Eswara Sai Nath Adusumalli	001565578
Sai Supraja Kosuri	002191644
Sai Saketh Kosuri	002199401
Venkata Sandeep Barla	002135635

### **Problem Statement:**

Managing a cricket league is robust task for a cricket board. Till date this event is not fully virtual. It may be difficult for players and teams to register themselves with the cricket board in certain times. For solving this problem, we are creating a cricket league management system for the sports board which is used by the cricket board to conduct a virtual auction and manage the whole league in terms of venue selection and scheduling matches, player payment, allotment of points and declare the winners. The whole event can be managed on a single virtual platform.

### **Objectives:**

- The team owners who want to bid for a particular player can bid from anyplace and anytime because the system is fully functional 24/7 when auction is going on.
- Access Restrictions: Only registered teams can place bid on the players who are registered.
- The system is available for anyone who want to view to auction with only “view privilege”.
- A team owner can search for a particular player and check his availability and manage their team.
- Salaries for the players are done using the same platform.

- Every user of the system will be authenticated and they have access privileges to access the information.
- Every user can view the stats of each team, player.
- Cricket board can manage the whole event on a single platform.
- Ticket payments from the spectators to the respective stakeholders can be maintained here

### **Present System:**

The present system which is an offline system involves team management attending auction which is held at a particular venue in a particular time, maintain the record of a player and bid for him. A player needs to convey his availability to the cricket board(including foreign players). Also it is not easy to manage the whole event which involves finalizing the venues/home grounds, maintain the player statistics of every season, bid information, maintain the list of sold/unsold/retained players, trades between teams, replacements . The whole process is time and money consuming. Moreover team owners need to travel from across the country to the venue. Also external users(public/fans) who wants to view the auction in real time cannot attend the event. There are also many others problems that management might face while organizing such a large event.

### **Proposed solution:**

The proposed “Cricket League Management” system is an online portal which is build with a goal of managing a whole cricket league from conducting auction to declaring the winner. Owners and players gets registered into the system and the system is available 24/7, so the owners can bid on the players from any place and anywhere which saves a lot of their time and money. Teams owners can use this system to track the budget/bidding amount/fee paid to the player, search for a particular player, monitor player/team performance, get venue information, perform statistical analysis of players, etc. Players can use this system to register and take part of the auction, keep track of their statistics, get information about venues, etc. The users(public) can access this system to get live updates about the auction and the league, know the statistics of a player, etc. The cricket board can use this system to maintain the bid information, player statistics, list of sold/unsold/retained players, venues information, team/players history in previous seasons, etc. Only authenticated owners/players can take part in the auction. The database keeps the information about the auction, player history, player/team statistics, venues, etc. There is also an administrator for the whole system who add owners/

players, set the bidding amount limit, decide the venues, track the auction, manage the players entry(eligibility) into the auction, etc. The system has strong user authentication.

## Business Rules

- When a user registers, they will select their type which is owner, player or spectator.
  - The user type cannot be null (NOT NULL).
  - Password will be in encrypted format.
  - User ID is the primary key
- Every Owner can have only 1 team.
  - The Budget for each team is 50 crores.
  - Team Name cannot be null (NOT NULL).
- User ID is the foreign key.
- Unique constraint is enforced on owner\_id field.
- Every Owner can bid on multiple players.
- The Owner who bids the maximum amount for a particular player gets them.
- IS\_FINAL\_BID is updated to true for the latest entry once bidding is completed indicating that the player is sold.
- Bid ID is the primary key and Owner ID, Player ID are the foreign keys Payment is made to the player after bidding is confirmed.
- Payment (Final BID amount) is processed when IS\_FINAL\_BID is true.
- Payment ID is the primary key. Bid ID, Player ID are foreign keys.
- Every player has a base price
- Owner can place a bid on a player for an amount which is more than the base price.
- Player has a country which determines if he is a foreign player or a domestic player.
- Player ID is the primary key.
- User ID and Team ID are the foreign keys.
- A Team can have a maximum of 25 players
- Player Name must be unique and not null.
  - Team ID is the primary key. Owner ID is the foreign key.
- A team will have a home ground.
  - Team Name must be unique and not null.
- The winner is the team with maximum victories(Highest points).
- Team standings table is updated based on the fixture
- League ID, Match ID, Venue ID are the foreign keys in the Schedule Table
- Match Date should be within the FROM and TO dates of the League.
- Details of the league matches held till now are stored in the League Table

- League Name cannot be null.
- League ID is the primary key which indicates the year in which the league is being held
- Cost of the ticket is based on the type which the spectators choose.
- There are three types of tickets. PLATINUM (100 USD) , GOLD (50), SILVER (30)
- The maximum tickets which can be sold is based on the capacity of the venue Each Spectator is allowed to book a maximum of 20 tickets.

## **Views:**

### **- To view players in a team with their sold price and type**

Team\_Players - Player\_name, Bid\_Amount, Player\_Type, Country

### **- To view full schedule of the cricket league (List all the encounters between teams)**

League\_schedule - Team1, Team2, Venue\_Name, Match\_Date

### **- User ticket booking view (Show a ticket after booking is complete)**


Ticket - Name, Match(Enounter), No.of tickets, Total\_price

### **- Bid payment view (Owners manage payments to players after the auction)**


Bid\_payment - Player\_name, Amount\_Paid, Payment\_id

## Data flow diagrams:

### 1. Login module




### 2. Bidding and Payment module




### 3. Match result module

#### Match result module




### 4. Ticket Booking module

#### Ticket booking module



# Complete process workflow (Data flow diagram)

## DATA FLOW DIAGRAM



## Security (User level access, permissions) INSERT/ UPDATE/ DELETE/ VIEW

In this project, we have created 3 different users from admin – mohith, supraja, Saketh

**Create user <username> identified by <password>**

Granted create session privilege to all the users from admin

**Grant create session to <username>**

We have created all the tables in Admin and gave different privileges (CRUD) on different tables to three users. Each user has different permissions on different tables.

**User - Admin:**

TABLE_NAME	CREATE	VIEW	UPDATE	DELETE	INSERT
ACCOUNT	✓	✓	✓	✓	✓
PLAYER	✓	✓	✓	✓	✓
VENUE	✓	✓	✓	✓	✓
LEAGUE	✓	✓	✓	✓	✓
MATCH	✓	✓	✓	✓	✓
PAYMENT	✓	✓	✓	✓	✓
TEAM	✓	✓	✓	✓	✓
OWNER	✓	✓	✓	✓	✓
TICKET_CLASS	✓	✓	✓	✓	✓
BID	✓	✓	✓	✓	✓
BOOKING	✓	✓	✓	✓	✓
TEAM_STANDINGS	✓	✓	✓	✓	✓
AUDINECE	✓	✓	✓	✓	✓



### User – Mohith:

MOHITH

TABLE_NAME	CREATE	VIEW	UPDATE	DELETE	INSERT
ACCOUNT		✓	✓	✓	✓
PLAYER		✓	✓	✓	✓
VENUE					
LEAGUE		✓	✓	✓	✓
MATCH		✓			
PAYMENT					
TEAM		✓			
OWNER		✓	✓	✓	✓
TICKET_CLASS		✓	✓	✓	✓
BID		✓	✓	✓	✓
BOOKING		✓			
TEAM_STANDINGS		✓	✓	✓	✓
AUDINECE		✓	✓	✓	✓

### User – Saketh:

SAKETH

TABLE_NAME	CREATE	VIEW	UPDATE	DELETE	INSERT
ACCOUNT		✓	✓	✓	✓
PLAYER		✓	✓	✓	✓
VENUE					
LEAGUE					
MATCH					
PAYMENT					
TEAM		✓	✓	✓	✓
OWNER					
TICKET_CLASS					
BID		✓	✓	✓	✓
BOOKING		✓			
TEAM_STANDINGS					
AUDINECE					

User – Supraja :

SUPRAJA					
TABLE_NAME	CREATE	VIEW	UPDATE	DELETE	INSERT
ACCOUNT		✓	✓		
PLAYER		✓			
VENUE		✓	✓	✓	✓
LEAGUE		✓	✓	✓	✓
MATCH		✓	✓	✓	✓
PAYMENT		✓			
TEAM		✓	✓	✓	✓
OWNER		✓			
TICKET_CLASS					
BID		✓	✓	✓	✓
BOOKING		✓			
TEAM_STANDINGS					
AUDINECE					

Script:

--Drop User\_Account table

```

BEGIN
  EXECUTE IMMEDIATE 'DROP TABLE USER_ACCOUNT CASCADE CONSTRAINTS' ;
EXCEPTION
  WHEN OTHERS THEN
    IF SQLCODE != -942 THEN
      RAISE;
    END IF;
END;
/

```

--Drop Team\_Owner Table

```
BEGIN
  EXECUTE IMMEDIATE 'DROP TABLE TEAM_OWNER CASCADE CONSTRAINTS' ;
EXCEPTION
  WHEN OTHERS THEN
    IF SQLCODE != -942 THEN
      RAISE;
    END IF;
END;
/
```

--Drop Team Table

```
BEGIN
  EXECUTE IMMEDIATE 'DROP TABLE TEAM CASCADE CONSTRAINTS' ;
EXCEPTION
  WHEN OTHERS THEN
    IF SQLCODE != -942 THEN
      RAISE;
    END IF;
END;
/
```

--Drop Venue Table

```
BEGIN
  EXECUTE IMMEDIATE 'DROP TABLE VENUE CASCADE CONSTRAINTS' ;
EXCEPTION
  WHEN OTHERS THEN
    IF SQLCODE != -942 THEN
      RAISE;
    END IF;
END;
/
```

--Drop Player Table

```
BEGIN
  EXECUTE IMMEDIATE 'DROP TABLE PLAYER CASCADE CONSTRAINTS' ;
EXCEPTION
```

```
    WHEN OTHERS THEN
        IF SQLCODE != -942 THEN
            RAISE;
        END IF;
    END;
/
```

```
--Drop Bid Table
BEGIN
    EXECUTE IMMEDIATE 'DROP TABLE BID CASCADE CONSTRAINTS' ;
EXCEPTION
    WHEN OTHERS THEN
        IF SQLCODE != -942 THEN
            RAISE;
        END IF;
    END;
/
```

```
--Drop League Table
BEGIN
    EXECUTE IMMEDIATE 'DROP TABLE LEAGUE CASCADE CONSTRAINTS' ;
EXCEPTION
    WHEN OTHERS THEN
        IF SQLCODE != -942 THEN
            RAISE;
        END IF;
    END;
/
```

```
--Drop Fixture Table
BEGIN
    EXECUTE IMMEDIATE 'DROP TABLE FIXTURE CASCADE CONSTRAINTS' ;
EXCEPTION
    WHEN OTHERS THEN
        IF SQLCODE != -942 THEN
            RAISE;
        END IF;
    END;
/
```

```
--Drop Payment Table
BEGIN
```

```
EXECUTE IMMEDIATE 'DROP TABLE PAYMENT CASCADE CONSTRAINTS' ;
EXCEPTION
  WHEN OTHERS THEN
    IF SQLCODE != -942 THEN
      RAISE;
    END IF;
END;
/
```

```
--Drop Ticket_Class Table
BEGIN
  EXECUTE IMMEDIATE 'DROP TABLE TICKET_CLASS CASCADE CONSTRAINTS' ;
EXCEPTION
  WHEN OTHERS THEN
    IF SQLCODE != -942 THEN
      RAISE;
    END IF;
END;
/
```

```
--Drop Booking Table
BEGIN
  EXECUTE IMMEDIATE 'DROP TABLE BOOKING CASCADE CONSTRAINTS' ;
EXCEPTION
  WHEN OTHERS THEN
    IF SQLCODE != -942 THEN
      RAISE;
    END IF;
END;
/
```

```
--Drop Audience Table
BEGIN
  EXECUTE IMMEDIATE 'DROP TABLE AUDIENCE CASCADE CONSTRAINTS' ;
EXCEPTION
  WHEN OTHERS THEN
    IF SQLCODE != -942 THEN
      RAISE;
    END IF;
END;
```

/

--Drop Team\_Standings Table

BEGIN

EXECUTE IMMEDIATE 'DROP TABLE TEAM\_STANDINGS CASCADE CONSTRAINTS' ;

EXCEPTION

WHEN OTHERS THEN

IF SQLCODE != -942 THEN

RAISE;

END IF;

END;

/

--User\_Account Table Creation

CREATE TABLE USER\_ACCOUNT(

USER\_ID NUMBER(10) NOT NULL,

USER\_TYPE VARCHAR(10) NOT NULL,

USERNAME VARCHAR(20) NOT NULL,

USER\_PWD VARCHAR(20),

AGE NUMBER(2),

SEX VARCHAR(10),

EMAIL VARCHAR(30),

CONTACT NUMBER(10),

CONSTRAINT USER\_ACCOUNT\_PK PRIMARY KEY(USER\_ID));

--Team\_Owner Table Creation

CREATE TABLE TEAM\_OWNER(

Owner\_Id NUMBER(10) NOT NULL,

User\_Id NUMBER(10) NOT NULL,

Owner\_Name VARCHAR2(30) NOT NULL ,

Team\_Name VARCHAR2(30) NOT NULL,

Alloted\_Amount NUMBER(30),

CONSTRAINT TEAM\_OWNER\_PK PRIMARY KEY(Owner\_Id));

--Team Table Creation

CREATE TABLE TEAM(

Team\_Id VARCHAR2(5) NOT NULL,

Owner\_Id NUMBER(10) NOT NULL,

Team\_Name VARCHAR2(30) NOT NULL,

```
Home_Ground VARCHAR2(30),  
CONSTRAINT TEAM_PK PRIMARY KEY(Team_Id));
```

```
--Venue Table Creation  
CREATE TABLE VENUE(  
VENUE_ID NUMBER(5) NOT NULL,  
VENUE_NAME VARCHAR(30) NOT NULL,  
VENUE STANDS NUMBER(2) NOT NULL,  
VENUE_CAPACITY NUMBER(6) NOT NULL,  
HOME_TEAM_ID VARCHAR2(5) NOT NULL,  
CITY VARCHAR(20),  
CONSTRAINT VENUE_PK PRIMARY KEY(VENUE_ID));
```

```
--Playe Table Creation  
CREATE TABLE PLAYER (  
Player_ID NUMBER NOT NULL,  
User_ID NUMBER NOT NULL,  
Team_ID VARCHAR2(5) NOT NULL,  
Player_Name VARCHAR(20) NOT NULL,  
Base_Price NUMBER DEFAULT 50000,  
Player_Type VARCHAR(20) NOT NULL,  
Player_Role VARCHAR(20) NOT NULL,  
Country VARCHAR(20) NOT NULL ,  
Constraint PLAYER_PK PRIMARY KEY(Player_ID));
```

```
--Bid Table Creation  
CREATE TABLE BID(  
BID_ID NUMBER(10) NOT NULL,  
OWNER_ID NUMBER(10) NOT NULL,  
PLAYER_ID NUMBER(10) NOT NULL,  
BID_TIME DATE,  
IS_FINAL_BID CHAR(1),  
BID_AMOUNT NUMBER(10),  
LEAGUE_ID NUMBER(10),  
CONSTRAINT BID_PK PRIMARY KEY(BID_ID));
```

```
--League Table Creation  
CREATE TABLE LEAGUE(  
LEAGUE_ID NUMBER(3) NOT NULL,  
LEAGUE_NAME VARCHAR(30) NOT NULL,  
START_DATE DATE NOT NULL,
```

```
END_DATE DATE NOT NULL,  
TEAM_COUNT NUMBER(2),  
TOTAL_NUMBER_OF_MATCHES NUMBER(3),  
CONSTRAINT LEAGUE_PK PRIMARY KEY(LEAGUE_ID));
```

--Fixture Table Creation

```
CREATE TABLE FIXTURE(  
MATCH_ID NUMBER(5) NOT NULL,  
TEAM1_ID VARCHAR2(5) NOT NULL,  
TEAM2_ID VARCHAR2(5) NOT NULL,  
VENUE_ID NUMBER(5) NOT NULL,  
MATCH_DATE DATE NOT NULL,  
WINNER VARCHAR2(5) NOT NULL,  
WIN_DETAILS VARCHAR(20) NOT NULL,  
LEAGUE_ID NUMBER(5) NOT NULL,  
CONSTRAINT FIXTURE_PK PRIMARY KEY(MATCH_ID));
```

--Payment Table Creation

```
CREATE TABLE PAYMENT(  
PAYMENT_ID NUMBER(5) NOT NULL,  
BID_ID NUMBER(10) NOT NULL,  
PLAYER_ID NUMBER NOT NULL,  
REFERENCE_NUM NUMBER(10) NOT NULL,  
CONSTRAINT PAYMENT_PK PRIMARY KEY(PAYMENT_ID));
```

--Ticket\_Class Table Creation

```
CREATE TABLE TICKET_CLASS(  
TICKET_ID NUMBER(10) NOT NULL,  
TICKET_TYPE VARCHAR(10),  
TICKET_PRICE NUMBER(5),  
CONSTRAINT TICKET_CLASS_PK PRIMARY KEY(TICKET_ID));
```

--Booking Table Creation

```
CREATE TABLE BOOKING(  
BOOKING_ID NUMBER(10) NOT NULL,  
MATCH_ID NUMBER(10) NOT NULL,  
TICKET_TYPE_ID NUMBER(10) NOT NULL,  
AUDIENCE_ID NUMBER(10) NOT NULL,  
TICKET_COUNT NUMBER(10),  
LEAGUE_ID NUMBER(5),  
CONSTRAINT BOOKING_PK PRIMARY KEY(BOOKING_ID));
```



--Team\_Standings Table Creation

```
CREATE TABLE TEAM_STANDINGS(  
TEAM_STANDINGS_ID NUMBER NOT NULL,  
TOTAL_MATCHES NUMBER,  
MATCHES_WON NUMBER,  
MATCHES_LOST NUMBER,  
MATCHES_TIED NUMBER,  
NO_RESULT NUMBER,  
POINTS NUMBER,  
LEAGUE_ID NUMBER(5) NOT NULL,  
TEAM_ID VARCHAR2(5) NOT NULL,  
CONSTRAINT TEAM_STANDINGS_PK PRIMARY KEY(Team_Standings_ID));
```

--Audience Table Creation

```
CREATE TABLE AUDIENCE(  
AUDIENCE_ID NUMBER(10) NOT NULL,  
USER_ID NUMBER(10) NOT NULL,  
AUDIENCE_NAME VARCHAR2(20),  
CONSTRAINT AUDIENCE_PK PRIMARY KEY(Audience_ID));
```

--Add Foreign Key to Venue Table

```
ALTER TABLE VENUE  
ADD CONSTRAINT fk_homeTeam_id_in_venueTbl  
FOREIGN KEY(HOME_TEAM_ID)  
REFERENCES TEAM(Team_ID);
```

--Add Foreign Key to Player Table

```
ALTER TABLE PLAYER  
ADD CONSTRAINT fk_user_id_in_playertbl  
FOREIGN KEY(USER_ID)  
REFERENCES USER_ACCOUNT(USER_ID);
```

ALTER TABLE PLAYER

```
ADD CONSTRAINT fk_team_id_in_playertbl  
FOREIGN KEY(team_id)  
REFERENCES TEAM(team_id);
```

--Add Foreign Key to Bid Table

```
ALTER TABLE BID  
ADD CONSTRAINT fk_owner_id_in_bidtbl  
FOREIGN KEY(OWNER_ID)  
REFERENCES TEAM_OWNER(OWNER_ID);
```

```
ALTER TABLE BID
ADD CONSTRAINT fk_player_id_in_bidtbl
FOREIGN KEY(PAYER_ID)
REFERENCES PLAYER(PAYER_ID);
```

```
--Add Foreign Key to Payment Table
ALTER TABLE PAYMENT
ADD CONSTRAINT fk_bid_id_in_paymenttbl
FOREIGN KEY(BID_ID)
REFERENCES BID(BID_ID);
```

```
ALTER TABLE PAYMENT
ADD CONSTRAINT fk_player_id_in_paymenttbl
FOREIGN KEY(PAYER_ID)
REFERENCES PLAYER(PAYER_ID);
```

```
--Add Foreign Key to Team Table
ALTER TABLE TEAM
ADD CONSTRAINT fk_owner_id_in_teamtbl
FOREIGN KEY(OWNER_ID)
REFERENCES TEAM_OWNER(OWNER_ID);
```

```
--Add Foreign Key to Team_Standings Table
ALTER TABLE TEAM_STANDINGS
ADD CONSTRAINT fk_league_id_in_teamstandingtbl
FOREIGN KEY(LEAGUE_ID)
REFERENCES LEAGUE(LEAGUE_ID);
```

```
--Add Foreign Key to Fixture Table
ALTER TABLE FIXTURE
ADD CONSTRAINT fk_team1_id_matchtbl
FOREIGN KEY(Team1_ID)
REFERENCES TEAM(Team_ID);
```

```
ALTER TABLE FIXTURE
ADD CONSTRAINT fk_team2_id_matchtbl
FOREIGN KEY(Team2_ID)
REFERENCES TEAM(Team_ID);
```

```
ALTER TABLE FIXTURE
ADD CONSTRAINT fk_venue_id_matchtbl
FOREIGN KEY(VENUE_ID)
REFERENCES VENUE(VENUE_ID);
```

```
--Add Foreign Key to Audience Table
ALTER TABLE AUDIENCE
ADD CONSTRAINT fk_user_id_audiencetbl
FOREIGN KEY(USER_ID)
REFERENCES USER_ACCOUNT(USER_ID);
```

```
--Add Foreign Key to Booking Table
ALTER TABLE BOOKING
ADD CONSTRAINT fk_match_id_bookingtbl
FOREIGN KEY(MATCH_ID)
REFERENCES FIXTURE(MATCH_ID);
```

```
ALTER TABLE BOOKING
ADD CONSTRAINT fk_tickettype_id_bookingtbl
FOREIGN KEY(TICKET_TYPE_ID)
REFERENCES TICKET_CLASS(TICKET_ID);
```

```
ALTER TABLE BOOKING
ADD CONSTRAINT fk_audience_id_bookingtbl
FOREIGN KEY(AUDIENCE_ID)
REFERENCES AUDIENCE(AUDIENCE_ID);
```

```
--Add Unique Constraints
ALTER TABLE TEAM
ADD CONSTRAINT UNIQUE_TEAM_NAME
UNIQUE (TEAM_NAME);
```

```
ALTER TABLE VENUE
ADD CONSTRAINT UNIQUE_VENUE_NAME
UNIQUE (VENUE_NAME);
```

```
ALTER TABLE USER_ACCOUNT
ADD CONSTRAINT UNIQUE_USER_NAME
UNIQUE (USERNAME);
```

```
ALTER TABLE LEAGUE
```

```
ADD CONSTRAINT LEAGUE_NAME  
UNIQUE (LEAGUE_NAME);
```

```
ALTER TABLE TEAM_OWNER  
ADD CONSTRAINT OWNER_NAME  
UNIQUE (OWNER_NAME);
```

```
ALTER TABLE PAYMENT  
ADD CONSTRAINT REFERENCE_NUM  
UNIQUE (REFERENCE_NUM);
```

```
ALTER TABLE PLAYER  
ADD CONSTRAINT PLAYER_NAME  
UNIQUE (PLAYER_NAME);
```

```
--Add Foreign Key to Fixture Table  
ALTER TABLE FIXTURE  
ADD CONSTRAINT fk_league_id_matchtbl  
FOREIGN KEY(league_id)  
REFERENCES LEAGUE(league_id);
```

```
--Add Foreign Key to Bid Table  
ALTER TABLE BID  
ADD CONSTRAINT fk_league_id_fixturetbl  
FOREIGN KEY(league_id)  
REFERENCES LEAGUE(league_id);
```

```
--Add Check constraint to Booking Table  
ALTER TABLE booking  
ADD CONSTRAINT check_no_of_tickets  
CHECK (ticket_count < 20);
```

```
--Alter data type of League_Id in league Table  
ALTER TABLE LEAGUE  
MODIFY LEAGUE_ID NUMBER(5);
```

```
DROP SEQUENCE BOOKING_SEQ;
```

```
DROP SEQUENCE TICKET_CLASS_SEQ;
```

```
DROP SEQUENCE TEAM_STANDINGS_SEQ;
```

```
DROP SEQUENCE REFERENCE_NUMBER_SEQ;
```

```
CREATE SEQUENCE BOOKING_SEQ START WITH 5000 INCREMENT BY 1;
```

```
CREATE SEQUENCE TICKET_CLASS_SEQ START WITH 2000 INCREMENT BY 1;
```

```
CREATE SEQUENCE TEAM_STANDINGS_SEQ START WITH 3000 INCREMENT BY 1;
```

```
CREATE SEQUENCE REFERENCE_NUMBER_SEQ START WITH 20000 INCREMENT BY 1;
```

```
--Truncate Table User_Account before insertion
```

```
BEGIN
  EXECUTE IMMEDIATE 'TRUNCATE TABLE USER_ACCOUNT' ;
EXCEPTION
  WHEN OTHERS THEN
    IF SQLCODE != -942 THEN
      RAISE;
    END IF;
END;
/
```

```
--Truncate Table Team_Owner before insertion
```

```
BEGIN
  EXECUTE IMMEDIATE 'TRUNCATE TABLE TEAM_OWNER' ;
EXCEPTION
  WHEN OTHERS THEN
    IF SQLCODE != -942 THEN
      RAISE;
    END IF;
END;
/
```

```
--Truncate Table Team before insertion
```

```
BEGIN
  EXECUTE IMMEDIATE 'TRUNCATE TABLE TEAM' ;
EXCEPTION
```

```
    WHEN OTHERS THEN
        IF SQLCODE != -942 THEN
            RAISE;
        END IF;
    END;
/
```

```
--Truncate Table Venue before insertion
BEGIN
    EXECUTE IMMEDIATE 'TRUNCATE TABLE VENUE' ;
EXCEPTION
    WHEN OTHERS THEN
        IF SQLCODE != -942 THEN
            RAISE;
        END IF;
    END;
/
```

```
--Truncate Table Player before insertion
BEGIN
    EXECUTE IMMEDIATE 'TRUNCATE TABLE PLAYER' ;
EXCEPTION
    WHEN OTHERS THEN
        IF SQLCODE != -942 THEN
            RAISE;
        END IF;
    END;
/
```

```
--Truncate Table Bid before insertion
BEGIN
    EXECUTE IMMEDIATE 'TRUNCATE TABLE BID' ;
EXCEPTION
    WHEN OTHERS THEN
        IF SQLCODE != -942 THEN
            RAISE;
        END IF;
    END;
/
```

```
--Truncate Table League before insertion
BEGIN
    EXECUTE IMMEDIATE 'TRUNCATE TABLE LEAGUE' ;
```

```
EXCEPTION
  WHEN OTHERS THEN
    IF SQLCODE != -942 THEN
      RAISE;
    END IF;
END;
/
```

```
--Truncate Table Fixture before insertion
BEGIN
  EXECUTE IMMEDIATE 'TRUNCATE TABLE FIXTURE' ;
EXCEPTION
  WHEN OTHERS THEN
    IF SQLCODE != -942 THEN
      RAISE;
    END IF;
END;
/
```

```
--Truncate Table Payment before insertion
BEGIN
  EXECUTE IMMEDIATE 'TRUNCATE TABLE PAYMENT' ;
EXCEPTION
  WHEN OTHERS THEN
    IF SQLCODE != -942 THEN
      RAISE;
    END IF;
END;
/
```

```
--Truncate Table Ticket_Class before insertion
BEGIN
  EXECUTE IMMEDIATE 'TRUNCATE TABLE TICKET_CLASS' ;
EXCEPTION
  WHEN OTHERS THEN
    IF SQLCODE != -942 THEN
      RAISE;
    END IF;
END;
/
```

```
--Truncate Table Booking before insertion
BEGIN
```

```

EXECUTE IMMEDIATE 'TRUNCATE TABLE BOOKING' ;
EXCEPTION
  WHEN OTHERS THEN
    IF SQLCODE != -942 THEN
      RAISE;
    END IF;
END;
/

```

```

--Truncate Table Audience before insertion
BEGIN
  EXECUTE IMMEDIATE 'TRUNCATE TABLE AUDIENCE' ;
EXCEPTION
  WHEN OTHERS THEN
    IF SQLCODE != -942 THEN
      RAISE;
    END IF;
END;
/

```

```

--Truncate Table Team_Standings before insertion
BEGIN
  EXECUTE IMMEDIATE 'TRUNCATE TABLE TEAM_STANDINGS' ;
EXCEPTION
  WHEN OTHERS THEN
    IF SQLCODE != -942 THEN
      RAISE;
    END IF;
END;
/

```

```

-- insert owner type users into the user_account

```

```

  INSERT INTO admin.user_account VALUES ( 1, 'OWNER', 'VijayMallya', 'Royals@123', 55,
'MALE', 'royalchallengers18@gmail.com', 6175467398);
  INSERT INTO admin.user_account VALUES ( 2, 'OWNER', 'Srinivasan', 'Kings@456', 43,
'MALE', 'superkings7@gmail.com', 8765234768);
  INSERT INTO admin.user_account VALUES ( 3, 'OWNER', 'ShahrukhKhan', 'Riders@789', 48,
'MALE', 'knightriders99@gmail.com', 7156242356);
  INSERT INTO admin.user_account VALUES ( 4, 'OWNER', 'Ambani', 'Indians@1947', 56,
'MALE', 'mightyindians25@gmail.com', 6467853549);

```



```
INSERT INTO admin.user_account VALUES ( 5, 'OWNER', 'Kalanithi', 'Risera@007', 36, 'MALE', 'sunrisers1997@gmail.com', 8175846574);
```

```
INSERT INTO admin.user_account VALUES ( 6, 'OWNER', 'ParthJindal', 'Devils@333', 41, 'MALE', 'daredevils333@gmail.com', 8135657832);
```

```
INSERT INTO admin.user_account VALUES ( 7, 'OWNER', 'ManojBadale', 'Rajasthan@77', 51, 'MALE', 'royalhurricanes55@gmail.com', 8733245876);
```

```
INSERT INTO admin.user_account VALUES ( 8, 'OWNER', 'PreityZinta', 'Punjab@67', 33, 'FEMALE', 'supergiants111@gmail.com', 8793452187);
```

```
INSERT INTO admin.user_account VALUES ( 9, 'OWNER', 'BCCIOWNER', 'BCCIowner@1967', 40, 'MALE', 'bccindia@gmail.com', 8579997683);
```

```
-- insert Audience type users into the user_account
```

```
INSERT INTO admin.user_account VALUES ( 10, 'AUDIENCE', 'Rakesh', 'Rakesh@1996', 25, 'MALE', 'rakeshkumar313@gmail.com', 9914567532);
```

```
INSERT INTO admin.user_account VALUES ( 11, 'AUDIENCE', 'Mahesh', 'Mahesh@1997', 29, 'MALE', 'maheshkumar39@gmail.com', 9835378965);
```

```
INSERT INTO admin.user_account VALUES ( 12, 'AUDIENCE', 'Suresh', 'Suresh@1973', 45, 'MALE', 'sureshkapuganti127@gmail.com', 8763454289);
```

```
INSERT INTO admin.user_account VALUES ( 13, 'AUDIENCE', 'Mohan', 'Mohan@1997', 29, 'MALE', 'mohankumar39@gmail.com', 9835378989);
```

```
INSERT INTO admin.user_account VALUES ( 14, 'AUDIENCE', 'Rajesh', 'Rajesh@4564', 21, 'MALE', 'rajeshkanna76@gmail.com', 7652986634);
```

```
INSERT INTO admin.user_account VALUES ( 15, 'AUDIENCE', 'Swathi', 'swathi@0007', 25, 'FEMALE', 'swathikrishna88@gmail.com', 8762934612);
```

```
INSERT INTO admin.user_account VALUES ( 16, 'AUDIENCE', 'Monal', 'Monal@1993', 29, 'FEMALE', 'monalgajjar66@gmail.com', 9823488213);
```

```
INSERT INTO admin.user_account VALUES ( 17, 'AUDIENCE', 'Akhil', 'Akhilsarthak@25', 26, 'MALE', 'akhilsarthak25@gmail.com', 6135874897);
```

```
INSERT INTO admin.user_account VALUES ( 18, 'AUDIENCE', 'Abhijeet', 'Abhijeet@197', 37, 'MALE', 'abhijeetdudkela22@gmail.com', 7634293366);
```

```
INSERT INTO admin.user_account VALUES ( 19, 'AUDIENCE', 'Avinash', 'Avinash@1996', 27, 'MALE', 'ravinashkumar33@gmail.com', 9833156739);
```

```
INSERT INTO admin.user_account VALUES ( 20, 'AUDIENCE', 'Sandhya', 'Sandhya@143', 23, 'FEMALE', 'Sandhya93@gmail.com', 9812564987);
```

```
INSERT INTO admin.user_account VALUES ( 21, 'AUDIENCE', 'Amrutha', 'Amrutha@13', 28, 'FEMALE', 'Amrutha4567@gmail.com', 8734569832);
```

```
INSERT INTO admin.user_account VALUES ( 22, 'AUDIENCE', 'Saketh', 'Saketh@16', 23, 'MALE', 'sakethkosuri16@gmail.com', 9827456378);
```

```
INSERT INTO admin.user_account VALUES ( 23, 'AUDIENCE', 'Eswar', 'Eswarsainath@15', 29, 'MALE', 'eswarsainath3@gmail.com', 9834277890);
```

```
INSERT INTO admin.user_account VALUES ( 24, 'AUDIENCE', 'Santhosh', 'Santhosh@75', 33, 'MALE', 'santhoshkrishna35@gmail.com', 6136578936);
```

```

INSERT INTO admin.user_account VALUES ( 25, 'AUDIENCE', 'Divya', 'Divyanarayan@19', 21,
'FEMALE', 'divyanarayana9@gmail.com', 7756798302);
INSERT INTO admin.user_account VALUES ( 26, 'AUDIENCE', 'Preethi', 'Preethi@1995', 31,
'FEMALE', 'preethikurbani333@gmail.com', 8732565093);
INSERT INTO admin.user_account VALUES ( 27, 'AUDIENCE', 'Sandeep', 'Sandeep@33', 33,
'MALE', 'sandeepkumar36@gmail.com', 9732657997);
INSERT INTO admin.user_account VALUES ( 28, 'AUDIENCE', 'Mohith', 'Mohith@1997', 26,
'MALE', 'mohithkumar1123@gmail.com', 9126533987);
INSERT INTO admin.user_account VALUES ( 29, 'AUDIENCE', 'Varun', 'Varun@1133', 39,
'MALE', 'varunrao1133@gmail.com', 8796243357);
INSERT INTO admin.user_account VALUES ( 30, 'AUDIENCE', 'Ramesh', 'Ramesh@1996', 25,
'MALE', 'rameshkumar313@gmail.com', 9914567123);
INSERT INTO admin.user_account VALUES ( 31, 'AUDIENCE', 'Anjali', 'Anjali@1997', 26,
'FEMALE', 'anjali@gmail.com', 9914567321);
INSERT INTO admin.user_account VALUES ( 32, 'AUDIENCE', 'Gayatri', 'Gayatri@1995', 23,
'FEMALE', 'gayatri@gmail.com', 9914765123);
INSERT INTO admin.user_account VALUES ( 33, 'AUDIENCE', 'Vara', 'Vara@1994', 21,
'FEMALE', 'vara@gmail.com', 8814765123);
INSERT INTO admin.user_account VALUES ( 34, 'AUDIENCE', 'Lova', 'Lova@1982', 47,
'FEMALE', 'lova@gmail.com', 8874165123);
INSERT INTO admin.user_account VALUES ( 35, 'AUDIENCE', 'Ramudu', 'Ramudu@1984', 51,
'MALE', 'ramudu@gmail.com', 8418765123);
INSERT INTO admin.user_account VALUES ( 36, 'AUDIENCE', 'Krishna', 'Krishna@1991', 21,
'MALE', 'krishna@gmail.com', 8814715623);
INSERT INTO admin.user_account VALUES ( 37, 'AUDIENCE', 'Harsha', 'Harsha@2004', 12,
'MALE', 'harsha@gmail.com', 7714765123);
INSERT INTO admin.user_account VALUES ( 38, 'AUDIENCE', 'Abhi', 'Abhi@2005', 21, 'MALE',
'abhi@gmail.com', 8814789123);
INSERT INTO admin.user_account VALUES ( 39, 'AUDIENCE', 'Nani', 'Nani@2007', 19, 'MALE',
'nani@gmail.com', 7414765123);

```

-- insert Player type users into the user\_account

```

INSERT INTO admin.user_account
VALUES( 40,'PLAYER','DHONI','DHONI@123',38,'MALE','dhoni777@gmail.com',6134896531);
INSERT INTO admin.user_account
VALUES( 41,'PLAYER','Kohli','Kohli@123',32,'MALE','kohli777@gmail.com',6134896532);
INSERT INTO admin.user_account
VALUES( 42,'PLAYER','yuvraj','yuvraj@123',38,'MALE','yuvraj777@gmail.com',6134896533);
INSERT INTO admin.user_account
VALUES( 43,'PLAYER','rohit','rohit@123',33,'MALE','rohit777@gmail.com',6134896534);

```

```

INSERT INTO admin.user_account
VALUES( 44,'PLAYER','gambhir','gambhir@123',36,'MALE','gambhir777@gmail.com',6134896535);
INSERT INTO admin.user_account
VALUES( 45,'PLAYER','sachin','sachin@123',41,'MALE','sachin777@gmail.com',6134896536);
INSERT INTO admin.user_account
VALUES( 46,'PLAYER','ganguly','ganguly@123',36,'MALE','ganguly777@gmail.com',6134896537);
INSERT INTO admin.user_account
VALUES( 47,'PLAYER','sehwag','sehwag@123',39,'MALE','sehwag777@gmail.com',6134896538);
;
INSERT INTO admin.user_account
VALUES( 48,'PLAYER','laxman','laxman@123',38,'MALE','laxman777@gmail.com',6134896539);
INSERT INTO admin.user_account
VALUES( 49,'PLAYER','zaheer','zaheer@123',38,'MALE','zaheer777@gmail.com',6134896540);
INSERT INTO admin.user_account
VALUES( 50,'PLAYER','srinath','srinath@123',34,'MALE','srinath777@gmail.com',6134896541);
INSERT INTO admin.user_account
VALUES( 51,'PLAYER','ambatirayudu','ambatirayudu@123',36,'MALE','ambatirayudu777@gmail.com',6134896546);
INSERT INTO admin.user_account
VALUES( 52,'PLAYER','dwaynebravo','dwaynebravo@123',41,'MALE','dwaynebravo777@gmail.com',6134896547);
INSERT INTO admin.user_account
VALUES( 53,'PLAYER','robinuthappa','robinuthappa@123',36,'MALE','robinuthappa777@gmail.com',6134896548);
INSERT INTO admin.user_account
VALUES( 54,'PLAYER','deepakchahar','deepakchahar@123',39,'MALE','deepakchahar777@gmail.com',6134896549);
INSERT INTO admin.user_account
VALUES( 55,'PLAYER','kmasif','kmasif@123',38,'MALE','kmasif777@gmail.com',6134896550);
INSERT INTO admin.user_account
VALUES( 56,'PLAYER','tushardeshpande','tushardeshpande@123',38,'MALE','tushardeshpande777@gmail.com',6134896551);
INSERT INTO admin.user_account
VALUES( 57,'PLAYER','shivamdube','shivamdube@123',34,'MALE','shivamdube777@gmail.com',6134896552);
INSERT INTO admin.user_account
VALUES( 58,'PLAYER','maheshtheekshana','maheshtheekshana@123',28,'MALE','maheshtheekshana777@gmail.com',6134896553);
INSERT INTO admin.user_account
VALUES( 59,'PLAYER','rhangargekar','rhangargekar@123',32,'MALE','rhangargekar777@gmail.com',6134896554);

```

```
INSERT INTO admin.user_account
VALUES( 60,'PLAYER','simarjeetsingh','simarjeetsingh@123',38,'MALE','simarjeetsingh777@gmail.com',6134896555);
```

```
INSERT INTO admin.user_account
VALUES( 61,'PLAYER','devonconway','devonconway@123',33,'MALE','devonconway777@gmail.com',6134896556);
```

```
INSERT INTO admin.user_account
VALUES( 62,'PLAYER','charinishanth','charinishanth@123',38,'MALE','charinishanth777@gmail.com',6134896562);
```

```
INSERT INTO admin.user_account
VALUES( 63,'PLAYER','njagadeesan','njagadeesan@123',34,'MALE','njagadeesan777@gmail.com',6134896563);
```

```
INSERT INTO admin.user_account
VALUES( 64,'PLAYER','chrisjordan','chrisjordan@123',28,'MALE','chrisjordan777@gmail.com',6134896564);
```

```
INSERT INTO admin.user_account
VALUES( 65,'PLAYER','fafduplessis','fafduplessis@123',32,'MALE','fafduplessis777@gmail.com',6134896565);
```

```
INSERT INTO admin.user_account
VALUES( 66,'PLAYER','glennmaxwell','glennmaxwell@123',38,'MALE','glennmaxwell@gmail.com',6134896566);
```

```
INSERT INTO admin.user_account
VALUES( 67,'PLAYER','anujrawat','anujrawat@123',33,'MALE','anujrawat777@gmail.com',6134896567);
```

```
INSERT INTO admin.user_account
VALUES( 68,'PLAYER','dineshkarthik','dineshkarthik@123',36,'MALE','dineshkarthik777@gmail.com',6134896568);
```

```
INSERT INTO admin.user_account
VALUES( 69,'PLAYER','kanewilliamson','kanewilliamson@123',41,'MALE','kanewilliamson777@gmail.com',6134896569);
```

```
INSERT INTO admin.user_account VALUES( 70,'PLAYER','sanjusamson','sanjusamson@123',36,'MALE','sanjusamson777@gmail.com',6134896570);
```

```
INSERT INTO admin.user_account
VALUES( 71,'PLAYER','hardikpandya','hardikpandya@123',39,'MALE','hardikpandya777@gmail.com',6134896571);
```

```
INSERT INTO admin.user_account
VALUES( 72,'PLAYER','shreyasiyer','shreyasiyer@123',38,'MALE','shreyasiyer777@gmail.com',6134896572);
```

```
INSERT INTO admin.user_account
VALUES( 73,'PLAYER','waninduhasaranga','waninduhasaranga@123',41,'MALE','waninduhasaranga777@gmail.com',6134896577);
```

```

INSERT INTO admin.user_account
VALUES( 74,'PLAYER','joshhazlewood','joshhazlewood@123',36,'MALE','joshhazlewood777@gmail.com',6134896578);
INSERT INTO admin.user_account
VALUES( 75,'PLAYER','harshalpatel','harshalpatel@123',39,'MALE','harshalpatel777@gmail.com',6134896579);
INSERT INTO admin.user_account
VALUES( 76,'PLAYER','davidwilley','davidwilley@123',38,'MALE','davidwilley777@gmail.com',6134896581);
INSERT INTO admin.user_account
VALUES( 77,'PLAYER','akashdeep','akashdeep@123',34,'MALE','akashdeep777@gmail.com',6134896582);
INSERT INTO admin.user_account
VALUES( 78,'PLAYER','shahbazahmed','shahbazahmed@123',28,'MALE','shahbazahmed777@gmail.com',6134896583);
INSERT INTO admin.user_account
VALUES( 79,'PLAYER','finnallen','finnallen@123',32,'MALE','finnallen777@gmail.com',6134896584);
INSERT INTO admin.user_account
VALUES( 80,'PLAYER','shefanerutherford','shefane@123',38,'MALE','shefanerutherford777@gmail.com',6134896580);
INSERT INTO admin.user_account
VALUES( 81,'PLAYER','subhranshusenapati','subhranshu@123',39,'MALE','subhranshu777@gmail.com',6134896560);
INSERT INTO admin.user_account VALUES( 82,'PLAYER','TimSouthee','TimSouthee@123',36,'MALE','TimSouthee@gmail.com',6134891038);
INSERT INTO admin.user_account
VALUES( 83,'PLAYER','karthik','karthik@123',36,'MALE','karthik777@gmail.com',6134896753);
INSERT INTO admin.user_account
VALUES( 84,'PLAYER','TilakVarma','TilakVarma@123',36,'MALE','TilakVarma777@gmail.com',6134891004);
INSERT INTO admin.user_account
VALUES( 85,'PLAYER','SuryaYadav','SuryaYadav@123',41,'MALE','SuryaYadav777@gmail.com',6134891005);
INSERT INTO admin.user_account
VALUES( 86,'PLAYER','ArjunTendulkar','ArjunTendulkar@123',36,'MALE','ArjunTendulkar777@gmail.com',6134891006);
INSERT INTO admin.user_account
VALUES( 87,'PLAYER','DanielSams','DanielSams@123',39,'MALE','DanielSams777@gmail.com',6134891007);
INSERT INTO admin.user_account
VALUES( 88,'PLAYER','Bumrah','Bumrah@123',38,'MALE','Bumrah777@gmail.com',6134891008);

```

```

INSERT INTO admin.user_account
VALUES( 89,'PLAYER','BasilThampi','BasilThampi@123',38,'MALE','BasilThampi@gmail.com',6134891009);

INSERT INTO admin.user_account
VALUES( 90,'PLAYER','TymalMills','TymalMills@123',34,'MALE','TymalMills@gmail.com',6134891010);

INSERT INTO admin.user_account
VALUES( 91,'PLAYER','Pollard','Pollard@123',28,'MALE','Pollard@gmail.com',6134891011);

INSERT INTO admin.user_account
VALUES( 92,'PLAYER','Ramandeep','Ramandeep@123',32,'MALE','Ramandeep@gmail.com',6134891012);

INSERT INTO admin.user_account
VALUES( 93,'PLAYER','FabianAllen','FabianAllen@123',38,'MALE','FabianAllen@gmail.com',6134891013);

INSERT INTO admin.user_account
VALUES( 94,'PLAYER','Rileymeredith','Rileymeredith@123',33,'MALE','Rileymeredith@gmail.com',6134891014);

INSERT INTO admin.user_account
VALUES( 95,'PLAYER','ArshadKhan','ArshadKhan@123',38,'MALE','ArshadKhan@gmail.com',6134891019);

INSERT INTO admin.user_account
VALUES( 96,'PLAYER','Anmolpreet','Anmolpreet@123',38,'MALE','Anmolpreet@gmail.com',6134891020);

INSERT INTO admin.user_account
VALUES( 97,'PLAYER','MayankMarkande','MayankMarkande@123',34,'MALE','MayankMarkande@gmail.com',6134891021);

INSERT INTO admin.user_account
VALUES( 98,'PLAYER','AryanJuyal','AryanJuyal@123',28,'MALE','AryanJuyal@gmail.com',6134891022);

INSERT INTO admin.user_account
VALUES( 99,'PLAYER','RahulBuddhi','RahulBuddhi@123',32,'MALE','RahulBuddhi@gmail.com',6134891023);

INSERT INTO admin.user_account
VALUES( 100,'PLAYER','PatCummins','PatCummins@123',38,'MALE','PatCummins@gmail.com',6134891024);

INSERT INTO admin.user_account
VALUES( 101,'PLAYER','AndreRussell','AndreRussell@123',33,'MALE','AndreRussell@gmail.com',6134891025);

INSERT INTO admin.user_account
VALUES( 102,'PLAYER','VenkateshIyer','VenkateshIyer@123',36,'MALE','VenkateshIyer@gmail.com',6134891026);

```

```

INSERT INTO admin.user_account
VALUES( 103,'PLAYER','SheldonJackson','SheldonJackson@123',41,'MALE','SheldonJackson@gmail.com',6134891027);
INSERT INTO admin.user_account
VALUES( 104,'PLAYER','AjinkyaRahane','AjinkyaRahane@123',36,'MALE','AjinkyaRahane@gmail.com',6134891028);
INSERT INTO admin.user_account
VALUES( 105,'PLAYER','Finch','Finch@123',38,'MALE','Finch@gmail.com',6134891029);
INSERT INTO admin.user_account
VALUES( 106,'PLAYER','SunilNarine','SunilNarine@123',38,'MALE','SunilNarine@gmail.com',6134891034);
INSERT INTO admin.user_account
VALUES( 107,'PLAYER','KarunaRatneChamika','KarunaRatne@123',33,'MALE','KarunaRatneChamika@gmail.com',6134891035);
INSERT INTO admin.user_account
VALUES( 108,'PLAYER','VarunChakraborty','VarunChakraborty@123',36,'MALE','VarunChakraborty@gmail.com',6134891036);
INSERT INTO admin.user_account
VALUES( 109,'PLAYER','NitishRana','NitishRana@123',41,'MALE','NitishRana@gmail.com',6134891037);
INSERT INTO admin.user_account
VALUES( 110,'PLAYER','RameshKumar','RameshKumar@123',39,'MALE','RameshKumar@gmail.com',6134891039);
INSERT INTO admin.user_account
VALUES( 111,'PLAYER','BabaIndrajith','BabaIndrajith@123',38,'MALE','BabaIndrajith@gmail.com',6134891040);
INSERT INTO admin.user_account
VALUES( 112,'PLAYER','AnukulRoy','AnukulRoy@123',38,'MALE','AnukulRoy@gmail.com',6134891041);
INSERT INTO admin.user_account
VALUES( 113,'PLAYER','ShivamMavi','ShivamMavi@123',34,'MALE','ShivamMavi@gmail.com',6134891042);
INSERT INTO admin.user_account
VALUES( 114,'PLAYER','MohammadNabi','MohammadNabi@123',28,'MALE','MohammadNabi@gmail.com',6134891043);
INSERT INTO admin.user_account
VALUES( 115,'PLAYER','RinkuSingh','RinkuSingh@123',32,'MALE','RinkuSingh@gmail.com',6134891044);
INSERT INTO admin.user_account
VALUES( 116,'PLAYER','PrathamSingh','PrathamSingh@123',41,'MALE','PrathamSingh@gmail.com',6134891045);

```

```
INSERT INTO admin.user_account  
VALUES( 117,'PLAYER','RowmanPowell','RowmanPowell@123',28,'MALE','RowmanPowell@gmail.com',6134891050);
```

```
INSERT INTO admin.user_account  
VALUES( 118,'PLAYER','PrithviShaw','PrithviShaw@123',32,'MALE','PrithviShaw@gmail.com',6134891051);
```

```
INSERT INTO admin.user_account  
VALUES( 119,'PLAYER','MustafizRahman','MustafizRahman@123',38,'MALE','MustafizRahman@gmail.com',6134891052);
```

```
INSERT INTO admin.user_account  
VALUES( 120,'PLAYER','SarfrazKhan','SarfrazKhan@123',39,'MALE','SarfrazKhan@gmail.com',6134891053);
```

```
INSERT INTO admin.user_account  
VALUES( 121,'PLAYER','ShardulThakur','ShardulThakur@123',36,'MALE','ShardulThakur@gmail.com',6134891054);
```

```
INSERT INTO admin.user_account  
VALUES( 122,'PLAYER','Chahal','Chahal@123',38,'MALE','Chahal@gmail.com',6134892000);
```

```
INSERT INTO admin.user_account  
VALUES( 123,'PLAYER','Devdutt','Devdutt@123',34,'MALE','Devdutt@gmail.com',6134892001);
```

```
INSERT INTO admin.user_account  
VALUES( 124,'PLAYER','Buttler','Buttler@123',28,'MALE','Buttler@gmail.com',6134892002);
```

```
INSERT INTO admin.user_account  
VALUES( 125,'PLAYER','Ashwin','Ashwin@123',32,'MALE','Ashwin@gmail.com',6134892003);
```

```
INSERT INTO admin.user_account  
VALUES( 126,'PLAYER','CoulterNile','CoulterNile@123',41,'MALE','CoulterNile@gmail.com',6134892004);
```

```
INSERT INTO admin.user_account  
VALUES( 127,'PLAYER','RussieVanderDussen','RussieVander@123',36,'MALE','RussieVanderDussen@gmail.com',6134892005);
```

```
INSERT INTO admin.user_account  
VALUES( 128,'PLAYER','praveen','praveen@123',28,'MALE','praveen777@gmail.com',6134896542);
```

```
INSERT INTO admin.user_account  
VALUES( 129,'PLAYER','ravijadeja','ravijadeja@123',32,'MALE','ravijadeja777@gmail.com',6134896543);
```

```
INSERT INTO admin.user_account  
VALUES( 130,'PLAYER','MoeenAli','MoeenAli@123',38,'MALE','MoeenAli777@gmail.com',6134896544);
```

```
INSERT INTO admin.user_account  
VALUES( 131,'PLAYER','rutugaikwad','rutugaikwad@123',33,'MALE','rutugaikwad777@gmail.com',6134896545);
```



```
INSERT INTO admin.user_account
VALUES( 132,'PLAYER','rishabhant','rishabhant@123',38,'MALE','rishabhant@gmail.com',6
134896573);
```

```
INSERT INTO admin.user_account
VALUES( 133,'PLAYER','rohitsharma','rohitsharma@123',34,'MALE','rohitsharma777@gmail.co
m',6134896574);
```

```
INSERT INTO admin.user_account
VALUES( 134,'PLAYER','klrahul','klrahul@123',28,'MALE','klrahul777@gmail.com',6134896575)
;
```

```
INSERT INTO admin.user_account
VALUES( 135,'PLAYER','mayankaggarwal','mayankaggarwal@123',32,'MALE','mayankaggarwal7
77@gmail.com',6134896576);
```

```
INSERT INTO admin.user_account
VALUES( 136,'PLAYER','MuruganAshwin','MuruganAshwin@123',36,'MALE','MuruganAshwin@
gmail.com',6134891015);
```

```
INSERT INTO admin.user_account
VALUES( 137,'PLAYER','Unadkat','Unadkat@123',41,'MALE','Unadkat@gmail.com',6134891016
);
```

```
INSERT INTO admin.user_account
VALUES( 138,'PLAYER','SanjayYadav','SanjayYadav@123',36,'MALE','SanjayYadav@gmail.com',6
134891017);
```

```
INSERT INTO admin.user_account
VALUES( 139,'PLAYER','HrithikShokeen','HrithikShokeen@123',39,'MALE','HrithikShokeen@gm
ail.com',6134891018);
```

```
INSERT INTO admin.user_account
VALUES( 140,'PLAYER','AbhijeetTomar','AbhijeetTomar@123',36,'MALE','AbhijeetTomar@gmai
l.com',6134891046);
```

```
INSERT INTO admin.user_account
VALUES( 141,'PLAYER','AshokSharma','AshokSharma@123',39,'MALE','AshokSharma@gmail.c
om',6134891047);
```

```
INSERT INTO admin.user_account
VALUES( 142,'PLAYER','DavidWarner','DavidWarner@123',38,'MALE','DavidWarner@gmail.co
m',6134891048);
```

```
INSERT INTO admin.user_account
VALUES( 143,'PLAYER','AnrichNortje','AnrichNortje@123',34,'MALE','AnrichNortje@gmail.com
',6134891049);
```

--- extra players Under BCCI

```
INSERT INTO admin.user_account
VALUES( 144,'PLAYER','dwainepretorius','dwainepretorius@123',36,'MALE','dwainepretorius77
7@gmail.com',6134896557);
```

```
INSERT INTO admin.user_account
VALUES( 145,'PLAYER','mitschantner','mitschantner@123',41,'MALE','mitschantner777@gmail.com',6134896558);
```

```
INSERT INTO admin.user_account
VALUES( 146,'PLAYER','adammilne','adammilne@123',36,'MALE','adammilne777@gmail.com',6134896559);
```

```
INSERT INTO admin.user_account
VALUES( 147,'PLAYER','prashantsolanki','prashantsolanki@123',38,'MALE','prashantsolanki777@gmail.com',6134896561);
```

```
INSERT INTO admin.user_account
VALUES( 148,'PLAYER','DewaldBrevis','DewaldBrevis@123',38,'MALE','DewaldBrevis777@gmail.com',6134891000);
```

```
INSERT INTO admin.user_account
VALUES( 149,'PLAYER','JofraArcher','JofraArcher@123',32,'MALE','JofraArcher777@gmail.com',6134891001);
```

```
INSERT INTO admin.user_account
VALUES( 150,'PLAYER','TimDavid','TimDavid@123',38,'MALE','TimDavid777@gmail.com',6134891002);
```

```
INSERT INTO admin.user_account
VALUES( 151,'PLAYER','IshanKishan','IshanKishan@123',33,'MALE','IshanKishan777@gmail.com',6134891003);
```

```
INSERT INTO admin.user_account
VALUES( 152,'PLAYER','Billings','Billings@123',38,'MALE','Billings@gmail.com',6134891030);
```

```
INSERT INTO admin.user_account
VALUES( 153,'PLAYER','Rasikh','Rasikh@123',34,'MALE','Rasikh@gmail.com',6134891031);
```

```
INSERT INTO admin.user_account
VALUES( 154,'PLAYER','AlexHales','AlexHales@123',28,'MALE','AlexHales@gmail.com',6134891032);
```

```
INSERT INTO admin.user_account
VALUES( 155,'PLAYER','UmeshYadav','UmeshYadav@123',32,'MALE','UmeshYadav@gmail.com',6134891033);
```

```
INSERT INTO admin.user_account
VALUES( 156,'PLAYER','KuldeepSen','KuldeepSen@123',39,'MALE','KuldeepSen@gmail.com',6134892006);
```

```
INSERT INTO admin.user_account
VALUES( 157,'PLAYER','TrentBoult','TrentBoult@123',38,'MALE','TrentBoult@gmail.com',6134892007);
```

```
INSERT INTO admin.user_account
VALUES( 158,'PLAYER','RiyanParag','RiyanParag@123',34,'MALE','RiyanParag@gmail.com',6134892008);
```

```
INSERT INTO admin.user_account
VALUES( 159,'PLAYER','SHimronHetmyer','SHimronHetmyer@123',28,'MALE','SHimronHetmyer@gmail.com',6134892009);
```

-- insert Extra players

```
INSERT INTO admin.user_account
VALUES( 160,'PLAYER','KuldipYadav','KuldipYadav@123',32,'MALE','KuldipYadav@gmail.com',6134892010);
```

```
INSERT INTO admin.user_account
VALUES( 161,'PLAYER','DarylMitchell','DarylMitchell@123',38,'MALE','DarylMitchell@gmail.com',6134892011);
```

```
INSERT INTO admin.user_account
VALUES( 162,'PLAYER','Neesham','Neesham@123',39,'MALE','Neesham@gmail.com',6134892012);
```

```
INSERT INTO admin.user_account
VALUES( 163,'PLAYER','JaiswalYash','JaiswalYash@123',36,'MALE','JaiswalYash@gmail.com',6134892013);
```

```
INSERT INTO admin.user_account VALUES( 164,'PLAYER','KarunNair',
'KarunNair@123',36,'MALE', 'KarunNair@gmail.com',6134892014);
```

COMMIT;

-- insert owner values into team\_owner table.

```
INSERT INTO admin.team_owner VALUES ( 200, 2, 'Srinivasan', 'ChennaiSuperKings', 50000000);
```

```
INSERT INTO admin.team_owner VALUES ( 201, 4, 'Ambani', 'MumbaiIndians', 50000000);
```

```
INSERT INTO admin.team_owner VALUES ( 202, 5, 'Kalanithi', 'SunrisersHyderabad', 50000000);
```

```
INSERT INTO admin.team_owner VALUES ( 203, 3, 'SharukhKhan', 'KolkataKnightRiders', 50000000);
```

```
INSERT INTO admin.team_owner VALUES ( 204, 7, 'Manoj', 'RajasthanRoyals', 50000000);
```

```
INSERT INTO admin.team_owner VALUES ( 205, 8, 'Preity', 'KingsXIPunjab', 50000000);
```

```
INSERT INTO admin.team_owner VALUES ( 206, 1, 'Vijay', 'RoyalChallengersBangalore', 50000000);
```

```
INSERT INTO admin.team_owner VALUES ( 207, 6, 'Parth', 'DelhiCapitals', 50000000);
```

```
INSERT INTO admin.team_owner VALUES ( 208, 9, 'BCCI', 'TeamBCCI', 0);
```

COMMIT;

-- insert team values into team table.

```
INSERT INTO admin.Team VALUES ('CSK', 201, 'MumbaiIndians', 'Wankhede' );
INSERT INTO admin.Team VALUES ('RCB', 206, 'RoyalChallengersBangalore', 'Chinnaswamy' );
INSERT INTO admin.Team VALUES ('RR', 202, 'SunrisersHyderabad', 'Rajiv Gandhi' );
INSERT INTO admin.Team VALUES ('KXIP',203, 'KolkataKnightRiders', 'Eden Gardens' );
INSERT INTO admin.Team VALUES ('KKR',204, 'RajasthanRoyals', 'Sawai Mansingh' );
INSERT INTO admin.Team VALUES ('SRH',205, 'KingsXIPunjab', 'PCA Stadium' );
INSERT INTO admin.Team VALUES ('DC',200, 'ChennaiSuperKings', 'M. A. Chidambaram' );
INSERT INTO admin.Team VALUES ('MI',207, 'DelhiCapitals', 'Arun Jaitley' );
INSERT INTO admin.Team VALUES('BCCI', 208, 'TeamBCCI', 'Chairman of BCCI');
COMMIT;
```

-- insert player values into player table.

--DELHI CAPITALS

```
INSERT INTO ADMIN.player VALUES(311, 51, 'DC', 'AMBATIRAYUDU', DEFAULT,
'DOMESTIC','WK','INDIA');
INSERT INTO ADMIN.player VALUES(312, 52, 'DC', 'DWAYNEBRAVO', DEFAULT,
'DOMESTIC','WK','INDIA');
INSERT INTO ADMIN.player VALUES(313, 53, 'DC', 'ROBINUTHAPPA', DEFAULT,
'DOMESTIC','BATSMAN','INDIA');
INSERT INTO ADMIN.player VALUES(314, 54, 'DC', 'DEEPAKCHAHAR', DEFAULT,
'DOMESTIC','BATSMAN','INDIA');
INSERT INTO ADMIN.player VALUES(315, 55, 'DC', 'KMASIF', DEFAULT,
'DOMESTIC','BATSMAN','INDIA');
INSERT INTO ADMIN.player VALUES(316, 56, 'DC', 'TUSHARDESHPANDE', DEFAULT,
'DOMESTIC','ALLROUNDER','INDIA');
INSERT INTO ADMIN.player VALUES(317, 57, 'DC', 'SHIVAMDUBE', DEFAULT,
'DOMESTIC','ALLROUNDER','INDIA');
INSERT INTO ADMIN.player VALUES(318, 58, 'DC', 'MAHESHTHEEKSHANA', DEFAULT,
'DOMESTIC','BOWLER','INDIA');
INSERT INTO ADMIN.player VALUES(319, 59, 'DC', 'RHANGARGEKAR', DEFAULT,
'DOMESTIC','BOWLER','INDIA');
INSERT INTO ADMIN.player VALUES(320, 60, 'DC', 'SIMARJEETSINGH', DEFAULT,
'INTERNATIONAL','ALLROUNDER','AUSTRALIA');
INSERT INTO ADMIN.player VALUES(321, 61, 'DC', 'DEVONCONWAY', DEFAULT,
'INTERNATIONAL','BATSMAN','ENGLAND');
```

--RCB

```

INSERT INTO ADMIN.player VALUES(333, 73, 'RCB', 'WANINDUHASARANGA', DEFAULT,
'DOMESTIC','WK','INDIA');
INSERT INTO ADMIN.player VALUES(334, 74, 'RCB', 'JOSHHAZLEWOOD', DEFAULT,
'DOMESTIC','WK','INDIA');
INSERT INTO ADMIN.player VALUES(335, 75, 'RCB', 'HARSHALPATEL', DEFAULT,
'DOMESTIC','BATSMAN','INDIA');
INSERT INTO ADMIN.player VALUES(336, 76, 'RCB', 'DAVIDWILLEY', DEFAULT,
'DOMESTIC','BATSMAN','INDIA');
INSERT INTO ADMIN.player VALUES(337, 77, 'RCB', 'AKASHDEEP', DEFAULT,
'DOMESTIC','BATSMAN','INDIA');
INSERT INTO ADMIN.player VALUES(338, 78, 'RCB', 'SHAHBAZAHMED', DEFAULT,
'DOMESTIC','ALLROUNDER','INDIA');
INSERT INTO ADMIN.player VALUES(339, 79, 'RCB', 'FINNALLEN', DEFAULT,
'DOMESTIC','ALLROUNDER','INDIA');
INSERT INTO ADMIN.player VALUES(340, 80, 'RCB', 'SHEFANERUTHERFORD', DEFAULT,
'DOMESTIC','BOWLER','INDIA');
INSERT INTO ADMIN.player VALUES(341, 81, 'RCB', 'SUBHRANSHUSENAPATI', DEFAULT,
'DOMESTIC','BOWLER','INDIA');
INSERT INTO ADMIN.player VALUES(342, 82, 'RCB', 'TIMSOUTHEE', DEFAULT,
'INTERNATIONAL','ALLROUNDER','AUSTRALIA');
INSERT INTO ADMIN.player VALUES(343, 83, 'RCB', 'KARTHIK', DEFAULT,
'INTERNATIONAL','BATSMAN','ENGLAND');

```

--KKR

```

INSERT INTO ADMIN.player VALUES(355, 95, 'KKR', 'ARSHADKHAN', DEFAULT,
'DOMESTIC','WK','INDIA');
INSERT INTO ADMIN.player VALUES(356, 96, 'KKR', 'ANMOLPREET', DEFAULT,
'DOMESTIC','WK','INDIA');
INSERT INTO ADMIN.player VALUES(357, 97, 'KKR', 'MAYANKMARKHANDE', DEFAULT,
'DOMESTIC','BATSMAN','INDIA');
INSERT INTO ADMIN.player VALUES(358, 98, 'KKR', 'ARYANJUYAL', DEFAULT,
'DOMESTIC','BATSMAN','INDIA');
INSERT INTO ADMIN.player VALUES(359, 99, 'KKR', 'RAHULBUDDHI', DEFAULT,
'DOMESTIC','BATSMAN','INDIA');
INSERT INTO ADMIN.player VALUES(360, 100, 'KKR', 'PATCUMMINS', DEFAULT,
'DOMESTIC','ALLROUNDER','INDIA');
INSERT INTO ADMIN.player VALUES(361, 101, 'KKR', 'ANDRERUSSELL', DEFAULT,
'DOMESTIC','ALLROUNDER','INDIA');
INSERT INTO ADMIN.player VALUES(362, 102, 'KKR', 'VENKATESHIYER', DEFAULT,
'DOMESTIC','BOWLER','INDIA');
INSERT INTO ADMIN.player VALUES(363, 103, 'KKR', 'SHELDONJACKSON', DEFAULT,
'DOMESTIC','BOWLER','INDIA');

```

```
INSERT INTO ADMIN.player VALUES(364, 104, 'KKR', 'AJINKYARAHANE', DEFAULT,
'INTERNATIONAL','ALLROUNDER','AUSTRALIA');
INSERT INTO ADMIN.player VALUES(365, 105, 'KKR', 'FINCH', DEFAULT,
'INTERNATIONAL','BATSMAN','ENGLAND');
```

--KXIP

```
INSERT INTO ADMIN.player VALUES(377, 117, 'KXIP', 'ROMANPOWELL', DEFAULT,
'INTERNATIONAL','WK','WESTINDIES');
INSERT INTO ADMIN.player VALUES(378, 118, 'KXIP', 'PRITHVISHAW', DEFAULT,
'DOMESTIC','WK','INDIA');
INSERT INTO ADMIN.player VALUES(379, 119, 'KXIP', 'MUSTAFIZURRAHMAN', DEFAULT,
'INTERNATIONAL','BATSMAN','AFGANISTHAN');
INSERT INTO ADMIN.player VALUES(380, 120, 'KXIP', 'SARFARAZKHAN', DEFAULT,
'DOMESTIC','BATSMAN','INDIA');
INSERT INTO ADMIN.player VALUES(381, 121, 'KXIP', 'SHARDULTHAKUR', DEFAULT,
'DOMESTIC','ALLROUNDER','INDIA');
INSERT INTO ADMIN.player VALUES(382, 122, 'KXIP', 'CHahal', DEFAULT,
'DOMESTIC','BOWLER','INDIA');
INSERT INTO ADMIN.player VALUES(383, 123, 'KXIP', 'DEVdUTTPADIKKAL', DEFAULT,
'DOMESTIC','BATSMAN','INDIA');
INSERT INTO ADMIN.player VALUES(384, 124, 'KXIP', 'JOSBUTTLER', DEFAULT,
'INTERNATIONAL','BATSMAN','ENGLAND');
INSERT INTO ADMIN.player VALUES(385, 125, 'KXIP', 'ASHWIN', DEFAULT,
'DOMESTIC','BOWLER','INDIA');
INSERT INTO ADMIN.player VALUES(386, 126, 'KXIP', 'COUTERNILE', DEFAULT,
'INTERNATIONAL','ALLROUNDER','AUSTRALIA');
INSERT INTO ADMIN.player VALUES(387, 127, 'KXIP', 'VANDERDUSSEN', DEFAULT,
'INTERNATIONAL','BATSMAN','ENGLAND');
```

--'BCCI'

```
INSERT INTO ADMIN.player VALUES(404, 144, 'BCCI', 'DWAINEPRETORIUS', DEFAULT,
'INTERNATIONAL','ALLROUNDER','NEWZEALAND');
INSERT INTO ADMIN.player VALUES(405, 145, 'BCCI', 'MITCHSANTNER', DEFAULT,
'INTERNATIONAL','BOWLER','SRILANKA');
INSERT INTO ADMIN.player VALUES(406, 146, 'BCCI', 'ADAMMILNE', DEFAULT,
'INTERNATIONAL','BOWLER','AFGHANISTHAN');
INSERT INTO ADMIN.player VALUES(407, 147, 'BCCI', 'PRASHANTSOLANKI', DEFAULT,
'INTERNATIONAL','BOWLER','WESTINDIES');
```

```

INSERT INTO ADMIN.player VALUES(408, 148, 'BCCI', 'DEWALDBREVIS', DEFAULT,
'INTERNATIONAL','ALLROUNDER','NEWZEALAND');
INSERT INTO ADMIN.player VALUES(409, 149, 'BCCI', 'JOFRAARCHER', DEFAULT,
'INTERNATIONAL','BOWLER','SRILANKA');
INSERT INTO ADMIN.player VALUES(410, 150, 'BCCI', 'TIMDAVID', DEFAULT,
'INTERNATIONAL','BOWLER','AFGHANISTHAN');
INSERT INTO ADMIN.player VALUES(411, 151, 'BCCI', 'ISHANKISHAN', DEFAULT,
'INTERNATIONAL','BOWLER','WESTINDIES');
INSERT INTO ADMIN.player VALUES(412, 152, 'BCCI', 'BILLINGS', DEFAULT,
'INTERNATIONAL','ALLROUNDER','NEWZEALAND');
INSERT INTO ADMIN.player VALUES(413, 153, 'BCCI', 'RASIKH', DEFAULT,
'INTERNATIONAL','BOWLER','SRILANKA');
INSERT INTO ADMIN.player VALUES(414, 154, 'BCCI', 'ALEXHALES', DEFAULT,
'INTERNATIONAL','BOWLER','AFGHANISTHAN');
INSERT INTO ADMIN.player VALUES(415, 155, 'BCCI', 'UMESHYADAV', DEFAULT,
'INTERNATIONAL','BOWLER','WESTINDIES');
INSERT INTO ADMIN.player VALUES(416, 156, 'BCCI', 'KULDEEPPSEN', DEFAULT,
'DOMESTIC','ALLROUNDER','INDIA');
INSERT INTO ADMIN.player VALUES(417, 157, 'BCCI', 'TRENTBOULT', DEFAULT,
'INTERNATIONAL','BOWLER','SRILANKA');
INSERT INTO ADMIN.player VALUES(418, 158, 'BCCI', 'RIYANPARAG', DEFAULT,
'DOMESTIC','BOWLER','INDIA');
INSERT INTO ADMIN.player VALUES(419, 159, 'BCCI', 'SHIMRONHETMEYER', DEFAULT,
'INTERNATIONAL','BOWLER','WESTINDIES');
INSERT INTO ADMIN.player VALUES(388, 128, 'BCCI', 'PRAVEEN', DEFAULT,
'INTERNATIONAL','ALLROUNDER','NEWZEALAND');
INSERT INTO ADMIN.player VALUES(389, 129, 'BCCI', 'RAVIJADEJA', DEFAULT,
'INTERNATIONAL','BOWLER','SRILANKA');
INSERT INTO ADMIN.player VALUES(390, 130, 'BCCI', 'MOEENALI', DEFAULT,
'INTERNATIONAL','BOWLER','AFGHANISTHAN');
INSERT INTO ADMIN.player VALUES(391, 131, 'BCCI', 'RUTUGAIKWAD', DEFAULT,
'INTERNATIONAL','BOWLER','WESTINDIES');
INSERT INTO ADMIN.player VALUES(392, 132, 'BCCI', 'RISHABPANT', DEFAULT,
'INTERNATIONAL','ALLROUNDER','NEWZEALAND');
INSERT INTO ADMIN.player VALUES(393, 133, 'BCCI', 'ROHITSHARMA', DEFAULT,
'INTERNATIONAL','BOWLER','SRILANKA');
INSERT INTO ADMIN.player VALUES(394, 134, 'BCCI', 'KLRAHUL', DEFAULT,
'INTERNATIONAL','BOWLER','AFGHANISTHAN');
INSERT INTO ADMIN.player VALUES(395, 135, 'BCCI', 'MAYANKAGGARWAL', DEFAULT,
'INTERNATIONAL','BOWLER','WESTINDIES');
INSERT INTO ADMIN.player VALUES(396, 136, 'BCCI', 'MURUGANASHWIN', DEFAULT,
'INTERNATIONAL','ALLROUNDER','NEWZEALAND');

```

```

INSERT INTO ADMIN.player VALUES(397, 137, 'BCCI', 'UNADKAT', DEFAULT,
'INTERNATIONAL','BOWLER','SRILANKA');
INSERT INTO ADMIN.player VALUES(398, 138, 'BCCI', 'SANJAYYADAV', DEFAULT,
'INTERNATIONAL','BOWLER','AFGHANISTHAN');
INSERT INTO ADMIN.player VALUES(399, 139, 'BCCI', 'HRITHIKSHOKEEN', DEFAULT,
'INTERNATIONAL','BOWLER','WESTINDIES');
INSERT INTO ADMIN.player VALUES(400, 140, 'BCCI', 'ABHIJEETTOMAR', DEFAULT,
'INTERNATIONAL','ALLROUNDER','NEWZEALAND');
INSERT INTO ADMIN.player VALUES(401, 141, 'BCCI', 'ASHOKSHARMA', DEFAULT,
'INTERNATIONAL','BOWLER','SRILANKA');
INSERT INTO ADMIN.player VALUES(402, 142, 'BCCI', 'DAVIDWARNER', DEFAULT,
'INTERNATIONAL','BOWLER','AFGHANISTHAN');
INSERT INTO ADMIN.player VALUES(403, 143, 'BCCI', 'ANRICHNORTJE', DEFAULT,
'INTERNATIONAL','BOWLER','WESTINDIES');

```

--csk

```

INSERT INTO ADMIN.player VALUES(300, 40, 'CSK', 'DHONI', DEFAULT, 'DOMESTIC','WK','INDIA');
INSERT INTO ADMIN.player VALUES(301, 41, 'CSK', 'KOHLI', DEFAULT, 'DOMESTIC','WK','INDIA');
INSERT INTO ADMIN.player VALUES(302, 42, 'CSK', 'YUVRAJ', DEFAULT,
'DOMESTIC','BATSMAN','INDIA');
INSERT INTO ADMIN.player VALUES(303, 43, 'CSK', 'ROHIT', DEFAULT,
'DOMESTIC','BATSMAN','INDIA');
INSERT INTO ADMIN.player VALUES(304, 44, 'CSK', 'GAMBHIR', DEFAULT,
'DOMESTIC','BATSMAN','INDIA');
INSERT INTO ADMIN.player VALUES(305, 45, 'CSK', 'SACHIN', DEFAULT,
'DOMESTIC','ALLROUNDER','INDIA');
INSERT INTO ADMIN.player VALUES(306, 46, 'CSK', 'GANGULY', DEFAULT,
'DOMESTIC','ALLROUNDER','INDIA');
INSERT INTO ADMIN.player VALUES(307, 47, 'CSK', 'SEHWAG', DEFAULT,
'DOMESTIC','BOWLER','INDIA');
INSERT INTO ADMIN.player VALUES(308, 48, 'CSK', 'LAXMAN', DEFAULT,
'DOMESTIC','BOWLER','INDIA');
INSERT INTO ADMIN.player VALUES(309, 49, 'CSK', 'ZAHEER', DEFAULT,
'INTERNATIONAL','ALLROUNDER','AUSTRALIA');
INSERT INTO ADMIN.player VALUES(310, 50, 'CSK', 'SRINATH', DEFAULT,
'INTERNATIONAL','BATSMAN','ENGLAND');

```

--MI

```

INSERT INTO ADMIN.player VALUES(322, 62, 'MI', 'CHARINISHANTH', DEFAULT,
'DOMESTIC','WK','INDIA');
INSERT INTO ADMIN.player VALUES(323, 63, 'MI', 'NJAGADEESAN', DEFAULT,
'DOMESTIC','WK','INDIA');

```



```

INSERT INTO ADMIN.player VALUES(324, 64, 'MI', 'CHRISJORDAN', DEFAULT,
'DOMESTIC','BATSMAN','INDIA');
INSERT INTO ADMIN.player VALUES(325, 65, 'MI', 'FAFDUPLESSIS', DEFAULT,
'DOMESTIC','BATSMAN','INDIA');
INSERT INTO ADMIN.player VALUES(326, 66, 'MI', 'GLENNMAXWELL', DEFAULT,
'DOMESTIC','BATSMAN','INDIA');
INSERT INTO ADMIN.player VALUES(327, 67, 'MI', 'ANUJRAWAT', DEFAULT,
'DOMESTIC','ALLROUNDER','INDIA');
INSERT INTO ADMIN.player VALUES(328, 68, 'MI', 'DINESHKARTHIK', DEFAULT,
'DOMESTIC','ALLROUNDER','INDIA');
INSERT INTO ADMIN.player VALUES(329, 69, 'MI', 'KANEWILLIAMSON', DEFAULT,
'DOMESTIC','BOWLER','INDIA');
INSERT INTO ADMIN.player VALUES(330, 70, 'MI', 'SANJUSAMSON', DEFAULT,
'DOMESTIC','BOWLER','INDIA');
INSERT INTO ADMIN.player VALUES(331, 71, 'MI', 'HARDIKPANDYA', DEFAULT,
'INTERNATIONAL','ALLROUNDER','AUSTRALIA');
INSERT INTO ADMIN.player VALUES(332, 72, 'MI', 'SHREYASIYER', DEFAULT,
'INTERNATIONAL','BATSMAN','ENGLAND');

```

--srh

```

INSERT INTO ADMIN.player VALUES(344, 84, 'SRH', 'TILAKVARMA', DEFAULT,
'DOMESTIC','WK','INDIA');
INSERT INTO ADMIN.player VALUES(345, 85, 'SRH', 'SURYAYADAV', DEFAULT,
'DOMESTIC','WK','INDIA');
INSERT INTO ADMIN.player VALUES(346, 86, 'SRH', 'ARJUNTENDULKAR', DEFAULT,
'DOMESTIC','BATSMAN','INDIA');
INSERT INTO ADMIN.player VALUES(347, 87, 'SRH', 'DANIELSAMS', DEFAULT,
'DOMESTIC','BATSMAN','INDIA');
INSERT INTO ADMIN.player VALUES(348, 88, 'SRH', 'BUMRAH', DEFAULT,
'DOMESTIC','BATSMAN','INDIA');
INSERT INTO ADMIN.player VALUES(349, 89, 'SRH', 'BASILTHAMPI', DEFAULT,
'DOMESTIC','ALLROUNDER','INDIA');
INSERT INTO ADMIN.player VALUES(350, 90, 'SRH', 'TYMALMILLS', DEFAULT,
'DOMESTIC','ALLROUNDER','INDIA');
INSERT INTO ADMIN.player VALUES(351, 91, 'SRH', 'POLLARD', DEFAULT,
'DOMESTIC','BOWLER','INDIA');
INSERT INTO ADMIN.player VALUES(352, 92, 'SRH', 'RAMANDEEP', DEFAULT,
'DOMESTIC','BOWLER','INDIA');
INSERT INTO ADMIN.player VALUES(353, 93, 'SRH', 'FABIANALLEN', DEFAULT,
'INTERNATIONAL','ALLROUNDER','AUSTRALIA');
INSERT INTO ADMIN.player VALUES(354, 94, 'SRH', 'RILEYMEREDITH', DEFAULT,
'INTERNATIONAL','BATSMAN','ENGLAND');

```

```

--RR
INSERT INTO ADMIN.player VALUES(366, 106, 'RR', 'SUNILNARINE', DEFAULT,
'DOMESTIC','WK','INDIA');
INSERT INTO ADMIN.player VALUES(367, 107, 'RR', 'KARUNARATNECHAMIKA', DEFAULT,
'DOMESTIC','WK','INDIA');
INSERT INTO ADMIN.player VALUES(368, 108, 'RR', 'VARUNCHAKRABORTY', DEFAULT,
'DOMESTIC','BATSMAN','INDIA');
INSERT INTO ADMIN.player VALUES(369, 109, 'RR', 'NITISHRANA', DEFAULT,
'DOMESTIC','BATSMAN','INDIA');
INSERT INTO ADMIN.player VALUES(370, 110, 'RR', 'RAMESHKUMAR', DEFAULT,
'DOMESTIC','BATSMAN','INDIA');
INSERT INTO ADMIN.player VALUES(371, 111, 'RR', 'BABAINDRAJITH', DEFAULT,
'DOMESTIC','ALLROUNDER','INDIA');
INSERT INTO ADMIN.player VALUES(372, 112, 'RR', 'ANKULROY', DEFAULT,
'DOMESTIC','ALLROUNDER','INDIA');
INSERT INTO ADMIN.player VALUES(373, 113, 'RR', 'SHIVAMMAVI', DEFAULT,
'DOMESTIC','BOWLER','INDIA');
INSERT INTO ADMIN.player VALUES(374, 114, 'RR', 'MOHAMMADNABI', DEFAULT,
'DOMESTIC','BOWLER','INDIA');
INSERT INTO ADMIN.player VALUES(375, 115, 'RR', 'RINKUSINGH', DEFAULT,
'INTERNATIONAL','ALLROUNDER','AUSTRALIA');
INSERT INTO ADMIN.player VALUES(376, 116, 'RR', 'PRATHAMSINGH', DEFAULT,
'INTERNATIONAL','BATSMAN','ENGLAND');

```

```
commit;
```

```
-- insert audience into audience_table
```

```

INSERT INTO ADMIN.audience VALUES ( 500 , 51, 'Varun');
INSERT INTO ADMIN.audience VALUES ( 501, 50, 'Mohith');
INSERT INTO ADMIN.audience VALUES ( 502, 49, 'Sandeep');
INSERT INTO ADMIN.audience VALUES ( 503, 48, 'Preethi');
INSERT INTO ADMIN.audience VALUES ( 504, 47, 'Divya');
INSERT INTO ADMIN.audience VALUES ( 505, 46, 'Santhosh');
INSERT INTO ADMIN.audience VALUES ( 506, 45, 'Eswar');
INSERT INTO ADMIN.audience VALUES ( 507, 44, 'Saketh');
INSERT INTO ADMIN.audience VALUES ( 508, 43, 'Amrutha');
INSERT INTO ADMIN.audience VALUES ( 509, 42, 'Sandhya');
INSERT INTO ADMIN.audience VALUES ( 510, 19, 'Avinash');
INSERT INTO ADMIN.audience VALUES ( 511, 18, 'Abhijeet');

```

```

INSERT INTO ADMIN.audience VALUES ( 512, 17, 'Akhil');
INSERT INTO ADMIN.audience VALUES ( 513, 16, 'Monal');
INSERT INTO ADMIN.audience VALUES ( 514, 15, 'Swathi');
INSERT INTO ADMIN.audience VALUES ( 515, 14, 'Rajesh');
INSERT INTO ADMIN.audience VALUES ( 516, 13, 'Mohan');
INSERT INTO ADMIN.audience VALUES ( 517, 12, 'Suresh');
INSERT INTO ADMIN.audience VALUES ( 518, 11, 'Mahesh');
INSERT INTO ADMIN.audience VALUES ( 519, 10, 'Rakesh');
INSERT INTO admin.AUDIENCE VALUES( 520, 32, 'Ramesh Kumar');
INSERT INTO admin.AUDIENCE VALUES( 521, 33, 'Anjali Rajesh');
INSERT INTO admin.AUDIENCE VALUES( 522, 34, 'Gayatri Krishna');
INSERT INTO admin.AUDIENCE VALUES( 523, 35, 'Vara Prasad');
INSERT INTO admin.AUDIENCE VALUES( 524, 36, 'Lova Ramesh');
INSERT INTO admin.AUDIENCE VALUES( 525, 37, 'Ramudu Kumar');
INSERT INTO admin.AUDIENCE VALUES( 526, 38, 'Krishna Chaitanya');
INSERT INTO admin.AUDIENCE VALUES( 527, 39, 'Harsha Kiran');
INSERT INTO admin.AUDIENCE VALUES( 528, 40, 'Abhishek Sharma');
INSERT INTO admin.AUDIENCE VALUES( 529, 41, 'Nani Naveen');
commit;

```

--Insert League values into League Table

```

INSERT INTO admin.LEAGUE VALUES (1000, 'Pepsi IPL 2015', TO_DATE('2015-04-08 20:00:00',
'yyyy-MM-dd hh24:mi:ss'), TO_DATE('2015-05-24 23:30:00', 'yyyy-MM-dd hh24:mi:ss'), 8, 28);
INSERT INTO admin.LEAGUE VALUES (1001, 'Pepsi IPL 2016', TO_DATE('2016-04-09 20:00:00',
'yyyy-MM-dd hh24:mi:ss'), TO_DATE('2016-05-29 23:30:00', 'yyyy-MM-dd hh24:mi:ss'), 8, 28);
INSERT INTO admin.LEAGUE VALUES (1002, 'UnAcademy IPL 2017', TO_DATE('2017-04-05
20:00:00', 'yyyy-MM-dd hh24:mi:ss'), TO_DATE('2017-05-21 23:30:00', 'yyyy-MM-dd
hh24:mi:ss'), 8, 28);
INSERT INTO admin.LEAGUE VALUES (1003, 'UnAcademy IPL 2018', TO_DATE('2018-04-07
20:00:00', 'yyyy-MM-dd hh24:mi:ss'), TO_DATE('2018-05-27 23:30:00', 'yyyy-MM-dd
hh24:mi:ss'), 8, 28);
INSERT INTO admin.LEAGUE VALUES (1004, 'UnAcademy IPL 2019', TO_DATE('2019-04-08
20:00:00', 'yyyy-MM-dd hh24:mi:ss'), TO_DATE('2019-05-24 23:30:00', 'yyyy-MM-dd
hh24:mi:ss'), 8, 28);
INSERT INTO admin.LEAGUE VALUES (1005, 'Vivo IPL 2020', TO_DATE('2020-04-08 20:00:00',
'yyyy-MM-dd hh24:mi:ss'), TO_DATE('2020-05-24 23:30:00', 'yyyy-MM-dd hh24:mi:ss'), 8, 28);
INSERT INTO admin.LEAGUE VALUES (1006, 'Vivo IPL 2021', TO_DATE('2021-04-08 20:00:00',
'yyyy-MM-dd hh24:mi:ss'), TO_DATE('2021-05-24 23:30:00', 'yyyy-MM-dd hh24:mi:ss'), 8, 28);

```

COMMIT;

--Insert Bid values into Bid Table

---KKR Bidding

```
INSERT INTO admin.BID VALUES(701, 200, 355, TO_DATE('2021-02-16 02:00:00', 'yyyy-MM-dd
hh24:mi:ss'), 'F', 10000000, 1006);
INSERT INTO admin.BID VALUES(702, 203, 355, TO_DATE('2021-02-16 02:05:00', 'yyyy-MM-dd
hh24:mi:ss'), 'T', 11000000, 1006);
INSERT INTO admin.BID VALUES(703, 201, 356, TO_DATE('2021-02-16 02:10:00', 'yyyy-MM-dd
hh24:mi:ss'), 'T', 12000000, 1006);
INSERT INTO admin.BID VALUES(704, 201, 357, TO_DATE('2021-02-16 02:15:00', 'yyyy-MM-dd
hh24:mi:ss'), 'F', 10000000, 1006);
INSERT INTO admin.BID VALUES(705, 203, 357, TO_DATE('2021-02-16 02:20:00', 'yyyy-MM-dd
hh24:mi:ss'), 'T', 12500000, 1006);
INSERT INTO admin.BID VALUES(706, 203, 358, TO_DATE('2021-02-16 02:25:00', 'yyyy-MM-dd
hh24:mi:ss'), 'T', 15000000, 1006);
INSERT INTO admin.BID VALUES(707, 205, 359, TO_DATE('2021-02-16 02:30:00', 'yyyy-MM-dd
hh24:mi:ss'), 'F', 10000000, 1006);
INSERT INTO admin.BID VALUES(708, 203, 359, TO_DATE('2021-02-16 02:35:00', 'yyyy-MM-dd
hh24:mi:ss'), 'T', 10500000, 1006);
INSERT INTO admin.BID VALUES(709, 203, 360, TO_DATE('2021-02-16 02:40:00', 'yyyy-MM-dd
hh24:mi:ss'), 'T', 11000000, 1006);
INSERT INTO admin.BID VALUES(710, 202, 361, TO_DATE('2021-02-16 02:45:00', 'yyyy-MM-dd
hh24:mi:ss'), 'F', 11500000, 1006);
INSERT INTO admin.BID VALUES(711, 203, 361, TO_DATE('2021-02-16 02:50:00', 'yyyy-MM-dd
hh24:mi:ss'), 'T', 12300000, 1006);
INSERT INTO admin.BID VALUES(712, 203, 362, TO_DATE('2021-02-16 02:55:00', 'yyyy-MM-dd
hh24:mi:ss'), 'T', 13500000, 1006);
INSERT INTO admin.BID VALUES(713, 201, 363, TO_DATE('2021-02-16 03:00:00', 'yyyy-MM-dd
hh24:mi:ss'), 'F', 14000000, 1006);
INSERT INTO admin.BID VALUES(714, 203, 363, TO_DATE('2021-02-16 03:05:00', 'yyyy-MM-dd
hh24:mi:ss'), 'T', 14500000, 1006);
INSERT INTO admin.BID VALUES(715, 203, 364, TO_DATE('2021-02-16 03:10:00', 'yyyy-MM-dd
hh24:mi:ss'), 'T', 15000000, 1006);
INSERT INTO admin.BID VALUES(716, 203, 365, TO_DATE('2021-02-16 03:13:00', 'yyyy-MM-dd
hh24:mi:ss'), 'T', 15000000, 1006);
```

--RR

```
INSERT INTO admin.BID VALUES(717, 203, 366, TO_DATE('2021-02-16 03:15:00', 'yyyy-MM-dd
hh24:mi:ss'), 'F', 10000000, 1006);
INSERT INTO admin.BID VALUES(718, 204, 366, TO_DATE('2021-02-16 03:20:00', 'yyyy-MM-dd
hh24:mi:ss'), 'T', 11000000, 1006);
```

```

INSERT INTO admin.BID VALUES(719, 204, 367, TO_DATE('2021-02-16 03:25:00', 'yyyy-MM-dd
hh24:mi:ss'), 'T', 12000000, 1006);
INSERT INTO admin.BID VALUES(720, 202, 368, TO_DATE('2021-02-16 03:30:00', 'yyyy-MM-dd
hh24:mi:ss'), 'F', 10000000, 1006);
INSERT INTO admin.BID VALUES(721, 204, 368, TO_DATE('2021-02-16 03:35:00', 'yyyy-MM-dd
hh24:mi:ss'), 'T', 12500000, 1006);
INSERT INTO admin.BID VALUES(722, 204, 369, TO_DATE('2021-02-16 03:40:00', 'yyyy-MM-dd
hh24:mi:ss'), 'T', 15000000, 1006);
INSERT INTO admin.BID VALUES(723, 205, 370, TO_DATE('2021-02-16 03:45:00', 'yyyy-MM-dd
hh24:mi:ss'), 'F', 10000000, 1006);
INSERT INTO admin.BID VALUES(724, 204, 370, TO_DATE('2021-02-16 03:50:00', 'yyyy-MM-dd
hh24:mi:ss'), 'T', 10500000, 1006);
INSERT INTO admin.BID VALUES(725, 204, 371, TO_DATE('2021-02-16 03:55:00', 'yyyy-MM-dd
hh24:mi:ss'), 'T', 11000000, 1006);
INSERT INTO admin.BID VALUES(726, 205, 372, TO_DATE('2021-02-16 04:00:00', 'yyyy-MM-dd
hh24:mi:ss'), 'F', 11500000, 1006);
INSERT INTO admin.BID VALUES(727, 204, 372, TO_DATE('2021-02-16 04:05:00', 'yyyy-MM-dd
hh24:mi:ss'), 'T', 12300000, 1006);
INSERT INTO admin.BID VALUES(728, 204, 373, TO_DATE('2021-02-16 04:10:00', 'yyyy-MM-dd
hh24:mi:ss'), 'T', 13500000, 1006);
INSERT INTO admin.BID VALUES(729, 207, 374, TO_DATE('2021-02-16 04:15:00', 'yyyy-MM-dd
hh24:mi:ss'), 'F', 14000000, 1006);
INSERT INTO admin.BID VALUES(730, 204, 374, TO_DATE('2021-02-16 04:20:00', 'yyyy-MM-dd
hh24:mi:ss'), 'T', 14500000, 1006);
INSERT INTO admin.BID VALUES(731, 204, 375, TO_DATE('2021-02-16 04:25:00', 'yyyy-MM-dd
hh24:mi:ss'), 'T', 15000000, 1006);
INSERT INTO admin.BID VALUES(732, 204, 376, TO_DATE('2021-02-16 04:28:00', 'yyyy-MM-dd
hh24:mi:ss'), 'T', 15000000, 1006);

```

--KXIP

```

INSERT INTO admin.BID VALUES(733, 204, 377, TO_DATE('2021-02-16 04:30:00', 'yyyy-MM-dd
hh24:mi:ss'), 'F', 10000000, 1006);
INSERT INTO admin.BID VALUES(734, 205, 377, TO_DATE('2021-02-16 04:35:00', 'yyyy-MM-dd
hh24:mi:ss'), 'T', 11000000, 1006);
INSERT INTO admin.BID VALUES(735, 205, 378, TO_DATE('2021-02-16 04:40:00', 'yyyy-MM-dd
hh24:mi:ss'), 'T', 12000000, 1006);
INSERT INTO admin.BID VALUES(736, 203, 379, TO_DATE('2021-02-16 04:45:00', 'yyyy-MM-dd
hh24:mi:ss'), 'F', 10000000, 1006);
INSERT INTO admin.BID VALUES(737, 205, 379, TO_DATE('2021-02-16 04:50:00', 'yyyy-MM-dd
hh24:mi:ss'), 'T', 12500000, 1006);
INSERT INTO admin.BID VALUES(738, 205, 380, TO_DATE('2021-02-16 04:55:00', 'yyyy-MM-dd
hh24:mi:ss'), 'T', 15000000, 1006);

```

```

INSERT INTO admin.BID VALUES(739, 206, 381, TO_DATE('2021-02-16 05:00:00', 'yyyy-MM-dd
hh24:mi:ss'), 'F', 10000000, 1006);
INSERT INTO admin.BID VALUES(740, 205, 381, TO_DATE('2021-02-16 05:05:00', 'yyyy-MM-dd
hh24:mi:ss'), 'T', 10500000, 1006);
INSERT INTO admin.BID VALUES(741, 205, 382, TO_DATE('2021-02-16 05:10:00', 'yyyy-MM-dd
hh24:mi:ss'), 'T', 11000000, 1006);
INSERT INTO admin.BID VALUES(742, 202, 383, TO_DATE('2021-02-16 05:15:00', 'yyyy-MM-dd
hh24:mi:ss'), 'F', 11500000, 1006);
INSERT INTO admin.BID VALUES(743, 205, 383, TO_DATE('2021-02-16 05:20:00', 'yyyy-MM-dd
hh24:mi:ss'), 'T', 12300000, 1006);
INSERT INTO admin.BID VALUES(744, 205, 384, TO_DATE('2021-02-16 05:25:00', 'yyyy-MM-dd
hh24:mi:ss'), 'T', 13500000, 1006);
INSERT INTO admin.BID VALUES(745, 201, 385, TO_DATE('2021-02-16 05:30:00', 'yyyy-MM-dd
hh24:mi:ss'), 'F', 14000000, 1006);
INSERT INTO admin.BID VALUES(746, 205, 385, TO_DATE('2021-02-16 05:35:00', 'yyyy-MM-dd
hh24:mi:ss'), 'T', 14500000, 1006);
INSERT INTO admin.BID VALUES(747, 205, 386, TO_DATE('2021-02-16 05:40:00', 'yyyy-MM-dd
hh24:mi:ss'), 'T', 15000000, 1006);
INSERT INTO admin.BID VALUES(748, 205, 387, TO_DATE('2021-02-16 05:42:00', 'yyyy-MM-dd
hh24:mi:ss'), 'T', 15000000, 1006);

```

---DC

```

INSERT INTO admin.BID VALUES(749, 202, 311, TO_DATE('2021-02-16 05:45:00', 'yyyy-MM-dd
hh24:mi:ss'), 'F', 10000000, 1006);
INSERT INTO admin.BID VALUES(750, 207, 311, TO_DATE('2021-02-16 05:50:00', 'yyyy-MM-dd
hh24:mi:ss'), 'T', 11000000, 1006);
INSERT INTO admin.BID VALUES(751, 207, 312, TO_DATE('2021-02-16 05:55:00', 'yyyy-MM-dd
hh24:mi:ss'), 'T', 12000000, 1006);
INSERT INTO admin.BID VALUES(752, 202, 313, TO_DATE('2021-02-16 06:00:00', 'yyyy-MM-dd
hh24:mi:ss'), 'F', 10000000, 1006);
INSERT INTO admin.BID VALUES(753, 207, 313, TO_DATE('2021-02-16 06:05:00', 'yyyy-MM-dd
hh24:mi:ss'), 'T', 12500000, 1006);
INSERT INTO admin.BID VALUES(754, 207, 314, TO_DATE('2021-02-16 06:10:00', 'yyyy-MM-dd
hh24:mi:ss'), 'T', 15000000, 1006);
INSERT INTO admin.BID VALUES(755, 202, 315, TO_DATE('2021-02-16 06:15:00', 'yyyy-MM-dd
hh24:mi:ss'), 'F', 10000000, 1006);
INSERT INTO admin.BID VALUES(756, 207, 315, TO_DATE('2021-02-16 06:20:00', 'yyyy-MM-dd
hh24:mi:ss'), 'T', 10500000, 1006);
INSERT INTO admin.BID VALUES(757, 207, 316, TO_DATE('2021-02-16 06:25:00', 'yyyy-MM-dd
hh24:mi:ss'), 'T', 11000000, 1006);

```

```
INSERT INTO admin.BID VALUES(758, 201, 317, TO_DATE('2021-02-16 06:30:00', 'yyyy-MM-dd hh24:mi:ss'), 'F', 11500000, 1006);
INSERT INTO admin.BID VALUES(759, 207, 317, TO_DATE('2021-02-16 06:35:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 12300000, 1006);
INSERT INTO admin.BID VALUES(760, 207, 318, TO_DATE('2021-02-16 06:40:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 13500000, 1006);
INSERT INTO admin.BID VALUES(761, 200, 319, TO_DATE('2021-02-16 06:45:00', 'yyyy-MM-dd hh24:mi:ss'), 'F', 14000000, 1006);
INSERT INTO admin.BID VALUES(762, 207, 319, TO_DATE('2021-02-16 06:50:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 14500000, 1006);
INSERT INTO admin.BID VALUES(763, 207, 320, TO_DATE('2021-02-16 06:55:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 15000000, 1006);
INSERT INTO admin.BID VALUES(764, 207, 321, TO_DATE('2021-02-16 06:58:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 15000000, 1006);
```

--CSK

```
INSERT INTO admin.BID VALUES(600, 202, 300, TO_DATE('2021-02-15 10:00:00', 'yyyy-MM-dd hh24:mi:ss'), 'F', 10000083,1006);
INSERT INTO admin.BID VALUES(601, 200, 300, TO_DATE('2021-02-15 10:01:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 12000000,1006);
INSERT INTO admin.BID VALUES(602, 200, 301, TO_DATE('2021-02-15 10:01:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 10300000,1006);
INSERT INTO admin.BID VALUES(603, 208, 301, TO_DATE('2021-02-15 10:30:00', 'yyyy-MM-dd hh24:mi:ss'), 'F', 10000090,1006);
INSERT INTO admin.BID VALUES(604, 200, 302, TO_DATE('2021-02-15 10:31:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 14000000,1006);
INSERT INTO admin.BID VALUES(605, 200, 303, TO_DATE('2021-02-15 10:32:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 13200000,1006);
INSERT INTO admin.BID VALUES(606, 200, 304, TO_DATE('2021-02-15 10:40:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 15600000,1006);
INSERT INTO admin.BID VALUES(607, 203, 305, TO_DATE('2021-02-15 10:45:00', 'yyyy-MM-dd hh24:mi:ss'), 'F', 10073000,1006);
INSERT INTO admin.BID VALUES(608, 200, 305, TO_DATE('2021-02-15 10:50:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 135000000,1006);
INSERT INTO admin.BID VALUES(609, 200, 306, TO_DATE('2021-02-15 11:30:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 12935000,1006);
INSERT INTO admin.BID VALUES(610, 200, 307, TO_DATE('2021-02-15 11:33:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 12300000,1006);
INSERT INTO admin.BID VALUES(611, 200, 308, TO_DATE('2021-02-15 12:00:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 32000000,1006);
INSERT INTO admin.BID VALUES(612, 200, 309, TO_DATE('2021-02-15 12:03:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 12000000,1006);
```

```
INSERT INTO admin.BID VALUES(613, 200, 310, TO_DATE('2021-02-15 12:03:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 12000000,1006);
```

--MI

```
INSERT INTO admin.BID VALUES(614, 202,322, TO_DATE('2021-02-15 12:04:00', 'yyyy-MM-dd hh24:mi:ss'), 'F', 10000083,1006);
INSERT INTO admin.BID VALUES(615, 201, 322, TO_DATE('2021-02-15 12:06:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 13400000,1006);
INSERT INTO admin.BID VALUES(616, 201, 323 ,TO_DATE('2021-02-15 12:01:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 12300000,1006);
INSERT INTO admin.BID VALUES(617, 201,324, TO_DATE('2021-02-15 12:30:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 11300090,1006);
INSERT INTO admin.BID VALUES(618, 205, 325, TO_DATE('2021-02-15 12:31:00', 'yyyy-MM-dd hh24:mi:ss'), 'F', 11200000,1006);
INSERT INTO admin.BID VALUES(619, 201,325, TO_DATE('2021-02-15 1:32:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 14200000,1006);
INSERT INTO admin.BID VALUES(620, 206, 326, TO_DATE('2021-02-15 10:40:00', 'yyyy-MM-dd hh24:mi:ss'), 'F', 12600000,1006);
INSERT INTO admin.BID VALUES(621, 201,326, TO_DATE('2021-02-15 10:45:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 13373000,1006);
INSERT INTO admin.BID VALUES(622, 201, 327, TO_DATE('2021-02-15 10:50:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 136000000,1006);
INSERT INTO admin.BID VALUES(623, 201, 328, TO_DATE('2021-02-15 11:30:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 13935000,1006);
INSERT INTO admin.BID VALUES(624, 204, 329, TO_DATE('2021-02-15 11:33:00', 'yyyy-MM-dd hh24:mi:ss'), 'F', 12300000,1006);
INSERT INTO admin.BID VALUES(625, 201, 329, TO_DATE('2021-02-15 12:00:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 32000000,1006);
INSERT INTO admin.BID VALUES(626, 201, 330, TO_DATE('2021-02-15 12:03:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 12230000,1006);
INSERT INTO admin.BID VALUES(627, 201, 331, TO_DATE('2021-02-15 12:03:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 11800000,1006);
INSERT INTO admin.BID VALUES(628, 201, 332, TO_DATE('2021-02-15 12:03:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 11800000,1006);
```

--RCB

```
INSERT INTO admin.BID VALUES(629, 201, 333, TO_DATE('2021-02-15 12:03:00', 'yyyy-MM-dd hh24:mi:ss'), 'F', 10000083,1006);
INSERT INTO admin.BID VALUES(630, 206, 333, TO_DATE('2021-02-15 12:03:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 13400000,1006);
```



```

INSERT INTO admin.BID VALUES(631, 206, 334, TO_DATE('2021-02-15 12:05:00', 'yyyy-MM-dd
hh24:mi:ss'), 'T', 12300000,1006);
INSERT INTO admin.BID VALUES(632, 206, 335, TO_DATE('2021-02-15 12:13:00', 'yyyy-MM-dd
hh24:mi:ss'), 'T', 11350090,1006);
INSERT INTO admin.BID VALUES(633, 207, 336, TO_DATE('2021-02-15 12:38:00', 'yyyy-MM-dd
hh24:mi:ss'), 'F', 14200000,1006);
INSERT INTO admin.BID VALUES(634, 206, 336, TO_DATE('2021-02-15 1:32:00', 'yyyy-MM-dd
hh24:mi:ss'), 'T', 15400000,1006);
INSERT INTO admin.BID VALUES(635, 201, 337, TO_DATE('2021-02-15 10:20:00', 'yyyy-MM-dd
hh24:mi:ss'), 'F', 12600000,1006);
INSERT INTO admin.BID VALUES(636, 206, 337, TO_DATE('2021-02-15 10:34:00', 'yyyy-MM-dd
hh24:mi:ss'), 'T', 13373000,1006);
INSERT INTO admin.BID VALUES(637, 206, 338, TO_DATE('2021-02-15 10:50:00', 'yyyy-MM-dd
hh24:mi:ss'), 'T', 136000000,1006);
INSERT INTO admin.BID VALUES(638, 206, 339, TO_DATE('2021-02-15 11:30:00', 'yyyy-MM-dd
hh24:mi:ss'), 'T', 13935000,1006);
INSERT INTO admin.BID VALUES(639, 203, 340, TO_DATE('2021-02-15 11:33:00', 'yyyy-MM-dd
hh24:mi:ss'), 'T', 12300000,1006);
INSERT INTO admin.BID VALUES(640, 206, 341, TO_DATE('2021-02-15 12:00:00', 'yyyy-MM-dd
hh24:mi:ss'), 'T', 32000000,1006);
INSERT INTO admin.BID VALUES(641, 206, 342, TO_DATE('2021-02-15 12:03:00', 'yyyy-MM-dd
hh24:mi:ss'), 'T', 12230000,1006);
INSERT INTO admin.BID VALUES(642, 206, 343, TO_DATE('2021-02-15 12:03:00', 'yyyy-MM-dd
hh24:mi:ss'), 'T', 11800000,1006);

```

---SRH

```

INSERT INTO admin.BID VALUES(657, 202, 344, TO_DATE('2021-02-15 12:03:00', 'yyyy-MM-dd
hh24:mi:ss'), 'T', 10000083,1006);
INSERT INTO admin.BID VALUES(643, 201, 345, TO_DATE('2021-02-15 12:03:00', 'yyyy-MM-dd
hh24:mi:ss'), 'F', 13400000,1006);
INSERT INTO admin.BID VALUES(644, 202, 345, TO_DATE('2021-02-15 12:05:00', 'yyyy-MM-dd
hh24:mi:ss'), 'T', 13700000,1006);
INSERT INTO admin.BID VALUES(645, 202, 346, TO_DATE('2021-02-15 12:13:00', 'yyyy-MM-dd
hh24:mi:ss'), 'T', 11350090,1006);
INSERT INTO admin.BID VALUES(646, 205, 347, TO_DATE('2021-02-15 12:38:00', 'yyyy-MM-dd
hh24:mi:ss'), 'F', 14200000,1006);
INSERT INTO admin.BID VALUES(647, 202, 347, TO_DATE('2021-02-15 1:32:00', 'yyyy-MM-dd
hh24:mi:ss'), 'T', 15400000,1006);
INSERT INTO admin.BID VALUES(648, 203, 348, TO_DATE('2021-02-15 10:20:00', 'yyyy-MM-dd
hh24:mi:ss'), 'F', 12600000,1006);
INSERT INTO admin.BID VALUES(649, 202, 348, TO_DATE('2021-02-15 10:34:00', 'yyyy-MM-dd
hh24:mi:ss'), 'T', 13373000,1006);

```

```
INSERT INTO admin.BID VALUES(650, 205, 349, TO_DATE('2021-02-15 10:50:00', 'yyyy-MM-dd
hh24:mi:ss'), 'F', 136000000,1006);
INSERT INTO admin.BID VALUES(651, 202, 349, TO_DATE('2021-02-15 11:30:00', 'yyyy-MM-dd
hh24:mi:ss'), 'T', 13935000,1006);
INSERT INTO admin.BID VALUES(652, 202, 350, TO_DATE('2021-02-15 11:33:00', 'yyyy-MM-dd
hh24:mi:ss'), 'T', 12300000,1006);
INSERT INTO admin.BID VALUES(653, 202, 351, TO_DATE('2021-02-15 12:00:00', 'yyyy-MM-dd
hh24:mi:ss'), 'T', 32000000,1006);
INSERT INTO admin.BID VALUES(654, 202, 352, TO_DATE('2021-02-15 12:03:00', 'yyyy-MM-dd
hh24:mi:ss'), 'T', 12230000,1006);
INSERT INTO admin.BID VALUES(655, 202, 353, TO_DATE('2021-02-15 12:03:00', 'yyyy-MM-dd
hh24:mi:ss'), 'T', 11800000,1006);
INSERT INTO admin.BID VALUES(656, 202, 354, TO_DATE('2021-02-15 12:03:00', 'yyyy-MM-dd
hh24:mi:ss'), 'T', 12230000,1006);
```

```
COMMIT;
```

```
--Insert Payment values into Payment Table
```

```
INSERT INTO admin.Payment VALUES(800,601,300,admin.reference_number_seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(801,602,301,admin.reference_number_seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(802,604,302,admin.reference_number_seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(803,605,303,admin.reference_number_seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(804,606,304,admin.reference_number_seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(805,608,305,admin.reference_number_seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(806,609,306,admin.reference_number_seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(807,610,307,admin.reference_number_seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(808,611,308,admin.reference_number_seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(809,612,309,admin.reference_number_seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(810,613,310,admin.reference_number_seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(811,615,322,admin.reference_number_seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(812,616,323,admin.reference_number_seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(813,617,324,admin.reference_number_seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(814,619,325,admin.reference_number_seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(815,621,326,admin.reference_number_seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(816,622,327,admin.reference_number_seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(817,623,328,admin.reference_number_seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(818,625,329,admin.reference_number_seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(819,626,330,admin.reference_number_seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(820,627,331,admin.reference_number_seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(821,628,332,admin.reference_number_seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(822,630,333,admin.reference_number_seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(823,631,334,admin.reference_number_seq.NEXTVAL);
```

INSERT INTO admin.Payment VALUES(824,632,335,admin.reference\_number\_seq.NEXTVAL);  
INSERT INTO admin.Payment VALUES(825,634,336,admin.reference\_number\_seq.NEXTVAL);  
INSERT INTO admin.Payment VALUES(826,636,337,admin.reference\_number\_seq.NEXTVAL);  
INSERT INTO admin.Payment VALUES(827,637,338,admin.reference\_number\_seq.NEXTVAL);  
INSERT INTO admin.Payment VALUES(828,638,339,admin.reference\_number\_seq.NEXTVAL);  
INSERT INTO admin.Payment VALUES(829,640,341,admin.reference\_number\_seq.NEXTVAL);  
INSERT INTO admin.Payment VALUES(830,641,342,admin.reference\_number\_seq.NEXTVAL);  
INSERT INTO admin.Payment VALUES(831,642,343,admin.reference\_number\_seq.NEXTVAL);  
INSERT INTO admin.Payment VALUES(832,657,344,admin.reference\_number\_seq.NEXTVAL);  
INSERT INTO admin.Payment VALUES(833,644,345,admin.reference\_number\_seq.NEXTVAL);  
INSERT INTO admin.Payment VALUES(834,645,346,admin.reference\_number\_seq.NEXTVAL);  
INSERT INTO admin.Payment VALUES(835,647,347,admin.reference\_number\_seq.NEXTVAL);  
INSERT INTO admin.Payment VALUES(836,649,348,admin.reference\_number\_seq.NEXTVAL);  
INSERT INTO admin.Payment VALUES(837,651,349,admin.reference\_number\_seq.NEXTVAL);  
INSERT INTO admin.Payment VALUES(838,652,350,admin.reference\_number\_seq.NEXTVAL);  
INSERT INTO admin.Payment VALUES(839,653,351,admin.reference\_number\_seq.NEXTVAL);  
INSERT INTO admin.Payment VALUES(840,654,352,admin.reference\_number\_seq.NEXTVAL);  
INSERT INTO admin.Payment VALUES(841,655,353,admin.reference\_number\_seq.NEXTVAL);  
INSERT INTO admin.Payment VALUES(842,656,354,admin.reference\_number\_seq.NEXTVAL);  
INSERT INTO admin.Payment VALUES(843,702,355,admin.reference\_number\_seq.NEXTVAL);  
INSERT INTO admin.Payment VALUES(844,703,356,admin.reference\_number\_seq.NEXTVAL);  
INSERT INTO admin.Payment VALUES(845,705,357,admin.reference\_number\_seq.NEXTVAL);  
INSERT INTO admin.Payment VALUES(846,706,358,admin.reference\_number\_seq.NEXTVAL);  
INSERT INTO admin.Payment VALUES(847,708,359,admin.reference\_number\_seq.NEXTVAL);  
INSERT INTO admin.Payment VALUES(848, 709,360 ,admin.reference\_number\_seq.NEXTVAL);  
INSERT INTO admin.Payment VALUES(849, 711, 361 ,admin.reference\_number\_seq.NEXTVAL);  
INSERT INTO admin.Payment VALUES(850, 712, 362 ,admin.reference\_number\_seq.NEXTVAL);  
INSERT INTO admin.Payment VALUES(851, 714, 363 ,admin.reference\_number\_seq.NEXTVAL);  
INSERT INTO admin.Payment VALUES(852, 715, 364 ,admin.reference\_number\_seq.NEXTVAL);  
INSERT INTO admin.Payment VALUES(853, 716, 365 ,admin.reference\_number\_seq.NEXTVAL);  
INSERT INTO admin.Payment VALUES(854, 718,366 ,admin.reference\_number\_seq.NEXTVAL);  
INSERT INTO admin.Payment VALUES(855, 719, 367 ,admin.reference\_number\_seq.NEXTVAL);  
INSERT INTO admin.Payment VALUES(856, 721, 368,admin.reference\_number\_seq.NEXTVAL);  
INSERT INTO admin.Payment VALUES(857, 722, 369 ,admin.reference\_number\_seq.NEXTVAL);  
INSERT INTO admin.Payment VALUES(858, 724, 370 ,admin.reference\_number\_seq.NEXTVAL);  
INSERT INTO admin.Payment VALUES(859, 725, 371,admin.reference\_number\_seq.NEXTVAL);  
INSERT INTO admin.Payment VALUES(860, 727, 372 ,admin.reference\_number\_seq.NEXTVAL);  
INSERT INTO admin.Payment VALUES(861, 728,373 ,admin.reference\_number\_seq.NEXTVAL);  
INSERT INTO admin.Payment VALUES(862, 730, 374 ,admin.reference\_number\_seq.NEXTVAL);  
INSERT INTO admin.Payment VALUES(863, 731, 375 ,admin.reference\_number\_seq.NEXTVAL);  
INSERT INTO admin.Payment VALUES(864, 732 , 376 ,admin.reference\_number\_seq.NEXTVAL);  
INSERT INTO admin.Payment VALUES(865, 734, 377 ,admin.reference\_number\_seq.NEXTVAL);  
INSERT INTO admin.Payment VALUES(866, 735, 378 ,admin.reference\_number\_seq.NEXTVAL);

```

INSERT INTO admin.Payment VALUES(867, 737 , 379 ,admin.reference_number_seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(868, 738 , 380 ,admin.reference_number_seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(869, 740, 381 ,admin.reference_number_seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(870, 741, 382 ,admin.reference_number_seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(871, 743, 383 ,admin.reference_number_seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(872, 744, 384 ,admin.reference_number_seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(873, 746, 385 ,admin.reference_number_seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(874, 747, 386 ,admin.reference_number_seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(875, 748, 387 ,admin.reference_number_seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(876, 750, 311 ,admin.reference_number_seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(877, 751, 312 ,admin.reference_number_seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(878, 753, 313 ,admin.reference_number_seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(879, 754, 314 ,admin.reference_number_seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(880, 756, 315 ,admin.reference_number_seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(881, 757, 316 ,admin.reference_number_seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(882, 759, 317 ,admin.reference_number_seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(883, 760, 318 ,admin.reference_number_seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(884, 762, 319 ,admin.reference_number_seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(885, 763, 320 ,admin.reference_number_seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(886, 764, 321 ,admin.reference_number_seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(887,639,340,admin.reference_number_seq.NEXTVAL);

```

```

COMMIT;

```

```

--Insert Venue values into Venue Table

```

```

INSERT INTO admin.VENUE VALUES (1100, 'Eden Gardens', 8, 85000, 'KKR' , 'Kolkata');
INSERT INTO admin.VENUE VALUES (1101, 'MA Chidambaram Stadium', 5, 75000, 'CSK' ,
'Chennai');
INSERT INTO admin.VENUE VALUES (1102, 'Arun Jaitley Stadium', 8, 95000, 'DC' , 'Delhi');
INSERT INTO admin.VENUE VALUES (1103, 'Wankhede Stadium', 8, 95000, 'MI' , 'Mumbai');
INSERT INTO admin.VENUE VALUES (1104, 'M.Chinnaswamy Stadium', 8, 95000, 'RCB' ,
'Bengaluru');
INSERT INTO admin.VENUE VALUES (1105, 'Narendra Modi Stadium', 8, 90000, 'KXIP' , 'Punjab');
INSERT INTO admin.VENUE VALUES (1106, 'Rajiv Gandhi Stadium', 8, 95000, 'SRH' ,
'Hyderabad');
INSERT INTO admin.VENUE VALUES (1107, 'Sawai Mansingh Stadium', 8, 95000, 'RR' , 'Jaipur');

```

```

COMMIT;

```

--Insert Fixture values into Fixture Table

```
INSERT INTO admin.FIXTURE VALUES(900, 'CSK', 'RCB', 1101, TO_DATE('2021-05-24 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'CSK', 'WON BY 10 WICKETS', 1006);
INSERT INTO admin.FIXTURE VALUES(901, 'CSK', 'MI', 1103, TO_DATE('2021-05-25 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'MI', 'WON BY 8 WICKETS', 1006);
INSERT INTO admin.FIXTURE VALUES(902, 'CSK', 'KKR', 1101, TO_DATE('2021-05-26 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'CSK', 'WON BY 9 WICKETS', 1006);
INSERT INTO admin.FIXTURE VALUES(903, 'CSK', 'DC', 1102, TO_DATE('2021-05-27 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'DC', 'WON BY 1 WICKET', 1006);
INSERT INTO admin.FIXTURE VALUES(904, 'CSK', 'RR', 1107, TO_DATE('2021-05-28 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'CSK', 'WON BY 3 WICKETS', 1006);
INSERT INTO admin.FIXTURE VALUES(905, 'CSK', 'SRH', 1101, TO_DATE('2021-05-29 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'CSK', 'WON BY 6 WICKETS', 1006);
INSERT INTO admin.FIXTURE VALUES(906, 'CSK', 'KXIP', 1101, TO_DATE('2021-05-30 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'KXIP', 'WON BY 2 WICKETS', 1006);
INSERT INTO admin.FIXTURE VALUES(907, 'RCB', 'MI', 1104, TO_DATE('2021-05-31 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'RCB', 'WON BY 10 WICKETS', 1006);
INSERT INTO admin.FIXTURE VALUES(908, 'RCB', 'KKR', 1100, TO_DATE('2021-06-01 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'RCB', 'WON BY 10 WICKETS', 1006);
INSERT INTO admin.FIXTURE VALUES(909, 'RCB', 'DC', 1104, TO_DATE('2021-06-02 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'DC', 'WON BY 5 WICKETS', 1006);
INSERT INTO admin.FIXTURE VALUES(910, 'RCB', 'RR', 1107, TO_DATE('2021-06-03 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'RR', 'WON BY 10 WICKETS', 1006);
INSERT INTO admin.FIXTURE VALUES(911, 'RCB', 'SRH', 1104, TO_DATE('2021-06-04 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'RCB', 'WON BY 9 WICKETS', 1006);
INSERT INTO admin.FIXTURE VALUES(912, 'RCB', 'KXIP', 1105, TO_DATE('2021-06-05 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'KXIP', 'WON BY 1 WICKETS', 1006);
INSERT INTO admin.FIXTURE VALUES(913, 'MI', 'KKR', 1103, TO_DATE('2021-06-06 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'KKR', 'WON BY 10 WICKETS', 1006);
INSERT INTO admin.FIXTURE VALUES(914, 'MI', 'DC', 1102, TO_DATE('2021-06-07 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'MI', 'WON BY 10 WICKETS', 1006);
INSERT INTO admin.FIXTURE VALUES(915, 'MI', 'RR', 1103, TO_DATE('2021-06-08 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'MI', 'WON BY 1 WICKETS', 1006);
INSERT INTO admin.FIXTURE VALUES(916, 'MI', 'SRH', 1106, TO_DATE('2021-06-09 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'SRH', 'WON BY 4 WICKETS', 1006);
INSERT INTO admin.FIXTURE VALUES(917, 'MI', 'KXIP', 1105, TO_DATE('2021-06-10 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'KXIP', 'WON BY 10 WICKETS', 1006);
INSERT INTO admin.FIXTURE VALUES(918, 'KKR', 'DC', 1100, TO_DATE('2021-06-11 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'KKR', 'WON BY 1 WICKETS', 1006);
```

```
INSERT INTO admin.FIXTURE VALUES(919, 'KKR', 'RR', 1107, TO_DATE('2021-06-12 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'RR', 'WON BY 8 WICKETS', 1006);
INSERT INTO admin.FIXTURE VALUES(920, 'KKR', 'SRH', 1100, TO_DATE('2021-06-13 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'KKR', 'WON BY 1 WICKETS', 1006);
INSERT INTO admin.FIXTURE VALUES(921, 'KKR', 'KXIP', 1105, TO_DATE('2021-06-14 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'KXIP', 'WON BY 3 WICKETS', 1006);
INSERT INTO admin.FIXTURE VALUES(922, 'DC', 'RR', 1102, TO_DATE('2021-06-15 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'DC', 'WON BY 10 WICKETS', 1006);
INSERT INTO admin.FIXTURE VALUES(923, 'DC', 'SRH', 1106, TO_DATE('2021-06-16 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'SRH', 'WON BY 5 WICKETS', 1006);
INSERT INTO admin.FIXTURE VALUES(924, 'DC', 'KXIP', 1102, TO_DATE('2021-06-17 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'DC', 'WON BY 1 WICKETS', 1006);
INSERT INTO admin.FIXTURE VALUES(925, 'RR', 'SRH', 1107, TO_DATE('2021-06-18 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'RR', 'WON BY 5 WICKETS', 1006);
INSERT INTO admin.FIXTURE VALUES(926, 'RR', 'KXIP', 1105, TO_DATE('2021-06-19 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'KXIP', 'WON BY 8 WICKETS', 1006);
INSERT INTO admin.FIXTURE VALUES(927, 'SRH', 'KXIP', 1105, TO_DATE('2021-06-20 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'KXIP', 'WON BY 7 WICKETS', 1006);
INSERT INTO admin.FIXTURE VALUES(928, 'CSK', 'RCB', 1101, TO_DATE('2020-05-24 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'RCB', 'WON BY 10 WICKETS', 1005);
INSERT INTO admin.FIXTURE VALUES(929, 'CSK', 'MI', 1103, TO_DATE('2020-05-25 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'CSK', 'WON BY 8 WICKETS', 1005);
INSERT INTO admin.FIXTURE VALUES(930, 'CSK', 'KKR', 1101, TO_DATE('2020-05-26 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'KKR', 'WON BY 9 WICKETS', 1005);
INSERT INTO admin.FIXTURE VALUES(931, 'CSK', 'DC', 1102, TO_DATE('2020-05-27 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'CSK', 'WON BY 1 WICKET', 1005);
INSERT INTO admin.FIXTURE VALUES(932, 'CSK', 'RR', 1107, TO_DATE('2020-05-28 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'RR', 'WON BY 3 WICKETS', 1005);
INSERT INTO admin.FIXTURE VALUES(933, 'CSK', 'SRH', 1101, TO_DATE('2020-05-29 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'SRH', 'WON BY 6 WICKETS', 1005);
INSERT INTO admin.FIXTURE VALUES(934, 'CSK', 'KXIP', 1101, TO_DATE('2020-05-30 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'CSK', 'WON BY 2 WICKETS', 1005);
INSERT INTO admin.FIXTURE VALUES(935, 'RCB', 'MI', 1104, TO_DATE('2020-05-31 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'MI', 'WON BY 10 WICKETS', 1005);
INSERT INTO admin.FIXTURE VALUES(936, 'RCB', 'KKR', 1100, TO_DATE('2020-06-01 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'KKR', 'WON BY 10 WICKETS', 1005);
INSERT INTO admin.FIXTURE VALUES(937, 'RCB', 'DC', 1104, TO_DATE('2020-06-02 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'RCB', 'WON BY 5 WICKETS', 1005);
INSERT INTO admin.FIXTURE VALUES(938, 'RCB', 'RR', 1107, TO_DATE('2020-06-03 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'RCB', 'WON BY 10 WICKETS', 1005);
INSERT INTO admin.FIXTURE VALUES(939, 'RCB', 'SRH', 1104, TO_DATE('2020-06-04 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'SRH', 'WON BY 9 WICKETS', 1005);
```

```

INSERT INTO admin.FIXTURE VALUES(940, 'RCB', 'KXIP', 1105, TO_DATE('2020-06-05 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'RCB', 'WON BY 1 WICKETS', 1005);
INSERT INTO admin.FIXTURE VALUES(941, 'MI', 'KKR', 1103, TO_DATE('2020-06-06 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'MI', 'WON BY 10 WICKETS', 1005);
INSERT INTO admin.FIXTURE VALUES(942, 'MI', 'DC', 1102, TO_DATE('2020-06-07 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'DC', 'WON BY 10 WICKETS', 1005);
INSERT INTO admin.FIXTURE VALUES(943, 'MI', 'RR', 1103, TO_DATE('2020-06-08 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'RR', 'WON BY 1 WICKETS', 1005);
INSERT INTO admin.FIXTURE VALUES(944, 'MI', 'SRH', 1106, TO_DATE('2020-06-09 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'MI', 'WON BY 4 WICKETS', 1005);
INSERT INTO admin.FIXTURE VALUES(945, 'MI', 'KXIP', 1105, TO_DATE('2020-06-10 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'MI', 'WON BY 10 WICKETS', 1005);
INSERT INTO admin.FIXTURE VALUES(946, 'KKR', 'DC', 1100, TO_DATE('2020-06-11 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'DC', 'WON BY 1 WICKETS', 1005);
INSERT INTO admin.FIXTURE VALUES(947, 'KKR', 'RR', 1107, TO_DATE('2020-06-12 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'KKR', 'WON BY 8 WICKETS', 1005);
INSERT INTO admin.FIXTURE VALUES(948, 'KKR', 'SRH', 1100, TO_DATE('2020-06-13 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'SRH', 'WON BY 1 WICKETS', 1005);
INSERT INTO admin.FIXTURE VALUES(949, 'KKR', 'KXIP', 1105, TO_DATE('2020-06-14 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'KKR', 'WON BY 3 WICKETS', 1005);
INSERT INTO admin.FIXTURE VALUES(950, 'DC', 'RR', 1102, TO_DATE('2020-06-15 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'RR', 'WON BY 10 WICKETS', 1005);
INSERT INTO admin.FIXTURE VALUES(951, 'DC', 'SRH', 1106, TO_DATE('2020-06-16 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'DC', 'WON BY 5 WICKETS', 1005);
INSERT INTO admin.FIXTURE VALUES(952, 'DC', 'KXIP', 1102, TO_DATE('2020-06-17 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'KXIP', 'WON BY 1 WICKETS', 1005);
INSERT INTO admin.FIXTURE VALUES(953, 'RR', 'SRH', 1107, TO_DATE('2020-06-18 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'SRH', 'WON BY 5 WICKETS', 1005);
INSERT INTO admin.FIXTURE VALUES(954, 'RR', 'KXIP', 1105, TO_DATE('2020-06-19 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'RR', 'WON BY 8 WICKETS', 1005);
INSERT INTO admin.FIXTURE VALUES(955, 'SRH', 'KXIP', 1105, TO_DATE('2020-06-20 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'SRH', 'WON BY 7 WICKETS', 1005);
COMMIT;

```

--Insert Team\_Standings values into Team\_Standings Table

```

INSERT INTO admin.team_standings VALUES
(Team_standings_SEQ.NEXTVAL,7,6,1,0,0,12,1006,'KXIP');

```

```

INSERT INTO admin.team_standings VALUES
(Team_standings_SEQ.NEXTVAL,7,4,3,0,0,8,1006,'CSK');
INSERT INTO admin.team_standings VALUES
(Team_standings_SEQ.NEXTVAL,7,4,3,0,0,8,1006,'DC');
INSERT INTO admin.team_standings VALUES
(Team_standings_SEQ.NEXTVAL,7,3,4,0,0,6,1006,'RCB');
INSERT INTO admin.team_standings VALUES
(Team_standings_SEQ.NEXTVAL,7,3,4,0,0,6,1006,'MI');
INSERT INTO admin.team_standings VALUES
(Team_standings_SEQ.NEXTVAL,7,3,4,0,0,6,1006,'RR');
INSERT INTO admin.team_standings VALUES
(Team_standings_SEQ.NEXTVAL,7,3,4,0,0,6,1006,'KKR');
INSERT INTO admin.team_standings VALUES
(Team_standings_SEQ.NEXTVAL,7,2,5,0,0,4,1006,'SRH');
INSERT INTO admin.team_standings VALUES
(Team_standings_SEQ.NEXTVAL,7,5,2,0,0,12,1005,'SRH');
INSERT INTO admin.team_standings VALUES
(Team_standings_SEQ.NEXTVAL,7,4,3,0,0,8,1005,'RCB');
INSERT INTO admin.team_standings VALUES
(Team_standings_SEQ.NEXTVAL,7,4,3,0,0,8,1005,'MI');
INSERT INTO admin.team_standings VALUES
(Team_standings_SEQ.NEXTVAL,7,4,3,0,0,6,1005,'RR');
INSERT INTO admin.team_standings VALUES
(Team_standings_SEQ.NEXTVAL,7,4,3,0,0,6,1005,'KKR');
INSERT INTO admin.team_standings VALUES
(Team_standings_SEQ.NEXTVAL,7,3,4,0,0,6,1005,'CSK');
INSERT INTO admin.team_standings VALUES
(Team_standings_SEQ.NEXTVAL,7,3,4,0,0,6,1005,'DC');
INSERT INTO admin.team_standings VALUES
(Team_standings_SEQ.NEXTVAL,7,1,6,0,0,4,1005,'KXIP');

```

```

COMMIT;

```

```

--Insert Ticket_Class values into Ticket_Class Table

```

```

INSERT INTO admin.TICKET_CLASS VALUES (admin.TICKET_CLASS_SEQ.nextval, 'SILVER', 30);
INSERT INTO admin.TICKET_CLASS VALUES (admin.TICKET_CLASS_SEQ.nextval, 'GOLD', 50);
INSERT INTO admin.TICKET_CLASS VALUES (admin.TICKET_CLASS_SEQ.nextval, 'PLATINUM',
100);

```

```

COMMIT;

```















































```

INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,927, 2000, 518, 6, 1006 );
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,927, 2001, 519, 4, 1006 );
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,927, 2002, 520, 3, 1006 );
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,927, 2002, 521, 5, 1006 );
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,927, 2001, 522, 18, 1006 );
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,927, 2001, 523, 7, 1006 );
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,927, 2001, 524, 2, 1006 );
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,927, 2002, 525, 5, 1006 );
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,927, 2001, 526, 10, 1006 );
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,927, 2001, 527, 8, 1006 );
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,927, 2001, 528, 17, 1006 );
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,927, 2002, 529, 5, 1006 );

```

```

COMMIT;

```

--Revenue generated by each match in the league

```

select ma.match_id as match_id, te1.team_name || ' vs ' || te2.team_name as teams,
SUM(bk.ticket_count*tc.ticket_price) as revenue from ADMIN.fixture ma
inner join ADMIN.booking bk on bk.match_id = ma.match_id
inner join ADMIN.ticket_class tc on bk.ticket_type_id = tc.ticket_id
inner join ADMIN.team te1 on ma.team1_id = te1.team_id
inner join ADMIN.team te2 on ma.team2_id = te2.team_id
group by ma.match_id, te1.team_name, te2.team_name
order by revenue desc;

```

--top 10 most expensive players in league

```

select pl.player_name, pl.base_price, bid.bid_amount, ow.team_name as bought_by from
ADMIN.bid bid
inner join ADMIN.team_owner ow on ow.owner_id=bid.owner_id
inner join ADMIN.player pl on pl.player_id=bid.player_id
where bid.is_final_bid='T'
order by bid.bid_amount desc
fetch first 10 rows only;

```

--Number of players in each team, domestic or international, batsman vs bowler vs wk

```

select te.team_name, SUM(CASE WHEN pl.player_role='BATSMAN' THEN 1 ELSE 0 END) AS
Batsman,
SUM(CASE WHEN pl.player_role = 'BOWLER' THEN 1 ELSE 0 END) AS Bowler,
SUM(CASE WHEN pl.player_role = 'WK' THEN 1 ELSE 0 END) AS WK,

```

```
SUM(CASE WHEN pl.player_role = 'ALLROUNDER' THEN 1 ELSE 0 END) AS AllRounder,  
SUM(CASE WHEN pl.player_type = 'DOMESTIC' THEN 1 ELSE 0 END) AS Domestic,  
SUM(CASE WHEN pl.player_type = 'INTERNATIONAL' THEN 1 ELSE 0 END) AS International  
from admin.player pl  
inner join admin.team te on te.team_id=pl.team_id  
group by te.team_name;
```

--Reports to show the money spent, remaining money with each owner after bidding

```
select ow.team_name, round(SUM(bid.bid_amount)/10000000,2) as amount_spent, round(50 -  
SUM(bid.bid_amount)/10000000,2) as purse_left from admin.bid bid  
inner join admin.team_owner ow on ow.owner_id=bid.owner_id  
where bid.is_final_bid='T'  
group by ow.team_name;
```

--Each team and owner with their highest bid amount in the league

```
select ow.team_name, ow.owner_name, max(bid.bid_amount) as max_bid from  
admin.team_owner ow  
left join admin.bid bid on bid.owner_id=ow.owner_id  
where bid.is_final_bid='T'  
group by ow.team_name, ow.owner_name;
```

# Cricket league managment system

