DAMG 6210 - DATA MANAGEMENT AND DATABASE DESIGN FINAL PROJECT(Cricket League Management System)

Team: 10

Name	NUID
Mohith Lalita Kumar Parvataneni	001565574
Anil Kumar Potharaju	001592990
Eswara Sai Nath Adusumalli	001565578
Sai Supraja Kosuri	002191644
Sai Saketh Kosuri	002199401
Venkata Sandeep Barla	002135635

Problem Statement:

Managing a cricket league is robust task for a cricket board. Till date this event is not fully virtual. It may be difficult for players and teams to register themselves with the cricket board in certain times. For solving this problem, we are creating a cricket league management system for the sports board which is used by the cricket board to conduct a virtual auction and manage the whole league in terms of venue selection and scheduling matches, player payment, allotment of points and declare the winners. The whole event can be managed on a single virtual platform.

Objectives:

- The team owners who want to bid for a particular player can bid from anyplace and anytime because the system is fully functional 24/7 when auction is going on.
- Access Restrictions: Only registered teams can place bid on the players who are registered.
- The system is available for anyone who want to view to auction with only "view privilege".
- A team owner can search for a particular player and check his availability and manage their team.
- Salaries for the players are done using the same platform.

- Every user of the system will be authenticated and they have access privileges to access the information.
- Every user can view the stats of each team, player.
- Cricket board can manage the whole event on a single platform.
- Ticket payments from the spectators to the respective stakeholders can be maintained here

Present System:

The present system which is an offline system involves team management attending auction which is held at a particular venue in a particular time, maintain the record of a player and bid for him. A player needs to convey his availability to the cricket board(including foreign players). Also it is not easy to manage the whole event which involves finalizing the venues/home grounds, maintain the player statistics of every season, bid information, maintain the list of sold/unsold/retained players, trades between teams, replacements. The whole process is time and money consuming. Moreover team owners need to travel from across the country to the venue. Also external users(public/fans) who wants to view the auction in real time cannot attend the event. There are also many others problems that management might face while organizing such a large event.

Proposed solution:

The proposed "Cricket League Management" system is an online portal which is build with a goal of managing a whole cricket league from conducting auction to declaring the winner. Owners and players gets registered into the system and the system is available 24/7, so the owners can bid on the players from any place and anywhere which saves a lot of their time and money. Teams owners can use this system to track the budget/bidding amount/fee paid to the player, search for a particular player, monitor player/team performance, get venue information, perform statistical analysis of players, etc. Players can use this system to register and take part of the auction, keep track of their statistics, get information about venues, etc. The users(public) can access this system to get live updates about the auction and the league, know the statistics of a player, etc. The cricket board can use this system to maintain the bid information, player statistics, list of sold/unsold/retained players, venues information, team/ players history in previous seasons, etc. Only authenticated owners/players can take part in the auction. The database keeps the information about the auction, player history, player/team statistics, venues, etc. There is also an administrator for the whole system who add owners/

players, set the bidding amount limit, decide the venues, track the auction, manage the players entry(eligibility) into the auction, etc. The system has strong user authentication.

Business Rules

- When a user registers, they will select their type which is owner, player or spectator.
 - The user type cannot be null (NOT NULL).
 - Password will be in encrypted format.
 - User ID is the primary key
- Every Owner can have only 1 team.
 - The Budget for each team is 50 crores.
 - Team Name cannot be null (NOT NULL).
- User ID is the foreign key.
- Unique constraint is enforced on owner_id field.
- Every Owner can bid on multiple players.
- The Owner who bids the maximum amount for a particular player gets them.
- IS_FINAL_BID is updated to true for the latest entry once bidding is completed indicating that the player is sold.
- Bid ID is the primary key and Owner ID, Player ID are the foreign keys Payment is made to the player after bidding is confirmed.
- Payment (Final BID amount) is processed when IS FINAL BID is true.
- Payment ID is the primary key. Bid ID, Player ID are foreign keys.
- Every player has a base price
- Owner can place a bid on a player for an amount which is more than the base price.
- Player has a country which determines if he is a foreign player or a domestic player.
- Player ID is the primary key.
- User ID and Team ID are the foreign keys.
- A Team can have a maximum of 25 players
- Player Name must be unique and not null.
 - Team ID is the primary key. Owner ID is the foreign key.
- A team will have a home ground.
 - Team Name must be unique and not null.
- The winner is the team with maximum victories(Highest points).
- Team standings table is updated based on the fixture
- League ID, Match ID, Venue ID are the foreign keys in the Schedule Table
- Match Date should be within the FROM and TO dates of the League.
- Details of the league matches held till now are stored in the League Table

- League Name cannot be null.
- League ID is the primary key which indicates the year in which the league is being held
- Cost of the ticket is based on the type which the spectators choose.
- There are three types of tickets. PLATINUM (100 USD), GOLD (50), SILVER (30)
- The maximum tickets which can be sold is based on the capacity of the venue Each Spectator is allowed to book a maximum of 20 tickets.

Views:

- To view players in a team with their sold price and type

Team_Players - Player_name, Bid_Amount, Player_Type, Country

- To view full schedule of the cricket league (List all the encounters between teams)

League_schedule - Team1, Team2, Venue_Name, Match_Date

- User ticket booking view (Show a ticket after booking is complete)


Ticket - Name, Match(Enounter), No.of tickets, Total_price

- Bid payment view (Owners manage payments to players after the auction)

Bid_payment - Player_name, Amount_Paid, Payment_id


Data flow diagrams:

1. Login module




2. Bidding and Payment module


Bidding and Payment Module




3. Match result module



4. Ticket Booking module



Complete process workflow (Data flow diagram)



Security (User level access, permissions) INSERT/ UPDATE/ DELETE/ VIEW

In this project, we have created 3 different users from admin – mohith, supraja, Saketh

Create user <username> identified by <password>

Granted create session privilege to all the users from admin

Grant create session to <username>

We have created all the tables in Admin and gave different privileges (CRUD) on different tables to three users. Each user has different permissions on different tables.

User - Admin:

TABLE_NAME	CREATE	VIEW	UPDATE	DELETE	INSERT
ACCOUNT		•	•	Ø	•
PLAYER					lacksquare
VENUE		•		Ø	Ø
LEAGUE					
MATCH			lacksquare		lacksquare
PAYMENT					lacksquare
TEAM		lacksquare			lacksquare
OWNER		lacksquare			lacksquare
TICKET_CLASS					lacksquare
BID			lacksquare		lacksquare
BOOKING					igoremsize
TEAM_STANDINGS					lacksquare
AUDINECE					

User – Mohith:

MOHITH

TABLE_NAME	CREATE	VIEW	UPDATE	DELETE	INSERT
ACCOUNT		Ø			Ø
PLAYER		Ø			Ø
VENUE					
LEAGUE					
матсн					
PAYMENT					
TEAM					
OWNER					
TICKET_CLASS					
BID					
BOOKING					
TEAM_STANDINGS		⊘			Ø
AUDINECE					

User – Saketh:

SAKETH

TABLE_NAME	CREATE	VIEW	UPDATE	DELETE	INSERT
ACCOUNT				lacksquare	Ø
PLAYER				igoremsize	lacksquare
VENUE					
LEAGUE					
матсн					
PAYMENT					
TEAM		lacksquare	lacksquare	lacksquare	
OWNER					
TICKET_CLASS					
BID		lacksquare	lacksquare	lacksquare	
BOOKING					
TEAM_STANDINGS					
AUDINECE					

User – Supraja:

SUPRAJA

TABLE_NAME	CREATE	VIEW	UPDATE	DELETE	INSERT
ACCOUNT		Ø	Ø		
PLAYER		Ø			
VENUE		Ø	⊘	②	Ø
LEAGUE		Ø	Ø	Ø	Ø
MATCH		Ø	Ø	Ø	Ø
PAYMENT		Ø			
TEAM		Ø	⊘	②	Ø
OWNER					
TICKET_CLASS					
BID		Ø	Ø	Ø	Ø
BOOKING		Ø			
TEAM_STANDINGS					
AUDINECE					

Script:

```
--Drop User_Account table

BEGIN

EXECUTE IMMEDIATE 'DROP TABLE USER_ACCOUNT CASCADE CONSTRAINTS';

EXCEPTION

WHEN OTHERS THEN

IF SQLCODE != -942 THEN

RAISE;

END IF;

END;
/
```

```
--Drop Team_Owner Table
BEGIN
 EXECUTE IMMEDIATE 'DROP TABLE TEAM_OWNER CASCADE CONSTRAINTS';
EXCEPTION
 WHEN OTHERS THEN
  IF SQLCODE != -942 THEN
    RAISE;
  END IF;
END;
-- Drop Team Table
BEGIN
 EXECUTE IMMEDIATE 'DROP TABLE TEAM CASCADE CONSTRAINTS';
EXCEPTION
 WHEN OTHERS THEN
  IF SQLCODE != -942 THEN
    RAISE;
  END IF;
END;
-- Drop Venue Table
BEGIN
 EXECUTE IMMEDIATE 'DROP TABLE VENUE CASCADE CONSTRAINTS';
EXCEPTION
 WHEN OTHERS THEN
  IF SQLCODE != -942 THEN
    RAISE;
  END IF;
END;
-- Drop Player Table
BEGIN
 EXECUTE IMMEDIATE 'DROP TABLE PLAYER CASCADE CONSTRAINTS';
EXCEPTION
```

```
WHEN OTHERS THEN
   IF SQLCODE != -942 THEN
    RAISE;
   END IF;
END;
-- Drop Bid Table
BEGIN
 EXECUTE IMMEDIATE 'DROP TABLE BID CASCADE CONSTRAINTS';
EXCEPTION
 WHEN OTHERS THEN
  IF SQLCODE != -942 THEN
    RAISE;
   END IF;
END;
-- Drop League Table
BEGIN
 EXECUTE IMMEDIATE 'DROP TABLE LEAGUE CASCADE CONSTRAINTS';
EXCEPTION
 WHEN OTHERS THEN
   IF SQLCODE != -942 THEN
    RAISE;
   END IF;
END;
/
-- Drop Fixture Table
BEGIN
 EXECUTE IMMEDIATE 'DROP TABLE FIXTURE CASCADE CONSTRAINTS';
EXCEPTION
 WHEN OTHERS THEN
   IF SQLCODE != -942 THEN
    RAISE;
   END IF;
END;
-- Drop Payment Table
BEGIN
```

```
EXECUTE IMMEDIATE 'DROP TABLE PAYMENT CASCADE CONSTRAINTS';
EXCEPTION
 WHEN OTHERS THEN
  IF SQLCODE != -942 THEN
    RAISE;
  END IF;
END;
-- Drop Ticket_Class Table
BEGIN
 EXECUTE IMMEDIATE 'DROP TABLE TICKET_CLASS CASCADE CONSTRAINTS';
EXCEPTION
 WHEN OTHERS THEN
  IF SQLCODE != -942 THEN
    RAISE;
  END IF;
END;
-- Drop Booking Table
BEGIN
 EXECUTE IMMEDIATE 'DROP TABLE BOOKING CASCADE CONSTRAINTS';
EXCEPTION
 WHEN OTHERS THEN
  IF SQLCODE != -942 THEN
    RAISE;
  END IF;
END;
-- Drop Audience Table
BEGIN
 EXECUTE IMMEDIATE 'DROP TABLE AUDIENCE CASCADE CONSTRAINTS';
EXCEPTION
 WHEN OTHERS THEN
  IF SQLCODE != -942 THEN
    RAISE;
  END IF;
END;
```

```
/
-- Drop Team Standings Table
BEGIN
 EXECUTE IMMEDIATE 'DROP TABLE TEAM_STANDINGS CASCADE CONSTRAINTS';
EXCEPTION
 WHEN OTHERS THEN
   IF SQLCODE != -942 THEN
    RAISE;
  END IF;
END;
--User Account Table Creation
CREATE TABLE USER_ACCOUNT(
USER_ID NUMBER(10) NOT NULL,
USER TYPE VARCHAR(10) NOT NULL,
USERNAME VARCHAR(20) NOT NULL,
USER_PWD VARCHAR(20),
AGE NUMBER(2),
SEX VARCHAR(10),
EMAIL VARCHAR(30),
CONTACT NUMBER(10),
CONSTRAINT USER_ACCOUNT_PK PRIMARY KEY(USER_ID));
-- Team Owner Table Creation
CREATE TABLE TEAM OWNER(
Owner_Id NUMBER(10) NOT NULL,
User Id NUMBER(10) NOT NULL,
Owner Name VARCHAR2(30)NOT NULL,
Team Name VARCHAR2(30) NOT NULL,
Alloted Amount NUMBER(30),
CONSTRAINT TEAM_OWNER_PK PRIMARY KEY(Owner_Id));
--Team Table Creation
CREATE TABLE TEAM(
Team Id VARCHAR2(5) NOT NULL,
Owner_Id NUMBER(10) NOT NULL,
Team_Name VARCHAR2(30) NOT NULL,
```

Home_Ground VARCHAR2(30), CONSTRAINT TEAM_PK PRIMARY KEY(Team_Id));

--Venue Table Creation
CREATE TABLE VENUE(
VENUE_ID NUMBER(5) NOT NULL,
VENUE_NAME VARCHAR(30) NOT NULL,
VENUE_STANDS NUMBER(2)NOT NULL,
VENUE_CAPACITY NUMBER(6) NOT NULL,
HOME_TEAM_ID VARCHAR2(5) NOT NULL,
CITY VARCHAR(20),
CONSTRAINT VENUE_PK_PRIMARY KEY(VENUE_ID));

--Playe Table Creation

CREATE TABLE PLAYER (

Player_ID NUMBER NOT NULL,

User_ID NUMBER NOT NULL,

Team_ID VARCHAR2(5) NOT NULL,

Player_Name VARCHAR(20) NOT NULL,

Base_Price NUMBER DEFAULT 50000,

Player_Type VARCHAR(20) NOT NULL,

Player_Role VARCHAR(20) NOT NULL,

Country VARCHAR(20) NOT NULL,

Constraint PLAYER_PK PRIMARY KEY(Player_ID));

--Bid Table Creation
CREATE TABLE BID(
BID_ID NUMBER(10) NOT NULL,
OWNER_ID NUMBER(10) NOT NULL,
PLAYER_ID NUMBER(10) NOT NULL,
BID_TIME DATE,
IS_FINAL_BID CHAR(1),
BID_AMOUNT NUMBER(10),
LEAGUE_ID NUMBER(10),
CONSTRAINT BID_PK PRIMARY KEY(BID_ID));

--League Table Creation
CREATE TABLE LEAGUE(
LEAGUE_ID NUMBER(3) NOT NULL,
LEAGUE_NAME VARCHAR(30) NOT NULL,
START_DATE DATE NOT NULL,

END_DATE DATE NOT NULL,
TEAM_COUNT NUMBER(2),
TOTAL_NUMBER_OF_MATCHES NUMBER(3),
CONSTRAINT LEAGUE PK PRIMARY KEY(LEAGUE ID));

--Fixture Table Creation

CREATE TABLE FIXTURE(

MATCH_ID NUMBER(5) NOT NULL,

TEAM1_ID VARCHAR2(5) NOT NULL,

TEAM2_ID VARCHAR2(5) NOT NULL,

VENUE_ID NUMBER(5) NOT NULL,

MATCH_DATE DATE NOT NULL,

WINNER VARCHAR2(5) NOT NULL,

WIN_DETAILS VARCHAR(20) NOT NULL,

LEAGUE_ID NUMBER(5) NOT NULL,

CONSTRAINT FIXTURE_PK PRIMARY KEY(MATCH_ID));

--Payment Table Creation
CREATE TABLE PAYMENT(
PAYMENT_ID NUMBER(5) NOT NULL,
BID_ID NUMBER(10) NOT NULL,
PLAYER_ID NUMBER NOT NULL,
REFERENCE_NUM NUMBER(10) NOT NULL,
CONSTRAINT PAYMENT_PK PRIMARY KEY(PAYMENT_ID));

--Ticket_Class Table Creation
CREATE TABLE TICKET_CLASS(
TICKET_ID NUMBER(10) NOT NULL,
TICKET_TYPE VARCHAR(10),
TICKET_PRICE NUMBER(5),
CONSTRAINT TICKET_CLASS_PK_PRIMARY_KEY(TICKET_ID));

--Booking Table Creation
CREATE TABLE BOOKING(
BOOKING_ID NUMBER(10) NOT NULL,
MATCH_ID NUMBER(10) NOT NULL,
TICKET_TYPE_ID NUMBER(10) NOT NULL,
AUDIENCE_ID NUMBER(10) NOT NULL,
TICKET_COUNT NUMBER(10),
LEAGUE_ID NUMBER(5),
CONSTRAINT BOOKING_PK PRIMARY KEY(BOOKING_ID));

--Team_Standings Table Creation
CREATE TABLE TEAM_STANDINGS(
TEAM_STANDINGS_ID NUMBER NOT NULL,
TOTAL_MATCHES NUMBER,
MATCHES_WON NUMBER,
MATCHES_LOST NUMBER,
MATCHES_TIED NUMBER,
NO_RESULT NUMBER,
POINTS NUMBER,
LEAGUE_ID NUMBER(5) NOT NULL,
TEAM_ID VARCHAR2(5) NOT NULL,
CONSTRAINT TEAM_STANDINGS_PK_PRIMARY_KEY(TEAM_STANDINGS_ID));

--Audience Table Creation
CREATE TABLE AUDIENCE(
AUDIENCE_ID NUMBER(10) NOT NULL,
USER_ID NUMBER(10) NOT NULL,
AUDIENCE_NAME VARCHAR2(20),
CONSTRAINT AUDIENCE PK PRIMARY KEY(AUDIENCE ID));

--Add Foreign Key to Venue Table
ALTER TABLE VENUE
ADD CONSTRAINT fk_homeTeam_id_in_venuetbl
FOREIGN KEY(HOME_TEAM_ID)
REFERENCES TEAM(TEAM_ID);

--Add Foreign Key to Player Table
ALTER TABLE PLAYER
ADD CONSTRAINT fk_user_id_in_playertbl
FOREIGN KEY(USER_ID)
REFERENCES USER_ACCOUNT(USER_ID);

ALTER TABLE PLAYER

ADD CONSTRAINT fk_team_id_in_playertbl

FOREIGN KEY(team_id)

REFERENCES TEAM(team_id);

--Add Foreign Key to Bid Table
ALTER TABLE BID
ADD CONSTRAINT fk_owner_id_in_bidtbl
FOREIGN KEY(OWNER_ID)
REFERENCES TEAM_OWNER(OWNER_ID);

ALTER TABLE BID

ADD CONSTRAINT fk_player_id_in_bidtbl

FOREIGN KEY(PLAYER_ID)

REFERENCES PLAYER(PLAYER_ID);

--Add Foreign Key to Payment Table
ALTER TABLE PAYMENT
ADD CONSTRAINT fk_bid_id_in_paymenttbl
FOREIGN KEY(BID_ID)
REFERENCES BID(BID_ID);

ALTER TABLE PAYMENT
ADD CONSTRAINT fk_player_id_in_paymenttbl
FOREIGN KEY(PLAYER_ID)
REFERENCES PLAYER(PLAYER_ID);

--Add Foreign Key to Team Table
ALTER TABLE TEAM
ADD CONSTRAINT fk_owner_id_in_teamtbl
FOREIGN KEY(OWNER_ID)
REFERENCES TEAM_OWNER(OWNER_ID);

--Add Foreign Key to Team_Standings Table
ALTER TABLE TEAM_STANDINGS
ADD CONSTRAINT fk_league_id_in_teamstandingstbl
FOREIGN KEY(LEAGUE_ID)
REFERENCES LEAGUE(LEAGUE_ID);

--Add Foreign Key to Fixture Table
ALTER TABLE FIXTURE
ADD CONSTRAINT fk_team1_id_matchtbl
FOREIGN KEY(TEAM1_ID)
REFERENCES TEAM(TEAM_ID);

ALTER TABLE FIXTURE

ADD CONSTRAINT fk_team2_id_matchtbl

FOREIGN KEY(TEAM2_ID)

REFERENCES TEAM(TEAM_ID);

ALTER TABLE FIXTURE

ADD CONSTRAINT fk_venue_id_matchtbl
FOREIGN KEY(VENUE_ID)

REFERENCES VENUE(VENUE_ID);

--Add Foreign Key to Audience Table
ALTER TABLE AUDIENCE
ADD CONSTRAINT fk_user_id_audiencetbl
FOREIGN KEY(USER_ID)
REFERENCES USER ACCOUNT(USER_ID);

--Add Foreign Key to Booking Table
ALTER TABLE BOOKING
ADD CONSTRAINT fk_match_id_bookingtbl
FOREIGN KEY(MATCH_ID)
REFERENCES FIXTURE(MATCH_ID);

ALTER TABLE BOOKING

ADD CONSTRAINT fk_tickettype_id_bookingtbl
FOREIGN KEY(TICKET_TYPE_ID)

REFERENCES TICKET CLASS(TICKET ID);

ALTER TABLE BOOKING
ADD CONSTRAINT fk_audience_id_bookingtbl
FOREIGN KEY(AUDIENCE_ID)
REFERENCES AUDIENCE(AUDIENCE_ID);

--Add Unique Constraints
ALTER TABLE TEAM
ADD CONSTRAINT UNIQUE_TEAM_NAME
UNIQUE (TEAM_NAME);

ALTER TABLE VENUE
ADD CONSTRAINT UNIQUE_VENUE_NAME
UNIQUE (VENUE_NAME);

ALTER TABLE USER_ACCOUNT ADD CONSTRAINT UNIQUE_USER_NAME UNIQUE (USERNAME);

ALTER TABLE LEAGUE

ADD CONSTRAINT LEAGUE_NAME UNIQUE (LEAGUE_NAME);

ALTER TABLE TEAM_OWNER
ADD CONSTRAINT OWNER_NAME
UNIQUE (OWNER_NAME);

ALTER TABLE PAYMENT
ADD CONSTRAINT REFERENCE_NUM
UNIQUE (REFERENCE_NUM);

ALTER TABLE PLAYER
ADD CONSTRAINT PLAYER_NAME
UNIQUE (PLAYER NAME);

--Add Foreign Key to Fixture Table
ALTER TABLE FIXTURE
ADD CONSTRAINT fk_league_id_matchtbl
FOREIGN KEY(league_id)
REFERENCES LEAGUE(league_id);

--Add Foreign Key to Bid Table
ALTER TABLE BID
ADD CONSTRAINT fk_league_id_fixturetbl
FOREIGN KEY(league_id)
REFERENCES LEAGUE(league_id);

--Add Check constraint to Booking Table
ALTER TABLE booking
ADD CONSTRAINT check_no_of_tickets
CHECK (ticket_count < 20);</pre>

--Alter data type of League_Id in league Table
ALTER TABLE LEAGUE
MODIFY LEAGUE_ID NUMBER(5);

DROP SEQUENCE BOOKING SEQ;

DROP SEQUENCE TICKET_CLASS_SEQ;

```
DROP SEQUENCE TEAM_STANDINGS_SEQ;
DROP SEQUENCE REFERENCE NUMBER SEQ;
CREATE SEQUENCE BOOKING_SEQ START WITH 5000 INCREMENT BY 1;
CREATE SEQUENCE TICKET_CLASS_SEQ START WITH 2000 INCREMENT BY 1;
CREATE SEQUENCE TEAM_STANDINGS_SEQ START WITH 3000 INCREMENT BY 1;
CREATE SEQUENCE REFERENCE_NUMBER_SEQ START WITH 20000 INCREMENT BY 1;
--Truncate Table User_Account before insertion
BEGIN
 EXECUTE IMMEDIATE 'TRUNCATE TABLE USER_ACCOUNT';
EXCEPTION
 WHEN OTHERS THEN
  IF SQLCODE != -942 THEN
    RAISE;
  END IF;
END;
--Truncate Table Team Owner before insertion
BEGIN
 EXECUTE IMMEDIATE 'TRUNCATE TABLE TEAM_OWNER';
EXCEPTION
 WHEN OTHERS THEN
  IF SQLCODE != -942 THEN
    RAISE;
  END IF;
END;
--Truncate Table Team before insertion
BEGIN
 EXECUTE IMMEDIATE 'TRUNCATE TABLE TEAM';
EXCEPTION
```

```
WHEN OTHERS THEN
   IF SQLCODE != -942 THEN
    RAISE;
   END IF;
END;
--Truncate Table Venue before insertion
BEGIN
 EXECUTE IMMEDIATE 'TRUNCATE TABLE VENUE';
EXCEPTION
 WHEN OTHERS THEN
  IF SQLCODE != -942 THEN
    RAISE;
   END IF;
END;
--Truncate Table Player before insertion
BEGIN
 EXECUTE IMMEDIATE 'TRUNCATE TABLE PLAYER';
EXCEPTION
 WHEN OTHERS THEN
   IF SQLCODE != -942 THEN
    RAISE;
   END IF;
END;
/
-- Truncate Table Bid before insertion
BEGIN
 EXECUTE IMMEDIATE 'TRUNCATE TABLE BID';
EXCEPTION
 WHEN OTHERS THEN
   IF SQLCODE != -942 THEN
    RAISE;
   END IF;
END;
--Truncate Table League before insertion
BEGIN
 EXECUTE IMMEDIATE 'TRUNCATE TABLE LEAGUE';
```

```
EXCEPTION
 WHEN OTHERS THEN
   IF SQLCODE != -942 THEN
    RAISE;
   END IF;
END;
-- Truncate Table Fixture before insertion
BEGIN
 EXECUTE IMMEDIATE 'TRUNCATE TABLE FIXTURE';
EXCEPTION
 WHEN OTHERS THEN
   IF SQLCODE != -942 THEN
    RAISE;
   END IF;
END;
--Truncate Table Payment before insertion
 EXECUTE IMMEDIATE 'TRUNCATE TABLE PAYMENT';
EXCEPTION
 WHEN OTHERS THEN
   IF SQLCODE != -942 THEN
    RAISE;
   END IF;
END;
--Truncate Table Ticket_Class before insertion
BEGIN
 EXECUTE IMMEDIATE 'TRUNCATE TABLE TICKET_CLASS';
EXCEPTION
 WHEN OTHERS THEN
   IF SQLCODE != -942 THEN
    RAISE;
   END IF;
END;
--Truncate Table Booking before insertion
BEGIN
```

```
EXECUTE IMMEDIATE 'TRUNCATE TABLE BOOKING';
EXCEPTION
 WHEN OTHERS THEN
   IF SQLCODE != -942 THEN
    RAISE;
   END IF;
END;
--Truncate Table Audience before insertion
BEGIN
 EXECUTE IMMEDIATE 'TRUNCATE TABLE AUDIENCE';
EXCEPTION
 WHEN OTHERS THEN
  IF SQLCODE != -942 THEN
    RAISE;
  END IF;
END;
--Truncate Table Team Standings before insertion
BEGIN
 EXECUTE IMMEDIATE 'TRUNCATE TABLE TEAM STANDINGS';
EXCEPTION
 WHEN OTHERS THEN
  IF SQLCODE != -942 THEN
    RAISE;
   END IF;
END;
-- insert owner type users into the user account
 INSERT INTO admin.user_account VALUES ( 1, 'OWNER', 'VijayMallya', 'Royals@123', 55,
'MALE', 'royalchallengers18@gmail.com', 6175467398);
 INSERT INTO admin.user_account VALUES ( 2, 'OWNER', 'Srinivasan', 'Kings@456', 43,
'MALE', 'superkings7@gmail.com', 8765234768);
 INSERT INTO admin.user_account VALUES ( 3, 'OWNER', 'ShahrukhKhan', 'Riders@789', 48,
'MALE', 'knightriders99@gmail.com', 7156242356);
 INSERT INTO admin.user account VALUES (4, 'OWNER', 'Ambani', 'Indians@1947', 56,
'MALE', 'mightyindians25@gmail.com', 6467853549);
```

```
INSERT INTO admin.user account VALUES ( 5, 'OWNER', 'Kalanithi', 'Risers@007', 36, 'MALE',
'sunrisers1997@gmail.com', 8175846574);
  INSERT INTO admin.user account VALUES ( 6, 'OWNER', 'ParthJindal', 'Devils@333', 41,
'MALE', 'daredevils333@gmail.com', 8135657832);
  INSERT INTO admin.user_account VALUES (7, 'OWNER', 'ManojBadale', 'Rajasthan@77', 51,
'MALE', 'royalhurricanes55@gmail.com', 8733245876);
  INSERT INTO admin.user account VALUES ( 8, 'OWNER', 'PreityZinta', 'Punjab@67', 33,
'FEMALE', 'supergiants111@gmail.com', 8793452187);
  INSERT INTO admin.user account VALUES ( 9, 'OWNER', 'BCCIOWNER', 'BCCIowner@1967',
40, 'MALE', 'bcciindia@gmail.com', 8579997683);
-- insert Audience type users into the user account
  INSERT INTO admin.user account VALUES ( 10, 'AUDIENCE', 'Rakesh', 'Rakesh@1996', 25,
'MALE', 'rakeshkumar313@gmail.com', 9914567532);
  INSERT INTO admin.user account VALUES ( 11, 'AUDIENCE', 'Mahesh', 'Mahesh@1997', 29,
'MALE', 'maheshkumar39@gmail.com', 9835378965);
  INSERT INTO admin.user account VALUES ( 12, 'AUDIENCE', 'Suresh', 'Suresh@1973', 45,
'MALE', 'sureshkapuganti127@gmail.com', 8763454289);
  INSERT INTO admin.user account VALUES ( 13, 'AUDIENCE', 'Mohan', 'Mohan@1997', 29,
'MALE', 'mohankumar39@gmail.com', 9835378989);
  INSERT INTO admin.user account VALUES ( 14, 'AUDIENCE', 'Rajesh', 'Rajesh@4564', 21,
'MALE', 'rajeshkanna76@gmail.com', 7652986634);
  INSERT INTO admin.user_account VALUES ( 15, 'AUDIENCE', 'Swathi', 'swathi@0007', 25,
'FEMALE', 'swathikrishna88@gmail.com', 8762934612);
  INSERT INTO admin.user account VALUES ( 16, 'AUDIENCE', 'Monal', 'Monal@1993', 29,
'FEMALE', 'monalgajjar66@gmail.com', 9823488213);
  INSERT INTO admin.user account VALUES ( 17, 'AUDIENCE', 'Akhil', 'Akhilsarthak@25', 26,
'MALE', 'akhilsarthak25@gmail.com', 6135874897);
  INSERT INTO admin.user account VALUES ( 18, 'AUDIENCE', 'Abhijeet', 'Abhijeet@197', 37,
'MALE', 'abhijeetdudkela22@gmail.com', 7634293366);
  INSERT INTO admin.user account VALUES ( 19, 'AUDIENCE', 'Avinash', 'Avinash@1996', 27,
'MALE', 'ravinashkumar33@gmail.com', 9833156739);
  INSERT INTO admin.user account VALUES ( 20, 'AUDIENCE', 'Sandhya', 'Sandhya@143', 23,
'FEMALE', 'Sandhya93@gmail.com', 9812564987);
  INSERT INTO admin.user account VALUES ( 21, 'AUDIENCE', 'Amrutha', 'Amrutha@13', 28,
'FEMALE', 'Amrutha4567@gmail.com', 8734569832);
  INSERT INTO admin.user account VALUES ( 22, 'AUDIENCE', 'Saketh', 'Saketh@16', 23,
'MALE', 'sakethkosuri16@gmail.com', 9827456378);
  INSERT INTO admin.user account VALUES ( 23, 'AUDIENCE', 'Eswar', 'Eswarsainath@15', 29,
'MALE', 'eswarsainath3@gmail.com', 9834277890);
  INSERT INTO admin.user account VALUES ( 24, 'AUDIENCE', 'Santhosh', 'Santhosh@75', 33,
'MALE', 'santhoshkrishna35@gmail.com', 6136578936);
```

```
INSERT INTO admin.user account VALUES ( 25, 'AUDIENCE', 'Divya', 'Divyanarayan@19', 21,
'FEMALE', 'divyanarayana9@gmail.com', 7756798302);
  INSERT INTO admin.user account VALUES ( 26, 'AUDIENCE', 'Preethi', 'Preethi@1995', 31,
'FEMALE', 'preethikurbani333@gmail.com', 8732565093);
  INSERT INTO admin.user account VALUES ( 27, 'AUDIENCE', 'Sandeep', 'Sandeep@33', 33,
'MALE', 'sandeepkumar36@gmail.com', 9732657997);
  INSERT INTO admin.user account VALUES ( 28, 'AUDIENCE', 'Mohith', 'Mohith@1997', 26,
'MALE', 'mohithkumar1123@gmail.com', 9126533987);
  INSERT INTO admin.user account VALUES ( 29, 'AUDIENCE', 'Varun', 'Varun@1133', 39,
'MALE', 'varunrao1133@gmail.com', 8796243357);
  INSERT INTO admin.user account VALUES ( 30, 'AUDIENCE', 'Ramesh', 'Ramesh@1996', 25,
'MALE', 'rameshkumar313@gmail.com', 9914567123);
  INSERT INTO admin.user account VALUES ( 31, 'AUDIENCE', 'Anjali', 'Anjali@1997', 26,
'FEMALE', 'anjali@gmail.com', 9914567321);
  INSERT INTO admin.user account VALUES ( 32, 'AUDIENCE', 'Gayatri', 'Gayatri@1995', 23,
'FEMALE', 'gayatri@gmail.com', 9914765123);
  INSERT INTO admin.user account VALUES ( 33, 'AUDIENCE', 'Vara', 'Vara@1994', 21,
'FEMALE', 'vara@gmail.com', 8814765123);
  INSERT INTO admin.user account VALUES ( 34, 'AUDIENCE', 'Lova', 'Lova@1982', 47,
'FEMALE', 'lova@gmail.com', 8874165123);
  INSERT INTO admin.user account VALUES ( 35, 'AUDIENCE', 'Ramudu', 'Ramudu@1984', 51,
'MALE', 'ramudu@gmail.com', 8418765123);
  INSERT INTO admin.user account VALUES ( 36, 'AUDIENCE', 'Krishna', 'Krishna@1991', 21,
'MALE', 'krishna@gmail.com', 8814715623);
  INSERT INTO admin.user account VALUES ( 37, 'AUDIENCE', 'Harsha', 'Harsha@2004', 12,
'MALE', 'harsha@gmail.com', 7714765123);
  INSERT INTO admin.user account VALUES ( 38, 'AUDIENCE', 'Abhi', 'Abhi@2005', 21, 'MALE',
'abhi@gmail.com', 8814789123);
  INSERT INTO admin.user account VALUES ( 39, 'AUDIENCE', 'Nani', 'Nani@2007', 19, 'MALE',
'nani@gmail.com', 7414765123);
  -- insert Player type users into the user account
  INSERT INTO admin.user account
VALUES( 40, 'PLAYER', 'DHONI', 'DHONI@123', 38, 'MALE', 'dhoni777@gmail.com', 6134896531);
  INSERT INTO admin.user account
VALUES( 41, 'PLAYER', 'Kohli', 'Kohli@123', 32, 'MALE', 'kohli777@gmail.com', 6134896532);
  INSERT INTO admin.user account
VALUES( 42, 'PLAYER', 'yuvraj', 'yuvraj@123', 38, 'MALE', 'yuvraj777@gmail.com', 6134896533);
  INSERT INTO admin.user account
VALUES( 43, 'PLAYER', 'rohit', 'rohit@123', 33, 'MALE', 'rohit777@gmail.com', 6134896534);
```

```
VALUES( 44, 'PLAYER', 'gambhir', 'gambhir@123',36, 'MALE', 'gambhir777@gmail.com',61348965
35);
  INSERT INTO admin.user account
VALUES( 45, 'PLAYER', 'sachin', 'sachin@123', 41, 'MALE', 'sachin777@gmail.com', 6134896536);
  INSERT INTO admin.user account
VALUES( 46, 'PLAYER', 'ganguly', 'ganguly@123', 36, 'MALE', 'ganguly777@gmail.com', 6134896537
);
  INSERT INTO admin.user account
VALUES( 47, 'PLAYER', 'sehwag', 'sehwag@123', 39, 'MALE', 'sehwag777@gmail.com', 6134896538)
  INSERT INTO admin.user_account
VALUES( 48, 'PLAYER', 'laxman', 'laxman@123', 38, 'MALE', 'laxman777@gmail.com', 6134896539);
  INSERT INTO admin.user account
VALUES( 49, 'PLAYER', 'zaheer', 'zaheer@123',38, 'MALE', 'zaheer777@gmail.com',6134896540);
  INSERT INTO admin.user account
VALUES( 50, 'PLAYER', 'srinath', 'srinath@123',34, 'MALE', 'srinath777@gmail.com',6134896541);
  INSERT INTO admin.user account
VALUES( 51, 'PLAYER', 'ambatirayudu', 'ambatirayudu@123', 36, 'MALE', 'ambatirayudu777@gmail
.com',6134896546);
  INSERT INTO admin.user account
VALUES( 52, 'PLAYER', 'dwaynebravo', 'dwaynebravo@123', 41, 'MALE', 'dwaynebravo777@gmail.c
om',6134896547);
  INSERT INTO admin.user account
VALUES( 53, 'PLAYER', 'robinuthappa', 'robinuthappa@123', 36, 'MALE', 'robinuthappa777@gmail.
com',6134896548);
  INSERT INTO admin.user account
VALUES( 54, 'PLAYER', 'deepakchahar', 'deepakchahar@123', 39, 'MALE', 'deepakchahar777@gmai
l.com',6134896549);
  INSERT INTO admin.user account
VALUES( 55, 'PLAYER', 'kmasif', 'kmasif@123', 38, 'MALE', 'kmasif777@gmail.com', 6134896550);
  INSERT INTO admin.user account
VALUES( 56, 'PLAYER', 'tushardeshpande', 'tushardeshpande@123', 38, 'MALE', 'tushardeshpande
777@gmail.com',6134896551);
  INSERT INTO admin.user account
VALUES( 57, 'PLAYER', 'shivamdube', 'shivamdube@123', 34, 'MALE', 'shivamdube777@gmail.com'
,6134896552);
  INSERT INTO admin.user account
VALUES( 58, 'PLAYER', 'maheshtheekshana', 'maheshtheekshana@123', 28, 'MALE', 'maheshtheek
shana777@gmail.com',6134896553);
  INSERT INTO admin.user account
```

VALUES(59, 'PLAYER', 'rhangargekar', 'rhangargekar@123',32, 'MALE', 'rhangargekar777@gmail.c

INSERT INTO admin.user account

om',6134896554);

VALUES(60, 'PLAYER', 'simarjeetsingh', 'simarjeetsingh@123',38, 'MALE', 'simarjeetsingh777@gm ail.com',6134896555);

INSERT INTO admin.user account

VALUES(61,'PLAYER','devonconway','devonconway@123',33,'MALE','devonconway777@gmail.com',6134896556);

INSERT INTO admin.user account

VALUES(62,'PLAYER','charinishanth','charinishanth@123',38,'MALE','charinishanth777@gmail.c om',6134896562);

INSERT INTO admin.user account

VALUES(63,'PLAYER','njagadeesan','njagadeesan@123',34,'MALE','njagadeesan777@gmail.com',6134896563);

INSERT INTO admin.user account

VALUES(64,'PLAYER','chrisjordan','chrisjordan@123',28,'MALE','chrisjordan777@gmail.com',61 34896564);

INSERT INTO admin.user account

VALUES(65,'PLAYER','fafduplessis','fafduplessis@123',32,'MALE','fafduplessis777@gmail.com',6 134896565);

INSERT INTO admin.user_account

VALUES(66,'PLAYER','glennmaxwell','glennmaxwell@123',38,'MALE','glennmaxwell@gmail.com',6134896566);

INSERT INTO admin.user account

VALUES(67,'PLAYER','anujrawat','anujrawat@123',33,'MALE','anujrawat777@gmail.com',61348 96567);

INSERT INTO admin.user account

VALUES(68, 'PLAYER', 'dineshkarthik', 'dineshkarthik@123',36, 'MALE', 'dineshkarthik777@gmail.c om',6134896568);

INSERT INTO admin.user account

VALUES(69, 'PLAYER', 'kanewilliamson', 'kanewilliamson@123',41, 'MALE',

'kanewilliamson777@gmail.com',6134896569);

INSERT INTO admin.user_account VALUES(70,'PLAYER','sanjusamson', 'sanjusamson' @123',36,'MALE', 'sanjusamson', 'sanjusamson', '6134896570);

INSERT INTO admin.user account

VALUES(71,'PLAYER','hardikpandya','hardikpandya@123',39,'MALE','hardikpandya777@gmail.c om',6134896571);

INSERT INTO admin.user account

VALUES(72,'PLAYER','shreyasiyer','shreyasiyer@123',38,'MALE','shreyasiyer777@gmail.com',61 34896572);

INSERT INTO admin.user account

VALUES(73,'PLAYER','waninduhasaranga','waninduhasaranga@123',41,'MALE','waninduhasaranga777@gmail.com',6134896577);

VALUES(74,'PLAYER','joshhazlewood','joshhazlewood@123',36,'MALE','joshhazlewood777@g mail.com',6134896578);

INSERT INTO admin.user account

VALUES(75,'PLAYER','harshalpatel','harshalpatel@123',39,'MALE','harshalpatel777@gmail.com',6134896579);

INSERT INTO admin.user account

VALUES(76,'PLAYER','davidwilley','davidwilley@123',38,'MALE','davidwilley777@gmail.com',6 134896581);

INSERT INTO admin.user account

VALUES(77,'PLAYER','akashdeep','akashdeep@123',34,'MALE','akashdeep777@gmail.com',61 34896582);

INSERT INTO admin.user account

VALUES(78,'PLAYER','shahbazahmed','shahbazahmed@123',28,'MALE','shahbazahmed777@g mail.com',6134896583);

INSERT INTO admin.user account

VALUES(79,'PLAYER','finnallen','finnallen@123',32,'MALE','finnallen777@gmail.com',6134896 584);

INSERT INTO admin.user account

VALUES(80,'PLAYER','shefanerutherford','shefane@123',38,'MALE','shefanerutherford777@g mail.com',6134896580);

INSERT INTO admin.user_account

VALUES(81,'PLAYER','subhranshusenapati','subhranshu@123',39,'MALE','subhranshu777@gmail.com',6134896560);

INSERT INTO admin.user account VALUES(82, 'PLAYER', 'TimSouthee',

'TimSouthee@123',36,'MALE', 'TimSouthee@gmail.com',6134891038);

INSERT INTO admin.user account

VALUES(83,'PLAYER','karthik','karthik@123',36,'MALE','karthik777@gmail.com',6134896753); INSERT INTO admin.user account

VALUES(84,'PLAYER','TilakVarma','TilakVarma@123',36,'MALE','TilakVarma777@gmail.com',6 134891004);

INSERT INTO admin.user account

VALUES(85,'PLAYER','SuryaYadav','SuryaYadav@123',41,'MALE','SuryaYadav777@gmail.com',6 134891005);

INSERT INTO admin.user account

VALUES(86, 'PLAYER', 'ArjunTendulkar', 'ArjunTendulkar@123', 36, 'MALE', 'ArjunTendulkar777@g mail.com', 6134891006);

INSERT INTO admin.user account

VALUES(87,'PLAYER','DanielSams','DanielSams@123',39,'MALE','DanielSams777@gmail.com', 6134891007);

INSERT INTO admin.user account

VALUES(88,'PLAYER','Bumrah','Bumrah@123',38,'MALE','Bumrah777@gmail.com',613489100 8);

VALUES(89,'PLAYER','BasilThampi','BasilThampi@123',38,'MALE','BasilThampi@gmail.com',61 34891009);

INSERT INTO admin.user account

VALUES(90,'PLAYER','TymalMills','TymalMills@123',34,'MALE','TymalMills@gmail.com',61348 91010);

INSERT INTO admin.user account

VALUES(91,'PLAYER','Pollard','Pollard@123',28,'MALE','Pollard@gmail.com',6134891011); INSERT INTO admin.user account

VALUES(92,'PLAYER','Ramandeep','Ramandeep@123',32,'MALE','Ramandeep@gmail.com',61 34891012);

INSERT INTO admin.user account

VALUES(93,'PLAYER','FabianAllen','FabianAllen@123',38,'MALE','FabianAllen@gmail.com',613 4891013);

INSERT INTO admin.user account

VALUES(94,'PLAYER','Rileymeredith','Rileymeredith@123',33,'MALE','Rileymeredith@gmail.com',6134891014);

INSERT INTO admin.user account

VALUES(95,'PLAYER','ArshadKhan','ArshadKhan@123',38,'MALE','ArshadKhan@gmail.com',61 34891019);

INSERT INTO admin.user account

VALUES(96,'PLAYER','Anmolpreet','Anmolpreet@123',38,'MALE','Anmolpreet@gmail.com',61 34891020);

INSERT INTO admin.user account

VALUES(97,'PLAYER','MayankMarkande','MayankMarkande@123',34,'MALE','MayankMarkande@gmail.com',6134891021);

INSERT INTO admin.user account

VALUES(98,'PLAYER','AryanJuyal','AryanJuyal@123',28,'MALE','AryanJuyal@gmail.com',61348 91022);

INSERT INTO admin.user account

VALUES(99,'PLAYER','RahulBuddhi','RahulBuddhi@123',32,'MALE','RahulBuddhi@gmail.com', 6134891023);

INSERT INTO admin.user account

VALUES(100,'PLAYER','PatCummins','PatCummins@123',38,'MALE','PatCummins@gmail.com', 6134891024);

INSERT INTO admin.user account

VALUES(101,'PLAYER','AndreRussell','AndreRussell@123',33,'MALE','AndreRussell@gmail.com',6134891025);

INSERT INTO admin.user account

VALUES(102,'PLAYER','Venkateshlyer','Venkateshlyer@123',36,'MALE','Venkateshlyer@gmail.c om',6134891026);

VALUES(103,'PLAYER','SheldonJackson','SheldonJackson@123',41,'MALE','SheldonJackson@g mail.com',6134891027);

INSERT INTO admin.user account

VALUES(104, 'PLAYER', 'AjinkyaRahane', 'AjinkyaRahane@123', 36, 'MALE', 'AjinkyaRahane@gmai l.com', 6134891028);

INSERT INTO admin.user account

VALUES(105, 'PLAYER', 'Finch', 'Finch@123', 38, 'MALE', 'Finch@gmail.com', 6134891029); INSERT INTO admin.user account

VALUES(106, 'PLAYER', 'SunilNarine', 'SunilNarine@123', 38, 'MALE', 'SunilNarine@gmail.com', 61 34891034);

INSERT INTO admin.user_account

VALUES(107,'PLAYER','KarunaRatneChamika','KarunaRatne@123',33,'MALE','KarunaRatneChamika@gmail.com',6134891035);

INSERT INTO admin.user_account

VALUES(108, 'PLAYER', 'VarunChakraborty', 'VarunChakraborty@123', 36, 'MALE', 'VarunChakraborty@gmail.com', 6134891036);

INSERT INTO admin.user_account

VALUES(109, 'PLAYER', 'NitishRana', 'NitishRana@123', 41, 'MALE',

'NitishRana@gmail.com',6134891037);

INSERT INTO admin.user account

VALUES(110,'PLAYER','RameshKumar','RameshKumar@123',39,'MALE','RameshKumar@gmail.com',6134891039);

INSERT INTO admin.user account

VALUES(111,'PLAYER','BabaIndrajith','BabaIndrajith@123',38,'MALE','BabaIndrajith@gmail.com',6134891040);

INSERT INTO admin.user account

VALUES(112,'PLAYER','AnukulRoy','AnukulRoy@123',38,'MALE','AnukulRoy@gmail.com',6134 891041);

INSERT INTO admin.user account

VALUES(113,'PLAYER','ShivamMavi','ShivamMavi@123',34,'MALE','ShivamMavi@gmail.com',6 134891042);

INSERT INTO admin.user account

VALUES(114,'PLAYER','MohammadNabi','MohammadNabi@123',28,'MALE','MohammadNabi@gmail.com',6134891043);

INSERT INTO admin.user account

VALUES(115,'PLAYER','RinkuSingh','RinkuSingh@123',32,'MALE','RinkuSingh@gmail.com',613 4891044);

INSERT INTO admin.user account

VALUES(116,'PLAYER','PrathamSingh','PrathamSingh@123',41,'MALE','PrathamSingh@gmail.c om',6134891045);

VALUES(117,'PLAYER','RowmanPowell','RowmanPowell@123',28,'MALE','RowmanPowell@gmail.com',6134891050);

INSERT INTO admin.user account

VALUES(118,'PLAYER','PrithviShaw','PrithviShaw@123',32,'MALE','PrithviShaw@gmail.com',61 34891051);

INSERT INTO admin.user_account

VALUES(119,'PLAYER','MustafizRahman','MustafizRahman@123',38,'MALE','MustafizRahman@gmail.com',6134891052);

INSERT INTO admin.user account

VALUES(120,'PLAYER','SarfrazKhan','SarfrazKhan@123',39,'MALE','SarfrazKhan@gmail.com',6 134891053);

INSERT INTO admin.user account

VALUES(121,'PLAYER','ShardulThakur','ShardulThakur@123',36,'MALE','ShardulThakur@gmail.com',6134891054);

INSERT INTO admin.user account

VALUES(122, 'PLAYER', 'Chahal', 'Chahal@123', 38, 'MALE', 'Chahal@gmail.com', 6134892000); INSERT INTO admin.user account

VALUES(123,'PLAYER','Devdutt','Devdutt@123',34,'MALE','Devdutt@gmail.com',6134892001); INSERT INTO admin.user account

VALUES(124,'PLAYER','Buttler','Buttler@123',28,'MALE','Buttler@gmail.com',6134892002); INSERT INTO admin.user_account

VALUES(125,'PLAYER','Ashwin','Ashwin@123',32,'MALE','Ashwin@gmail.com',6134892003); INSERT INTO admin.user account

VALUES(126,'PLAYER','CoulterNile','CoulterNile@123',41,'MALE','CoulterNile@gmail.com',613 4892004);

INSERT INTO admin.user account

VALUES(127,'PLAYER','RussieVanderDussen','RussieVander@123',36,'MALE','RussieVanderDussen@gmail.com',6134892005);

INSERT INTO admin.user_account

VALUES(128,'PLAYER','praveen','praveen@123',28,'MALE','praveen777@gmail.com',61348965 42);

INSERT INTO admin.user_account

VALUES(129,'PLAYER','ravijadeja','ravijadeja@123',32,'MALE','ravijadeja777@gmail.com',6134 896543);

INSERT INTO admin.user_account

VALUES(130,'PLAYER','MoeenAli','MoeenAli@123',38,'MALE','MoeenAli777@gmail.com',6134 896544);

INSERT INTO admin.user account

VALUES(131,'PLAYER','rutugaikwad','rutugaikwad@123',33,'MALE','rutugaikwad777@gmail.com',6134896545);

VALUES(132,'PLAYER','rishabhpant','rishabhpant@123',38,'MALE','rishabhpant@gmail.com',6 134896573);

INSERT INTO admin.user account

VALUES(133,'PLAYER','rohitsharma','rohitsharma@123',34,'MALE','rohitsharma777@gmail.com',6134896574);

INSERT INTO admin.user account

VALUES(134,'PLAYER','klrahul','klrahul@123',28,'MALE','klrahul777@gmail.com',6134896575) :

INSERT INTO admin.user account

VALUES(135,'PLAYER','mayankaggarwal','mayankaggarwal@123',32,'MALE','mayankaggarwal777@gmail.com',6134896576);

INSERT INTO admin.user account

VALUES(136,'PLAYER','MuruganAshwin','MuruganAshwin@123',36,'MALE','MuruganAshwin@gmail.com',6134891015);

INSERT INTO admin.user account

VALUES(137,'PLAYER','Unadkat','Unadkat@123',41,'MALE','Unadkat@gmail.com',6134891016);

INSERT INTO admin.user account

VALUES(138,'PLAYER','SanjayYadav','SanjayYadav@123',36,'MALE','SanjayYadav@gmail.com',6 134891017);

INSERT INTO admin.user account

VALUES(139,'PLAYER','HrithikShokeen','HrithikShokeen@123',39,'MALE','HrithikShokeen@gmail.com',6134891018);

INSERT INTO admin.user_account

VALUES(140,'PLAYER','AbhijeetTomar','AbhijeetTomar@123',36,'MALE','AbhijeetTomar@gmai l.com',6134891046);

INSERT INTO admin.user account

VALUES(141, 'PLAYER', 'AshokSharma', 'AshokSharma@123',39, 'MALE', 'AshokSharma@gmail.c om',6134891047);

INSERT INTO admin.user_account

VALUES(142,'PLAYER','DavidWarner','DavidWarner@123',38,'MALE','DavidWarner@gmail.com',6134891048);

INSERT INTO admin.user_account

VALUES(143, 'PLAYER', 'AnrichNortje', 'AnrichNortje@123', 34, 'MALE', 'AnrichNortje@gmail.com', 6134891049);

--- extra players Under BCCI

INSERT INTO admin.user account

VALUES(144,'PLAYER','dwainepretorius','dwainepretorius@123',36,'MALE','dwainepretorius77 7@gmail.com',6134896557);

VALUES(145, 'PLAYER', 'mitchsantner', 'mitchsantner@123', 41, 'MALE', 'mitchsantner777@gmail. com', 6134896558);

INSERT INTO admin.user account

VALUES(146,'PLAYER','adammilne','adammilne@123',36,'MALE','adammilne777@gmail.com', 6134896559);

INSERT INTO admin.user_account

VALUES(147,'PLAYER','prashantsolanki','prashantsolanki@123',38,'MALE','prashantsolanki777 @gmail.com',6134896561);

INSERT INTO admin.user account

VALUES(148, 'PLAYER', 'DewaldBrevis', 'DewaldBrevis@123', 38, 'MALE', 'DewaldBrevis777@gmai l.com', 6134891000);

INSERT INTO admin.user account

VALUES(149,'PLAYER','JofraArcher','JofraArcher@123',32,'MALE','JofraArcher777@gmail.com',6134891001);

INSERT INTO admin.user account

VALUES(150, 'PLAYER', 'TimDavid', 'TimDavid@123', 38, 'MALE', 'TimDavid777@gmail.com', 6134 891002);

INSERT INTO admin.user account

VALUES(151,'PLAYER','IshanKishan','IshanKishan@123',33,'MALE','IshanKishan777@gmail.com',6134891003);

INSERT INTO admin.user account

VALUES(152,'PLAYER','Billings','Billings@123',38,'MALE','Billings@gmail.com',6134891030); INSERT INTO admin.user account

VALUES(153,'PLAYER','Rasikh','Rasikh@123',34,'MALE','Rasikh@gmail.com',6134891031); INSERT INTO admin.user account

VALUES(154, 'PLAYER', 'AlexHales', 'AlexHales@123', 28, 'MALE', 'AlexHales@gmail.com', 6134891 032);

INSERT INTO admin.user account

VALUES(155, 'PLAYER', 'UmeshYadav', 'UmeshYadav@123', 32, 'MALE', 'UmeshYadav@gmail.com', 6134891033);

INSERT INTO admin.user account

VALUES(156,'PLAYER','KuldeepSen','KuldeepSen@123',39,'MALE','KuldeepSen@gmail.com',61 34892006);

INSERT INTO admin.user account

VALUES(157,'PLAYER','TrentBoult','TrentBoult@123',38,'MALE','TrentBoult@gmail.com',61348 92007);

INSERT INTO admin.user account

VALUES(158,'PLAYER','RiyanParag','RiyanParag@123',34,'MALE','RiyanParag@gmail.com',613 4892008);

INSERT INTO admin.user account

VALUES(159,'PLAYER','SHimronHetmyer','SHimronHetmyer@123',28,'MALE','SHimronHetmyer@gmail.com',6134892009);

-- insert Extra players

INSERT INTO admin.user account

VALUES(160,'PLAYER','KuldipYadav','KuldipYadav@123',32,'MALE','KuldipYadav@gmail.com',6 134892010);

INSERT INTO admin.user account

VALUES(161,'PLAYER','DarylMitchell','DarylMitchell@123',38,'MALE','DarylMitchell@gmail.com',6134892011);

INSERT INTO admin.user account

VALUES(162,'PLAYER','Neesham@123',39,'MALE','Neesham@gmail.com',6134892 012);

INSERT INTO admin.user account

VALUES(163, 'PLAYER', 'JaiswalYash', 'JaiswalYash@123', 36, 'MALE', 'JaiswalYash@gmail.com', 61 34892013):

INSERT INTO admin.user_account VALUES(164,'PLAYER','KarunNair', 'KarunNair@123',36,'MALE', 'KarunNair@gmail.com',6134892014);

COMMIT;

-- insert owner values into team_owner table.

INSERT INTO admin.team_owner VALUES (200, 2, 'Srinivasan', 'ChennaiSuperKings', 50000000);

INSERT INTO admin.team_owner VALUES (201, 4, 'Ambani', 'Mumbailndians', 50000000);

INSERT INTO admin.team_owner VALUES (202, 5, 'Kalanithi', 'SunrisersHyderabad', 50000000);

INSERT INTO admin.team_owner VALUES (203, 3, 'SharukhKhan', 'KolkataKnightRiders', 50000000);

INSERT INTO admin.team_owner VALUES (204, 7, 'Manoj', 'RajasthanRoyals', 50000000);

INSERT INTO admin.team_owner VALUES (205, 8, 'Preity', 'KingsXIPunjab', 50000000);

INSERT INTO admin.team_owner VALUES (206, 1, 'Vijay', 'RoyalChallengersBangalore', 50000000);

INSERT INTO admin.team_owner VALUES (207, 6, 'Parth', 'DelhiCapitals', 50000000);

INSERT INTO admin.team_owner VALUES (208, 9, 'BCCI', 'TeamBCCI', 0);

COMMIT;

```
-- insert team values into team table.
INSERT INTO admin.Team VALUES ('CSK', 201, 'MumbaiIndians', 'Wankhede');
INSERT INTO admin.Team VALUES ('RCB', 206, 'RoyalChallengersBangalore', 'Chinnaswamy');
INSERT INTO admin.Team VALUES ('RR', 202, 'SunrisersHyderabad', 'Rajiv Gandhi');
INSERT INTO admin.Team VALUES ('KXIP',203, 'KolkataKnightRiders', 'Eden Gardens');
INSERT INTO admin.Team VALUES ('KKR',204, 'RajasthanRoyals', 'Sawai Mansingh');
INSERT INTO admin.Team VALUES ('SRH',205, 'KingsXIPunjab', 'PCA Stadium');
INSERT INTO admin.Team VALUES ('DC',200, 'ChennaiSuperKings', 'M. A. Chidambaram');
INSERT INTO admin.Team VALUES ('MI',207, 'DelhiCapitals', 'Arun Jaitley');
INSERT INTO admin.Team VALUES('BCCI', 208, 'TeamBCCI', 'Chairman of BCCI');
COMMIT;
-- insert player values into player table.
-- DELHI CAPITALS
INSERT INTO ADMIN.player VALUES(311, 51, 'DC', 'AMBATIRAYUDU', DEFAULT,
'DOMESTIC', 'WK', 'INDIA');
INSERT INTO ADMIN.player VALUES(312, 52, 'DC', 'DWAYNEBRAVO', DEFAULT,
'DOMESTIC', 'WK', 'INDIA');
INSERT INTO ADMIN.player VALUES(313, 53, 'DC', 'ROBINUTHAPPA', DEFAULT,
'DOMESTIC', 'BATSMAN', 'INDIA');
INSERT INTO ADMIN.player VALUES(314, 54, 'DC', 'DEEPAKCHAHAR', DEFAULT,
'DOMESTIC', 'BATSMAN', 'INDIA');
INSERT INTO ADMIN.player VALUES(315, 55, 'DC', 'KMASIF', DEFAULT,
'DOMESTIC', 'BATSMAN', 'INDIA');
INSERT INTO ADMIN.player VALUES(316, 56, 'DC', 'TUSHARDESHPANDE', DEFAULT,
'DOMESTIC', 'ALLROUNDER', 'INDIA');
INSERT INTO ADMIN.player VALUES(317, 57, 'DC', 'SHIVAMDUBE', DEFAULT,
'DOMESTIC','ALLROUNDER','INDIA');
INSERT INTO ADMIN.player VALUES(318, 58, 'DC', 'MAHESHTHEEKSHANA', DEFAULT,
'DOMESTIC', 'BOWLER', 'INDIA');
INSERT INTO ADMIN.player VALUES(319, 59, 'DC', 'RHANGARGEKAR', DEFAULT,
'DOMESTIC', 'BOWLER', 'INDIA');
INSERT INTO ADMIN.player VALUES(320, 60, 'DC', 'SIMARJEETSINGH', DEFAULT,
'INTERNATIONAL', 'ALLROUNDER', 'AUSTRALIA');
```

INSERT INTO ADMIN.player VALUES(321, 61, 'DC', 'DEVONCONWAY', DEFAULT,

'INTERNATIONAL', 'BATSMAN', 'ENGLAND');

```
INSERT INTO ADMIN.player VALUES(333, 73, 'RCB', 'WANINDUHASARANGA', DEFAULT, 'DOMESTIC','WK','INDIA');
```

INSERT INTO ADMIN.player VALUES(334, 74, 'RCB', 'JOSHHAZLEWOOD', DEFAULT, 'DOMESTIC','WK','INDIA');

INSERT INTO ADMIN.player VALUES(335, 75, 'RCB', 'HARSHALPATEL', DEFAULT, 'DOMESTIC','BATSMAN','INDIA');

INSERT INTO ADMIN.player VALUES(336, 76, 'RCB', 'DAVIDWILLEY', DEFAULT, 'DOMESTIC', 'BATSMAN', 'INDIA');

INSERT INTO ADMIN.player VALUES(337, 77, 'RCB', 'AKASHDEEP', DEFAULT, 'DOMESTIC', 'BATSMAN', 'INDIA');

INSERT INTO ADMIN.player VALUES(338, 78, 'RCB', 'SHAHBAZAHMED', DEFAULT, 'DOMESTIC','ALLROUNDER','INDIA');

INSERT INTO ADMIN.player VALUES(339, 79, 'RCB', 'FINNALLEN', DEFAULT, 'DOMESTIC','ALLROUNDER','INDIA');

INSERT INTO ADMIN.player VALUES(340, 80, 'RCB', 'SHEFANERUTHERFORD', DEFAULT, 'DOMESTIC', 'BOWLER', 'INDIA');

INSERT INTO ADMIN.player VALUES(341, 81, 'RCB', 'SUBHRANSHUSENAPATI', DEFAULT, 'DOMESTIC','BOWLER','INDIA');

INSERT INTO ADMIN.player VALUES(342, 82, 'RCB', 'TIMSOUTHEE', DEFAULT, 'INTERNATIONAL','ALLROUNDER','AUSTRALIA');

INSERT INTO ADMIN.player VALUES(343, 83, 'RCB', 'KARTHIK', DEFAULT, 'INTERNATIONAL', 'BATSMAN', 'ENGLAND');

--KKR

INSERT INTO ADMIN.player VALUES(355, 95, 'KKR', 'ARSHADKHAN', DEFAULT, 'DOMESTIC','WK','INDIA');

INSERT INTO ADMIN.player VALUES(356, 96, 'KKR', 'ANMOLPREET', DEFAULT, 'DOMESTIC','WK','INDIA');

INSERT INTO ADMIN.player VALUES(357, 97, 'KKR', 'MAYANKMARKHANDE', DEFAULT, 'DOMESTIC','BATSMAN','INDIA');

INSERT INTO ADMIN.player VALUES(358, 98, 'KKR', 'ARYANJUYAL', DEFAULT, 'DOMESTIC', 'BATSMAN', 'INDIA');

INSERT INTO ADMIN.player VALUES(359, 99, 'KKR', 'RAHULBUDDHI', DEFAULT, 'DOMESTIC','BATSMAN','INDIA');

INSERT INTO ADMIN.player VALUES(360, 100, 'KKR', 'PATCUMMINS', DEFAULT, 'DOMESTIC','ALLROUNDER','INDIA');

INSERT INTO ADMIN.player VALUES(361, 101, 'KKR', 'ANDRERUSSELL', DEFAULT, 'DOMESTIC', 'ALLROUNDER', 'INDIA');

INSERT INTO ADMIN.player VALUES(362, 102, 'KKR', 'VENKATESHIYER', DEFAULT, 'DOMESTIC','BOWLER','INDIA');

INSERT INTO ADMIN.player VALUES(363, 103, 'KKR', 'SHELDONJACKSON', DEFAULT, 'DOMESTIC','BOWLER','INDIA');

INSERT INTO ADMIN.player VALUES(364, 104, 'KKR', 'AJINKYARAHANE', DEFAULT, 'INTERNATIONAL','ALLROUNDER','AUSTRALIA');
INSERT INTO ADMIN.player VALUES(365, 105, 'KKR', 'FINCH', DEFAULT, 'INTERNATIONAL','BATSMAN','ENGLAND');

--KXIP

INSERT INTO ADMIN.player VALUES(377, 117, 'KXIP', 'ROMANPOWELL', DEFAULT, 'INTERNATIONAL','WK','WESTINDIES');

INSERT INTO ADMIN.player VALUES(378, 118, 'KXIP', 'PRITHVISHAW', DEFAULT, 'DOMESTIC', 'WK', 'INDIA');

INSERT INTO ADMIN.player VALUES(379, 119, 'KXIP', 'MUSTAFIZURRAHMAN', DEFAULT, 'INTERNATIONAL', 'BATSMAN', 'AFGANISTHAN');

INSERT INTO ADMIN.player VALUES(380, 120, 'KXIP', 'SARFARAZKHAN', DEFAULT, 'DOMESTIC','BATSMAN','INDIA');

INSERT INTO ADMIN.player VALUES(381, 121, 'KXIP', 'SHARDULTHAKUR', DEFAULT, 'DOMESTIC','ALLROUNDER','INDIA');

INSERT INTO ADMIN.player VALUES(382, 122, 'KXIP', 'CHAHAL', DEFAULT, 'DOMESTIC', 'BOWLER', 'INDIA');

INSERT INTO ADMIN.player VALUES(383, 123, 'KXIP', 'DEVDUTTPADIKKAL', DEFAULT, 'DOMESTIC', 'BATSMAN', 'INDIA');

INSERT INTO ADMIN.player VALUES(384, 124, 'KXIP', 'JOSBUTTLER', DEFAULT, 'INTERNATIONAL', 'BATSMAN', 'ENGLAND');

INSERT INTO ADMIN.player VALUES(385, 125, 'KXIP', 'ASHWIN', DEFAULT, 'DOMESTIC', 'BOWLER', 'INDIA');

INSERT INTO ADMIN.player VALUES(386, 126, 'KXIP', 'COUTERNILE', DEFAULT, 'INTERNATIONAL','ALLROUNDER','AUSTRALIA');

INSERT INTO ADMIN.player VALUES(387, 127, 'KXIP', 'VANDERDUSSEN', DEFAULT, 'INTERNATIONAL','BATSMAN','ENGLAND');

--'BCCI'

INSERT INTO ADMIN.player VALUES(404, 144, 'BCCI', 'DWAINEPRETORIUS', DEFAULT, 'INTERNATIONAL','ALLROUNDER','NEWZEALAND');

INSERT INTO ADMIN.player VALUES(405, 145, 'BCCI', 'MITCHSANTNER', DEFAULT, 'INTERNATIONAL','BOWLER','SRILANKA');

INSERT INTO ADMIN.player VALUES(406, 146, 'BCCI', 'ADAMMILNE', DEFAULT, 'INTERNATIONAL','BOWLER','AFGHANISTHAN');

INSERT INTO ADMIN.player VALUES(407, 147, 'BCCI', 'PRASHANTSOLANKI', DEFAULT, 'INTERNATIONAL','BOWLER','WESTINDIES');

```
INSERT INTO ADMIN.player VALUES(408, 148, 'BCCI', 'DEWALDBREVIS', DEFAULT,
'INTERNATIONAL', 'ALLROUNDER', 'NEWZEALAND');
INSERT INTO ADMIN.player VALUES(409, 149, 'BCCI', 'JOFRAARCHER', DEFAULT,
'INTERNATIONAL', 'BOWLER', 'SRILANKA');
INSERT INTO ADMIN.player VALUES(410, 150, 'BCCI', 'TIMDAVID', DEFAULT,
'INTERNATIONAL', 'BOWLER', 'AFGHANISTHAN');
INSERT INTO ADMIN.player VALUES(411, 151, 'BCCI', 'ISHANKISHAN', DEFAULT,
'INTERNATIONAL', 'BOWLER', 'WESTINDIES');
INSERT INTO ADMIN.player VALUES(412, 152, 'BCCI', 'BILLINGS', DEFAULT,
'INTERNATIONAL', 'ALLROUNDER', 'NEWZEALAND');
INSERT INTO ADMIN.player VALUES(413, 153, 'BCCI', 'RASIKH', DEFAULT,
'INTERNATIONAL', 'BOWLER', 'SRILANKA');
INSERT INTO ADMIN.player VALUES(414, 154, 'BCCI', 'ALEXHALES', DEFAULT,
'INTERNATIONAL', 'BOWLER', 'AFGHANISTHAN');
INSERT INTO ADMIN.player VALUES(415, 155, 'BCCI', 'UMESHYADAV', DEFAULT,
'INTERNATIONAL', 'BOWLER', 'WESTINDIES');
INSERT INTO ADMIN.player VALUES(416, 156, 'BCCI', 'KULDEEPSEN', DEFAULT,
'DOMESTIC', 'ALLROUNDER', 'INDIA');
INSERT INTO ADMIN.player VALUES(417, 157, 'BCCI', 'TRENTBOULT', DEFAULT,
'INTERNATIONAL', 'BOWLER', 'SRILANKA');
INSERT INTO ADMIN.player VALUES(418, 158, 'BCCI', 'RIYANPARAG', DEFAULT,
'DOMESTIC', 'BOWLER', 'INDIA');
INSERT INTO ADMIN.player VALUES(419, 159, 'BCCI', 'SHIMRONHETMEYER', DEFAULT,
'INTERNATIONAL', 'BOWLER', 'WESTINDIES');
INSERT INTO ADMIN.player VALUES(388, 128, 'BCCI', 'PRAVEEN', DEFAULT,
'INTERNATIONAL','ALLROUNDER','NEWZEALAND');
INSERT INTO ADMIN.player VALUES(389, 129, 'BCCI', 'RAVIJADEJA', DEFAULT,
'INTERNATIONAL', 'BOWLER', 'SRILANKA');
INSERT INTO ADMIN.player VALUES(390, 130, 'BCCI', 'MOEENALI', DEFAULT,
'INTERNATIONAL', 'BOWLER', 'AFGHANISTHAN');
INSERT INTO ADMIN.player VALUES(391, 131, 'BCCI', 'RUTUGAIKWAD', DEFAULT,
'INTERNATIONAL', 'BOWLER', 'WESTINDIES');
INSERT INTO ADMIN.player VALUES(392, 132, 'BCCI', 'RISHABPANT', DEFAULT,
'INTERNATIONAL','ALLROUNDER','NEWZEALAND');
INSERT INTO ADMIN.player VALUES(393, 133, 'BCCI', 'ROHITSHARMA', DEFAULT,
'INTERNATIONAL', 'BOWLER', 'SRILANKA');
INSERT INTO ADMIN.player VALUES(394, 134, 'BCCI', 'KLRAHUL', DEFAULT,
'INTERNATIONAL', 'BOWLER', 'AFGHANISTHAN');
INSERT INTO ADMIN.player VALUES(395, 135, 'BCCI', 'MAYANKAGGARWAL', DEFAULT,
'INTERNATIONAL', 'BOWLER', 'WESTINDIES');
INSERT INTO ADMIN.player VALUES(396, 136, 'BCCI', 'MURUGANASHWIN', DEFAULT,
```

'INTERNATIONAL','ALLROUNDER','NEWZEALAND');

```
INSERT INTO ADMIN.player VALUES(397, 137, 'BCCI', 'UNADKAT', DEFAULT,
'INTERNATIONAL', 'BOWLER', 'SRILANKA');
INSERT INTO ADMIN.player VALUES(398, 138, 'BCCI', 'SANJAYYADAV', DEFAULT,
'INTERNATIONAL', 'BOWLER', 'AFGHANISTHAN');
INSERT INTO ADMIN.player VALUES(399, 139, 'BCCI', 'HRITHIKSHOKEEN', DEFAULT,
'INTERNATIONAL', 'BOWLER', 'WESTINDIES');
INSERT INTO ADMIN.player VALUES(400, 140, 'BCCI', 'ABHIJEETTOMAR', DEFAULT,
'INTERNATIONAL', 'ALLROUNDER', 'NEWZEALAND');
INSERT INTO ADMIN.player VALUES(401, 141, 'BCCI', 'ASHOKSHARMA', DEFAULT,
'INTERNATIONAL', 'BOWLER', 'SRILANKA');
INSERT INTO ADMIN.player VALUES(402, 142, 'BCCI', 'DAVIDWARNER', DEFAULT,
'INTERNATIONAL', 'BOWLER', 'AFGHANISTHAN');
INSERT INTO ADMIN.player VALUES(403, 143, 'BCCI', 'ANRICHNORTJE', DEFAULT,
'INTERNATIONAL', 'BOWLER', 'WESTINDIES');
--csk
INSERT INTO ADMIN.player VALUES(300, 40, 'CSK', 'DHONI', DEFAULT, 'DOMESTIC','WK','INDIA');
INSERT INTO ADMIN.player VALUES(301, 41, 'CSK', 'KOHLI', DEFAULT, 'DOMESTIC', 'WK', 'INDIA');
INSERT INTO ADMIN.player VALUES(302, 42, 'CSK', 'YUVRAJ', DEFAULT,
'DOMESTIC', 'BATSMAN', 'INDIA');
INSERT INTO ADMIN.player VALUES(303, 43, 'CSK', 'ROHIT', DEFAULT,
'DOMESTIC', 'BATSMAN', 'INDIA');
INSERT INTO ADMIN.player VALUES(304, 44, 'CSK', 'GAMBHIR', DEFAULT,
'DOMESTIC', 'BATSMAN', 'INDIA');
INSERT INTO ADMIN.player VALUES(305, 45, 'CSK', 'SACHIN', DEFAULT,
'DOMESTIC', 'ALLROUNDER', 'INDIA');
INSERT INTO ADMIN.player VALUES(306, 46, 'CSK', 'GANGULY', DEFAULT,
'DOMESTIC','ALLROUNDER','INDIA');
INSERT INTO ADMIN.player VALUES(307, 47, 'CSK', 'SEHWAG', DEFAULT,
'DOMESTIC', 'BOWLER', 'INDIA');
INSERT INTO ADMIN.player VALUES(308, 48, 'CSK', 'LAXMAN', DEFAULT,
'DOMESTIC', 'BOWLER', 'INDIA');
INSERT INTO ADMIN.player VALUES(309, 49, 'CSK', 'ZAHEER', DEFAULT,
'INTERNATIONAL', 'ALLROUNDER', 'AUSTRALIA');
INSERT INTO ADMIN.player VALUES(310, 50, 'CSK', 'SRINATH', DEFAULT,
'INTERNATIONAL', 'BATSMAN', 'ENGLAND');
--MI
INSERT INTO ADMIN.player VALUES(322, 62, 'MI', 'CHARINISHANTH', DEFAULT,
'DOMESTIC','WK','INDIA');
INSERT INTO ADMIN.player VALUES(323, 63, 'MI', 'NJAGADEESAN', DEFAULT,
'DOMESTIC','WK','INDIA');
```

```
INSERT INTO ADMIN.player VALUES(324, 64, 'MI', 'CHRISJORDAN', DEFAULT, 'DOMESTIC', 'BATSMAN', 'INDIA');
```

INSERT INTO ADMIN.player VALUES(325, 65, 'MI', 'FAFDUPLESSIS', DEFAULT, 'DOMESTIC','BATSMAN','INDIA');

INSERT INTO ADMIN.player VALUES(326, 66, 'MI', 'GLENNMAXWELL', DEFAULT, 'DOMESTIC', 'BATSMAN', 'INDIA');

INSERT INTO ADMIN.player VALUES(327, 67, 'MI', 'ANUJRAWAT', DEFAULT, 'DOMESTIC','ALLROUNDER','INDIA');

INSERT INTO ADMIN.player VALUES(328, 68, 'MI', 'DINESHKARTHIK', DEFAULT, 'DOMESTIC','ALLROUNDER','INDIA');

INSERT INTO ADMIN.player VALUES(329, 69, 'MI', 'KANEWILLIAMSON', DEFAULT, 'DOMESTIC','BOWLER','INDIA');

INSERT INTO ADMIN.player VALUES(330, 70, 'MI', 'SANJUSAMSON', DEFAULT, 'DOMESTIC', 'BOWLER', 'INDIA');

INSERT INTO ADMIN.player VALUES(331, 71, 'MI', 'HARDIKPANDYA', DEFAULT, 'INTERNATIONAL','ALLROUNDER','AUSTRALIA');

INSERT INTO ADMIN.player VALUES(332, 72, 'MI', 'SHREYASIYER', DEFAULT, 'INTERNATIONAL','BATSMAN','ENGLAND');

--srh

INSERT INTO ADMIN.player VALUES(344, 84, 'SRH', 'TILAKVARMA', DEFAULT, 'DOMESTIC', 'WK', 'INDIA');

INSERT INTO ADMIN.player VALUES(345, 85, 'SRH', 'SURYAYADAV', DEFAULT, 'DOMESTIC','WK','INDIA');

INSERT INTO ADMIN.player VALUES(346, 86, 'SRH', 'ARJUNTENDULKAR', DEFAULT, 'DOMESTIC', 'BATSMAN', 'INDIA');

INSERT INTO ADMIN.player VALUES(347, 87, 'SRH', 'DANIELSAMS', DEFAULT, 'DOMESTIC','BATSMAN','INDIA');

INSERT INTO ADMIN.player VALUES(348, 88, 'SRH', 'BUMRAH', DEFAULT, 'DOMESTIC', 'BATSMAN', 'INDIA');

INSERT INTO ADMIN.player VALUES(349, 89, 'SRH', 'BASILTHAMPI', DEFAULT, 'DOMESTIC', 'ALLROUNDER', 'INDIA');

INSERT INTO ADMIN.player VALUES(350, 90, 'SRH', 'TYMALMILLS', DEFAULT, 'DOMESTIC','ALLROUNDER','INDIA');

INSERT INTO ADMIN.player VALUES(351, 91, 'SRH', 'POLLARD', DEFAULT, 'DOMESTIC','BOWLER','INDIA');

INSERT INTO ADMIN.player VALUES(352, 92, 'SRH', 'RAMANDEEP', DEFAULT, 'DOMESTIC','BOWLER','INDIA');

INSERT INTO ADMIN.player VALUES(353, 93, 'SRH', 'FABIANALLEN', DEFAULT, 'INTERNATIONAL','ALLROUNDER','AUSTRALIA');

INSERT INTO ADMIN.player VALUES(354, 94, 'SRH', 'RILEYMEREDITH', DEFAULT, 'INTERNATIONAL','BATSMAN','ENGLAND');

```
--RR
INSERT INTO ADMIN.player VALUES(366, 106, 'RR', 'SUNILNARINE', DEFAULT,
'DOMESTIC', 'WK', 'INDIA');
INSERT INTO ADMIN.player VALUES(367, 107, 'RR', 'KARUNARATNECHAMIKA', DEFAULT,
'DOMESTIC','WK','INDIA');
INSERT INTO ADMIN.player VALUES(368, 108, 'RR', 'VARUNCHAKRABORTY', DEFAULT,
'DOMESTIC', 'BATSMAN', 'INDIA');
INSERT INTO ADMIN.player VALUES(369, 109, 'RR', 'NITISHRANA', DEFAULT,
'DOMESTIC', 'BATSMAN', 'INDIA');
INSERT INTO ADMIN.player VALUES(370, 110, 'RR', 'RAMESHKUMAR', DEFAULT,
'DOMESTIC', 'BATSMAN', 'INDIA');
INSERT INTO ADMIN.player VALUES(371, 111, 'RR', 'BABAINDRAJITH', DEFAULT,
'DOMESTIC','ALLROUNDER','INDIA');
INSERT INTO ADMIN.player VALUES(372, 112, 'RR', 'ANKULROY', DEFAULT,
'DOMESTIC','ALLROUNDER','INDIA');
INSERT INTO ADMIN.player VALUES(373, 113, 'RR', 'SHIVAMMAVI', DEFAULT,
'DOMESTIC', 'BOWLER', 'INDIA');
INSERT INTO ADMIN.player VALUES(374, 114, 'RR', 'MOHAMMADNABI', DEFAULT,
'DOMESTIC', 'BOWLER', 'INDIA');
INSERT INTO ADMIN.player VALUES(375, 115, 'RR', 'RINKUSINGH', DEFAULT,
'INTERNATIONAL', 'ALLROUNDER', 'AUSTRALIA');
INSERT INTO ADMIN.player VALUES(376, 116, 'RR', 'PRATHAMSINGH', DEFAULT,
'INTERNATIONAL', 'BATSMAN', 'ENGLAND');
commit;
-- insert audience into audience table
INSERT INTO ADMIN.audience VALUES (500, 51, 'Varun');
INSERT INTO ADMIN.audience VALUES ( 501, 50, 'Mohith');
INSERT INTO ADMIN.audience VALUES ( 502, 49, 'Sandeep');
INSERT INTO ADMIN.audience VALUES ( 503, 48, 'Preethi');
INSERT INTO ADMIN.audience VALUES ( 504, 47, 'Divya');
INSERT INTO ADMIN.audience VALUES ( 505, 46, 'Santhosh');
INSERT INTO ADMIN.audience VALUES ( 506, 45, 'Eswar');
INSERT INTO ADMIN.audience VALUES ( 507, 44, 'Saketh');
INSERT INTO ADMIN.audience VALUES ( 508, 43, 'Amrutha');
INSERT INTO ADMIN.audience VALUES ( 509, 42, 'Sandhya');
INSERT INTO ADMIN.audience VALUES ( 510, 19, 'Avinash');
```

INSERT INTO ADMIN.audience VALUES (511, 18, 'Abhijeet');

```
INSERT INTO ADMIN.audience VALUES ( 512, 17, 'Akhil');
INSERT INTO ADMIN.audience VALUES (513, 16, 'Monal');
INSERT INTO ADMIN.audience VALUES ( 514, 15, 'Swathi');
INSERT INTO ADMIN.audience VALUES (515, 14, 'Rajesh');
INSERT INTO ADMIN.audience VALUES ( 516, 13, 'Mohan');
INSERT INTO ADMIN.audience VALUES (517, 12, 'Suresh');
INSERT INTO ADMIN.audience VALUES (518, 11, 'Mahesh');
INSERT INTO ADMIN.audience VALUES (519, 10, 'Rakesh');
INSERT INTO admin.AUDIENCE VALUES( 520, 32, 'Ramesh Kumar');
INSERT INTO admin.AUDIENCE VALUES( 521, 33, 'Anjali Rajesh');
INSERT INTO admin.AUDIENCE VALUES( 522, 34, 'Gayatri Krishna');
INSERT INTO admin.AUDIENCE VALUES( 523, 35, 'Vara Prasad');
INSERT INTO admin.AUDIENCE VALUES( 524, 36, 'Lova Ramesh');
INSERT INTO admin.AUDIENCE VALUES( 525, 37, 'Ramudu Kumar');
INSERT INTO admin.AUDIENCE VALUES( 526, 38, 'Krishna Chaitanya');
INSERT INTO admin.AUDIENCE VALUES( 527, 39, 'Harsha Kiran');
INSERT INTO admin.AUDIENCE VALUES( 528, 40, 'Abhishek Sharma');
INSERT INTO admin.AUDIENCE VALUES( 529, 41, 'Nani Naveen');
commit;
```

--Insert League values into League Table

INSERT INTO admin.LEAGUE VALUES (1000, 'Pepsi IPL 2015', TO_DATE('2015-04-08 20:00:00', 'yyyy-MM-dd hh24:mi:ss'), TO_DATE('2015-05-24 23:30:00', 'yyyy-MM-dd hh24:mi:ss'), 8, 28); INSERT INTO admin.LEAGUE VALUES (1001, 'Pepsi IPL 2016', TO_DATE('2016-04-09 20:00:00', 'yyyy-MM-dd hh24:mi:ss'), TO_DATE('2016-05-29 23:30:00', 'yyyy-MM-dd hh24:mi:ss'), 8, 28); INSERT INTO admin.LEAGUE VALUES (1002, 'UnAcademy IPL 2017', TO_DATE('2017-04-05 20:00:00', 'yyyy-MM-dd hh24:mi:ss'), TO_DATE('2017-05-21 23:30:00', 'yyyy-MM-dd hh24:mi:ss'), 8, 28);

INSERT INTO admin.LEAGUE VALUES (1003, 'UnAcademy IPL 2018', TO_DATE('2018-04-07 20:00:00', 'yyyy-MM-dd hh24:mi:ss'), TO_DATE('2018-05-27 23:30:00', 'yyyy-MM-dd hh24:mi:ss'), 8, 28);

INSERT INTO admin.LEAGUE VALUES (1004, 'UnAcademy IPL 2019', TO_DATE('2019-04-08 20:00:00', 'yyyy-MM-dd hh24:mi:ss'), TO_DATE('2019-05-24 23:30:00', 'yyyy-MM-dd hh24:mi:ss'), 8, 28);

INSERT INTO admin.LEAGUE VALUES (1005, 'Vivo IPL 2020', TO_DATE('2020-04-08 20:00:00', 'yyyy-MM-dd hh24:mi:ss'), TO_DATE('2020-05-24 23:30:00', 'yyyy-MM-dd hh24:mi:ss'), 8, 28); INSERT INTO admin.LEAGUE VALUES (1006, 'Vivo IPL 2021', TO_DATE('2021-04-08 20:00:00', 'yyyy-MM-dd hh24:mi:ss'), TO_DATE('2021-05-24 23:30:00', 'yyyy-MM-dd hh24:mi:ss'), 8, 28);

COMMIT;

--Insert Bid values into Bid Table

---KKR Bidding

INSERT INTO admin.BID VALUES(701, 200, 355, TO_DATE('2021-02-16 02:00:00', 'yyyy-MM-dd hh24:mi:ss'), 'F', 10000000, 1006);

INSERT INTO admin.BID VALUES(702, 203, 355, TO_DATE('2021-02-16 02:05:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 11000000, 1006);

INSERT INTO admin.BID VALUES(703, 201, 356, TO_DATE('2021-02-16 02:10:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 12000000, 1006);

INSERT INTO admin.BID VALUES(704, 201, 357, TO_DATE('2021-02-16 02:15:00', 'yyyy-MM-dd hh24:mi:ss'), 'F', 10000000, 1006);

INSERT INTO admin.BID VALUES(705, 203, 357, TO_DATE('2021-02-16 02:20:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 12500000, 1006);

INSERT INTO admin.BID VALUES(706, 203, 358, TO_DATE('2021-02-16 02:25:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 15000000, 1006);

INSERT INTO admin.BID VALUES(707, 205, 359, TO_DATE('2021-02-16 02:30:00', 'yyyy-MM-dd hh24:mi:ss'), 'F', 10000000, 1006);

INSERT INTO admin.BID VALUES(708, 203, 359, TO_DATE('2021-02-16 02:35:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 10500000, 1006);

INSERT INTO admin.BID VALUES(709, 203, 360, TO_DATE('2021-02-16 02:40:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 11000000, 1006);

INSERT INTO admin.BID VALUES(710, 202, 361, TO_DATE('2021-02-16 02:45:00', 'yyyy-MM-dd hh24:mi:ss'), 'F', 11500000, 1006);

INSERT INTO admin.BID VALUES(711, 203, 361, TO_DATE('2021-02-16 02:50:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 12300000, 1006);

INSERT INTO admin.BID VALUES(712, 203, 362, TO_DATE('2021-02-16 02:55:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 13500000, 1006);

INSERT INTO admin.BID VALUES(713, 201, 363, TO_DATE('2021-02-16 03:00:00', 'yyyy-MM-dd hh24:mi:ss'), 'F', 14000000, 1006);

INSERT INTO admin.BID VALUES(714, 203, 363, TO_DATE('2021-02-16 03:05:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 14500000, 1006);

INSERT INTO admin.BID VALUES(715, 203, 364, TO_DATE('2021-02-16 03:10:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 15000000, 1006);

INSERT INTO admin.BID VALUES(716, 203, 365, TO_DATE('2021-02-16 03:13:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 15000000, 1006);

--RR

INSERT INTO admin.BID VALUES(717, 203, 366, TO_DATE('2021-02-16 03:15:00', 'yyyy-MM-dd hh24:mi:ss'), 'F', 10000000, 1006);

INSERT INTO admin.BID VALUES(718, 204, 366, TO_DATE('2021-02-16 03:20:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 11000000, 1006);

INSERT INTO admin.BID VALUES(719, 204, 367, TO_DATE('2021-02-16 03:25:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 12000000, 1006);

INSERT INTO admin.BID VALUES(720, 202, 368, TO_DATE('2021-02-16 03:30:00', 'yyyy-MM-dd hh24:mi:ss'), 'F', 10000000, 1006);

INSERT INTO admin.BID VALUES(721, 204, 368, TO_DATE('2021-02-16 03:35:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 12500000, 1006);

INSERT INTO admin.BID VALUES(722, 204, 369, TO_DATE('2021-02-16 03:40:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 15000000, 1006);

INSERT INTO admin.BID VALUES(723, 205, 370, TO_DATE('2021-02-16 03:45:00', 'yyyy-MM-dd hh24:mi:ss'), 'F', 10000000, 1006);

INSERT INTO admin.BID VALUES(724, 204, 370, TO_DATE('2021-02-16 03:50:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 10500000, 1006);

INSERT INTO admin.BID VALUES(725, 204, 371, TO_DATE('2021-02-16 03:55:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 11000000, 1006);

INSERT INTO admin.BID VALUES(726, 205, 372, TO_DATE('2021-02-16 04:00:00', 'yyyy-MM-dd hh24:mi:ss'), 'F', 11500000, 1006);

INSERT INTO admin.BID VALUES(727, 204, 372, TO_DATE('2021-02-16 04:05:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 12300000, 1006);

INSERT INTO admin.BID VALUES(728, 204, 373, TO_DATE('2021-02-16 04:10:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 13500000, 1006);

INSERT INTO admin.BID VALUES(729, 207, 374, TO_DATE('2021-02-16 04:15:00', 'yyyy-MM-dd hh24:mi:ss'), 'F', 14000000, 1006);

INSERT INTO admin.BID VALUES(730, 204, 374, TO_DATE('2021-02-16 04:20:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 14500000, 1006);

INSERT INTO admin.BID VALUES(731, 204, 375, TO_DATE('2021-02-16 04:25:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 15000000, 1006);

INSERT INTO admin.BID VALUES(732, 204, 376, TO_DATE('2021-02-16 04:28:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 15000000, 1006);

--KXIP

INSERT INTO admin.BID VALUES(733, 204, 377, TO_DATE('2021-02-16 04:30:00', 'yyyy-MM-dd hh24:mi:ss'), 'F', 10000000, 1006);

INSERT INTO admin.BID VALUES(734, 205, 377, TO_DATE('2021-02-16 04:35:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 11000000, 1006);

INSERT INTO admin.BID VALUES(735, 205, 378, TO_DATE('2021-02-16 04:40:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 12000000, 1006);

INSERT INTO admin.BID VALUES(736, 203, 379, TO_DATE('2021-02-16 04:45:00', 'yyyy-MM-dd hh24:mi:ss'), 'F', 10000000, 1006);

INSERT INTO admin.BID VALUES(737, 205, 379, TO_DATE('2021-02-16 04:50:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 12500000, 1006);

INSERT INTO admin.BID VALUES(738, 205, 380, TO_DATE('2021-02-16 04:55:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 15000000, 1006);

INSERT INTO admin.BID VALUES(739, 206, 381, TO_DATE('2021-02-16 05:00:00', 'yyyy-MM-dd hh24:mi:ss'), 'F', 10000000, 1006);

INSERT INTO admin.BID VALUES(740, 205, 381, TO_DATE('2021-02-16 05:05:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 10500000, 1006);

INSERT INTO admin.BID VALUES(741, 205, 382, TO_DATE('2021-02-16 05:10:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 11000000, 1006);

INSERT INTO admin.BID VALUES(742, 202, 383, TO_DATE('2021-02-16 05:15:00', 'yyyy-MM-dd hh24:mi:ss'), 'F', 11500000, 1006);

INSERT INTO admin.BID VALUES(743, 205, 383, TO_DATE('2021-02-16 05:20:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 12300000, 1006);

INSERT INTO admin.BID VALUES(744, 205, 384, TO_DATE('2021-02-16 05:25:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 13500000, 1006);

INSERT INTO admin.BID VALUES(745, 201, 385, TO_DATE('2021-02-16 05:30:00', 'yyyy-MM-dd hh24:mi:ss'), 'F', 14000000, 1006);

INSERT INTO admin.BID VALUES(746, 205, 385, TO_DATE('2021-02-16 05:35:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 14500000, 1006);

INSERT INTO admin.BID VALUES(747, 205, 386, TO_DATE('2021-02-16 05:40:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 15000000, 1006);

INSERT INTO admin.BID VALUES(748, 205, 387, TO_DATE('2021-02-16 05:42:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 15000000, 1006);

---DC

INSERT INTO admin.BID VALUES(749, 202, 311, TO_DATE('2021-02-16 05:45:00', 'yyyy-MM-dd hh24:mi:ss'), 'F', 10000000, 1006);

INSERT INTO admin.BID VALUES(750, 207, 311, TO_DATE('2021-02-16 05:50:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 11000000, 1006);

INSERT INTO admin.BID VALUES(751, 207, 312, TO_DATE('2021-02-16 05:55:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 12000000, 1006);

INSERT INTO admin.BID VALUES(752, 202, 313, TO_DATE('2021-02-16 06:00:00', 'yyyy-MM-dd hh24:mi:ss'), 'F', 10000000, 1006);

INSERT INTO admin.BID VALUES(753, 207, 313, TO_DATE('2021-02-16 06:05:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 12500000, 1006);

INSERT INTO admin.BID VALUES(754, 207, 314, TO_DATE('2021-02-16 06:10:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 15000000, 1006);

INSERT INTO admin.BID VALUES(755, 202, 315, TO_DATE('2021-02-16 06:15:00', 'yyyy-MM-dd hh24:mi:ss'), 'F', 10000000, 1006);

INSERT INTO admin.BID VALUES(756, 207, 315, TO_DATE('2021-02-16 06:20:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 10500000, 1006);

INSERT INTO admin.BID VALUES(757, 207, 316, TO_DATE('2021-02-16 06:25:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 11000000, 1006);

INSERT INTO admin.BID VALUES(758, 201, 317, TO_DATE('2021-02-16 06:30:00', 'yyyy-MM-dd hh24:mi:ss'), 'F', 11500000, 1006);

INSERT INTO admin.BID VALUES(759, 207, 317, TO_DATE('2021-02-16 06:35:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 12300000, 1006);

INSERT INTO admin.BID VALUES(760, 207, 318, TO_DATE('2021-02-16 06:40:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 13500000, 1006);

INSERT INTO admin.BID VALUES(761, 200, 319, TO_DATE('2021-02-16 06:45:00', 'yyyy-MM-dd hh24:mi:ss'), 'F', 14000000, 1006);

INSERT INTO admin.BID VALUES(762, 207, 319, TO_DATE('2021-02-16 06:50:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 14500000, 1006);

INSERT INTO admin.BID VALUES(763, 207, 320, TO_DATE('2021-02-16 06:55:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 15000000, 1006);

INSERT INTO admin.BID VALUES(764, 207, 321, TO_DATE('2021-02-16 06:58:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 15000000, 1006);

--CSK

INSERT INTO admin.BID VALUES(600, 202, 300, TO_DATE('2021-02-15 10:00:00', 'yyyy-MM-dd hh24:mi:ss'), 'F', 10000083,1006);

INSERT INTO admin.BID VALUES(601, 200, 300, TO_DATE('2021-02-15 10:01:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 12000000,1006);

INSERT INTO admin.BID VALUES(602, 200, 301, TO_DATE('2021-02-15 10:01:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 10300000,1006);

INSERT INTO admin.BID VALUES(603, 208, 301, TO_DATE('2021-02-15 10:30:00', 'yyyy-MM-dd hh24:mi:ss'), 'F', 10000090,1006);

INSERT INTO admin.BID VALUES(604, 200, 302, TO_DATE('2021-02-15 10:31:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 14000000,1006);

INSERT INTO admin.BID VALUES(605, 200, 303, TO_DATE('2021-02-15 10:32:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 13200000,1006);

INSERT INTO admin.BID VALUES(606, 200, 304, TO_DATE('2021-02-15 10:40:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 15600000,1006);

INSERT INTO admin.BID VALUES(607, 203, 305, TO_DATE('2021-02-15 10:45:00', 'yyyy-MM-dd hh24:mi:ss'), 'F', 10073000,1006);

INSERT INTO admin.BID VALUES(608, 200, 305, TO_DATE('2021-02-15 10:50:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 135000000,1006);

INSERT INTO admin.BID VALUES(609, 200, 306, TO_DATE('2021-02-15 11:30:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 12935000,1006);

INSERT INTO admin.BID VALUES(610, 200, 307, TO_DATE('2021-02-15 11:33:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 12300000,1006);

INSERT INTO admin.BID VALUES(611, 200, 308, TO_DATE('2021-02-15 12:00:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 32000000,1006);

INSERT INTO admin.BID VALUES(612, 200, 309, TO_DATE('2021-02-15 12:03:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 12000000,1006);

INSERT INTO admin.BID VALUES(613, 200, 310, TO_DATE('2021-02-15 12:03:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 12000000,1006);

--MI

INSERT INTO admin.BID VALUES(614, 202,322, TO_DATE('2021-02-15 12:04:00', 'yyyy-MM-dd hh24:mi:ss'), 'F', 10000083,1006);

INSERT INTO admin.BID VALUES(615, 201, 322, TO_DATE('2021-02-15 12:06:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 13400000,1006);

INSERT INTO admin.BID VALUES(616, 201, 323 ,TO_DATE('2021-02-15 12:01:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 12300000,1006);

INSERT INTO admin.BID VALUES(617, 201,324, TO_DATE('2021-02-15 12:30:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 11300090,1006);

INSERT INTO admin.BID VALUES(618, 205, 325, TO_DATE('2021-02-15 12:31:00', 'yyyy-MM-dd hh24:mi:ss'), 'F', 11200000,1006);

INSERT INTO admin.BID VALUES(619, 201,325, TO_DATE('2021-02-15 1:32:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 14200000,1006);

INSERT INTO admin.BID VALUES(620, 206, 326, TO_DATE('2021-02-15 10:40:00', 'yyyy-MM-dd hh24:mi:ss'), 'F', 12600000,1006);

INSERT INTO admin.BID VALUES(621, 201,326, TO_DATE('2021-02-15 10:45:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 13373000,1006);

INSERT INTO admin.BID VALUES(622, 201, 327, TO_DATE('2021-02-15 10:50:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 136000000,1006);

INSERT INTO admin.BID VALUES(623, 201, 328, TO_DATE('2021-02-15 11:30:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 13935000,1006);

INSERT INTO admin.BID VALUES(624, 204, 329, TO_DATE('2021-02-15 11:33:00', 'yyyy-MM-dd hh24:mi:ss'), 'F', 12300000,1006);

INSERT INTO admin.BID VALUES(625, 201, 329, TO_DATE('2021-02-15 12:00:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 32000000,1006);

INSERT INTO admin.BID VALUES(626, 201, 330, TO_DATE('2021-02-15 12:03:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 12230000,1006);

INSERT INTO admin.BID VALUES(627, 201, 331, TO_DATE('2021-02-15 12:03:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 11800000,1006);

INSERT INTO admin.BID VALUES(628, 201, 332, TO_DATE('2021-02-15 12:03:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 11800000,1006);

--RCB

INSERT INTO admin.BID VALUES(629, 201, 333, TO_DATE('2021-02-15 12:03:00', 'yyyy-MM-dd hh24:mi:ss'), 'F', 10000083,1006);

INSERT INTO admin.BID VALUES(630, 206, 333, TO_DATE('2021-02-15 12:03:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 13400000,1006);

INSERT INTO admin.BID VALUES(631, 206, 334, TO_DATE('2021-02-15 12:05:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 12300000,1006);

INSERT INTO admin.BID VALUES(632, 206, 335, TO_DATE('2021-02-15 12:13:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 11350090,1006);

INSERT INTO admin.BID VALUES(633, 207, 336, TO_DATE('2021-02-15 12:38:00', 'yyyy-MM-dd hh24:mi:ss'), 'F', 14200000,1006);

INSERT INTO admin.BID VALUES(634, 206, 336, TO_DATE('2021-02-15 1:32:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 15400000,1006);

INSERT INTO admin.BID VALUES(635, 201, 337, TO_DATE('2021-02-15 10:20:00', 'yyyy-MM-dd hh24:mi:ss'), 'F', 12600000,1006);

INSERT INTO admin.BID VALUES(636, 206, 337, TO_DATE('2021-02-15 10:34:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 13373000,1006);

INSERT INTO admin.BID VALUES(637, 206, 338, TO_DATE('2021-02-15 10:50:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 136000000,1006);

INSERT INTO admin.BID VALUES(638, 206, 339, TO_DATE('2021-02-15 11:30:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 13935000,1006);

INSERT INTO admin.BID VALUES(639, 203, 340, TO_DATE('2021-02-15 11:33:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 12300000,1006);

INSERT INTO admin.BID VALUES(640, 206, 341, TO_DATE('2021-02-15 12:00:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 32000000,1006);

INSERT INTO admin.BID VALUES(641, 206, 342, TO_DATE('2021-02-15 12:03:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 12230000,1006);

INSERT INTO admin.BID VALUES(642, 206, 343, TO_DATE('2021-02-15 12:03:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 11800000,1006);

---SRH

INSERT INTO admin.BID VALUES(657, 202, 344, TO_DATE('2021-02-15 12:03:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 10000083,1006);

INSERT INTO admin.BID VALUES(643, 201, 345, TO_DATE('2021-02-15 12:03:00', 'yyyy-MM-dd hh24:mi:ss'), 'F', 13400000,1006);

INSERT INTO admin.BID VALUES(644, 202, 345, TO_DATE('2021-02-15 12:05:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 13700000,1006);

INSERT INTO admin.BID VALUES(645, 202, 346, TO_DATE('2021-02-15 12:13:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 11350090,1006);

INSERT INTO admin.BID VALUES(646, 205, 347, TO_DATE('2021-02-15 12:38:00', 'yyyy-MM-dd hh24:mi:ss'), 'F', 14200000,1006);

INSERT INTO admin.BID VALUES(647, 202, 347, TO_DATE('2021-02-15 1:32:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 15400000,1006);

INSERT INTO admin.BID VALUES(648, 203, 348, TO_DATE('2021-02-15 10:20:00', 'yyyy-MM-dd hh24:mi:ss'), 'F', 12600000,1006);

INSERT INTO admin.BID VALUES(649, 202, 348, TO_DATE('2021-02-15 10:34:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 13373000,1006);

INSERT INTO admin.BID VALUES(650, 205, 349, TO_DATE('2021-02-15 10:50:00', 'yyyy-MM-dd hh24:mi:ss'), 'F', 136000000,1006);

INSERT INTO admin.BID VALUES(651, 202, 349, TO_DATE('2021-02-15 11:30:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 13935000,1006);

INSERT INTO admin.BID VALUES(652, 202, 350, TO_DATE('2021-02-15 11:33:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 12300000,1006);

INSERT INTO admin.BID VALUES(653, 202, 351, TO_DATE('2021-02-15 12:00:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 32000000,1006);

INSERT INTO admin.BID VALUES(654, 202, 352, TO_DATE('2021-02-15 12:03:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 12230000,1006);

INSERT INTO admin.BID VALUES(655, 202, 353, TO_DATE('2021-02-15 12:03:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 11800000,1006);

INSERT INTO admin.BID VALUES(656, 202, 354, TO_DATE('2021-02-15 12:03:00', 'yyyy-MM-dd hh24:mi:ss'), 'T', 12230000,1006);

COMMIT;

--Insert Payment values into Payment Table

INSERT INTO admin.Payment VALUES(800,601,300,admin.reference number seq.NEXTVAL); INSERT INTO admin.Payment VALUES(801,602,301,admin.reference number seq.NEXTVAL); INSERT INTO admin.Payment VALUES(802,604,302,admin.reference number seq.NEXTVAL); INSERT INTO admin.Payment VALUES(803,605,303,admin.reference number seq.NEXTVAL); INSERT INTO admin.Payment VALUES(804,606,304,admin.reference number seq.NEXTVAL); INSERT INTO admin.Payment VALUES(805,608,305,admin.reference number seq.NEXTVAL); INSERT INTO admin.Payment VALUES(806,609,306,admin.reference number seq.NEXTVAL); INSERT INTO admin.Payment VALUES(807,610,307,admin.reference number seq.NEXTVAL); INSERT INTO admin.Payment VALUES(808,611,308,admin.reference number seq.NEXTVAL); INSERT INTO admin.Payment VALUES(809,612,309,admin.reference number seq.NEXTVAL); INSERT INTO admin.Payment VALUES(810,613,310,admin.reference number seq.NEXTVAL); INSERT INTO admin.Payment VALUES(811,615,322,admin.reference number seq.NEXTVAL); INSERT INTO admin.Payment VALUES(812,616,323,admin.reference number seq.NEXTVAL); INSERT INTO admin.Payment VALUES(813,617,324,admin.reference number seq.NEXTVAL); INSERT INTO admin.Payment VALUES(814,619,325,admin.reference number seq.NEXTVAL); INSERT INTO admin.Payment VALUES(815,621,326,admin.reference number seq.NEXTVAL); INSERT INTO admin.Payment VALUES(816,622,327,admin.reference number seq.NEXTVAL); INSERT INTO admin.Payment VALUES(817,623,328,admin.reference number seq.NEXTVAL); INSERT INTO admin.Payment VALUES(818,625,329,admin.reference number seq.NEXTVAL); INSERT INTO admin.Payment VALUES(819,626,330,admin.reference number seq.NEXTVAL); INSERT INTO admin.Payment VALUES(820,627,331,admin.reference number seq.NEXTVAL); INSERT INTO admin.Payment VALUES(821,628,332,admin.reference number seq.NEXTVAL); INSERT INTO admin.Payment VALUES(822,630,333,admin.reference number seq.NEXTVAL); INSERT INTO admin.Payment VALUES(823,631,334,admin.reference number seq.NEXTVAL);

```
INSERT INTO admin.Payment VALUES(824,632,335,admin.reference number seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(825,634,336,admin.reference number seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(826,636,337,admin.reference number seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(827,637,338,admin.reference number seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(828,638,339,admin.reference number seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(829,640,341,admin.reference number seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(830,641,342,admin.reference number seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(831,642,343,admin.reference number seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(832,657,344,admin.reference number seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(833,644,345,admin.reference number seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(834,645,346,admin.reference number seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(835,647,347,admin.reference number seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(836,649,348,admin.reference number seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(837,651,349,admin.reference number seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(838,652,350,admin.reference number seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(839,653,351,admin.reference number seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(840,654,352,admin.reference number seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(841,655,353,admin.reference number seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(842,656,354,admin.reference number seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(843,702,355,admin.reference number seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(844,703,356,admin.reference number seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(845,705,357,admin.reference number seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(846,706,358,admin.reference number seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(847,708,359,admin.reference number seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(848, 709,360 ,admin.reference number seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(849, 711, 361, admin.reference number seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(850, 712, 362, admin.reference number seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(851, 714, 363, admin.reference number seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(852, 715, 364, admin.reference number seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(853, 716, 365, admin.reference number seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(854, 718,366, admin.reference number seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(855, 719, 367, admin.reference number seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(856, 721, 368,admin.reference number seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(857, 722, 369, admin.reference number seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(858, 724, 370, admin.reference number seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(859, 725, 371,admin.reference number seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(860, 727, 372, admin.reference number seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(861, 728,373, admin.reference number seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(862, 730, 374, admin.reference number seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(863, 731, 375, admin.reference number seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(864, 732, 376, admin.reference number seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(865, 734, 377, admin.reference_number_seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(866, 735, 378, admin.reference number seq.NEXTVAL);
```

```
INSERT INTO admin.Payment VALUES(867, 737, 379, admin.reference_number_seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(868, 738, 380, admin.reference_number_seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(869, 740, 381, admin.reference number seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(870, 741, 382, admin.reference number seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(871, 743, 383, admin.reference_number_seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(872, 744, 384, admin.reference number seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(873, 746, 385, admin.reference number seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(874, 747, 386, admin.reference number seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(875, 748, 387, admin.reference number seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(876, 750, 311, admin.reference number seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(877, 751, 312, admin.reference number seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(878, 753, 313, admin.reference number seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(879, 754, 314, admin.reference number seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(880, 756, 315, admin.reference number seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(881, 757, 316, admin.reference number seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(882, 759, 317, admin.reference number seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(883, 760, 318, admin.reference number seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(884, 762, 319, admin.reference_number_seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(885, 763, 320,admin.reference number seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(886, 764, 321, admin.reference number seq.NEXTVAL);
INSERT INTO admin.Payment VALUES(887,639,340,admin.reference number seq.NEXTVAL);
```

COMMIT;

COMMIT;

--Insert Venue values into Venue Table

```
INSERT INTO admin.VENUE VALUES (1100, 'Eden Gardens', 8, 85000, 'KKR', 'Kolkota');
INSERT INTO admin.VENUE VALUES (1101, 'MA Chidambaram Stadium', 5, 75000, 'CSK', 'Chennai');
INSERT INTO admin.VENUE VALUES (1102, 'Arun Jaitley Stadium', 8, 95000, 'DC', 'Delhi');
INSERT INTO admin.VENUE VALUES (1103, 'Wankhede Stadium', 8, 95000, 'MI', 'Mumbai');
INSERT INTO admin.VENUE VALUES (1104, 'M.Chinnaswamy Stadium', 8, 95000, 'RCB', 'Bengaluru');
INSERT INTO admin.VENUE VALUES (1105, 'Narendra Modi Stadium', 8, 90000, 'KXIP', 'Punjab');
INSERT INTO admin.VENUE VALUES (1106, 'Rajiv Gandhi Stadium', 8, 95000, 'SRH', 'Hyderabad');
INSERT INTO admin.VENUE VALUES (1107, 'Sawai Mansingh Stadium', 8, 95000, 'RR', 'Jaipur');
```

```
--Insert Fixture values into Fixture Table
INSERT INTO admin.FIXTURE VALUES(900, 'CSK', 'RCB', 1101, TO_DATE('2021-05-24 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'CSK', 'WON BY 10 WICKETS', 1006);
INSERT INTO admin.FIXTURE VALUES(901, 'CSK', 'MI', 1103, TO DATE('2021-05-25 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'MI', 'WON BY 8 WICKETS', 1006);
INSERT INTO admin.FIXTURE VALUES(902, 'CSK', 'KKR', 1101, TO_DATE('2021-05-26 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'CSK', 'WON BY 9 WICKETS', 1006);
INSERT INTO admin.FIXTURE VALUES(903, 'CSK', 'DC', 1102, TO DATE('2021-05-27 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'DC', 'WON BY 1 WICKET', 1006);
INSERT INTO admin.FIXTURE VALUES(904, 'CSK', 'RR', 1107, TO DATE('2021-05-28 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'CSK', 'WON BY 3 WICKETS', 1006);
INSERT INTO admin.FIXTURE VALUES(905, 'CSK', 'SRH', 1101, TO_DATE('2021-05-29 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'CSK', 'WON BY 6 WICKETS', 1006);
INSERT INTO admin.FIXTURE VALUES(906, 'CSK', 'KXIP', 1101, TO DATE('2021-05-30 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'KXIP', 'WON BY 2 WICKETS', 1006);
INSERT INTO admin.FIXTURE VALUES(907, 'RCB', 'MI', 1104, TO DATE('2021-05-31 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'RCB', 'WON BY 10 WICKETS', 1006);
INSERT INTO admin.FIXTURE VALUES(908, 'RCB', 'KKR', 1100, TO DATE('2021-06-01 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'RCB', 'WON BY 10 WICKETS', 1006);
INSERT INTO admin.FIXTURE VALUES(909, 'RCB', 'DC', 1104, TO DATE('2021-06-02 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'DC', 'WON BY 5 WICKETS', 1006);
INSERT INTO admin.FIXTURE VALUES(910, 'RCB', 'RR', 1107, TO DATE('2021-06-03 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'RR', 'WON BY 10 WICKETS', 1006);
INSERT INTO admin.FIXTURE VALUES(911, 'RCB', 'SRH', 1104, TO_DATE('2021-06-04 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'RCB', 'WON BY 9 WICKETS', 1006);
INSERT INTO admin.FIXTURE VALUES(912, 'RCB', 'KXIP', 1105, TO DATE('2021-06-05 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'KXIP', 'WON BY 1 WICKETS', 1006);
INSERT INTO admin.FIXTURE VALUES(913, 'MI', 'KKR', 1103, TO_DATE('2021-06-06 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'KKR', 'WON BY 10 WICKETS', 1006);
INSERT INTO admin.FIXTURE VALUES(914, 'MI', 'DC', 1102, TO DATE('2021-06-07 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'MI', 'WON BY 10 WICKETS', 1006);
INSERT INTO admin.FIXTURE VALUES(915, 'MI', 'RR', 1103, TO DATE('2021-06-08 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'MI', 'WON BY 1 WICKETS', 1006);
INSERT INTO admin.FIXTURE VALUES(916, 'MI', 'SRH', 1106, TO_DATE('2021-06-09 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'SRH', 'WON BY 4 WICKETS', 1006);
INSERT INTO admin.FIXTURE VALUES(917, 'MI', 'KXIP', 1105, TO DATE('2021-06-10 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'KXIP', 'WON BY 10 WICKETS', 1006);
INSERT INTO admin.FIXTURE VALUES(918, 'KKR', 'DC', 1100, TO DATE('2021-06-11 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'KKR', 'WON BY 1 WICKETS', 1006);
```

```
INSERT INTO admin.FIXTURE VALUES(919, 'KKR', 'RR', 1107, TO DATE('2021-06-12 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'RR', 'WON BY 8 WICKETS', 1006);
INSERT INTO admin.FIXTURE VALUES(920, 'KKR', 'SRH', 1100, TO DATE('2021-06-13 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'KKR', 'WON BY 1 WICKETS', 1006);
INSERT INTO admin.FIXTURE VALUES(921, 'KKR', 'KXIP', 1105, TO DATE('2021-06-14 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'KXIP', 'WON BY 3 WICKETS', 1006);
INSERT INTO admin.FIXTURE VALUES(922, 'DC', 'RR', 1102, TO DATE('2021-06-15 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'DC', 'WON BY 10 WICKETS', 1006);
INSERT INTO admin.FIXTURE VALUES(923, 'DC', 'SRH', 1106, TO DATE('2021-06-16 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'SRH', 'WON BY 5 WICKETS', 1006);
INSERT INTO admin.FIXTURE VALUES(924, 'DC', 'KXIP', 1102, TO DATE('2021-06-17 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'DC', 'WON BY 1 WICKETS', 1006);
INSERT INTO admin.FIXTURE VALUES(925, 'RR', 'SRH', 1107, TO DATE('2021-06-18 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'RR', 'WON BY 5 WICKETS', 1006);
INSERT INTO admin.FIXTURE VALUES(926, 'RR', 'KXIP', 1105, TO_DATE('2021-06-19 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'KXIP', 'WON BY 8 WICKETS', 1006);
INSERT INTO admin.FIXTURE VALUES(927, 'SRH', 'KXIP', 1105, TO DATE('2021-06-20 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'KXIP', 'WON BY 7 WICKETS', 1006);
INSERT INTO admin.FIXTURE VALUES(928, 'CSK', 'RCB', 1101, TO DATE('2020-05-24 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'RCB', 'WON BY 10 WICKETS', 1005);
INSERT INTO admin.FIXTURE VALUES(929, 'CSK', 'MI', 1103, TO DATE('2020-05-25 23:30:00',
'vvvv-MM-dd hh24:mi:ss'), 'CSK', 'WON BY 8 WICKETS', 1005);
INSERT INTO admin.FIXTURE VALUES(930, 'CSK', 'KKR', 1101, TO DATE('2020-05-26 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'KKR', 'WON BY 9 WICKETS', 1005);
INSERT INTO admin.FIXTURE VALUES(931, 'CSK', 'DC', 1102, TO DATE('2020-05-27 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'CSK', 'WON BY 1 WICKET', 1005);
INSERT INTO admin.FIXTURE VALUES(932, 'CSK', 'RR', 1107, TO_DATE('2020-05-28 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'RR', 'WON BY 3 WICKETS', 1005);
INSERT INTO admin.FIXTURE VALUES(933, 'CSK', 'SRH', 1101, TO DATE('2020-05-29 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'SRH', 'WON BY 6 WICKETS', 1005);
INSERT INTO admin.FIXTURE VALUES(934, 'CSK', 'KXIP', 1101, TO_DATE('2020-05-30 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'CSK', 'WON BY 2 WICKETS', 1005);
INSERT INTO admin.FIXTURE VALUES(935, 'RCB', 'MI', 1104, TO DATE('2020-05-31 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'MI', 'WON BY 10 WICKETS', 1005);
INSERT INTO admin.FIXTURE VALUES(936, 'RCB', 'KKR', 1100, TO DATE('2020-06-01 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'KKR', 'WON BY 10 WICKETS', 1005);
INSERT INTO admin.FIXTURE VALUES(937, 'RCB', 'DC', 1104, TO DATE('2020-06-02 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'RCB', 'WON BY 5 WICKETS', 1005);
INSERT INTO admin.FIXTURE VALUES(938, 'RCB', 'RR', 1107, TO DATE('2020-06-03 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'RCB', 'WON BY 10 WICKETS', 1005);
INSERT INTO admin.FIXTURE VALUES(939, 'RCB', 'SRH', 1104, TO DATE('2020-06-04 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'SRH', 'WON BY 9 WICKETS', 1005);
```

```
INSERT INTO admin.FIXTURE VALUES(940, 'RCB', 'KXIP', 1105, TO DATE('2020-06-05 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'RCB', 'WON BY 1 WICKETS', 1005);
INSERT INTO admin.FIXTURE VALUES(941, 'MI', 'KKR', 1103, TO DATE('2020-06-06 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'MI', 'WON BY 10 WICKETS', 1005);
INSERT INTO admin.FIXTURE VALUES(942, 'MI', 'DC', 1102, TO DATE('2020-06-07 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'DC', 'WON BY 10 WICKETS', 1005);
INSERT INTO admin.FIXTURE VALUES(943, 'MI', 'RR', 1103, TO DATE('2020-06-08 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'RR', 'WON BY 1 WICKETS', 1005);
INSERT INTO admin.FIXTURE VALUES(944, 'MI', 'SRH', 1106, TO DATE('2020-06-09 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'MI', 'WON BY 4 WICKETS', 1005);
INSERT INTO admin.FIXTURE VALUES(945, 'MI', 'KXIP', 1105, TO DATE('2020-06-10 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'MI', 'WON BY 10 WICKETS', 1005);
INSERT INTO admin.FIXTURE VALUES(946, 'KKR', 'DC', 1100, TO DATE('2020-06-11 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'DC', 'WON BY 1 WICKETS', 1005);
INSERT INTO admin.FIXTURE VALUES(947, 'KKR', 'RR', 1107, TO_DATE('2020-06-12 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'KKR', 'WON BY 8 WICKETS', 1005);
INSERT INTO admin.FIXTURE VALUES(948, 'KKR', 'SRH', 1100, TO DATE('2020-06-13 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'SRH', 'WON BY 1 WICKETS', 1005);
INSERT INTO admin.FIXTURE VALUES(949, 'KKR', 'KXIP', 1105, TO DATE('2020-06-14 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'KKR', 'WON BY 3 WICKETS', 1005);
INSERT INTO admin.FIXTURE VALUES(950, 'DC', 'RR', 1102, TO DATE('2020-06-15 23:30:00',
'vvvv-MM-dd hh24:mi:ss'), 'RR', 'WON BY 10 WICKETS', 1005);
INSERT INTO admin.FIXTURE VALUES(951, 'DC', 'SRH', 1106, TO DATE('2020-06-16 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'DC', 'WON BY 5 WICKETS', 1005);
INSERT INTO admin.FIXTURE VALUES(952, 'DC', 'KXIP', 1102, TO DATE('2020-06-17 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'KXIP', 'WON BY 1 WICKETS', 1005);
INSERT INTO admin.FIXTURE VALUES(953, 'RR', 'SRH', 1107, TO DATE('2020-06-18 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'SRH', 'WON BY 5 WICKETS', 1005);
INSERT INTO admin.FIXTURE VALUES(954, 'RR', 'KXIP', 1105, TO DATE('2020-06-19 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'RR', 'WON BY 8 WICKETS', 1005);
INSERT INTO admin.FIXTURE VALUES(955, 'SRH', 'KXIP', 1105, TO_DATE('2020-06-20 23:30:00',
'yyyy-MM-dd hh24:mi:ss'), 'SRH', 'WON BY 7 WICKETS', 1005);
COMMIT;
```

--Insert Team_Standings values into Team_Standings Table

INSERT INTO admin.team_standings VALUES (TEAM_STANDINGS_SEQ.NEXTVAL,7,6,1,0,0,12,1006,'KXIP');

```
INSERT INTO admin.team standings VALUES
(TEAM_STANDINGS_SEQ.NEXTVAL,7,4,3,0,0,8,1006,'CSK');
INSERT INTO admin.team standings VALUES
(TEAM STANDINGS SEQ.NEXTVAL,7,4,3,0,0,8,1006,'DC');
INSERT INTO admin.team standings VALUES
(TEAM_STANDINGS_SEQ.NEXTVAL,7,3,4,0,0,6,1006,'RCB');
INSERT INTO admin.team standings VALUES
(TEAM STANDINGS SEQ.NEXTVAL,7,3,4,0,0,6,1006,'MI');
INSERT INTO admin.team_standings VALUES
(TEAM STANDINGS SEQ.NEXTVAL,7,3,4,0,0,6,1006,'RR');
INSERT INTO admin.team standings VALUES
(TEAM STANDINGS SEQ.NEXTVAL,7,3,4,0,0,6,1006,'KKR');
INSERT INTO admin.team standings VALUES
(TEAM STANDINGS SEQ.NEXTVAL,7,2,5,0,0,4,1006,'SRH');
INSERT INTO admin.team standings VALUES
(TEAM STANDINGS SEQ.NEXTVAL, 7, 5, 2, 0, 0, 12, 1005, 'SRH');
INSERT INTO admin.team standings VALUES
(TEAM_STANDINGS_SEQ.NEXTVAL,7,4,3,0,0,8,1005,'RCB');
INSERT INTO admin.team standings VALUES
(TEAM_STANDINGS_SEQ.NEXTVAL,7,4,3,0,0,8,1005,'MI');
INSERT INTO admin.team standings VALUES
(TEAM STANDINGS SEQ.NEXTVAL,7,4,3,0,0,6,1005,'RR');
INSERT INTO admin.team standings VALUES
(TEAM_STANDINGS_SEQ.NEXTVAL,7,4,3,0,0,6,1005,'KKR');
INSERT INTO admin.team standings VALUES
(TEAM STANDINGS SEQ.NEXTVAL,7,3,4,0,0,6,1005,'CSK');
INSERT INTO admin.team standings VALUES
(TEAM_STANDINGS_SEQ.NEXTVAL,7,3,4,0,0,6,1005,'DC');
INSERT INTO admin.team standings VALUES
(TEAM STANDINGS SEQ.NEXTVAL,7,1,6,0,0,4,1005,'KXIP');
COMMIT;
--Insert Ticket Class values into Ticket Class Table
INSERT INTO admin.TICKET CLASS VALUES (admin.TICKET CLASS SEQ.nextval, 'SILVER', 30);
INSERT INTO admin.TICKET CLASS VALUES (admin.TICKET CLASS SEQ.nextval, 'GOLD', 50);
INSERT INTO admin.TICKET CLASS VALUES (admin.TICKET CLASS SEQ.nextval, 'PLATINUM',
100);
```

COMMIT;

```
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,900, 2000, 500, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,900, 2000, 501, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,900, 2000, 502, 1, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,900, 2000, 503, 6, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,900, 2001, 504, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,900, 2002, 505, 3, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,900, 2002, 506, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,900, 2001, 507, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,900, 2001, 508, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,900, 2001, 509, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,900, 2002, 510, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,900, 2001, 511, 10, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,900, 2001, 512, 8, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,900, 2001, 513, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,900, 2002, 514, 5, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,900, 2000, 515, 4, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,900, 2000, 516, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,900, 2000, 517, 1, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,900, 2000, 518, 6, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,900, 2001, 519, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,900, 2002, 520, 3, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,900, 2002, 521, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,900, 2001, 522, 8, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,900, 2001, 523, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,900, 2001, 524, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,900, 2002, 525, 5, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,900, 2001, 526, 10, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,900, 2001, 527, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,900, 2001, 528, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,900, 2002, 529, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,901, 2000, 500, 14, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,901, 2000, 501, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,901, 2000, 502, 1, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,901, 2000, 503, 6, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,901, 2001, 504, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,901, 2002, 505, 3, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,901, 2002, 506, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,901, 2001, 507, 8, 1006);
```

```
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,901, 2001, 508, 7, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,901, 2001, 509, 12, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,901, 2002, 510, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,901, 2001, 511, 10, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,901, 2001, 512, 8, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,901, 2001, 513, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,901, 2002, 514, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,901, 2000, 515, 4, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,901, 2000, 516, 12, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,901, 2000, 517, 1, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,901, 2000, 518, 16, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,901, 2001, 519, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,901, 2002, 520, 3, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,901, 2002, 521, 15, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,901, 2001, 522, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,901, 2001, 523, 17, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,901, 2001, 524, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,901, 2002, 525, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,901, 2001, 526, 10, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,901, 2001, 527, 18, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,901, 2001, 528, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,901, 2002, 529, 5, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,902, 2000, 500, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,902, 2000, 501, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,902, 2000, 502, 11, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,902, 2000, 503, 6, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,902, 2001, 504, 14, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,902, 2002, 505, 13, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,902, 2002, 506, 5, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,902, 2001, 507, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,902, 2001, 508, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,902, 2001, 509, 12, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,902, 2002, 510, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,902, 2001, 511, 10, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,902, 2001, 512, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,902, 2001, 513, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,902, 2002, 514, 15, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,902, 2000, 515, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,902, 2000, 516, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,902, 2000, 517, 1, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,902, 2000, 518, 6, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,902, 2001, 519, 14, 1006);
```

```
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,902, 2002, 520, 3, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,902, 2002, 521, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,902, 2001, 522, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,902, 2001, 523, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,902, 2001, 524, 12, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,902, 2002, 525, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,902, 2001, 526, 10, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,902, 2001, 527, 8, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,902, 2001, 528, 17, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,902, 2002, 529, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,903, 2000, 500, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,903, 2000, 501, 12, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,903, 2000, 502, 1, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,903, 2000, 503, 6, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,903, 2001, 504, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,903, 2002, 505, 13, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,903, 2002, 506, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,903, 2001, 507, 8, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,903, 2001, 508, 17, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,903, 2001, 509, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,903, 2002, 510, 15, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,903, 2001, 511, 10, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,903, 2001, 512, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,903, 2001, 513, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,903, 2002, 514, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,903, 2000, 515, 14, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,903, 2000, 516, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,903, 2000, 517, 1, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,903, 2000, 518, 6, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,903, 2001, 519, 14, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,903, 2002, 520, 3, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,903, 2002, 521, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,903, 2001, 522, 18, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,903, 2001, 523, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,903, 2001, 524, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,903, 2002, 525, 15, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,903, 2001, 526, 10, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,903, 2001, 527, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,903, 2001, 528, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,903, 2002, 529, 5, 1006);
```

INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,904, 2000, 500, 14, 1006);

```
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,904, 2000, 501, 2, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,904, 2000, 502, 1, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,904, 2000, 503, 16, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,904, 2001, 504, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,904, 2002, 505, 3, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,904, 2002, 506, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,904, 2001, 507, 18, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,904, 2001, 508, 7, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,904, 2001, 509, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,904, 2002, 510, 15, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,904, 2001, 511, 10, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,904, 2001, 512, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,904, 2001, 513, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,904, 2002, 514, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,904, 2000, 515, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,904, 2000, 516, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,904, 2000, 517, 11, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,904, 2000, 518, 6, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,904, 2001, 519, 4, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,904, 2002, 520, 3, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,904, 2002, 521, 15, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,904, 2001, 522, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,904, 2001, 523, 7, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,904, 2001, 524, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,904, 2002, 525, 15, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,904, 2001, 526, 10, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,904, 2001, 527, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,904, 2001, 528, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,904, 2002, 529, 5, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,905, 2000, 500, 14, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,905, 2000, 501, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,905, 2000, 502, 1, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,905, 2000, 503, 16, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,905, 2001, 504, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,905, 2002, 505, 3, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,905, 2002, 506, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,905, 2001, 507, 18, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,905, 2001, 508, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,905, 2001, 509, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,905, 2002, 510, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,905, 2001, 511, 10, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,905, 2001, 512, 18, 1006);
```

```
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,905, 2001, 513, 7, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,905, 2002, 514, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,905, 2000, 515, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,905, 2000, 516, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,905, 2000, 517, 1, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,905, 2000, 518, 6, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,905, 2001, 519, 14, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,905, 2002, 520, 3, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,905, 2002, 521, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,905, 2001, 522, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,905, 2001, 523, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,905, 2001, 524, 12, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,905, 2002, 525, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,905, 2001, 526, 10, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,905, 2001, 527, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,905, 2001, 528, 17, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,905, 2002, 529, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,906, 2000, 500, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,906, 2000, 501, 12, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,906, 2000, 502, 1, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,906, 2000, 503, 6, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,906, 2001, 504, 4, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,906, 2002, 505, 13, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,906, 2002, 506, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,906, 2001, 507, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,906, 2001, 508, 17, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,906, 2001, 509, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,906, 2002, 510, 15, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,906, 2001, 511, 10, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,906, 2001, 512, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,906, 2001, 513, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,906, 2002, 514, 15, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,906, 2000, 515, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,906, 2000, 516, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,906, 2000, 517, 1, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,906, 2000, 518, 6, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,906, 2001, 519, 14, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,906, 2002, 520, 3, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,906, 2002, 521, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,906, 2001, 522, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,906, 2001, 523, 17, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,906, 2001, 524, 2, 1006);
```

```
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,906, 2002, 525, 5, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,906, 2001, 526, 10, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,906, 2001, 527, 18, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,906, 2001, 528, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,906, 2002, 529, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,907, 2000, 500, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,907, 2000, 501, 2, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,907, 2000, 502, 1, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,907, 2000, 503, 16, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,907, 2001, 504, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,907, 2002, 505, 3, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,907, 2002, 506, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,907, 2001, 507, 18, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,907, 2001, 508, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,907, 2001, 509, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,907, 2002, 510, 15, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,907, 2001, 511, 10, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,907, 2001, 512, 8, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,907, 2001, 513, 7, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,907, 2002, 514, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,907, 2000, 515, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,907, 2000, 516, 12, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,907, 2000, 517, 1, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,907, 2000, 518, 6, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,907, 2001, 519, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,907, 2002, 520, 3, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,907, 2002, 521, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,907, 2001, 522, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,907, 2001, 523, 7, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,907, 2001, 524, 12, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,907, 2002, 525, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,907, 2001, 526, 10, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,907, 2001, 527, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,907, 2001, 528, 17, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,907, 2002, 529, 5, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,908, 2000, 500, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,908, 2000, 501, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,908, 2000, 502, 11, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,908, 2000, 503, 6, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,908, 2001, 504, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,908, 2002, 505, 13, 1006);
```

```
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,908, 2002, 506, 5, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,908, 2001, 507, 18, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,908, 2001, 508, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,908, 2001, 509, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,908, 2002, 510, 15, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,908, 2001, 511, 10, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,908, 2001, 512, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,908, 2001, 513, 7, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,908, 2002, 514, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,908, 2000, 515, 14, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,908, 2000, 516, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,908, 2000, 517, 1, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,908, 2000, 518, 6, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,908, 2001, 519, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,908, 2002, 520, 13, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,908, 2002, 521, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,908, 2001, 522, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,908, 2001, 523, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,908, 2001, 524, 12, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,908, 2002, 525, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,908, 2001, 526, 10, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,908, 2001, 527, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,908, 2001, 528, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,908, 2002, 529, 15, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,909, 2000, 500, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,909, 2000, 501, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,909, 2000, 502, 11, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,909, 2000, 503, 6, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,909, 2001, 504, 4, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,909, 2002, 505, 3, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,909, 2002, 506, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,909, 2001, 507, 18, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,909, 2001, 508, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,909, 2001, 509, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,909, 2002, 510, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,909, 2001, 511, 10, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,909, 2001, 512, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,909, 2001, 513, 17, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,909, 2002, 514, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,909, 2000, 515, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,909, 2000, 516, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,909, 2000, 517, 1, 1006);
```

```
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,909, 2000, 518, 16, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,909, 2001, 519, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,909, 2002, 520, 3, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,909, 2002, 521, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,909, 2001, 522, 18, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,909, 2001, 523, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,909, 2001, 524, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,909, 2002, 525, 15, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,909, 2001, 526, 10, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,909, 2001, 527, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,909, 2001, 528, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,909, 2002, 529, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,910, 2000, 500, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,910, 2000, 501, 12, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,910, 2000, 502, 1, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,910, 2000, 503, 6, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,910, 2001, 504, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,910, 2002, 505, 3, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,910, 2002, 506, 15, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,910, 2001, 507, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,910, 2001, 508, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,910, 2001, 509, 2, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,910, 2002, 510, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,910, 2001, 511, 10, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,910, 2001, 512, 18, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,910, 2001, 513, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,910, 2002, 514, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,910, 2000, 515, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,910, 2000, 516, 2, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,910, 2000, 517, 11, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,910, 2000, 518, 6, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,910, 2001, 519, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,910, 2002, 520, 3, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,910, 2002, 521, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,910, 2001, 522, 18, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,910, 2001, 523, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,910, 2001, 524, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,910, 2002, 525, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,910, 2001, 526, 10, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,910, 2001, 527, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,910, 2001, 528, 17, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,910, 2002, 529, 5, 1006);
```

```
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,911, 2000, 500, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,911, 2000, 501, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,911, 2000, 502, 1, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,911, 2000, 503, 16, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,911, 2001, 504, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,911, 2002, 505, 3, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,911, 2002, 506, 5, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,911, 2001, 507, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,911, 2001, 508, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,911, 2001, 509, 12, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,911, 2002, 510, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,911, 2001, 511, 10, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,911, 2001, 512, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,911, 2001, 513, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,911, 2002, 514, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,911, 2000, 515, 14, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,911, 2000, 516, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,911, 2000, 517, 1, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,911, 2000, 518, 16, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,911, 2001, 519, 14, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,911, 2002, 520, 3, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,911, 2002, 521, 5, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,911, 2001, 522, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,911, 2001, 523, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,911, 2001, 524, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,911, 2002, 525, 15, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,911, 2001, 526, 10, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,911, 2001, 527, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,911, 2001, 528, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,911, 2002, 529, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,912, 2000, 500, 14, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,912, 2000, 501, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,912, 2000, 502, 1, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,912, 2000, 503, 6, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,912, 2001, 504, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,912, 2002, 505, 3, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,912, 2002, 506, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,912, 2001, 507, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,912, 2001, 508, 17, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,912, 2001, 509, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,912, 2002, 510, 5, 1006);
```

```
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,912, 2001, 511, 10, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,912, 2001, 512, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,912, 2001, 513, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,912, 2002, 514, 15, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,912, 2000, 515, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,912, 2000, 516, 12, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,912, 2000, 517, 1, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,912, 2000, 518, 6, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,912, 2001, 519, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,912, 2002, 520, 3, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,912, 2002, 521, 5, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,912, 2001, 522, 18, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,912, 2001, 523, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,912, 2001, 524, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,912, 2002, 525, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,912, 2001, 526, 10, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,912, 2001, 527, 18, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,912, 2001, 528, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,912, 2002, 529, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,913, 2000, 500, 14, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,913, 2000, 501, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,913, 2000, 502, 1, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,913, 2000, 503, 6, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,913, 2001, 504, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,913, 2002, 505, 13, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,913, 2002, 506, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,913, 2001, 507, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,913, 2001, 508, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,913, 2001, 509, 2, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,913, 2002, 510, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,913, 2001, 511, 10, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,913, 2001, 512, 18, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,913, 2001, 513, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,913, 2002, 514, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,913, 2000, 515, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,913, 2000, 516, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,913, 2000, 517, 1, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,913, 2000, 518, 6, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,913, 2001, 519, 14, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,913, 2002, 520, 3, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,913, 2002, 521, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,913, 2001, 522, 8, 1006);
```

```
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,913, 2001, 523, 17, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,913, 2001, 524, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,913, 2002, 525, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,913, 2001, 526, 10, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,913, 2001, 527, 8, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,913, 2001, 528, 17, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,913, 2002, 529, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,914, 2000, 500, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,914, 2000, 501, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,914, 2000, 502, 1, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,914, 2000, 503, 16, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,914, 2001, 504, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,914, 2002, 505, 3, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,914, 2002, 506, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,914, 2001, 507, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,914, 2001, 508, 17, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,914, 2001, 509, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,914, 2002, 510, 5, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,914, 2001, 511, 10, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,914, 2001, 512, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,914, 2001, 513, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,914, 2002, 514, 15, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,914, 2000, 515, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,914, 2000, 516, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,914, 2000, 517, 1, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,914, 2000, 518, 6, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,914, 2001, 519, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,914, 2002, 520, 3, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,914, 2002, 521, 5, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,914, 2001, 522, 18, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,914, 2001, 523, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,914, 2001, 524, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,914, 2002, 525, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,914, 2001, 526, 10, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,914, 2001, 527, 18, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,914, 2001, 528, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,914, 2002, 529, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,915, 2000, 500, 14, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,915, 2000, 501, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,915, 2000, 502, 1, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,915, 2000, 503, 6, 1006);
```

```
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,915, 2001, 504, 4, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,915, 2002, 505, 3, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,915, 2002, 506, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,915, 2001, 507, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,915, 2001, 508, 17, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,915, 2001, 509, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,915, 2002, 510, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,915, 2001, 511, 10, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,915, 2001, 512, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,915, 2001, 513, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,915, 2002, 514, 5, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,915, 2000, 515, 14, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,915, 2000, 516, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,915, 2000, 517, 1, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,915, 2000, 518, 6, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,915, 2001, 519, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,915, 2002, 520, 3, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,915, 2002, 521, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,915, 2001, 522, 8, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,915, 2001, 523, 17, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,915, 2001, 524, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,915, 2002, 525, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,915, 2001, 526, 10, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,915, 2001, 527, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,915, 2001, 528, 17, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,915, 2002, 529, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,916, 2000, 500, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,916, 2000, 501, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,916, 2000, 502, 1, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,916, 2000, 503, 16, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,916, 2001, 504, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,916, 2002, 505, 3, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,916, 2002, 506, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,916, 2001, 507, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,916, 2001, 508, 17, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,916, 2001, 509, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,916, 2002, 510, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,916, 2001, 511, 10, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,916, 2001, 512, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,916, 2001, 513, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,916, 2002, 514, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,916, 2000, 515, 4, 1006);
```

```
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,916, 2000, 516, 2, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,916, 2000, 517, 11, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,916, 2000, 518, 6, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,916, 2001, 519, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,916, 2002, 520, 3, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,916, 2002, 521, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,916, 2001, 522, 18, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,916, 2001, 523, 7, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,916, 2001, 524, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,916, 2002, 525, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,916, 2001, 526, 10, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,916, 2001, 527, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,916, 2001, 528, 17, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,916, 2002, 529, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,917, 2000, 500, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,917, 2000, 501, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,917, 2000, 502, 1, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,917, 2000, 503, 16, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,917, 2001, 504, 4, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,917, 2002, 505, 3, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,917, 2002, 506, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,917, 2001, 507, 8, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,917, 2001, 508, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,917, 2001, 509, 12, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,917, 2002, 510, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,917, 2001, 511, 10, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,917, 2001, 512, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,917, 2001, 513, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,917, 2002, 514, 5, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,917, 2000, 515, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,917, 2000, 516, 12, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,917, 2000, 517, 1, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,917, 2000, 518, 6, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,917, 2001, 519, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,917, 2002, 520, 3, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,917, 2002, 521, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,917, 2001, 522, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,917, 2001, 523, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,917, 2001, 524, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,917, 2002, 525, 15, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,917, 2001, 526, 10, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,917, 2001, 527, 8, 1006);
```

```
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,917, 2001, 528, 7, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,917, 2002, 529, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,918, 2000, 500, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,918, 2000, 501, 12, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,918, 2000, 502, 1, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,918, 2000, 503, 6, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,918, 2001, 504, 4, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,918, 2002, 505, 3, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,918, 2002, 506, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,918, 2001, 507, 8, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,918, 2001, 508, 17, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,918, 2001, 509, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,918, 2002, 510, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,918, 2001, 511, 10, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,918, 2001, 512, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,918, 2001, 513, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,918, 2002, 514, 5, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,918, 2000, 515, 14, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,918, 2000, 516, 2, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,918, 2000, 517, 1, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,918, 2000, 518, 6, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,918, 2001, 519, 4, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,918, 2002, 520, 3, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,918, 2002, 521, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,918, 2001, 522, 18, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,918, 2001, 523, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,918, 2001, 524, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,918, 2002, 525, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,918, 2001, 526, 10, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,918, 2001, 527, 18, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,918, 2001, 528, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,918, 2002, 529, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,919, 2000, 500, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,919, 2000, 501, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,919, 2000, 502, 11, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,919, 2000, 503, 6, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,919, 2001, 504, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,919, 2002, 505, 3, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,919, 2002, 506, 15, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,919, 2001, 507, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,919, 2001, 508, 7, 1006);
```

```
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,919, 2001, 509, 2, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,919, 2002, 510, 15, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,919, 2001, 511, 10, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,919, 2001, 512, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,919, 2001, 513, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,919, 2002, 514, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,919, 2000, 515, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,919, 2000, 516, 12, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,919, 2000, 517, 1, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,919, 2000, 518, 6, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,919, 2001, 519, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,919, 2002, 520, 3, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,919, 2002, 521, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,919, 2001, 522, 18, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,919, 2001, 523, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,919, 2001, 524, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,919, 2002, 525, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,919, 2001, 526, 10, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,919, 2001, 527, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,919, 2001, 528, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,919, 2002, 529, 15, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,920, 2000, 500, 4, 1006);
```

```
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,920, 2000, 501, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,920, 2000, 502, 1, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,920, 2000, 503, 6, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,920, 2001, 504, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,920, 2002, 505, 13, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,920, 2002, 506, 5, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,920, 2001, 507, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,920, 2001, 508, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,920, 2001, 509, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,920, 2002, 510, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,920, 2001, 511, 10, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,920, 2001, 512, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,920, 2001, 513, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,920, 2002, 514, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,920, 2000, 515, 14, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,920, 2000, 516, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,920, 2000, 517, 1, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,920, 2000, 518, 6, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,920, 2001, 519, 14, 1006);
```

```
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,920, 2002, 520, 3, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,920, 2002, 521, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,920, 2001, 522, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,920, 2001, 523, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,920, 2001, 524, 12, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,920, 2002, 525, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,920, 2001, 526, 10, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,920, 2001, 527, 18, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,920, 2001, 528, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,920, 2002, 529, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,921, 2000, 500, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,921, 2000, 501, 12, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,921, 2000, 502, 1, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,921, 2000, 503, 6, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,921, 2001, 504, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,921, 2002, 505, 3, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,921, 2002, 506, 15, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,921, 2001, 507, 8, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,921, 2001, 508, 7, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,921, 2001, 509, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,921, 2002, 510, 15, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,921, 2001, 511, 10, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,921, 2001, 512, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,921, 2001, 513, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,921, 2002, 514, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,921, 2000, 515, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,921, 2000, 516, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,921, 2000, 517, 11, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,921, 2000, 518, 6, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,921, 2001, 519, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,921, 2002, 520, 3, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,921, 2002, 521, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,921, 2001, 522, 18, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,921, 2001, 523, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,921, 2001, 524, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,921, 2002, 525, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,921, 2001, 526, 10, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,921, 2001, 527, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,921, 2001, 528, 17, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,921, 2002, 529, 5, 1006);
```

INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,922, 2000, 500, 4, 1006);

```
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,922, 2000, 501, 2, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,922, 2000, 502, 1, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,922, 2000, 503, 6, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,922, 2001, 504, 4, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,922, 2002, 505, 13, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,922, 2002, 506, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,922, 2001, 507, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,922, 2001, 508, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,922, 2001, 509, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,922, 2002, 510, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,922, 2001, 511, 10, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,922, 2001, 512, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,922, 2001, 513, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,922, 2002, 514, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,922, 2000, 515, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,922, 2000, 516, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,922, 2000, 517, 11, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,922, 2000, 518, 6, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,922, 2001, 519, 4, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,922, 2002, 520, 3, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,922, 2002, 521, 15, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,922, 2001, 522, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,922, 2001, 523, 7, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,922, 2001, 524, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,922, 2002, 525, 15, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,922, 2001, 526, 10, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,922, 2001, 527, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,922, 2001, 528, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,922, 2002, 529, 5, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,923, 2000, 500, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,923, 2000, 501, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,923, 2000, 502, 1, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,923, 2000, 503, 16, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,923, 2001, 504, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,923, 2002, 505, 3, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,923, 2002, 506, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,923, 2001, 507, 18, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,923, 2001, 508, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,923, 2001, 509, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL .923, 2002, 510, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,923, 2001, 511, 10, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,923, 2001, 512, 8, 1006);
```

```
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,923, 2001, 513, 7, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,923, 2002, 514, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,923, 2000, 515, 14, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,923, 2000, 516, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,923, 2000, 517, 1, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,923, 2000, 518, 16, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,923, 2001, 519, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,923, 2002, 520, 3, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,923, 2002, 521, 15, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,923, 2001, 522, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,923, 2001, 523, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,923, 2001, 524, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,923, 2002, 525, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,923, 2001, 526, 10, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,923, 2001, 527, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,923, 2001, 528, 17, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,923, 2002, 529, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,924, 2000, 500, 4, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,924, 2000, 501, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,924, 2000, 502, 1, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,924, 2000, 503, 16, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,924, 2001, 504, 4, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,924, 2002, 505, 3, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,924, 2002, 506, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,924, 2001, 507, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,924, 2001, 508, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,924, 2001, 509, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,924, 2002, 510, 15, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,924, 2001, 511, 10, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,924, 2001, 512, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,924, 2001, 513, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,924, 2002, 514, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,924, 2000, 515, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,924, 2000, 516, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,924, 2000, 517, 1, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,924, 2000, 518, 6, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,924, 2001, 519, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,924, 2002, 520, 13, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,924, 2002, 521, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,924, 2001, 522, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,924, 2001, 523, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,924, 2001, 524, 2, 1006);
```

```
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,924, 2002, 525, 5, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,924, 2001, 526, 10, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,924, 2001, 527, 18, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,924, 2001, 528, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,924, 2002, 529, 15, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,925, 2000, 500, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,925, 2000, 501, 2, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,925, 2000, 502, 1, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,925, 2000, 503, 6, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,925, 2001, 504, 14, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,925, 2002, 505, 3, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,925, 2002, 506, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,925, 2001, 507, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,925, 2001, 508, 17, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,925, 2001, 509, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,925, 2002, 510, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,925, 2001, 511, 10, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,925, 2001, 512, 8, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,925, 2001, 513, 17, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,925, 2002, 514, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,925, 2000, 515, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,925, 2000, 516, 2, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,925, 2000, 517, 1, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,925, 2000, 518, 6, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,925, 2001, 519, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,925, 2002, 520, 13, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,925, 2002, 521, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,925, 2001, 522, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,925, 2001, 523, 7, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,925, 2001, 524, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,925, 2002, 525, 15, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,925, 2001, 526, 10, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,925, 2001, 527, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,925, 2001, 528, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,925, 2002, 529, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,926, 2000, 500, 14, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,926, 2000, 501, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,926, 2000, 502, 1, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,926, 2000, 503, 6, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,926, 2001, 504, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,926, 2002, 505, 13, 1006);
```

```
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,926, 2002, 506, 5, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,926, 2001, 507, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,926, 2001, 508, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,926, 2001, 509, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,926, 2002, 510, 15, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,926, 2001, 511, 10, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,926, 2001, 512, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,926, 2001, 513, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,926, 2002, 514, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,926, 2000, 515, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,926, 2000, 516, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,926, 2000, 517, 1, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,926, 2000, 518, 6, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,926, 2001, 519, 14, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,926, 2002, 520, 3, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,926, 2002, 521, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,926, 2001, 522, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,926, 2001, 523, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,926, 2001, 524, 12, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,926, 2002, 525, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,926, 2001, 526, 10, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,926, 2001, 527, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,926, 2001, 528, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,926, 2002, 529, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,927, 2000, 500, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,927, 2000, 501, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,927, 2000, 502, 11, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,927, 2000, 503, 6, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,927, 2001, 504, 4, 1006);
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,927, 2002, 505, 3, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,927, 2002, 506, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,927, 2001, 507, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,927, 2001, 508, 17, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,927, 2001, 509, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,927, 2002, 510, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,927, 2001, 511, 10, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,927, 2001, 512, 8, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,927, 2001, 513, 7, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,927, 2002, 514, 5, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,927, 2000, 515, 4, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,927, 2000, 516, 2, 1006);
INSERT INTO admin.booking values(admin.booking seq.NEXTVAL ,927, 2000, 517, 11, 1006);
```

```
INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,927, 2000, 518, 6, 1006); INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,927, 2001, 519, 4, 1006); INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,927, 2002, 520, 3, 1006); INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,927, 2002, 521, 5, 1006); INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,927, 2001, 522, 18, 1006); INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,927, 2001, 523, 7, 1006); INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,927, 2001, 524, 2, 1006); INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,927, 2001, 526, 10, 1006); INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,927, 2001, 526, 10, 1006); INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,927, 2001, 527, 8, 1006); INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,927, 2001, 528, 17, 1006); INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,927, 2001, 528, 17, 1006); INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,927, 2002, 529, 5, 1006); INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,927, 2002, 529, 5, 1006); INSERT INTO admin.booking values(admin.booking_seq.NEXTVAL ,927, 2002, 529, 5, 1006);
```

--Revenue generated by each match in the league

```
select ma.match_id as match_id, te1.team_name ||' vs'|| te2.team_name as teams, SUM(bk.ticket_count*tc.ticket_price) as revenue from ADMIN.fixture ma inner join ADMIN.booking bk on bk.match_id = ma.match_id inner join ADMIN.ticket_class tc on bk.ticket_type_id = tc.ticket_id inner join ADMIN.team te1 on ma.team1_id = te1.team_id inner join ADMIN.team te2 on ma.team2_id = te2.team_id group by ma.match_id, te1.team_name, te2.team_name order by revenue desc;
```

--top 10 most expensive players in league

```
select pl.player_name, pl.base_price, bid.bid_amount, ow.team_name as bought_by from ADMIN.bid bid inner join ADMIN.team_owner ow on ow.owner_id=bid.owner_id inner join ADMIN.player pl on pl.player_id=bid.player_id where bid.is_final_bid='T' order by bid.bid_amount desc fetch first 10 rows only;
```

--Number of players in each team, domestic or international, batsman vs bowler vs wk

select te.team_name, SUM(CASE WHEN pl.player_role='BATSMAN' THEN 1 ELSE 0 END) AS Batsman,
SUM(CASE WHEN pl.player_role = 'BOWLER' THEN 1 ELSE 0 END) AS Bowler,
SUM(CASE WHEN pl.player_role = 'WK' THEN 1 ELSE 0 END) AS WK,

SUM(CASE WHEN pl.player_role = 'ALLROUNDER' THEN 1 ELSE 0 END) AS AllRounder, SUM(CASE WHEN pl.player_type = 'DOMESTIC' THEN 1 ELSE 0 END) AS Domestic, SUM(CASE WHEN pl.player_type = 'INTERNATIONAL' THEN 1 ELSE 0 END) AS International from admin.player pl inner join admin.team te on te.team_id=pl.team_id group by te.team_name;

--Reports to show the money spent, remaining money with each owner after bidding

select ow.team_name, round(SUM(bid.bid_amount)/10000000,2) as amount_spent, round(50 - SUM(bid.bid_amount)/10000000,2) as purse_left from admin.bid bid inner join admin.team_owner ow on ow.owner_id=bid.owner_id where bid.is_final_bid='T' group by ow.team_name;

-- Each team and owner with their highest bid amount in the league

select ow.team_name, ow.owner_name, max(bid.bid_amount) as max_bid from admin.team_owner ow left join admin.bid bid on bid.owner_id=ow.owner_id where bid.is_final_bid='T' group by ow.team_name, ow.owner_name;

Cricket league managament system

