SEBASTIEN LIAM L. PITCHAN

BSIT 1-1

FUNDAMENTALS OF PROGRAMMING

MR. ROEL MALUBAY

NUMBER 1


CODE:

```
#include <iostream>
using namespace std;

int main(){

 cout << "Read More, Learn More!";
 return 0;
}
```

OUTPUT:



NUMBER 2

CODE:

```
#include <iostream>
using namespace std;

int main(){
 int length, width;
```

```
 cout << "Enter The Length Of The Rectangular Field: " << endl;
 cin >> length;


 cout << "Enter The Width Of The Rectangular Field: " << endl;
 cin >> width;

 int area = length * width;

 cout << area;

 return 0;
}
```

OUTPUT:



NUMBER 3

CODE:

```
#include <iostream>
using namespace std;
```

```
int tankHeight = 12;

double pi = 3.1416;

int main(){
  double volume;
  int r;



  cout << "Enter The Radius: ";
  cin >> r;


  volume = pi * (r * r) * tankHeight;



  cout << "The Volume Of The Water Tank Is: " << volume;
}
```

OUTPUT:

VALUE 3



VALUE 5




NUMBER 4


CODE:

OUTPUT:


LIGHT PACKAGE




STANDARD PACKAGE



HEAVY PACKAGE



OVERSIZED



NUMBER 5

CODE:

```
#include <iostream>

using namespace std;

int choice;

int main(){

 cout << "1 - Phone = PHP 20,000" << endl << "2 - Tablet = PHP 15,000" << endl << "3 - Laptop = PHP 35,000" << endl << "4 - Exit" << endl;

 cout << endl;

 cout << "Enter The Selected Number: ";

 cin >> choice;


 switch(choice){

  case 1:

  cout <<  "Phone = PHP 20,000";

  break;

  case 2:

  cout << "Tablet = PHP 15,000";

  break;

  case 3:


  cout << "Laptop = PHP 35,000";

  break;
```


```
   case 4:
   cout << "Thankyou For Shopping:)";
   break;
   default:
   cout << "Invalid Choice";
  }
  return 0;
}
```

OUTPUT:


Case 1




Case 2




Case 3:



Case 4:



Invalid Choice:




NUMBER 6

CODE :

```
#include <iostream>
using namespace std;
int n;
int main(){
 cout << "Countdown Chart" << endl;
 cout << "Enter A Number: ";
 cin >> n;

 for(int i = 0; i < n ; i++){
  cout << n - i << " ";
 }
 return 0;
}
```

OUTPUT:



NUMBER 7

CODE:

```
#include <iostream>
using namespace std;
```


```
int max_num;
int rem;
int main(){
 cout << "Enter Maximum Number: ";
 cin >> max_num;

 rem = max_num % 2;


 if(rem == 0){
  for(int i = 2; i <= max_num; i+=2){
    cout << i << " " ;
  }
 }else{
  cout << "Try Another Number";
 }
 return 0;
}
```

OUTPUT:

If YES



Try Another Number



NUMBER 8 (SKIPPED)


NUMBER 9

CODE

```
#include <iostream>
using namespace std;
int main(){
 int x, y, prod;
 cout << "Enter first number: ";
 cin >> x;
 cout << "Enter second number: ";
 cin >> y;

 prod = x * y;
 cout << "Product is: " << prod << endl;
 return 0;
}
```

OUTPUT




NUMBER 10


CODE

OUTPUT


Failed



Passed



Invalid Grade



NUMBER 11 (SKIPPED)