Bra and Ket Notation in Quantum Physics

Podcast Learn & Fun *

December 25, 2024

Introduction

The **Bra and Ket Notation** is an essential concept in quantum mechanics that plays a central role in understanding the mathematical structure of quantum states. The Bra-Ket notation was introduced by the physicist **Paul Dirac** and is commonly used to represent quantum states and the operations that act on them.

1 The Concept of Quantum States

In quantum mechanics, the state of a system is described by a **state vector**. These vectors exist in a special kind of vector space known as a **Hilbert space**. However, directly working with vectors in this abstract space can sometimes be cumbersome. That's where Dirac's Bra-Ket notation comes in to streamline the process.

2 The Ket Notation: $|\psi\rangle$

The **Ket** symbol is used to represent quantum states as vectors in a Hilbert space. We write it as:

$$|\psi\rangle\,.$$

Here, $|\psi\rangle$ is a "ket" and represents a quantum state, such as the state of an electron, photon, or any quantum system. The ψ is typically used as a label to distinguish between different states.

Example:

If we have an electron in a superposition of two states, say, spin-up and spin-down, we could represent them as:

$$|\uparrow\rangle \quad \text{and} \quad |\downarrow\rangle\,.$$

*YouTube Channel: https://www.youtube.com/@Podcast_Learn_Fun

These represent the spin-up and spin-down states along the z-axis.

3 The Bra Notation: $\langle\psi|$

The **Bra** symbol is the Hermitian conjugate (complex conjugate transpose) of the Ket. It is written as:

$$\langle\psi| \,.$$

So, if $|\psi\rangle$ is a ket vector, then $\langle\psi|$ is the corresponding bra vector. It represents the conjugate transpose of the state vector in the dual space of the Hilbert space. In the language of linear algebra, a bra is a row vector, while a ket is a column vector.

4 Inner Product: $\langle\psi|\varphi\rangle$

One of the primary operations involving the Bra and Ket notation is the **inner product**. The inner product between two quantum states, $|\psi\rangle$ and $|\varphi\rangle$, is written as:

$$\langle\psi|\varphi\rangle \,.$$

This represents a complex number that gives us information about the overlap between the two quantum states. If the states are orthogonal (i.e., completely distinguishable), the inner product will be zero:

$$\langle\psi|\varphi\rangle = 0 \,.$$

If the states are the same, the inner product is typically normalized to 1:

$$\langle\psi|\psi\rangle = 1 \,.$$

This inner product has a geometric interpretation in Hilbert space. It measures the similarity or the "overlap" between the two states.

5 Outer Product: $|\psi\rangle\langle\varphi|$

The **outer product** is another important operation involving Bra-Ket notation. The outer product between two quantum states, $|\psi\rangle$ and $|\varphi\rangle$, is written as:

$$|\psi\rangle\langle\varphi| \,.$$

This is an operator, not just a number like the inner product. It creates a matrix that acts on other quantum states. The outer product is used when we want to construct operators or projectors.

Example:

If $|\psi\rangle$ and $|\varphi\rangle$ are two states, then $|\psi\rangle\langle\varphi|$ is a matrix that, when applied to another quantum state, will project it onto $|\psi\rangle$.

6 Operator Representation

In quantum mechanics, operators act on quantum states. These operators, such as the Hamiltonian ($\hat{H}$), momentum ($\hat{p}$), or position ($\hat{x}$), are often represented using Bra-Ket notation.

An operator acting on a ket can be written as:

$$\hat{O}|\psi\rangle\,.$$

This represents the application of the operator $\hat{O}$ to the state $|\psi\rangle$, resulting in a new quantum state.

Similarly, if an operator acts on a bra, it is written as:

$$\langle\psi|\hat{O}\,.$$

This represents the action of $\hat{O}$ on the dual of the quantum state. Here, we have used the fact that operators are Hermitian, i.e., $\hat{O}^\dagger = \hat{O}$.

Example:

If we want to calculate the expectation value of an observable $\hat{O}$ in the state $|\psi\rangle$, we use the following formula:

$$\langle\psi|\hat{O}|\psi\rangle$$

This gives the average value of the observable $\hat{O}$ for the system in the state $|\psi\rangle$.

7 Applications of Bra-Ket Notation

Bra-Ket notation is used extensively in:

- **Quantum state representations:** We use it to express states, such as in the form of superposition.
- **Quantum mechanics operators:** It simplifies the representation of operators in quantum mechanics.
- **Quantum computing:** In quantum computing, qubits are represented as vectors, for example, $|\psi\rangle = 1/\sqrt{2}(|0\rangle + |1\rangle)$, and quantum gates are operators that act on these vectors using Bra-Ket notation.
- **Quantum measurements:** Measurement theory relies on the inner and outer products to calculate probabilities of measurement outcomes.