

Composable functions/objects headers

Suhayb Saleh

28/04/2026

Table des matières

1	Content	2
2	Buttons	2
2.1	ButtonStyle enum	2
2.2	Button composable	2
3	IconButton	2
4	FloatingActionButton	3
5	OutlinedTextField	3
6	OTP / Code Input	3
7	SearchBar	3
8	Switch et Checkbox	4
9	Chips	4
10	SegmentedButton	4
11	TabBar	5
12	WeekStrip	5
13	Cards	5
13.1	AppOutlinedCard	5
13.2	RecipeCard	5
13.3	PlanCard	6
14	BottomSheet	6
15	TopAppBar	6
16	NavigationBar	6
17	Tag	7
18	Avatar	7
19	Avatar	7
20	LinearProgressIndicator	8
21	StepDots	8

22 Divider	8
23 SnackBar	8
24 OrDivider	8
25 CookOption	8
26 AisleHeader	9
27 GroceryItem	9
28 CameraViewFinder	9

1 Content

This file contains the headers to be used for the Composable functions in Kotlin in order to create the essential components for the app

Uses Material Design 3 v. 1.4.0

2 Buttons

2.1 ButtonStyle enum

```
enum class ButtonStyle { FILLED, TONAL, OUTLINED, TEXT, ELEVATED }
```

2.2 Button composable

```
@Composable
fun AppButton(
    label: String,
    onClick: () -> Unit,
    modifier: Modifier = Modifier,
    style: ButtonStyle = ButtonStyle.FILLED,
    leadingIcon: ImageVector? = null,
    enabled: Boolean = true
)
```

3 IconButton

```
@Composable
fun AppIconButton(
    icon: ImageVector,
    contentDescription: String,
    onClick: () -> Unit,
    modifier: Modifier = Modifier,
    tint: Color = LocalContentColor.current
)
```

4 FloatingActionButton

```
@Composable
fun AppFab(
    icon: ImageVector,
    contentDescription: String,
    onClick: () -> Unit,
    modifier: Modifier = Modifier
)
```

5 OutlinedTextField

```
@Composable
fun AppTextField(
    value: String,
    onChange: (String) -> Unit,
    label: String,
    modifier: Modifier = Modifier,
    supportingText: String? = null,
    isError: Boolean = false,
    trailingIcon: ImageVector? = null,
    visualTransformation: VisualTransformation = VisualTransformation.None,
    keyboardType: KeyboardType = KeyboardType.Text,
    maxLines: Int = Int.MAX_VALUE
)
```

6 OTP / Code Input

```
@Composable
fun OtpCodeInput(
    value: String,
    onChange: (String) -> Unit,
    length: Int = 6,
    modifier: Modifier = Modifier
)

// Sous-composant interne
@Composable
private fun CodeBox(
    char: Char?,
    state: CodeBoxState // EMPTY, CURSOR, FILLED
)
```

7 SearchBar

```
@Composable
fun AppSearchBar(
    query: String,
    onChange: (String) -> Unit,
    placeholder: String,
```

```

        modifier: Modifier = Modifier,
        leadingIcon: ImageVector = Icons.Default.Search,
        trailingIcon: ImageVector? = null
    )

```

8 Switch et Checkbox

```

@Composable
fun AppSwitch(
    checked: Boolean,
    onCheckedChange: (Boolean) -> Unit,
    modifier: Modifier = Modifier
)

@Composable
fun AppCheckbox(
    checked: Boolean,
    onCheckedChange: (Boolean) -> Unit,
    modifier: Modifier = Modifier
)

```

9 Chips

```

enum class ChipKind { ASSIST, FILTER, INPUT, CATEGORY}

@Composable
fun AppChip(
    label: String,
    kind: ChipKind = ChipKind.FILTER,
    selected: Boolean = false,
    onClick: () -> Unit = {},
    leadingIcon: ImageVector? = null,
    onDismiss: (() -> Unit)? = null // only INPUT
)

```

10 SegmentedButton

```

@Composable
fun <T> AppSegmentedButton(
    options: List<T>,
    selected: T,
    onSelect: (T) -> Unit,
    labelOf: (T) -> String,
    modifier: Modifier = Modifier
)

```

11 TabBar

```
data class TabItem(  
    val label: String,  
    val badge: Int? = null  
)  
  
@Composable  
fun AppTabBar(  
    tabs: List<TabItem>,  
    selectedIndex: Int,  
    onSelect: (Int) -> Unit,  
    modifier: Modifier = Modifier  
)
```

12 WeekStrip

```
data class DayState(  
    val date: LocalDate,  
    val isToday: Boolean,  
    val hasPlan: Boolean  
)  
  
@Composable  
fun WeekStrip(  
    days: List<DayState>,  
    selectedDate: LocalDate,  
    onSelect: (LocalDate) -> Unit,  
    modifier: Modifier = Modifier  
)
```

13 Cards

13.1 AppOutlinedCard

```
@Composable  
fun AppOutlinedCard(  
    selected: Boolean = false,  
    onClick: () -> Unit = {},  
    modifier: Modifier = Modifier,  
    content: @Composable ColumnScope.() -> Unit  
)
```

13.2 RecipeCard

```
@Composable  
fun RecipeCard(  
    recipe: Recipe,  
    onClick: () -> Unit,  
    modifier: Modifier = Modifier  
)
```

13.3 PlanCard

```
sealed class PlanCardState {
    data class Filled(val recipe: Recipe, val cook: Member) : PlanCardState()
    object Empty : PlanCardState()
}

@Composable
fun PlanCard(
    date: LocalDate,
    isToday: Boolean,
    state: PlanCardState,
    onClick: () -> Unit
)
```

14 BottomSheet

```
@Composable
fun AppBottomSheet(
    visible: Boolean,
    onDismiss: () -> Unit,
    title: String? = null,
    subtitle: String? = null,
    content: @Composable ColumnScope.() -> Unit
)
```

15 TopAppBar

```
enum class TopBarSize { SMALL, MEDIUM }

@Composable
fun AppTopAppBar(
    title: String,
    size: TopBarSize = TopBarSize.SMALL,
    subtitle: String? = null,
    onNavigationClick: (() -> Unit)? = null,
    actions: @Composable RowScope.() -> Unit = {}
)
```

16 NavigationBar

```
data class NavDestination(
    val route: String,
    val label: String,
    val icon: ImageVector,
    val iconSelected: ImageVector = icon
)

@Composable
fun AppNavigationBar(
```

```

        destinations: List<NavDestination>,
        currentRoute: String?,
        onSelect: (NavDestination) -> Unit
    )

```

17 Tag

```

enum class TagRole { MINE, SHARED, INGREDIENT_COUNT, AUTO, MANUAL, COOK }

@Composable
fun AppTag(
    label: String,
    role: TagRole,
    leadingIcon: ImageVector? = null,
    modifier: Modifier = Modifier
)

```

18 Avatar

```

enum class AvatarSize(val dp: Dp) {
    XS(24.dp),
    MD(40.dp),
    LG(56.dp)
}

@Composable
fun AppAvatar(
    name: String,
    userId: String,
    size: AvatarSize = AvatarSize.MD,
    modifier: Modifier = Modifier
)

```

19 Avatar

```

enum class AvatarSize(val dp: Dp) {
    XS(24.dp),
    MD(40.dp),
    LG(56.dp)
}

@Composable
fun AppAvatar(
    name: String,
    userId: String,
    size: AvatarSize = AvatarSize.MD,
    modifier: Modifier = Modifier
)

```

20 LinearProgressIndicator

```
@Composable
fun AppLinearProgress(
    progress: Float? = null, // null = indeterminate
    modifier: Modifier = Modifier
)
```

21 StepDots

```
@Composable
fun StepDots(
    total: Int,
    current: Int,
    modifier: Modifier = Modifier
)
```

22 Divider

```
@Composable
fun AppDivider(
    modifier: Modifier = Modifier,
    indent: Dp = 0.dp
)
```

23 Snackbar

```
@Composable
fun AppDivider(
    modifier: Modifier = Modifier,
    indent: Dp = 0.dp
)
```

24 OrDivider

```
@Composable
fun OrDivider(
    label: String = "OR",
    modifier: Modifier = Modifier
)
```

25 CookOption

```
@Composable
fun CookOption(
    member: Member,
    selected: Boolean,
```



```
        onClick: () -> Unit,  
        modifier: Modifier = Modifier  
    )
```

26 AisleHeader

```
@Composable  
fun AisleHeader(  
    aisle: Aisle,  
    checkedCount: Int,  
    totalCount: Int,  
    modifier: Modifier = Modifier  
)
```

27 GroceryItem

```
@Composable  
fun GroceryItem(  
    item: GroceryItem,  
    onCheckChange: (Boolean) -> Unit,  
    modifier: Modifier = Modifier  
)
```

28 CameraViewFinder

```
@Composable  
fun CameraViewFinder(  
    isScanning: Boolean,  
    size: DpSize = DpSize(260.dp, 144.dp),  
    modifier: Modifier = Modifier  
)
```