ChatGPT5.1

Contingency Tables

Contingency Tables

trigger_type		Accommodation	Reject	Unclear	Total
C	Count	0.00	16.00	18.00	34.00
	% of total	0.00%	16.16%	18.18%	34.34%
	Standardized residuals	−0.73	2.10	−1.93	
F	Count	0.00	4.00	29.00	33.00
	% of total	0.00%	4.04%	29.29%	33.33%
	Standardized residuals	−0.71	−3.17	3.29	
T	Count	1.00	13.00	18.00	32.00
	% of total	1.01%	13.13%	18.18%	32.32%
	Standardized residuals	1.45	1.06	−1.36	
Total	Count	1.00	33.00	65.00	99.00
	% of total	1.01%	33.33%	65.66%	100.00%

Chi-Squared Tests

	Value	df	p
X^2	12.73	4	.013
N	99		

Note. Continuity correction is available only for 2x2 tables.

Nominal

	Value[a]
Phi-coefficient	NaN
Cramer's V	0.254

[a] Phi coefficient is only available for 2 by 2 contingency Tables

Contingency Tables

probability		Accommodation			Total
		Accommodation	Reject	Unclear	
H	Count	1.00	5.00	44.00	50.00
	% of total	1.01 %	5.05 %	44.44 %	50.51 %
	Standardized residuals	0.99	−4.97	4.73	
L	Count	0.00	28.00	21.00	49.00
	% of total	0.00 %	28.28 %	21.21 %	49.49 %
	Standardized residuals	−0.99	4.97	−4.73	
Total	Count	1.00	33.00	65.00	99.00
	% of total	1.01 %	33.33 %	65.66 %	100.00 %

Chi-Squared Tests

	Value	df	p
X^2	25.16	2	< .001
N	99		

Note. Continuity correction is available only for 2x2 tables.

Nominal

	Value[a]
Phi-coefficient	NaN
Cramer's V	0.504

[a] Phi coefficient is only available for 2 by 2 contingency Tables

Contingency Tables

embedding_context		Accommodation			
		Accommodation	Reject	Unclear	Total
N	Count	1.00	16.00	30.00	47.00
	% of total	1.01 %	16.16 %	30.30 %	47.47 %
	Standardized residuals	1.06	0.14	−0.36	
Q	Count	0.00	17.00	35.00	52.00
	% of total	0.00 %	17.17 %	35.35 %	52.53 %
	Standardized residuals	−1.06	−0.14	0.36	
Total	Count	1.00	33.00	65.00	99.00
	% of total	1.01 %	33.33 %	65.66 %	100.00 %

Chi-Squared Tests

	Value	df	p
X^2	1.165	2	.558
N	99		

Note. Continuity correction is available only for 2x2 tables.

Nominal

	Value[a]
Phi-coefficient	NaN
Cramer's V	0.108

[a] Phi coefficient is only available for 2 by 2 contingency Tables

Contingency Tables

political_distance		Accommodation			Total
		Accommodation	Reject	Unclear	
C	Count	1.00	14.00	34.00	49.00
	% of total	1.01 %	14.14 %	34.34 %	49.49 %
	Standardized residuals	1.02	−0.99	0.77	
F	Count	0.00	19.00	31.00	50.00
	% of total	0.00 %	19.19 %	31.31 %	50.51 %
	Standardized residuals	−1.02	0.99	−0.77	
Total	Count	1.00	33.00	65.00	99.00
	% of total	1.01 %	33.33 %	65.66 %	100.00 %

Chi-Squared Tests

	Value	df	p
X^2	1.886	2	.389
N	99		

Note. Continuity correction is available only for 2x2 tables.

Nominal

	Value[a]
Phi-coefficient	NaN
Cramer's V	0.138

[a] Phi coefficient is only available for 2 by 2 contingency Tables