Gemini 2.5 flash

Contingency Tables

Contingency Tables

trigger_type		Accommodation			Total
		Accommodated	Rejected	Unclear	
C	Count	1.00	28.00	5.00	34.00
	% of total	1.01 %	28.28 %	5.05 %	34.34 %
	Standardized residuals	−1.87	2.67	−1.60	
F	Count	3.00	11.00	19.00	33.00
	% of total	3.03 %	11.11 %	19.19 %	33.33 %
	Standardized residuals	−0.45	−4.61	5.47	
T	Count	7.00	25.00	0.00	32.00
	% of total	7.07 %	25.25 %	0.00 %	32.32 %
	Standardized residuals	2.36	1.94	−3.89	
Total	Count	11.00	64.00	24.00	99.00
	% of total	11.11 %	64.65 %	24.24 %	100.00 %

Chi-Squared Tests

	Value	df	p
X^2	37.21	4	< .001
N	99		

Note. Continuity correction is available only for 2x2 tables.

Nominal

	Value[a]
Phi-coefficient	NaN
Cramer's V	0.434

[a] Phi coefficient is only available for 2 by 2 contingency Tables

Contingency Tables

probability		Accommodation			Total
		Accommodated	Rejected	Unclear	
H	Count	5.00	34.00	11.00	50.00
	% of total	5.05%	34.34%	11.11%	50.51%
	Standardized residuals	−0.36	0.71	−0.53	
L	Count	6.00	30.00	13.00	49.00
	% of total	6.06%	30.30%	13.13%	49.49%
	Standardized residuals	0.36	−0.71	0.53	
Total	Count	11.00	64.00	24.00	99.00
	% of total	11.11%	64.65%	24.24%	100.00%

Chi-Squared Tests

	Value	df	p
X^2	0.498	2	.780
N	99		

Note. Continuity correction is available only for 2x2 tables.

Nominal

	Value[a]
Phi-coefficient	NaN
Cramer's V	0.071

[a] Phi coefficient is only available for 2 by 2 contingency Tables

Contingency Tables

embedding_context		Accommodation			Total
		Accommodated	Rejected	Unclear	
N	Count	9.00	25.00	13.00	47.00
	% of total	9.09 %	25.25 %	13.13 %	47.47 %
	Standardized residuals	2.42	−2.27	0.75	
Q	Count	2.00	39.00	11.00	52.00
	% of total	2.02 %	39.39 %	11.11 %	52.53 %
	Standardized residuals	−2.42	2.27	−0.75	
Total	Count	11.00	64.00	24.00	99.00
	% of total	11.11 %	64.65 %	24.24 %	100.00 %

Chi-Squared Tests

	Value	df	p
X^2	7.450	2	.024
N	99		

Note. Continuity correction is available only for 2x2 tables.

Nominal

	Value[a]
Phi-coefficient	NaN
Cramer's V	0.274

[a] Phi coefficient is only available for 2 by 2 contingency Tables

Contingency Tables

political_distance		Accommodation			Total
		Accommodated	Rejected	Unclear	
C	Count	4.00	32.00	13.00	49.00
	% of total	4.04 %	32.32 %	13.13 %	49.49 %
	Standardized residuals	−0.92	0.14	0.53	
F	Count	7.00	32.00	11.00	50.00
	% of total	7.07 %	32.32 %	11.11 %	50.51 %
	Standardized residuals	0.92	−0.14	−0.53	
Total	Count	11.00	64.00	24.00	99.00
	% of total	11.11 %	64.65 %	24.24 %	100.00 %

Chi-Squared Tests

	Value	df	p
X^2	0.975	2	.614
N	99		

Note. Continuity correction is available only for 2x2 tables.

Nominal

	Value[a]
Phi-coefficient	NaN
Cramer's V	0.099

[a] Phi coefficient is only available for 2 by 2 contingency Tables