Template to prepare preprints and manuscripts using markdown and github actions

Tanya Strydom [‡], Timothée Poisot [‡]

[1] Université de Montréal; [2] Québec Centre for Biodiversity Sciences
[‡] Equal contributions

Correspondance to:
Timothée Poisot — timothee.poisot@umontreal.ca

Keywords:
pandoc
pandoc-crossref
github actions

1

Introduction

2

Methods

2.1. Empirical networks Empirical networks were constructed from the interactions recorded by Kopelke *et al.* (2017). This dataset consists of replicate samples of *Salix* (willow species) – willow-galling sawfly – predator interactions across Europe. Data collection spanned 29 years across 641 sites (some with repeat visits) revealing 1 173 links across sites and trophic levels. Sites spanned a large latitudinal (in the context of continental Europe) from Italy (39.00/deg N) to Norway (70.78/deg N). Making this a good dataset to interrogate regarding the aim of this paper owing to the large environmental gradient.

3

Results

4

Discussion and Conclusions

References

preKopelke, J.-P., Nyman, T., Cazelles, K., Gravel, D., Vissault, S. & Roslin, T. (2017). Food-web structure of willow-galling sawflies and their natural enemies across Europe. *Ecology*, 98, 1730–1730.

the poisot lab